



CEASAR

MAZDA Model: BLXR3359 Bollard Light

Cesar Bollard Light adopts high-quality aluminum shell, spray paint baking surface treatment technology, and has the characteristics of not easy to rust, waterproof and sunscreen. The item has the classic design of a bollard light, available with little differences in the top shape to satisfy the details lovers. The light source is an LED high efficiency system, which ensures high performances while saving energy. Cesar bollard have features like easy installation, very low maintenance needs and full safety for electrical systems and people, with ingress protection degree is IP65.

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angle	Dimension	Material	IP	Dimensions	Price
1	MAZDA-BLXR335915W-3K-240V-BR-ND-A160 X B1068 MM	15W	3000	240V	BROWN & BLACK	NON EMERGENCY	ON - OFF	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
2	MAZDA-BLXR335915W-3K-240V-BR-DA-A160 X B1068 MM	15W	3000	240V	BROWN & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
3	MAZDA-BLXR335915W-3K-240V-BR-PH-A160 X B1068 MM	15W	3000	240V	BROWN & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
4	MAZDA-BLXR335915W-3K-240V-BR-10VDIM-A160 X B1068 MM	15W	3000	240V	BROWN & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
5	MAZDA-BLXR335915W-4K-240V-BR-ND-A160 X B1068 MM	15W	4000	240V	BROWN & BLACK	NON EMERGENCY	ON - OFF	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
6	MAZDA-BLXR335915W-4K-240V-BR-DA-A160 X B1068 MM	15W	4000	240V	BROWN & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
7	MAZDA-BLXR335915W-4K-240V-BR-PH-A160 X B1068 MM	15W	4000	240V	BROWN & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
8	MAZDA-BLXR335915W-4K-240V-BR-10VDIM-A160 X B1068 MM	15W	4000	240V	BROWN & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
9	MAZDA-BLXR335915W-5K-240V-BR-ND-A160 X B1068 MM	15W	5000	240V	BROWN & BLACK	NON EMERGENCY	ON - OFF	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
10	MAZDA-BLXR335915W-5K-240V-BR-DA-A160 X B1068 MM	15W	5000	240V	BROWN & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
11	MAZDA-BLXR335915W-5K-240V-BR-PH-A160 X B1068 MM	15W	5000	240V	BROWN & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
12	MAZDA-BLXR335915W-5K-240V-BR-10VDIM-A160 X B1068 MM	15W	5000	240V	BROWN & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
13	MAZDA-BLXR335915W-6K-240V-BR-ND-A160 X B1068 MM	15W	6000	240V	BROWN & BLACK	NON EMERGENCY	ON - OFF	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
14	MAZDA-BLXR335915W-6K-240V-BR-DA-A160 X B1068 MM	15W	6000	240V	BROWN & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
15	MAZDA-BLXR335915W-6K-240V-BR-PH-A160 X B1068 MM	15W	6000	240V	BROWN & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
16	MAZDA-BLXR335915W-6K-240V-BR-10VDIM-A160 X B1068 MM	15W	6000	240V	BROWN & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	



DATASHEET

GENERATED ON: 04 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
17	MAZDA-BLXR335915W-2.7K-240V-BR-ND-A160 X B1068 MM	15W	2700	240V	BROWN & BLACK	NON EMERGENCY	ON - OFF	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
18	MAZDA-BLXR335915W-2.7K-240V-BR-DA-A160 X B1068 MM	15W	2700	240V	BROWN & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
19	MAZDA-BLXR335915W-2.7K-240V-BR-PH-A160 X B1068 MM	15W	2700	240V	BROWN & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
20	MAZDA-BLXR335915W-2.7K-240V-BR-10VDIM-A160 X B1068 MM	15W	2700	240V	BROWN & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
21	MAZDA-BLXR335920W-3K-240V-BR-ND-A160 X B1068 MM	20W	3000	240V	BROWN & BLACK	NON EMERGENCY	ON - OFF	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
22	MAZDA-BLXR335920W-3K-240V-BR-DA-A160 X B1068 MM	20W	3000	240V	BROWN & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
23	MAZDA-BLXR335920W-3K-240V-BR-PH-A160 X B1068 MM	20W	3000	240V	BROWN & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
24	MAZDA-BLXR335920W-3K-240V-BR-10VDIM-A160 X B1068 MM	20W	3000	240V	BROWN & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
25	MAZDA-BLXR335920W-4K-240V-BR-ND-A160 X B1068 MM	20W	4000	240V	BROWN & BLACK	NON EMERGENCY	ON - OFF	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
26	MAZDA-BLXR335920W-4K-240V-BR-DA-A160 X B1068 MM	20W	4000	240V	BROWN & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
27	MAZDA-BLXR335920W-4K-240V-BR-PH-A160 X B1068 MM	20W	4000	240V	BROWN & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
28	MAZDA-BLXR335920W-4K-240V-BR-10VDIM-A160 X B1068 MM	20W	4000	240V	BROWN & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
29	MAZDA-BLXR335920W-5K-240V-BR-ND-A160 X B1068 MM	20W	5000	240V	BROWN & BLACK	NON EMERGENCY	ON - OFF	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
30	MAZDA-BLXR335920W-5K-240V-BR-DA-A160 X B1068 MM	20W	5000	240V	BROWN & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
31	MAZDA-BLXR335920W-5K-240V-BR-PH-A160 X B1068 MM	20W	5000	240V	BROWN & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
32	MAZDA-BLXR335920W-5K-240V-BR-10VDIM-A160 X B1068 MM	20W	5000	240V	BROWN & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
33	MAZDA-BLXR335920W-6K-240V-BR-ND-A160 X B1068 MM	20W	6000	240V	BROWN & BLACK	NON EMERGENCY	ON - OFF	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
34	MAZDA-BLXR335920W-6K-240V-BR-DA-A160 X B1068 MM	20W	6000	240V	BROWN & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
35	MAZDA-BLXR335920W-6K-240V-BR-PH-A160 X B1068 MM	20W	6000	240V	BROWN & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
36	MAZDA-BLXR335920W-6K-240V-BR-10VDIM-A160 X B1068 MM	20W	6000	240V	BROWN & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
37	MAZDA-BLXR335920W-2.7K-240V-BR-ND-A160 X B1068 MM	20W	2700	240V	BROWN & BLACK	NON EMERGENCY	ON - OFF	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
38	MAZDA-BLXR335920W-2.7K-240V-BR-DA-A160 X B1068 MM	20W	2700	240V	BROWN & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
39	MAZDA-BLXR335920W-2.7K-240V-BR-PH-A160 X B1068 MM	20W	2700	240V	BROWN & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
40	MAZDA-BLXR335920W-2.7K-240V-BR-10VDIM-A160 X B1068 MM	20W	2700	240V	BROWN & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
41	MAZDA-BLXR335924W-3K-240V-BR-ND-A160 X B1068 MM	24W	3000	240V	BROWN & BLACK	NON EMERGENCY	ON - OFF	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
42	MAZDA-BLXR335924W-3K-240V-BR-DA-A160 X B1068 MM	24W	3000	240V	BROWN & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
43	MAZDA-BLXR335924W-3K-240V-BR-PH-A160 X B1068 MM	24W	3000	240V	BROWN & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
44	MAZDA-BLXR335924W-3K-240V-BR-10VDIM-A160 X B1068 MM	24W	3000	240V	BROWN & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
45	MAZDA-BLXR335924W-4K-240V-BR-ND-A160 X B1068 MM	24W	4000	240V	BROWN & BLACK	NON EMERGENCY	ON - OFF	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
46	MAZDA-BLXR335924W-4K-240V-BR-DA-A160 X B1068 MM	24W	4000	240V	BROWN & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
47	MAZDA-BLXR335924W-4K-240V-BR-PH-A160 X B1068 MM	24W	4000	240V	BROWN & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
48	MAZDA-BLXR335924W-4K-240V-BR-10VDIM-A160 X B1068 MM	24W	4000	240V	BROWN & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
49	MAZDA-BLXR335924W-5K-240V-BR-ND-A160 X B1068 MM	24W	5000	240V	BROWN & BLACK	NON EMERGENCY	ON - OFF	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
50	MAZDA-BLXR335924W-5K-240V-BR-DA-A160 X B1068 MM	24W	5000	240V	BROWN & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
51	MAZDA-BLXR335924W-5K-240V-BR-PH-A160 X B1068 MM	24W	5000	240V	BROWN & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
52	MAZDA-BLXR335924W-5K-240V-BR-10VDIM-A160 X B1068 MM	24W	5000	240V	BROWN & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
53	MAZDA-BLXR335924W-6K-240V-BR-ND-A160 X B1068 MM	24W	6000	240V	BROWN & BLACK	NON EMERGENCY	ON - OFF	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
54	MAZDA-BLXR335924W-6K-240V-BR-DA-A160 X B1068 MM	24W	6000	240V	BROWN & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
55	MAZDA-BLXR335924W-6K-240V-BR-PH-A160 X B1068 MM	24W	6000	240V	BROWN & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
56	MAZDA-BLXR335924W-6K-240V-BR-10VDIM-A160 X B1068 MM	24W	6000	240V	BROWN & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
57	MAZDA-BLXR335924W-2.7K-240V-BR-ND-A160 X B1068 MM	24W	2700	240V	BROWN & BLACK	NON EMERGENCY	ON - OFF	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
58	MAZDA-BLXR335924W-2.7K-240V-BR-DA-A160 X B1068 MM	24W	2700	240V	BROWN & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
59	MAZDA-BLXR335924W-2.7K-240V-BR-PH-A160 X B1068 MM	24W	2700	240V	BROWN & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	
60	MAZDA-BLXR335924W-2.7K-240V-BR-10VDIM-A160 X B1068 MM	24W	2700	240V	BROWN & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	350	A160 X B1068 MM	DIE CAST ALUMINUM	IP66	A160 X B1068 MM	