



COMET

MAZDA Model: BLXR3319 Bollard Light

This high-performance outdoor lighting fixture combines durability, efficiency, and reliability. Featuring a die-cast aluminum body with a PC cover, it offers excellent strength and weather resistance. Its IP65 & IK09 ratings ensure protection against dust, water, and impact, making it ideal for urban, commercial, and industrial applications. With optic/diffuser light control, it delivers uniform illumination, while its 5 MacAdam step color stability ensures consistent lighting over time. Designed to operate in extreme conditions, this fixture is perfect for enhancing safety, visibility, and aesthetics in outdoor spaces

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
1	MAZDA-BLXR331912W-3K-AC240-WH-ND-A100MM	12W	3000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	ON - OFF	360	A100MM	DIE CAST ALUMINUM	IP65	A100MM	
2	MAZDA-BLXR331912W-3K-AC240-WH-DA-A100MM	12W	3000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A100MM	DIE CAST ALUMINUM	IP65	A100MM	
3	MAZDA-BLXR331912W-3K-AC240-WH-PH-A100MM	12W	3000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	360	A100MM	DIE CAST ALUMINUM	IP65	A100MM	
4	MAZDA-BLXR331912W-3K-AC240-WH-10VDIM-A100MM	12W	3000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A100MM	DIE CAST ALUMINUM	IP65	A100MM	
5	MAZDA-BLXR331912W-4K-AC240-WH-ND-A100MM	12W	4000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	ON - OFF	360	A100MM	DIE CAST ALUMINUM	IP65	A100MM	
6	MAZDA-BLXR331912W-4K-AC240-WH-DA-A100MM	12W	4000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A100MM	DIE CAST ALUMINUM	IP65	A100MM	
7	MAZDA-BLXR331912W-4K-AC240-WH-PH-A100MM	12W	4000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	360	A100MM	DIE CAST ALUMINUM	IP65	A100MM	
8	MAZDA-BLXR331912W-4K-AC240-WH-10VDIM-A100MM	12W	4000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A100MM	DIE CAST ALUMINUM	IP65	A100MM	
9	MAZDA-BLXR331912W-5K-AC240-WH-ND-A100MM	12W	5000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	ON - OFF	360	A100MM	DIE CAST ALUMINUM	IP65	A100MM	
10	MAZDA-BLXR331912W-5K-AC240-WH-DA-A100MM	12W	5000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A100MM	DIE CAST ALUMINUM	IP65	A100MM	
11	MAZDA-BLXR331912W-5K-AC240-WH-PH-A100MM	12W	5000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	360	A100MM	DIE CAST ALUMINUM	IP65	A100MM	
12	MAZDA-BLXR331912W-5K-AC240-WH-10VDIM-A100MM	12W	5000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A100MM	DIE CAST ALUMINUM	IP65	A100MM	



DATASHEET

GENERATED ON: 04 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
13	MAZDA-BLXR331912W-6K-AC240-WH-ND-A100MM	12W	6000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	ON - OFF	360	A100MM	DIE CAST ALUMINUM	IP65	A100MM	
14	MAZDA-BLXR331912W-6K-AC240-WH-DA-A100MM	12W	6000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A100MM	DIE CAST ALUMINUM	IP65	A100MM	
15	MAZDA-BLXR331912W-6K-AC240-WH-PH-A100MM	12W	6000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	360	A100MM	DIE CAST ALUMINUM	IP65	A100MM	
16	MAZDA-BLXR331912W-6K-AC240-WH-10VDIM-A100MM	12W	6000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A100MM	DIE CAST ALUMINUM	IP65	A100MM	
17	MAZDA-BLXR331912W-2.7K-AC240-WH-ND-A100MM	12W	2700	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	ON - OFF	360	A100MM	DIE CAST ALUMINUM	IP65	A100MM	
18	MAZDA-BLXR331912W-2.7K-AC240-WH-DA-A100MM	12W	2700	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A100MM	DIE CAST ALUMINUM	IP65	A100MM	
19	MAZDA-BLXR331912W-2.7K-AC240-WH-PH-A100MM	12W	2700	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	360	A100MM	DIE CAST ALUMINUM	IP65	A100MM	
20	MAZDA-BLXR331912W-2.7K-AC240-WH-10VDIM-A100MM	12W	2700	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A100MM	DIE CAST ALUMINUM	IP65	A100MM	
21	MAZDA-BLXR331912W-6.5K-AC240-WH-ND-A100MM	12W	6500	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	ON - OFF	360	A100MM	DIE CAST ALUMINUM	IP65	A100MM	
22	MAZDA-BLXR331912W-6.5K-AC240-WH-DA-A100MM	12W	6500	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A100MM	DIE CAST ALUMINUM	IP65	A100MM	
23	MAZDA-BLXR331912W-6.5K-AC240-WH-PH-A100MM	12W	6500	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	360	A100MM	DIE CAST ALUMINUM	IP65	A100MM	
24	MAZDA-BLXR331912W-6.5K-AC240-WH-10VDIM-A100MM	12W	6500	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A100MM	DIE CAST ALUMINUM	IP65	A100MM	
25	MAZDA-BLXR331915W-3K-AC240-WH-ND-A172MM	15W	3000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	ON - OFF	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	
26	MAZDA-BLXR331915W-3K-AC240-WH-DA-A172MM	15W	3000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	
27	MAZDA-BLXR331915W-3K-AC240-WH-PH-A172MM	15W	3000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	
28	MAZDA-BLXR331915W-3K-AC240-WH-10VDIM-A172MM	15W	3000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	
29	MAZDA-BLXR331915W-4K-AC240-WH-ND-A172MM	15W	4000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	ON - OFF	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	
30	MAZDA-BLXR331915W-4K-AC240-WH-DA-A172MM	15W	4000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	
31	MAZDA-BLXR331915W-4K-AC240-WH-PH-A172MM	15W	4000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	



DATASHEET

GENERATED ON: 04 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
32	MAZDA-BLXR331915W-4K-AC240-WH-10VDIM-A172MM	15W	4000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	
33	MAZDA-BLXR331915W-5K-AC240-WH-ND-A172MM	15W	5000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	ON - OFF	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	
34	MAZDA-BLXR331915W-5K-AC240-WH-DA-A172MM	15W	5000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	
35	MAZDA-BLXR331915W-5K-AC240-WH-PH-A172MM	15W	5000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	
36	MAZDA-BLXR331915W-5K-AC240-WH-10VDIM-A172MM	15W	5000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	
37	MAZDA-BLXR331915W-6K-AC240-WH-ND-A172MM	15W	6000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	ON - OFF	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	
38	MAZDA-BLXR331915W-6K-AC240-WH-DA-A172MM	15W	6000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	
39	MAZDA-BLXR331915W-6K-AC240-WH-PH-A172MM	15W	6000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	
40	MAZDA-BLXR331915W-6K-AC240-WH-10VDIM-A172MM	15W	6000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	
41	MAZDA-BLXR331915W-2.7K-AC240-WH-ND-A172MM	15W	2700	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	ON - OFF	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	
42	MAZDA-BLXR331915W-2.7K-AC240-WH-DA-A172MM	15W	2700	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	
43	MAZDA-BLXR331915W-2.7K-AC240-WH-PH-A172MM	15W	2700	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	
44	MAZDA-BLXR331915W-2.7K-AC240-WH-10VDIM-A172MM	15W	2700	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	
45	MAZDA-BLXR331915W-6.5K-AC240-WH-ND-A172MM	15W	6500	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	ON - OFF	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	
46	MAZDA-BLXR331915W-6.5K-AC240-WH-DA-A172MM	15W	6500	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	
47	MAZDA-BLXR331915W-6.5K-AC240-WH-PH-A172MM	15W	6500	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	
48	MAZDA-BLXR331915W-6.5K-AC240-WH-10VDIM-A172MM	15W	6500	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	
49	MAZDA-BLXR331925W-3K-AC240-WH-ND-A172MM	25W	3000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	ON - OFF	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	
50	MAZDA-BLXR331925W-3K-AC240-WH-DA-A172MM	25W	3000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	



DATASHEET

GENERATED ON: 04 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
51	MAZDA-BLXR331925W-3K-AC240-WH-PH-A172MM	25W	3000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	
52	MAZDA-BLXR331925W-3K-AC240-WH-10VDIM-A172MM	25W	3000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	
53	MAZDA-BLXR331925W-4K-AC240-WH-ND-A172MM	25W	4000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	ON - OFF	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	
54	MAZDA-BLXR331925W-4K-AC240-WH-DA-A172MM	25W	4000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	
55	MAZDA-BLXR331925W-4K-AC240-WH-PH-A172MM	25W	4000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	
56	MAZDA-BLXR331925W-4K-AC240-WH-10VDIM-A172MM	25W	4000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	
57	MAZDA-BLXR331925W-5K-AC240-WH-ND-A172MM	25W	5000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	ON - OFF	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	
58	MAZDA-BLXR331925W-5K-AC240-WH-DA-A172MM	25W	5000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	
59	MAZDA-BLXR331925W-5K-AC240-WH-PH-A172MM	25W	5000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	
60	MAZDA-BLXR331925W-5K-AC240-WH-10VDIM-A172MM	25W	5000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	
61	MAZDA-BLXR331925W-6K-AC240-WH-ND-A172MM	25W	6000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	ON - OFF	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	
62	MAZDA-BLXR331925W-6K-AC240-WH-DA-A172MM	25W	6000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	
63	MAZDA-BLXR331925W-6K-AC240-WH-PH-A172MM	25W	6000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	
64	MAZDA-BLXR331925W-6K-AC240-WH-10VDIM-A172MM	25W	6000	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	
65	MAZDA-BLXR331925W-2.7K-AC240-WH-ND-A172MM	25W	2700	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	ON - OFF	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	
66	MAZDA-BLXR331925W-2.7K-AC240-WH-DA-A172MM	25W	2700	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	
67	MAZDA-BLXR331925W-2.7K-AC240-WH-PH-A172MM	25W	2700	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	
68	MAZDA-BLXR331925W-2.7K-AC240-WH-10VDIM-A172MM	25W	2700	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	
69	MAZDA-BLXR331925W-6.5K-AC240-WH-ND-A172MM	25W	6500	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	ON - OFF	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
70	MAZDA-BLXR331925W-6.5K-AC240-WH-DA-A172MM	25W	6500	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	
71	MAZDA-BLXR331925W-6.5K-AC240-WH-PH-A172MM	25W	6500	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	
72	MAZDA-BLXR331925W-6.5K-AC240-WH-10VDIM-A172MM	25W	6500	240VAC	WHITE, BLACK & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A172MM	DIE CAST ALUMINUM	IP65	A172MM	