



FAIR

MAZDA Model: BLXR331507 Bollard Light

Shielded bollards with flat beam light distribution on one side. Luminaires which illuminate the ground surfaces directly in front of their installation site with a flat beam. Their light distribution allows the luminaires to be spaced far apart and is particularly suitable for illuminating footpaths and squares. We can supply these luminaires in two sizes and in different heights for the differing dimensions of the installation site. The finish is accessible in the RAL colors requested by client.

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
1	MAZDA-BLXR33150707W-3K-AC240-WH-ND-A160 X B160 X C500MM	07W	3000	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	
2	MAZDA-BLXR33150707W-3K-AC240-WH-DA-A160 X B160 X C500MM	07W	3000	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	
3	MAZDA-BLXR33150707W-3K-AC240-WH-PH-A160 X B160 X C500MM	07W	3000	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	
4	MAZDA-BLXR33150707W-3K-AC240-WH-10VDIM-A160 X B160 X C500MM	07W	3000	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	
5	MAZDA-BLXR33150707W-4K-AC240-WH-ND-A160 X B160 X C500MM	07W	4000	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	
6	MAZDA-BLXR33150707W-4K-AC240-WH-DA-A160 X B160 X C500MM	07W	4000	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	
7	MAZDA-BLXR33150707W-4K-AC240-WH-PH-A160 X B160 X C500MM	07W	4000	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	
8	MAZDA-BLXR33150707W-4K-AC240-WH-10VDIM-A160 X B160 X C500MM	07W	4000	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	
9	MAZDA-BLXR33150707W-5K-AC240-WH-ND-A160 X B160 X C500MM	07W	5000	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	
10	MAZDA-BLXR33150707W-5K-AC240-WH-DA-A160 X B160 X C500MM	07W	5000	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	
11	MAZDA-BLXR33150707W-5K-AC240-WH-PH-A160 X B160 X C500MM	07W	5000	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	
12	MAZDA-BLXR33150707W-5K-AC240-WH-10VDIM-A160 X B160 X C500MM	07W	5000	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	
13	MAZDA-BLXR33150707W-6K-AC240-WH-ND-A160 X B160 X C500MM	07W	6000	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	
14	MAZDA-BLXR33150707W-6K-AC240-WH-DA-A160 X B160 X C500MM	07W	6000	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	
15	MAZDA-BLXR33150707W-6K-AC240-WH-PH-A160 X B160 X C500MM	07W	6000	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	
16	MAZDA-BLXR33150707W-6K-AC240-WH-10VDIM-A160 X B160 X C500MM	07W	6000	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	
17	MAZDA-BLXR33150707W-2.7K-AC240-WH-ND-A160 X B160 X C500MM	07W	2700	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	



DATASHEET

GENERATED ON: 05 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
18	MAZDA-BLXR33150707W-2.7K-AC240-WH-DA-A160 X B160 X C500MM	07W	2700	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	
19	MAZDA-BLXR33150707W-2.7K-AC240-WH-PH-A160 X B160 X C500MM	07W	2700	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	
20	MAZDA-BLXR33150707W-2.7K-AC240-WH-10VDIM-A160 X B160 X C500MM	07W	2700	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	
21	MAZDA-BLXR33150707W-6.5K-AC240-WH-ND-A160 X B160 X C500MM	07W	6500	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	
22	MAZDA-BLXR33150707W-6.5K-AC240-WH-DA-A160 X B160 X C500MM	07W	6500	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	
23	MAZDA-BLXR33150707W-6.5K-AC240-WH-PH-A160 X B160 X C500MM	07W	6500	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	
24	MAZDA-BLXR33150707W-6.5K-AC240-WH-10VDIM-A160 X B160 X C500MM	07W	6500	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	
25	MAZDA-BLXR33150714W-3K-AC240-WH-ND-A160 X B160 X C500MM	14W	3000	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	
26	MAZDA-BLXR33150714W-3K-AC240-WH-DA-A160 X B160 X C500MM	14W	3000	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	
27	MAZDA-BLXR33150714W-3K-AC240-WH-PH-A160 X B160 X C500MM	14W	3000	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	
28	MAZDA-BLXR33150714W-3K-AC240-WH-10VDIM-A160 X B160 X C500MM	14W	3000	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	
29	MAZDA-BLXR33150714W-4K-AC240-WH-ND-A160 X B160 X C500MM	14W	4000	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	
30	MAZDA-BLXR33150714W-4K-AC240-WH-DA-A160 X B160 X C500MM	14W	4000	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	
31	MAZDA-BLXR33150714W-4K-AC240-WH-PH-A160 X B160 X C500MM	14W	4000	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	
32	MAZDA-BLXR33150714W-4K-AC240-WH-10VDIM-A160 X B160 X C500MM	14W	4000	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	
33	MAZDA-BLXR33150714W-5K-AC240-WH-ND-A160 X B160 X C500MM	14W	5000	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	
34	MAZDA-BLXR33150714W-5K-AC240-WH-DA-A160 X B160 X C500MM	14W	5000	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	
35	MAZDA-BLXR33150714W-5K-AC240-WH-PH-A160 X B160 X C500MM	14W	5000	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	
36	MAZDA-BLXR33150714W-5K-AC240-WH-10VDIM-A160 X B160 X C500MM	14W	5000	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	
37	MAZDA-BLXR33150714W-6K-AC240-WH-ND-A160 X B160 X C500MM	14W	6000	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	
38	MAZDA-BLXR33150714W-6K-AC240-WH-DA-A160 X B160 X C500MM	14W	6000	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	
39	MAZDA-BLXR33150714W-6K-AC240-WH-PH-A160 X B160 X C500MM	14W	6000	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	
40	MAZDA-BLXR33150714W-6K-AC240-WH-10VDIM-A160 X B160 X C500MM	14W	6000	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	
41	MAZDA-BLXR33150714W-2.7K-AC240-WH-ND-A160 X B160 X C500MM	14W	2700	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	
42	MAZDA-BLXR33150714W-2.7K-AC240-WH-DA-A160 X B160 X C500MM	14W	2700	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	
43	MAZDA-BLXR33150714W-2.7K-AC240-WH-PH-A160 X B160 X C500MM	14W	2700	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	
44	MAZDA-BLXR33150714W-2.7K-AC240-WH-10VDIM-A160 X B160 X C500MM	14W	2700	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	
45	MAZDA-BLXR33150714W-6.5K-AC240-WH-ND-A160 X B160 X C500MM	14W	6500	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
46	MAZDA-BLXR33150714W-6.5K-AC240-WH-DA-A160 X B160 X C500MM	14W	6500	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	
47	MAZDA-BLXR33150714W-6.5K-AC240-WH-PH-A160 X B160 X C500MM	14W	6500	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	
48	MAZDA-BLXR33150714W-6.5K-AC240-WH-10VDIM-A160 X B160 X C500MM	14W	6500	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A160 X B160 X C500MM	DIE CAST ALUMINUM	IP66	A160 X B160 X C500MM	