



LAIRE

MAZDA Model: BLXR3510 Bollard Light

Shielded bollards with flat beam light distribution on one side. Luminaires which illuminate the ground surfaces directly in front of their installation site with a flat beam. Their light distribution allows the luminaires to be spaced far apart and is particularly suitable for illuminating footpaths and squares. We can supply these luminaires in two sizes and in different heights for the differing dimensions of the installation site.

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
1	MAZDA-BLXR351005W-3K-AC240-WH-ND-A90 X B128 X C700MM	05W	3000	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	
2	MAZDA-BLXR351005W-3K-AC240-WH-DA-A90 X B128 X C700MM	05W	3000	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	
3	MAZDA-BLXR351005W-3K-AC240-WH-PH-A90 X B128 X C700MM	05W	3000	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	
4	MAZDA-BLXR351005W-3K-AC240-WH-10VDIM-A90 X B128 X C700MM	05W	3000	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	
5	MAZDA-BLXR351005W-4K-AC240-WH-ND-A90 X B128 X C700MM	05W	4000	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	
6	MAZDA-BLXR351005W-4K-AC240-WH-DA-A90 X B128 X C700MM	05W	4000	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	
7	MAZDA-BLXR351005W-4K-AC240-WH-PH-A90 X B128 X C700MM	05W	4000	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	
8	MAZDA-BLXR351005W-4K-AC240-WH-10VDIM-A90 X B128 X C700MM	05W	4000	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	
9	MAZDA-BLXR351005W-5K-AC240-WH-ND-A90 X B128 X C700MM	05W	5000	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	
10	MAZDA-BLXR351005W-5K-AC240-WH-DA-A90 X B128 X C700MM	05W	5000	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	
11	MAZDA-BLXR351005W-5K-AC240-WH-PH-A90 X B128 X C700MM	05W	5000	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	
12	MAZDA-BLXR351005W-5K-AC240-WH-10VDIM-A90 X B128 X C700MM	05W	5000	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	
13	MAZDA-BLXR351005W-6K-AC240-WH-ND-A90 X B128 X C700MM	05W	6000	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	
14	MAZDA-BLXR351005W-6K-AC240-WH-DA-A90 X B128 X C700MM	05W	6000	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	
15	MAZDA-BLXR351005W-6K-AC240-WH-PH-A90 X B128 X C700MM	05W	6000	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	
16	MAZDA-BLXR351005W-6K-AC240-WH-10VDIM-A90 X B128 X C700MM	05W	6000	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	
17	MAZDA-BLXR351005W-2.7K-AC240-WH-ND-A90 X B128 X C700MM	05W	2700	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	



DATASHEET

GENERATED ON: 04 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
18	MAZDA-BLXR351005W-2.7K-AC240-WH-DA-A90 X B128 X C700MM	05W	2700	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	
19	MAZDA-BLXR351005W-2.7K-AC240-WH-PH-A90 X B128 X C700MM	05W	2700	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	
20	MAZDA-BLXR351005W-2.7K-AC240-WH-10VDIM-A90 X B128 X C700MM	05W	2700	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	
21	MAZDA-BLXR351005W-6.5K-AC240-WH-ND-A90 X B128 X C700MM	05W	6500	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	
22	MAZDA-BLXR351005W-6.5K-AC240-WH-DA-A90 X B128 X C700MM	05W	6500	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	
23	MAZDA-BLXR351005W-6.5K-AC240-WH-PH-A90 X B128 X C700MM	05W	6500	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	
24	MAZDA-BLXR351005W-6.5K-AC240-WH-10VDIM-A90 X B128 X C700MM	05W	6500	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	
25	MAZDA-BLXR351010W-3K-AC240-WH-ND-A90 X B128 X C700MM	10W	3000	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	
26	MAZDA-BLXR351010W-3K-AC240-WH-DA-A90 X B128 X C700MM	10W	3000	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	
27	MAZDA-BLXR351010W-3K-AC240-WH-PH-A90 X B128 X C700MM	10W	3000	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	
28	MAZDA-BLXR351010W-3K-AC240-WH-10VDIM-A90 X B128 X C700MM	10W	3000	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	
29	MAZDA-BLXR351010W-4K-AC240-WH-ND-A90 X B128 X C700MM	10W	4000	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	
30	MAZDA-BLXR351010W-4K-AC240-WH-DA-A90 X B128 X C700MM	10W	4000	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	
31	MAZDA-BLXR351010W-4K-AC240-WH-PH-A90 X B128 X C700MM	10W	4000	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	
32	MAZDA-BLXR351010W-4K-AC240-WH-10VDIM-A90 X B128 X C700MM	10W	4000	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	
33	MAZDA-BLXR351010W-5K-AC240-WH-ND-A90 X B128 X C700MM	10W	5000	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	
34	MAZDA-BLXR351010W-5K-AC240-WH-DA-A90 X B128 X C700MM	10W	5000	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	
35	MAZDA-BLXR351010W-5K-AC240-WH-PH-A90 X B128 X C700MM	10W	5000	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	
36	MAZDA-BLXR351010W-5K-AC240-WH-10VDIM-A90 X B128 X C700MM	10W	5000	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	
37	MAZDA-BLXR351010W-6K-AC240-WH-ND-A90 X B128 X C700MM	10W	6000	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	
38	MAZDA-BLXR351010W-6K-AC240-WH-DA-A90 X B128 X C700MM	10W	6000	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	
39	MAZDA-BLXR351010W-6K-AC240-WH-PH-A90 X B128 X C700MM	10W	6000	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	
40	MAZDA-BLXR351010W-6K-AC240-WH-10VDIM-A90 X B128 X C700MM	10W	6000	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	
41	MAZDA-BLXR351010W-2.7K-AC240-WH-ND-A90 X B128 X C700MM	10W	2700	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	
42	MAZDA-BLXR351010W-2.7K-AC240-WH-DA-A90 X B128 X C700MM	10W	2700	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	
43	MAZDA-BLXR351010W-2.7K-AC240-WH-PH-A90 X B128 X C700MM	10W	2700	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	
44	MAZDA-BLXR351010W-2.7K-AC240-WH-10VDIM-A90 X B128 X C700MM	10W	2700	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
45	MAZDA-BLXR351010W-6.5K-AC240-WH-ND-A90 X B128 X C700MM	10W	6500	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	
46	MAZDA-BLXR351010W-6.5K-AC240-WH-DA-A90 X B128 X C700MM	10W	6500	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	
47	MAZDA-BLXR351010W-6.5K-AC240-WH-PH-A90 X B128 X C700MM	10W	6500	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	
48	MAZDA-BLXR351010W-6.5K-AC240-WH-10VDIM-A90 X B128 X C700MM	10W	6500	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	100	A90 X B128 X C700MM	DIE CAST ALUMINUM	IP66	A90 X B128 X C700MM	