



ROBIN

MAZDA Model: BLXR331112 Bollard Light

Shielded bollards with flat beam light distribution on one side. Luminaires which illuminate the ground surfaces directly in front of their installation site with a flat beam. Their light distribution allows the luminaires to be spaced far apart and is particularly suitable for illuminating footpaths and squares. We can supply these luminaires in two sizes and in different heights for the differing dimensions of the installation site.

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
1	MAZDA-BLXR33111225W-3K-AC240-WH-ND-A200 X B190 X C800MM	25W	3000	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	
2	MAZDA-BLXR33111225W-3K-AC240-WH-DA-A200 X B190 X C800MM	25W	3000	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	
3	MAZDA-BLXR33111225W-3K-AC240-WH-PH-A200 X B190 X C800MM	25W	3000	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	
4	MAZDA-BLXR33111225W-3K-AC240-WH-10VDIM-A200 X B190 X C800MM	25W	3000	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	
5	MAZDA-BLXR33111225W-4K-AC240-WH-ND-A200 X B190 X C800MM	25W	4000	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	
6	MAZDA-BLXR33111225W-4K-AC240-WH-DA-A200 X B190 X C800MM	25W	4000	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	
7	MAZDA-BLXR33111225W-4K-AC240-WH-PH-A200 X B190 X C800MM	25W	4000	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	
8	MAZDA-BLXR33111225W-4K-AC240-WH-10VDIM-A200 X B190 X C800MM	25W	4000	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	
9	MAZDA-BLXR33111225W-5K-AC240-WH-ND-A200 X B190 X C800MM	25W	5000	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	
10	MAZDA-BLXR33111225W-5K-AC240-WH-DA-A200 X B190 X C800MM	25W	5000	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	
11	MAZDA-BLXR33111225W-5K-AC240-WH-PH-A200 X B190 X C800MM	25W	5000	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	
12	MAZDA-BLXR33111225W-5K-AC240-WH-10VDIM-A200 X B190 X C800MM	25W	5000	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	
13	MAZDA-BLXR33111225W-6K-AC240-WH-ND-A200 X B190 X C800MM	25W	6000	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	
14	MAZDA-BLXR33111225W-6K-AC240-WH-DA-A200 X B190 X C800MM	25W	6000	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	
15	MAZDA-BLXR33111225W-6K-AC240-WH-PH-A200 X B190 X C800MM	25W	6000	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	
16	MAZDA-BLXR33111225W-6K-AC240-WH-10VDIM-A200 X B190 X C800MM	25W	6000	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	
17	MAZDA-BLXR33111225W-2.7K-AC240-WH-ND-A200 X B190 X C800MM	25W	2700	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	



DATASHEET

GENERATED ON: 05 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
18	MAZDA-BLXR33111225W-2.7K-AC240-WH-DA-A200 X B190 X C800MM	25W	2700	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	
19	MAZDA-BLXR33111225W-2.7K-AC240-WH-PH-A200 X B190 X C800MM	25W	2700	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	
20	MAZDA-BLXR33111225W-2.7K-AC240-WH-10VDIM-A200 X B190 X C800MM	25W	2700	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	
21	MAZDA-BLXR33111225W-6.5K-AC240-WH-ND-A200 X B190 X C800MM	25W	6500	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	
22	MAZDA-BLXR33111225W-6.5K-AC240-WH-DA-A200 X B190 X C800MM	25W	6500	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	
23	MAZDA-BLXR33111225W-6.5K-AC240-WH-PH-A200 X B190 X C800MM	25W	6500	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	
24	MAZDA-BLXR33111225W-6.5K-AC240-WH-10VDIM-A200 X B190 X C800MM	25W	6500	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	
25	MAZDA-BLXR33111212W-3K-AC240-WH-ND-A200 X B190 X C800MM	12W	3000	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	
26	MAZDA-BLXR33111212W-3K-AC240-WH-DA-A200 X B190 X C800MM	12W	3000	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	
27	MAZDA-BLXR33111212W-3K-AC240-WH-PH-A200 X B190 X C800MM	12W	3000	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	
28	MAZDA-BLXR33111212W-3K-AC240-WH-10VDIM-A200 X B190 X C800MM	12W	3000	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	
29	MAZDA-BLXR33111212W-4K-AC240-WH-ND-A200 X B190 X C800MM	12W	4000	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	
30	MAZDA-BLXR33111212W-4K-AC240-WH-DA-A200 X B190 X C800MM	12W	4000	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	
31	MAZDA-BLXR33111212W-4K-AC240-WH-PH-A200 X B190 X C800MM	12W	4000	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	
32	MAZDA-BLXR33111212W-4K-AC240-WH-10VDIM-A200 X B190 X C800MM	12W	4000	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	
33	MAZDA-BLXR33111212W-5K-AC240-WH-ND-A200 X B190 X C800MM	12W	5000	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	
34	MAZDA-BLXR33111212W-5K-AC240-WH-DA-A200 X B190 X C800MM	12W	5000	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	
35	MAZDA-BLXR33111212W-5K-AC240-WH-PH-A200 X B190 X C800MM	12W	5000	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	
36	MAZDA-BLXR33111212W-5K-AC240-WH-10VDIM-A200 X B190 X C800MM	12W	5000	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	
37	MAZDA-BLXR33111212W-6K-AC240-WH-ND-A200 X B190 X C800MM	12W	6000	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	
38	MAZDA-BLXR33111212W-6K-AC240-WH-DA-A200 X B190 X C800MM	12W	6000	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	
39	MAZDA-BLXR33111212W-6K-AC240-WH-PH-A200 X B190 X C800MM	12W	6000	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	
40	MAZDA-BLXR33111212W-6K-AC240-WH-10VDIM-A200 X B190 X C800MM	12W	6000	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	
41	MAZDA-BLXR33111212W-2.7K-AC240-WH-ND-A200 X B190 X C800MM	12W	2700	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	
42	MAZDA-BLXR33111212W-2.7K-AC240-WH-DA-A200 X B190 X C800MM	12W	2700	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	
43	MAZDA-BLXR33111212W-2.7K-AC240-WH-PH-A200 X B190 X C800MM	12W	2700	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	
44	MAZDA-BLXR33111212W-2.7K-AC240-WH-10VDIM-A200 X B190 X C800MM	12W	2700	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	
45	MAZDA-BLXR33111212W-6.5K-AC240-WH-ND-A200 X B190 X C800MM	12W	6500	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	



DATASHEET

GENERATED ON: 05 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
46	MAZDA-BLXR33111212W-6.5K-AC240-WH-DA-A200 X B190 X C800MM	12W	6500	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	
47	MAZDA-BLXR33111212W-6.5K-AC240-WH-PH-A200 X B190 X C800MM	12W	6500	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	
48	MAZDA-BLXR33111212W-6.5K-AC240-WH-10VDIM-A200 X B190 X C800MM	12W	6500	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	100	A200 X B190 X C800MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C800MM	
49	MAZDA-BLXR33111212W-3K-AC240-WH-ND-A200 X B190 X C1000MM	12W	3000	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	
50	MAZDA-BLXR33111212W-3K-AC240-WH-DA-A200 X B190 X C1000MM	12W	3000	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	
51	MAZDA-BLXR33111212W-3K-AC240-WH-PH-A200 X B190 X C1000MM	12W	3000	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	
52	MAZDA-BLXR33111212W-3K-AC240-WH-10VDIM-A200 X B190 X C1000MM	12W	3000	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	
53	MAZDA-BLXR33111212W-4K-AC240-WH-ND-A200 X B190 X C1000MM	12W	4000	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	
54	MAZDA-BLXR33111212W-4K-AC240-WH-DA-A200 X B190 X C1000MM	12W	4000	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	
55	MAZDA-BLXR33111212W-4K-AC240-WH-PH-A200 X B190 X C1000MM	12W	4000	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	
56	MAZDA-BLXR33111212W-4K-AC240-WH-10VDIM-A200 X B190 X C1000MM	12W	4000	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	
57	MAZDA-BLXR33111212W-5K-AC240-WH-ND-A200 X B190 X C1000MM	12W	5000	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	
58	MAZDA-BLXR33111212W-5K-AC240-WH-DA-A200 X B190 X C1000MM	12W	5000	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	
59	MAZDA-BLXR33111212W-5K-AC240-WH-PH-A200 X B190 X C1000MM	12W	5000	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	
60	MAZDA-BLXR33111212W-5K-AC240-WH-10VDIM-A200 X B190 X C1000MM	12W	5000	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	
61	MAZDA-BLXR33111212W-6K-AC240-WH-ND-A200 X B190 X C1000MM	12W	6000	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	
62	MAZDA-BLXR33111212W-6K-AC240-WH-DA-A200 X B190 X C1000MM	12W	6000	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	
63	MAZDA-BLXR33111212W-6K-AC240-WH-PH-A200 X B190 X C1000MM	12W	6000	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	
64	MAZDA-BLXR33111212W-6K-AC240-WH-10VDIM-A200 X B190 X C1000MM	12W	6000	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	
65	MAZDA-BLXR33111212W-2.7K-AC240-WH-ND-A200 X B190 X C1000MM	12W	2700	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	
66	MAZDA-BLXR33111212W-2.7K-AC240-WH-DA-A200 X B190 X C1000MM	12W	2700	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	
67	MAZDA-BLXR33111212W-2.7K-AC240-WH-PH-A200 X B190 X C1000MM	12W	2700	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	
68	MAZDA-BLXR33111212W-2.7K-AC240-WH-10VDIM-A200 X B190 X C1000MM	12W	2700	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	
69	MAZDA-BLXR33111212W-6.5K-AC240-WH-ND-A200 X B190 X C1000MM	12W	6500	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	
70	MAZDA-BLXR33111212W-6.5K-AC240-WH-DA-A200 X B190 X C1000MM	12W	6500	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	
71	MAZDA-BLXR33111212W-6.5K-AC240-WH-PH-A200 X B190 X C1000MM	12W	6500	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	
72	MAZDA-BLXR33111212W-6.5K-AC240-WH-10VDIM-A200 X B190 X C1000MM	12W	6500	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	
73	MAZDA-BLXR33111225W-3K-AC240-WH-ND-A200 X B190 X C1000MM	25W	3000	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angle	Dimension	Material	IP	Dimensions	Price
74	MAZDA-BLXR33111225W-3K-AC240-WH-DA-A200 X B190 X C1000MM	25W	3000	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	
75	MAZDA-BLXR33111225W-3K-AC240-WH-PH-A200 X B190 X C1000MM	25W	3000	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	
76	MAZDA-BLXR33111225W-3K-AC240-WH-10VDIM-A200 X B190 X C1000MM	25W	3000	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	
77	MAZDA-BLXR33111225W-4K-AC240-WH-ND-A200 X B190 X C1000MM	25W	4000	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	
78	MAZDA-BLXR33111225W-4K-AC240-WH-DA-A200 X B190 X C1000MM	25W	4000	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	
79	MAZDA-BLXR33111225W-4K-AC240-WH-PH-A200 X B190 X C1000MM	25W	4000	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	
80	MAZDA-BLXR33111225W-4K-AC240-WH-10VDIM-A200 X B190 X C1000MM	25W	4000	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	
81	MAZDA-BLXR33111225W-5K-AC240-WH-ND-A200 X B190 X C1000MM	25W	5000	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	
82	MAZDA-BLXR33111225W-5K-AC240-WH-DA-A200 X B190 X C1000MM	25W	5000	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	
83	MAZDA-BLXR33111225W-5K-AC240-WH-PH-A200 X B190 X C1000MM	25W	5000	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	
84	MAZDA-BLXR33111225W-5K-AC240-WH-10VDIM-A200 X B190 X C1000MM	25W	5000	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	
85	MAZDA-BLXR33111225W-6K-AC240-WH-ND-A200 X B190 X C1000MM	25W	6000	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	
86	MAZDA-BLXR33111225W-6K-AC240-WH-DA-A200 X B190 X C1000MM	25W	6000	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	
87	MAZDA-BLXR33111225W-6K-AC240-WH-PH-A200 X B190 X C1000MM	25W	6000	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	
88	MAZDA-BLXR33111225W-6K-AC240-WH-10VDIM-A200 X B190 X C1000MM	25W	6000	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	
89	MAZDA-BLXR33111225W-2.7K-AC240-WH-ND-A200 X B190 X C1000MM	25W	2700	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	
90	MAZDA-BLXR33111225W-2.7K-AC240-WH-DA-A200 X B190 X C1000MM	25W	2700	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	
91	MAZDA-BLXR33111225W-2.7K-AC240-WH-PH-A200 X B190 X C1000MM	25W	2700	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	
92	MAZDA-BLXR33111225W-2.7K-AC240-WH-10VDIM-A200 X B190 X C1000MM	25W	2700	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	
93	MAZDA-BLXR33111225W-6.5K-AC240-WH-ND-A200 X B190 X C1000MM	25W	6500	240VAC	WHITE & BLACK	NON EMERGENCY	ON - OFF	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	
94	MAZDA-BLXR33111225W-6.5K-AC240-WH-DA-A200 X B190 X C1000MM	25W	6500	240VAC	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	
95	MAZDA-BLXR33111225W-6.5K-AC240-WH-PH-A200 X B190 X C1000MM	25W	6500	240VAC	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	
96	MAZDA-BLXR33111225W-6.5K-AC240-WH-10VDIM-A200 X B190 X C1000MM	25W	6500	240VAC	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	100	A200 X B190 X C1000MM	DIE CAST ALUMINUM	IP66	A200 X B190 X C1000MM	