DATASHEET

GENERATED ON: 12 Nov 2026 | SYS.REF: MAZDA-LED



DRACO

MAZDA Model: UPXR6568 Inground Light

Draco Luminaire for floor/ground and ceiling installation, fixed, single adjustable versions for different applications, lighting head can be mechanically adjusted without opening the luminaire, high level of flexibility in terms of lighting control, very low glare rating with the deep recessed lighting head, die-cast aluminum body, 316L SS outer trim, 8mm thick tempered glass, very low thermal build-up at the diffuser end, integrated driver, optional versions available with frosted diffuser and 24Vdc models. The light head is adjustable from -25°~+25°. Highly resitance in marine environment

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
1	MAZDA-UPXR656812W-3K-240V-BL-ND-A170 X B165 X C150MM	12W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
2	MAZDA-UPXR656812W-3K-240V-BL-DA-A170 X B165 X C150MM	12W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
3	MAZDA-UPXR656812W-3K-240V-BL-PH-A170 X B165 X C150MM	12W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
4	MAZDA-UPXR656812W-3K-240V-BL-10VDIM-A170 X B165 X C150MM	12W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
5	MAZDA-UPXR656812W-4K-240V-BL-ND-A170 X B165 X C150MM	12W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
6	MAZDA-UPXR656812W-4K-240V-BL-DA-A170 X B165 X C150MM	12W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
7	MAZDA-UPXR656812W-4K-240V-BL-PH-A170 X B165 X C150MM	12W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
8	MAZDA-UPXR656812W-4K-240V-BL-10VDIM-A170 X B165 X C150MM	12W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
9	MAZDA-UPXR656812W-5K-240V-BL-ND-A170 X B165 X C150MM	12W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
10	MAZDA-UPXR656812W-5K-240V-BL-DA-A170 X B165 X C150MM	12W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	

DATASHEET

GENERATED ON: 12 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
11	**MAZDA-UPXR656812W-5K-240V-BL-PH-A170 X B165 X C150MM**	12W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
12	**MAZDA-UPXR656812W-5K-240V-BL-10VDIM-A170 X B165 X C150MM**	12W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
13	**MAZDA-UPXR656812W-6K-240V-BL-ND-A170 X B165 X C150MM**	12W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
14	**MAZDA-UPXR656812W-6K-240V-BL-DA-A170 X B165 X C150MM**	12W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
15	**MAZDA-UPXR656812W-6K-240V-BL-PH-A170 X B165 X C150MM**	12W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
16	**MAZDA-UPXR656812W-6K-240V-BL-10VDIM-A170 X B165 X C150MM**	12W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
17	**MAZDA-UPXR656812W-2.7K-240V-BL-ND-A170 X B165 X C150MM**	12W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
18	**MAZDA-UPXR656812W-2.7K-240V-BL-DA-A170 X B165 X C150MM**	12W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
19	**MAZDA-UPXR656812W-2.7K-240V-BL-PH-A170 X B165 X C150MM**	12W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
20	**MAZDA-UPXR656812W-2.7K-240V-BL-10VDIM-A170 X B165 X C150MM**	12W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
21	**MAZDA-UPXR656812W-6.5K-240V-BL-ND-A170 X B165 X C150MM**	12W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
22	**MAZDA-UPXR656812W-6.5K-240V-BL-DA-A170 X B165 X C150MM**	12W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
23	**MAZDA-UPXR656812W-6.5K-240V-BL-PH-A170 X B165 X C150MM**	12W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
24	**MAZDA-UPXR656812W-6.5K-240V-BL-10VDIM-A170 X B165 X C150MM**	12W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
25	**MAZDA-UPXR656818W-3K-240V-BL-ND-A170 X B165 X C150MM**	18W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
26	**MAZDA-UPXR656818W-3K-240V-BL-DA-A170 X B165 X C150MM**	18W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
27	**MAZDA-UPXR656818W-3K-240V-BL-PH-A170 X B165 X C150MM**	18W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	

DATASHEET

GENERATED ON: 12 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
28	**MAZDA-UPXR656818W-3K-240V-BL-10VDIM-A170 X B165 X C150MM**	18W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
29	**MAZDA-UPXR656818W-4K-240V-BL-ND-A170 X B165 X C150MM**	18W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
30	**MAZDA-UPXR656818W-4K-240V-BL-DA-A170 X B165 X C150MM**	18W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
31	**MAZDA-UPXR656818W-4K-240V-BL-PH-A170 X B165 X C150MM**	18W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
32	**MAZDA-UPXR656818W-4K-240V-BL-10VDIM-A170 X B165 X C150MM**	18W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
33	**MAZDA-UPXR656818W-5K-240V-BL-ND-A170 X B165 X C150MM**	18W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
34	**MAZDA-UPXR656818W-5K-240V-BL-DA-A170 X B165 X C150MM**	18W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
35	**MAZDA-UPXR656818W-5K-240V-BL-PH-A170 X B165 X C150MM**	18W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
36	**MAZDA-UPXR656818W-5K-240V-BL-10VDIM-A170 X B165 X C150MM**	18W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
37	**MAZDA-UPXR656818W-6K-240V-BL-ND-A170 X B165 X C150MM**	18W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
38	**MAZDA-UPXR656818W-6K-240V-BL-DA-A170 X B165 X C150MM**	18W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
39	**MAZDA-UPXR656818W-6K-240V-BL-PH-A170 X B165 X C150MM**	18W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
40	**MAZDA-UPXR656818W-6K-240V-BL-10VDIM-A170 X B165 X C150MM**	18W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
41	**MAZDA-UPXR656818W-2.7K-240V-BL-ND-A170 X B165 X C150MM**	18W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
42	**MAZDA-UPXR656818W-2.7K-240V-BL-DA-A170 X B165 X C150MM**	18W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
43	**MAZDA-UPXR656818W-2.7K-240V-BL-PH-A170 X B165 X C150MM**	18W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
44	**MAZDA-UPXR656818W-2.7K-240V-BL-10VDIM-A170 X B165 X C150MM**	18W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	

DATASHEET

GENERATED ON: 12 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
45	**MAZDA-UPXR656818W-6.5K-240V-BL-ND-A170 X B165 X C150MM**	18W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM
46	**MAZDA-UPXR656818W-6.5K-240V-BL-DA-A170 X B165 X C150MM**	18W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM
47	**MAZDA-UPXR656818W-6.5K-240V-BL-PH-A170 X B165 X C150MM**	18W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM
48	**MAZDA-UPXR656818W-6.5K-240V-BL-10VDIM-A170 X B165 X C150MM**	18W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM
49	**MAZDA-UPXR656824W-3K-240V-BL-ND-A210 X B190 X C178MM**	24W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM
50	**MAZDA-UPXR656824W-3K-240V-BL-DA-A210 X B190 X C178MM**	24W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM
51	**MAZDA-UPXR656824W-3K-240V-BL-PH-A210 X B190 X C178MM**	24W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM
52	**MAZDA-UPXR656824W-3K-240V-BL-10VDIM-A210 X B190 X C178MM**	24W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM
53	**MAZDA-UPXR656824W-4K-240V-BL-ND-A210 X B190 X C178MM**	24W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM
54	**MAZDA-UPXR656824W-4K-240V-BL-DA-A210 X B190 X C178MM**	24W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM
55	**MAZDA-UPXR656824W-4K-240V-BL-PH-A210 X B190 X C178MM**	24W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM
56	**MAZDA-UPXR656824W-4K-240V-BL-10VDIM-A210 X B190 X C178MM**	24W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM
57	**MAZDA-UPXR656824W-5K-240V-BL-ND-A210 X B190 X C178MM**	24W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM
58	**MAZDA-UPXR656824W-5K-240V-BL-DA-A210 X B190 X C178MM**	24W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM
59	**MAZDA-UPXR656824W-5K-240V-BL-PH-A210 X B190 X C178MM**	24W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM
60	**MAZDA-UPXR656824W-5K-240V-BL-10VDIM-A210 X B190 X C178MM**	24W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM
61	**MAZDA-UPXR656824W-6K-240V-BL-ND-A210 X B190 X C178MM**	24W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM

DATASHEET

GENERATED ON: 12 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
62	**MAZDA-UPXR656824W-6K-240V-BL-DA-A210 X B190 X C178MM**	24W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM
63	**MAZDA-UPXR656824W-6K-240V-BL-PH-A210 X B190 X C178MM**	24W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM
64	**MAZDA-UPXR656824W-6K-240V-BL-10VDIM-A210 X B190 X C178MM**	24W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM
65	**MAZDA-UPXR656824W-2.7K-240V-BL-ND-A210 X B190 X C178MM**	24W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM
66	**MAZDA-UPXR656824W-2.7K-240V-BL-DA-A210 X B190 X C178MM**	24W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM
67	**MAZDA-UPXR656824W-2.7K-240V-BL-PH-A210 X B190 X C178MM**	24W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM
68	**MAZDA-UPXR656824W-2.7K-240V-BL-10VDIM-A210 X B190 X C178MM**	24W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM
69	**MAZDA-UPXR656824W-6.5K-240V-BL-ND-A210 X B190 X C178MM**	24W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM
70	**MAZDA-UPXR656824W-6.5K-240V-BL-DA-A210 X B190 X C178MM**	24W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM
71	**MAZDA-UPXR656824W-6.5K-240V-BL-PH-A210 X B190 X C178MM**	24W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM
72	**MAZDA-UPXR656824W-6.5K-240V-BL-10VDIM-A210 X B190 X C178MM**	24W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM
73	**MAZDA-UPXR656836W-3K-240V-BL-ND-A260 X B190 X C228MM**	36W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM
74	**MAZDA-UPXR656836W-3K-240V-BL-DA-A260 X B190 X C228MM**	36W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM
75	**MAZDA-UPXR656836W-3K-240V-BL-PH-A260 X B190 X C228MM**	36W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM
76	**MAZDA-UPXR656836W-3K-240V-BL-10VDIM-A260 X B190 X C228MM**	36W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM
77	**MAZDA-UPXR656836W-4K-240V-BL-ND-A260 X B190 X C228MM**	36W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM
78	**MAZDA-UPXR656836W-4K-240V-BL-DA-A260 X B190 X C228MM**	36W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM

DATASHEET

GENERATED ON: 12 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
79	**MAZDA-UPXR656836W-4K-240V-BL-PH-A260 X B190 X C228MM**	36W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM	
80	**MAZDA-UPXR656836W-4K-240V-BL-10VDIM-A260 X B190 X C228MM**	36W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM	
81	**MAZDA-UPXR656836W-5K-240V-BL-ND-A260 X B190 X C228MM**	36W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM	
82	**MAZDA-UPXR656836W-5K-240V-BL-DA-A260 X B190 X C228MM**	36W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM	
83	**MAZDA-UPXR656836W-5K-240V-BL-PH-A260 X B190 X C228MM**	36W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM	
84	**MAZDA-UPXR656836W-5K-240V-BL-10VDIM-A260 X B190 X C228MM**	36W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM	
85	**MAZDA-UPXR656836W-6K-240V-BL-ND-A260 X B190 X C228MM**	36W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM	
86	**MAZDA-UPXR656836W-6K-240V-BL-DA-A260 X B190 X C228MM**	36W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM	
87	**MAZDA-UPXR656836W-6K-240V-BL-PH-A260 X B190 X C228MM**	36W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM	
88	**MAZDA-UPXR656836W-6K-240V-BL-10VDIM-A260 X B190 X C228MM**	36W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM	
89	**MAZDA-UPXR656836W-2.7K-240V-BL-ND-A260 X B190 X C228MM**	36W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM	
90	**MAZDA-UPXR656836W-2.7K-240V-BL-DA-A260 X B190 X C228MM**	36W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM	
91	**MAZDA-UPXR656836W-2.7K-240V-BL-PH-A260 X B190 X C228MM**	36W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM	
92	**MAZDA-UPXR656836W-2.7K-240V-BL-10VDIM-A260 X B190 X C228MM**	36W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM	
93	**MAZDA-UPXR656836W-6.5K-240V-BL-ND-A260 X B190 X C228MM**	36W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM	
94	**MAZDA-UPXR656836W-6.5K-240V-BL-DA-A260 X B190 X C228MM**	36W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM	
95	**MAZDA-UPXR656836W-6.5K-240V-BL-PH-A260 X B190 X C228MM**	36W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM	

DATASHEET

GENERATED ON: 12 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
96	**MAZDA-UPXR656836W-6.5K-240V-BL-10VDIM-A260 X B190 X C228MM**	36W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM
97	**MAZDA-UPXR656850W-3K-240V-BL-ND-A300 X B220 X C270MM**	50W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM
98	**MAZDA-UPXR656850W-3K-240V-BL-DA-A300 X B220 X C270MM**	50W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM
99	**MAZDA-UPXR656850W-3K-240V-BL-PH-A300 X B220 X C270MM**	50W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM
100	**MAZDA-UPXR656850W-3K-240V-BL-10VDIM-A300 X B220 X C270MM**	50W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM
101	**MAZDA-UPXR656850W-4K-240V-BL-ND-A300 X B220 X C270MM**	50W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM
102	**MAZDA-UPXR656850W-4K-240V-BL-DA-A300 X B220 X C270MM**	50W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM
103	**MAZDA-UPXR656850W-4K-240V-BL-PH-A300 X B220 X C270MM**	50W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM
104	**MAZDA-UPXR656850W-4K-240V-BL-10VDIM-A300 X B220 X C270MM**	50W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM
105	**MAZDA-UPXR656850W-5K-240V-BL-ND-A300 X B220 X C270MM**	50W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM
106	**MAZDA-UPXR656850W-5K-240V-BL-DA-A300 X B220 X C270MM**	50W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM
107	**MAZDA-UPXR656850W-5K-240V-BL-PH-A300 X B220 X C270MM**	50W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM
108	**MAZDA-UPXR656850W-5K-240V-BL-10VDIM-A300 X B220 X C270MM**	50W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM
109	**MAZDA-UPXR656850W-6K-240V-BL-ND-A300 X B220 X C270MM**	50W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM
110	**MAZDA-UPXR656850W-6K-240V-BL-DA-A300 X B220 X C270MM**	50W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM
111	**MAZDA-UPXR656850W-6K-240V-BL-PH-A300 X B220 X C270MM**	50W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM
112	**MAZDA-UPXR656850W-6K-240V-BL-10VDIM-A300 X B220 X C270MM**	50W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM

DATASHEET

GENERATED ON: 12 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
113	**MAZDA-UPXR656850W-2.7K-240V-BL-ND-A300 X B220 X C270MM**	50W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM
114	**MAZDA-UPXR656850W-2.7K-240V-BL-DA-A300 X B220 X C270MM**	50W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM
115	**MAZDA-UPXR656850W-2.7K-240V-BL-PH-A300 X B220 X C270MM**	50W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM
116	**MAZDA-UPXR656850W-2.7K-240V-BL-10VDIM-A300 X B220 X C270MM**	50W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM
117	**MAZDA-UPXR656850W-6.5K-240V-BL-ND-A300 X B220 X C270MM**	50W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM
118	**MAZDA-UPXR656850W-6.5K-240V-BL-DA-A300 X B220 X C270MM**	50W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM
119	**MAZDA-UPXR656850W-6.5K-240V-BL-PH-A300 X B220 X C270MM**	50W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM
120	**MAZDA-UPXR656850W-6.5K-240V-BL-10VDIM-A300 X B220 X C270MM**	50W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM
121	**MAZDA-UPXR656870W-3K-240V-BL-ND-A350 X B230 X C320MM**	70W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM
122	**MAZDA-UPXR656870W-3K-240V-BL-DA-A350 X B230 X C320MM**	70W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM
123	**MAZDA-UPXR656870W-3K-240V-BL-PH-A350 X B230 X C320MM**	70W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM
124	**MAZDA-UPXR656870W-3K-240V-BL-10VDIM-A350 X B230 X C320MM**	70W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM
125	**MAZDA-UPXR656870W-4K-240V-BL-ND-A350 X B230 X C320MM**	70W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM
126	**MAZDA-UPXR656870W-4K-240V-BL-DA-A350 X B230 X C320MM**	70W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM
127	**MAZDA-UPXR656870W-4K-240V-BL-PH-A350 X B230 X C320MM**	70W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM
128	**MAZDA-UPXR656870W-4K-240V-BL-10VDIM-A350 X B230 X C320MM**	70W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM
129	**MAZDA-UPXR656870W-5K-240V-BL-ND-A350 X B230 X C320MM**	70W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
130	**MAZDA-UPXR656870W-5K-240V-BL-DA-A350 X B230 X C320MM**	70W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM	
131	**MAZDA-UPXR656870W-5K-240V-BL-PH-A350 X B230 X C320MM**	70W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM	
132	**MAZDA-UPXR656870W-5K-240V-BL-10VDIM-A350 X B230 X C320MM**	70W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM	
133	**MAZDA-UPXR656870W-6K-240V-BL-ND-A350 X B230 X C320MM**	70W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM	
134	**MAZDA-UPXR656870W-6K-240V-BL-DA-A350 X B230 X C320MM**	70W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM	
135	**MAZDA-UPXR656870W-6K-240V-BL-PH-A350 X B230 X C320MM**	70W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM	
136	**MAZDA-UPXR656870W-6K-240V-BL-10VDIM-A350 X B230 X C320MM**	70W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM	
137	**MAZDA-UPXR656870W-2.7K-240V-BL-ND-A350 X B230 X C320MM**	70W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM	
138	**MAZDA-UPXR656870W-2.7K-240V-BL-DA-A350 X B230 X C320MM**	70W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM	
139	**MAZDA-UPXR656870W-2.7K-240V-BL-PH-A350 X B230 X C320MM**	70W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM	
140	**MAZDA-UPXR656870W-2.7K-240V-BL-10VDIM-A350 X B230 X C320MM**	70W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM	
141	**MAZDA-UPXR656870W-6.5K-240V-BL-ND-A350 X B230 X C320MM**	70W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM	
142	**MAZDA-UPXR656870W-6.5K-240V-BL-DA-A350 X B230 X C320MM**	70W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM	
143	**MAZDA-UPXR656870W-6.5K-240V-BL-PH-A350 X B230 X C320MM**	70W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM	
144	**MAZDA-UPXR656870W-6.5K-240V-BL-10VDIM-A350 X B230 X C320MM**	70W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM	