



DRACO

MAZDA Model: UPXR6568 Inground Light

Draco Luminaire for floor/ground and ceiling installation, fixed, single adjustable versions for different applications, lighting head can be mechanically adjusted without opening the luminaire, high level of flexibility in terms of lighting control, very low glare rating with the deep recessed lighting head, die-cast aluminum body, 316L SS outer trim, 8mm thick tempered glass, very low thermal build-up at the diffuser end, integrated driver, optional versions available with frosted diffuser and 24Vdc models. The light head is adjustable from -25°~+25°. Highly resistance in marine environment

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angle	Dimension	Material	IP	Dimensions	Price
1	MAZDA-UPXR656812W-3K-240V-BL-ND-A170 X B165 X C150MM	12W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
2	MAZDA-UPXR656812W-3K-240V-BL-DA-A170 X B165 X C150MM	12W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
3	MAZDA-UPXR656812W-3K-240V-BL-PH-A170 X B165 X C150MM	12W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
4	MAZDA-UPXR656812W-3K-240V-BL-10VDIM-A170 X B165 X C150MM	12W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
5	MAZDA-UPXR656812W-4K-240V-BL-ND-A170 X B165 X C150MM	12W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
6	MAZDA-UPXR656812W-4K-240V-BL-DA-A170 X B165 X C150MM	12W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
7	MAZDA-UPXR656812W-4K-240V-BL-PH-A170 X B165 X C150MM	12W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
8	MAZDA-UPXR656812W-4K-240V-BL-10VDIM-A170 X B165 X C150MM	12W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
9	MAZDA-UPXR656812W-5K-240V-BL-ND-A170 X B165 X C150MM	12W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
10	MAZDA-UPXR656812W-5K-240V-BL-DA-A170 X B165 X C150MM	12W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	



DATASHEET

GENERATED ON: 06 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
11	MAZDA-UPXR656812W-5K-240V-BL-PH-A170 X B165 X C150MM	12W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
12	MAZDA-UPXR656812W-5K-240V-BL-10VDIM-A170 X B165 X C150MM	12W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
13	MAZDA-UPXR656812W-6K-240V-BL-ND-A170 X B165 X C150MM	12W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
14	MAZDA-UPXR656812W-6K-240V-BL-DA-A170 X B165 X C150MM	12W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
15	MAZDA-UPXR656812W-6K-240V-BL-PH-A170 X B165 X C150MM	12W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
16	MAZDA-UPXR656812W-6K-240V-BL-10VDIM-A170 X B165 X C150MM	12W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
17	MAZDA-UPXR656812W-2.7K-240V-BL-ND-A170 X B165 X C150MM	12W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
18	MAZDA-UPXR656812W-2.7K-240V-BL-DA-A170 X B165 X C150MM	12W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
19	MAZDA-UPXR656812W-2.7K-240V-BL-PH-A170 X B165 X C150MM	12W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
20	MAZDA-UPXR656812W-2.7K-240V-BL-10VDIM-A170 X B165 X C150MM	12W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
21	MAZDA-UPXR656812W-6.5K-240V-BL-ND-A170 X B165 X C150MM	12W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
22	MAZDA-UPXR656812W-6.5K-240V-BL-DA-A170 X B165 X C150MM	12W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
23	MAZDA-UPXR656812W-6.5K-240V-BL-PH-A170 X B165 X C150MM	12W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
24	MAZDA-UPXR656812W-6.5K-240V-BL-10VDIM-A170 X B165 X C150MM	12W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
25	MAZDA-UPXR656818W-3K-240V-BL-ND-A170 X B165 X C150MM	18W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
26	MAZDA-UPXR656818W-3K-240V-BL-DA-A170 X B165 X C150MM	18W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
27	MAZDA-UPXR656818W-3K-240V-BL-PH-A170 X B165 X C150MM	18W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	



DATASHEET

GENERATED ON: 06 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
28	MAZDA-UPXR656818W-3K-240V-BL-10VDIM-A170 X B165 X C150MM	18W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
29	MAZDA-UPXR656818W-4K-240V-BL-ND-A170 X B165 X C150MM	18W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
30	MAZDA-UPXR656818W-4K-240V-BL-DA-A170 X B165 X C150MM	18W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
31	MAZDA-UPXR656818W-4K-240V-BL-PH-A170 X B165 X C150MM	18W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
32	MAZDA-UPXR656818W-4K-240V-BL-10VDIM-A170 X B165 X C150MM	18W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
33	MAZDA-UPXR656818W-5K-240V-BL-ND-A170 X B165 X C150MM	18W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
34	MAZDA-UPXR656818W-5K-240V-BL-DA-A170 X B165 X C150MM	18W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
35	MAZDA-UPXR656818W-5K-240V-BL-PH-A170 X B165 X C150MM	18W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
36	MAZDA-UPXR656818W-5K-240V-BL-10VDIM-A170 X B165 X C150MM	18W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
37	MAZDA-UPXR656818W-6K-240V-BL-ND-A170 X B165 X C150MM	18W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
38	MAZDA-UPXR656818W-6K-240V-BL-DA-A170 X B165 X C150MM	18W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
39	MAZDA-UPXR656818W-6K-240V-BL-PH-A170 X B165 X C150MM	18W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
40	MAZDA-UPXR656818W-6K-240V-BL-10VDIM-A170 X B165 X C150MM	18W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
41	MAZDA-UPXR656818W-2.7K-240V-BL-ND-A170 X B165 X C150MM	18W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
42	MAZDA-UPXR656818W-2.7K-240V-BL-DA-A170 X B165 X C150MM	18W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
43	MAZDA-UPXR656818W-2.7K-240V-BL-PH-A170 X B165 X C150MM	18W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
44	MAZDA-UPXR656818W-2.7K-240V-BL-10VDIM-A170 X B165 X C150MM	18W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	



DATASHEET

GENERATED ON: 06 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
45	MAZDA-UPXR656818W-6.5K-240V-BL-ND-A170 X B165 X C150MM	18W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
46	MAZDA-UPXR656818W-6.5K-240V-BL-DA-A170 X B165 X C150MM	18W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
47	MAZDA-UPXR656818W-6.5K-240V-BL-PH-A170 X B165 X C150MM	18W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
48	MAZDA-UPXR656818W-6.5K-240V-BL-10VDIM-A170 X B165 X C150MM	18W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A170 X B165 X C150MM	DIE CAST ALUMINUM	IP67	A170 X B165 X C150MM	
49	MAZDA-UPXR656824W-3K-240V-BL-ND-A210 X B190 X C178MM	24W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM	
50	MAZDA-UPXR656824W-3K-240V-BL-DA-A210 X B190 X C178MM	24W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM	
51	MAZDA-UPXR656824W-3K-240V-BL-PH-A210 X B190 X C178MM	24W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM	
52	MAZDA-UPXR656824W-3K-240V-BL-10VDIM-A210 X B190 X C178MM	24W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM	
53	MAZDA-UPXR656824W-4K-240V-BL-ND-A210 X B190 X C178MM	24W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM	
54	MAZDA-UPXR656824W-4K-240V-BL-DA-A210 X B190 X C178MM	24W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM	
55	MAZDA-UPXR656824W-4K-240V-BL-PH-A210 X B190 X C178MM	24W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM	
56	MAZDA-UPXR656824W-4K-240V-BL-10VDIM-A210 X B190 X C178MM	24W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM	
57	MAZDA-UPXR656824W-5K-240V-BL-ND-A210 X B190 X C178MM	24W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM	
58	MAZDA-UPXR656824W-5K-240V-BL-DA-A210 X B190 X C178MM	24W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM	
59	MAZDA-UPXR656824W-5K-240V-BL-PH-A210 X B190 X C178MM	24W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM	
60	MAZDA-UPXR656824W-5K-240V-BL-10VDIM-A210 X B190 X C178MM	24W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM	
61	MAZDA-UPXR656824W-6K-240V-BL-ND-A210 X B190 X C178MM	24W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM	



DATASHEET

GENERATED ON: 06 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
62	MAZDA-UPXR656824W-6K-240V-BL-DA-A210 X B190 X C178MM	24W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM	
63	MAZDA-UPXR656824W-6K-240V-BL-PH-A210 X B190 X C178MM	24W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM	
64	MAZDA-UPXR656824W-6K-240V-BL-10VDIM-A210 X B190 X C178MM	24W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM	
65	MAZDA-UPXR656824W-2.7K-240V-BL-ND-A210 X B190 X C178MM	24W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM	
66	MAZDA-UPXR656824W-2.7K-240V-BL-DA-A210 X B190 X C178MM	24W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM	
67	MAZDA-UPXR656824W-2.7K-240V-BL-PH-A210 X B190 X C178MM	24W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM	
68	MAZDA-UPXR656824W-2.7K-240V-BL-10VDIM-A210 X B190 X C178MM	24W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM	
69	MAZDA-UPXR656824W-6.5K-240V-BL-ND-A210 X B190 X C178MM	24W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM	
70	MAZDA-UPXR656824W-6.5K-240V-BL-DA-A210 X B190 X C178MM	24W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM	
71	MAZDA-UPXR656824W-6.5K-240V-BL-PH-A210 X B190 X C178MM	24W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM	
72	MAZDA-UPXR656824W-6.5K-240V-BL-10VDIM-A210 X B190 X C178MM	24W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A210 X B190 X C178MM	DIE CAST ALUMINUM	IP67	A210 X B190 X C178MM	
73	MAZDA-UPXR656836W-3K-240V-BL-ND-A260 X B190 X C228MM	36W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM	
74	MAZDA-UPXR656836W-3K-240V-BL-DA-A260 X B190 X C228MM	36W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM	
75	MAZDA-UPXR656836W-3K-240V-BL-PH-A260 X B190 X C228MM	36W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM	
76	MAZDA-UPXR656836W-3K-240V-BL-10VDIM-A260 X B190 X C228MM	36W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM	
77	MAZDA-UPXR656836W-4K-240V-BL-ND-A260 X B190 X C228MM	36W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM	
78	MAZDA-UPXR656836W-4K-240V-BL-DA-A260 X B190 X C228MM	36W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM	



DATASHEET

GENERATED ON: 06 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
79	MAZDA-UPXR656836W-4K-240V-BL-PH-A260 X B190 X C228MM	36W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM	
80	MAZDA-UPXR656836W-4K-240V-BL-10VDIM-A260 X B190 X C228MM	36W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM	
81	MAZDA-UPXR656836W-5K-240V-BL-ND-A260 X B190 X C228MM	36W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM	
82	MAZDA-UPXR656836W-5K-240V-BL-DA-A260 X B190 X C228MM	36W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM	
83	MAZDA-UPXR656836W-5K-240V-BL-PH-A260 X B190 X C228MM	36W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM	
84	MAZDA-UPXR656836W-5K-240V-BL-10VDIM-A260 X B190 X C228MM	36W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM	
85	MAZDA-UPXR656836W-6K-240V-BL-ND-A260 X B190 X C228MM	36W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM	
86	MAZDA-UPXR656836W-6K-240V-BL-DA-A260 X B190 X C228MM	36W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM	
87	MAZDA-UPXR656836W-6K-240V-BL-PH-A260 X B190 X C228MM	36W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM	
88	MAZDA-UPXR656836W-6K-240V-BL-10VDIM-A260 X B190 X C228MM	36W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM	
89	MAZDA-UPXR656836W-2.7K-240V-BL-ND-A260 X B190 X C228MM	36W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM	
90	MAZDA-UPXR656836W-2.7K-240V-BL-DA-A260 X B190 X C228MM	36W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM	
91	MAZDA-UPXR656836W-2.7K-240V-BL-PH-A260 X B190 X C228MM	36W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM	
92	MAZDA-UPXR656836W-2.7K-240V-BL-10VDIM-A260 X B190 X C228MM	36W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM	
93	MAZDA-UPXR656836W-6.5K-240V-BL-ND-A260 X B190 X C228MM	36W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM	
94	MAZDA-UPXR656836W-6.5K-240V-BL-DA-A260 X B190 X C228MM	36W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM	
95	MAZDA-UPXR656836W-6.5K-240V-BL-PH-A260 X B190 X C228MM	36W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM	



DATASHEET

GENERATED ON: 06 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
96	MAZDA-UPXR656836W-6.5K-240V-BL-10VDIM-A260 X B190 X C228MM	36W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A260 X B190 X C228MM	DIE CAST ALUMINUM	IP67	A260 X B190 X C228MM	
97	MAZDA-UPXR656850W-3K-240V-BL-ND-A300 X B220 X C270MM	50W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM	
98	MAZDA-UPXR656850W-3K-240V-BL-DA-A300 X B220 X C270MM	50W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM	
99	MAZDA-UPXR656850W-3K-240V-BL-PH-A300 X B220 X C270MM	50W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM	
100	MAZDA-UPXR656850W-3K-240V-BL-10VDIM-A300 X B220 X C270MM	50W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM	
101	MAZDA-UPXR656850W-4K-240V-BL-ND-A300 X B220 X C270MM	50W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM	
102	MAZDA-UPXR656850W-4K-240V-BL-DA-A300 X B220 X C270MM	50W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM	
103	MAZDA-UPXR656850W-4K-240V-BL-PH-A300 X B220 X C270MM	50W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM	
104	MAZDA-UPXR656850W-4K-240V-BL-10VDIM-A300 X B220 X C270MM	50W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM	
105	MAZDA-UPXR656850W-5K-240V-BL-ND-A300 X B220 X C270MM	50W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM	
106	MAZDA-UPXR656850W-5K-240V-BL-DA-A300 X B220 X C270MM	50W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM	
107	MAZDA-UPXR656850W-5K-240V-BL-PH-A300 X B220 X C270MM	50W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM	
108	MAZDA-UPXR656850W-5K-240V-BL-10VDIM-A300 X B220 X C270MM	50W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM	
109	MAZDA-UPXR656850W-6K-240V-BL-ND-A300 X B220 X C270MM	50W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM	
110	MAZDA-UPXR656850W-6K-240V-BL-DA-A300 X B220 X C270MM	50W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM	
111	MAZDA-UPXR656850W-6K-240V-BL-PH-A300 X B220 X C270MM	50W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM	
112	MAZDA-UPXR656850W-6K-240V-BL-10VDIM-A300 X B220 X C270MM	50W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM	



DATASHEET

GENERATED ON: 06 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
113	MAZDA-UPXR656850W-2.7K-240V-BL-ND-A300 X B220 X C270MM	50W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM	
114	MAZDA-UPXR656850W-2.7K-240V-BL-DA-A300 X B220 X C270MM	50W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM	
115	MAZDA-UPXR656850W-2.7K-240V-BL-PH-A300 X B220 X C270MM	50W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM	
116	MAZDA-UPXR656850W-2.7K-240V-BL-10VDIM-A300 X B220 X C270MM	50W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM	
117	MAZDA-UPXR656850W-6.5K-240V-BL-ND-A300 X B220 X C270MM	50W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM	
118	MAZDA-UPXR656850W-6.5K-240V-BL-DA-A300 X B220 X C270MM	50W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM	
119	MAZDA-UPXR656850W-6.5K-240V-BL-PH-A300 X B220 X C270MM	50W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM	
120	MAZDA-UPXR656850W-6.5K-240V-BL-10VDIM-A300 X B220 X C270MM	50W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A300 X B220 X C270MM	DIE CAST ALUMINUM	IP67	A300 X B220 X C270MM	
121	MAZDA-UPXR656870W-3K-240V-BL-ND-A350 X B230 X C320MM	70W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM	
122	MAZDA-UPXR656870W-3K-240V-BL-DA-A350 X B230 X C320MM	70W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM	
123	MAZDA-UPXR656870W-3K-240V-BL-PH-A350 X B230 X C320MM	70W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM	
124	MAZDA-UPXR656870W-3K-240V-BL-10VDIM-A350 X B230 X C320MM	70W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM	
125	MAZDA-UPXR656870W-4K-240V-BL-ND-A350 X B230 X C320MM	70W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM	
126	MAZDA-UPXR656870W-4K-240V-BL-DA-A350 X B230 X C320MM	70W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM	
127	MAZDA-UPXR656870W-4K-240V-BL-PH-A350 X B230 X C320MM	70W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM	
128	MAZDA-UPXR656870W-4K-240V-BL-10VDIM-A350 X B230 X C320MM	70W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM	
129	MAZDA-UPXR656870W-5K-240V-BL-ND-A350 X B230 X C320MM	70W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
130	MAZDA-UPXR656870W-5K-240V-BL-DA-A350 X B230 X C320MM	70W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM	
131	MAZDA-UPXR656870W-5K-240V-BL-PH-A350 X B230 X C320MM	70W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM	
132	MAZDA-UPXR656870W-5K-240V-BL-10VDIM-A350 X B230 X C320MM	70W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM	
133	MAZDA-UPXR656870W-6K-240V-BL-ND-A350 X B230 X C320MM	70W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM	
134	MAZDA-UPXR656870W-6K-240V-BL-DA-A350 X B230 X C320MM	70W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM	
135	MAZDA-UPXR656870W-6K-240V-BL-PH-A350 X B230 X C320MM	70W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM	
136	MAZDA-UPXR656870W-6K-240V-BL-10VDIM-A350 X B230 X C320MM	70W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM	
137	MAZDA-UPXR656870W-2.7K-240V-BL-ND-A350 X B230 X C320MM	70W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM	
138	MAZDA-UPXR656870W-2.7K-240V-BL-DA-A350 X B230 X C320MM	70W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM	
139	MAZDA-UPXR656870W-2.7K-240V-BL-PH-A350 X B230 X C320MM	70W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM	
140	MAZDA-UPXR656870W-2.7K-240V-BL-10VDIM-A350 X B230 X C320MM	70W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM	
141	MAZDA-UPXR656870W-6.5K-240V-BL-ND-A350 X B230 X C320MM	70W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM	
142	MAZDA-UPXR656870W-6.5K-240V-BL-DA-A350 X B230 X C320MM	70W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM	
143	MAZDA-UPXR656870W-6.5K-240V-BL-PH-A350 X B230 X C320MM	70W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM	
144	MAZDA-UPXR656870W-6.5K-240V-BL-10VDIM-A350 X B230 X C320MM	70W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A350 X B230 X C320MM	DIE CAST ALUMINUM	IP67	A350 X B230 X C320MM	