DATASHEET

GENERATED ON: 12 Nov 2026 | SYS.REF: MAZDA-LED



ESME MINI

MAZDA Model: UPXR6570 Inground Light

Luminaire for floor/ground and ceiling installation, fixed, single adjustable versions for different applications, lighting head can be mechanically adjusted without opening the luminaire, high level of flexibility in terms of lighting control, very low glare rating with the deep recessed lighting head, die-cast aluminum body, 316L SS outer trim, 8mm thick tempered glass, very low thermal build-up at the diffuser end, integrated driver, optional versions available with frosted diffuser and 24Vdc models. The light head is adjustable from -25°~+25°. Highly resitance in marine environment.

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
1	MAZDA-UPXR657003W-3K-240V-BL-ND-A95 X B118 X C85 MM	03W	3000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	ON - OFF	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
2	MAZDA-UPXR657003W-3K-240V-BL-DA-A95 X B118 X C85 MM	03W	3000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
3	MAZDA-UPXR657003W-3K-240V-BL-PH-A95 X B118 X C85 MM	03W	3000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
4	MAZDA-UPXR657003W-3K-240V-BL-10VDIM-A95 X B118 X C85 MM	03W	3000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
5	MAZDA-UPXR657003W-4K-240V-BL-ND-A95 X B118 X C85 MM	03W	4000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	ON - OFF	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
6	MAZDA-UPXR657003W-4K-240V-BL-DA-A95 X B118 X C85 MM	03W	4000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
7	MAZDA-UPXR657003W-4K-240V-BL-PH-A95 X B118 X C85 MM	03W	4000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
8	MAZDA-UPXR657003W-4K-240V-BL-10VDIM-A95 X B118 X C85 MM	03W	4000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
9	MAZDA-UPXR657003W-5K-240V-BL-ND-A95 X B118 X C85 MM	03W	5000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	ON - OFF	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
10	MAZDA-UPXR657003W-5K-240V-BL-DA-A95 X B118 X C85 MM	03W	5000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
11	MAZDA-UPXR657003W-5K-240V-BL-PH-A95 X B118 X C85 MM	03W	5000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
12	MAZDA-UPXR657003W-5K-240V-BL-10VDIM-A95 X B118 X C85 MM	03W	5000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
13	MAZDA-UPXR657003W-6K-240V-BL-ND-A95 X B118 X C85 MM	03W	6000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	ON - OFF	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
14	MAZDA-UPXR657003W-6K-240V-BL-DA-A95 X B118 X C85 MM	03W	6000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
15	MAZDA-UPXR657003W-6K-240V-BL-PH-A95 X B118 X C85 MM	03W	6000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
16	MAZDA-UPXR657003W-6K-240V-BL-10VDIM-A95 X B118 X C85 MM	03W	6000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM
17	MAZDA-UPXR657003W-2.7K-240V-BL-ND-A95 X B118 X C85 MM	03W	2700	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	ON - OFF	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM

DATASHEET

GENERATED ON: 12 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
18	MAZDA-UPXR657003W-2.7K-240V-BL-DA-A95 X B118 X C85 MM	03W	2700	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
19	MAZDA-UPXR657003W-2.7K-240V-BL-PH-A95 X B118 X C85 MM	03W	2700	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
20	MAZDA-UPXR657003W-2.7K-240V-BL-10VDIM-A95 X B118 X C85 MM	03W	2700	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
21	MAZDA-UPXR657003W-6.5K-240V-BL-ND-A95 X B118 X C85 MM	03W	6500	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	ON - OFF	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
22	MAZDA-UPXR657003W-6.5K-240V-BL-DA-A95 X B118 X C85 MM	03W	6500	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
23	MAZDA-UPXR657003W-6.5K-240V-BL-PH-A95 X B118 X C85 MM	03W	6500	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
24	MAZDA-UPXR657003W-6.5K-240V-BL-10VDIM-A95 X B118 X C85 MM	03W	6500	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
25	MAZDA-UPXR657004W-3K-240V-BL-ND-A95 X B118 X C85 MM	04W	3000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	ON - OFF	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
26	MAZDA-UPXR657004W-3K-240V-BL-DA-A95 X B118 X C85 MM	04W	3000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
27	MAZDA-UPXR657004W-3K-240V-BL-PH-A95 X B118 X C85 MM	04W	3000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
28	MAZDA-UPXR657004W-3K-240V-BL-10VDIM-A95 X B118 X C85 MM	04W	3000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
29	MAZDA-UPXR657004W-4K-240V-BL-ND-A95 X B118 X C85 MM	04W	4000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	ON - OFF	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
30	MAZDA-UPXR657004W-4K-240V-BL-DA-A95 X B118 X C85 MM	04W	4000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
31	MAZDA-UPXR657004W-4K-240V-BL-PH-A95 X B118 X C85 MM	04W	4000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
32	MAZDA-UPXR657004W-4K-240V-BL-10VDIM-A95 X B118 X C85 MM	04W	4000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
33	MAZDA-UPXR657004W-5K-240V-BL-ND-A95 X B118 X C85 MM	04W	5000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	ON - OFF	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
34	MAZDA-UPXR657004W-5K-240V-BL-DA-A95 X B118 X C85 MM	04W	5000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
35	MAZDA-UPXR657004W-5K-240V-BL-PH-A95 X B118 X C85 MM	04W	5000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
36	MAZDA-UPXR657004W-5K-240V-BL-10VDIM-A95 X B118 X C85 MM	04W	5000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
37	MAZDA-UPXR657004W-6K-240V-BL-ND-A95 X B118 X C85 MM	04W	6000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	ON - OFF	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
38	MAZDA-UPXR657004W-6K-240V-BL-DA-A95 X B118 X C85 MM	04W	6000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
39	MAZDA-UPXR657004W-6K-240V-BL-PH-A95 X B118 X C85 MM	04W	6000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
40	MAZDA-UPXR657004W-6K-240V-BL-10VDIM-A95 X B118 X C85 MM	04W	6000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
41	MAZDA-UPXR657004W-2.7K-240V-BL-ND-A95 X B118 X C85 MM	04W	2700	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	ON - OFF	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
42	MAZDA-UPXR657004W-2.7K-240V-BL-DA-A95 X B118 X C85 MM	04W	2700	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
43	MAZDA-UPXR657004W-2.7K-240V-BL-PH-A95 X B118 X C85 MM	04W	2700	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
44	MAZDA-UPXR657004W-2.7K-240V-BL-10VDIM-A95 X B118 X C85 MM	04W	2700	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
45	MAZDA-UPXR657004W-6.5K-240V-BL-ND-A95 X B118 X C85 MM	04W	6500	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	ON - OFF	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	

DATASHEET

GENERATED ON: 12 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
46	MAZDA-UPXR657004W-6.5K-240V-BL-DA-A95 X B118 X C85 MM	04W	6500	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
47	MAZDA-UPXR657004W-6.5K-240V-BL-PH-A95 X B118 X C85 MM	04W	6500	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
48	MAZDA-UPXR657004W-6.5K-240V-BL-10VDIM-A95 X B118 X C85 MM	04W	6500	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	5	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
49	MAZDA-UPXR657005W-3K-240V-BL-ND-A130 X B136 X C119 MM	05W	3000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	ON - OFF	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	
50	MAZDA-UPXR657005W-3K-240V-BL-DA-A130 X B136 X C119 MM	05W	3000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	
51	MAZDA-UPXR657005W-3K-240V-BL-PH-A130 X B136 X C119 MM	05W	3000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	
52	MAZDA-UPXR657005W-3K-240V-BL-10VDIM-A130 X B136 X C119 MM	05W	3000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	
53	MAZDA-UPXR657005W-4K-240V-BL-ND-A130 X B136 X C119 MM	05W	4000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	ON - OFF	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	
54	MAZDA-UPXR657005W-4K-240V-BL-DA-A130 X B136 X C119 MM	05W	4000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	
55	MAZDA-UPXR657005W-4K-240V-BL-PH-A130 X B136 X C119 MM	05W	4000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	
56	MAZDA-UPXR657005W-4K-240V-BL-10VDIM-A130 X B136 X C119 MM	05W	4000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	
57	MAZDA-UPXR657005W-5K-240V-BL-ND-A130 X B136 X C119 MM	05W	5000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	ON - OFF	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	
58	MAZDA-UPXR657005W-5K-240V-BL-DA-A130 X B136 X C119 MM	05W	5000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	
59	MAZDA-UPXR657005W-5K-240V-BL-PH-A130 X B136 X C119 MM	05W	5000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	
60	MAZDA-UPXR657005W-5K-240V-BL-10VDIM-A130 X B136 X C119 MM	05W	5000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	
61	MAZDA-UPXR657005W-6K-240V-BL-ND-A130 X B136 X C119 MM	05W	6000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	ON - OFF	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	
62	MAZDA-UPXR657005W-6K-240V-BL-DA-A130 X B136 X C119 MM	05W	6000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	
63	MAZDA-UPXR657005W-6K-240V-BL-PH-A130 X B136 X C119 MM	05W	6000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	
64	MAZDA-UPXR657005W-6K-240V-BL-10VDIM-A130 X B136 X C119 MM	05W	6000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	
65	MAZDA-UPXR657005W-2.7K-240V-BL-ND-A130 X B136 X C119 MM	05W	2700	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	ON - OFF	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	
66	MAZDA-UPXR657005W-2.7K-240V-BL-DA-A130 X B136 X C119 MM	05W	2700	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	
67	MAZDA-UPXR657005W-2.7K-240V-BL-PH-A130 X B136 X C119 MM	05W	2700	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	
68	MAZDA-UPXR657005W-2.7K-240V-BL-10VDIM-A130 X B136 X C119 MM	05W	2700	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	
69	MAZDA-UPXR657005W-6.5K-240V-BL-ND-A130 X B136 X C119 MM	05W	6500	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	ON - OFF	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	
70	MAZDA-UPXR657005W-6.5K-240V-BL-DA-A130 X B136 X C119 MM	05W	6500	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	
71	MAZDA-UPXR657005W-6.5K-240V-BL-PH-A130 X B136 X C119 MM	05W	6500	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	
72	MAZDA-UPXR657005W-6.5K-240V-BL-10VDIM-A130 X B136 X C119 MM	05W	6500	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	
73	MAZDA-UPXR657006W-3K-240V-BL-ND-A130 X B136 X C119 MM	06W	3000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	ON - OFF	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
74	**MAZDA-UPXR657006W-3K-240V-BL-DA-A130 X B136 X C119 MM**	06W	3000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	
75	**MAZDA-UPXR657006W-3K-240V-BL-PH-A130 X B136 X C119 MM**	06W	3000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	
76	**MAZDA-UPXR657006W-3K-240V-BL-10VDIM-A130 X B136 X C119 MM**	06W	3000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	
77	**MAZDA-UPXR657006W-4K-240V-BL-ND-A130 X B136 X C119 MM**	06W	4000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	ON - OFF	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	
78	**MAZDA-UPXR657006W-4K-240V-BL-DA-A130 X B136 X C119 MM**	06W	4000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	
79	**MAZDA-UPXR657006W-4K-240V-BL-PH-A130 X B136 X C119 MM**	06W	4000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	
80	**MAZDA-UPXR657006W-4K-240V-BL-10VDIM-A130 X B136 X C119 MM**	06W	4000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	
81	**MAZDA-UPXR657006W-5K-240V-BL-ND-A130 X B136 X C119 MM**	06W	5000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	ON - OFF	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	
82	**MAZDA-UPXR657006W-5K-240V-BL-DA-A130 X B136 X C119 MM**	06W	5000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	
83	**MAZDA-UPXR657006W-5K-240V-BL-PH-A130 X B136 X C119 MM**	06W	5000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	
84	**MAZDA-UPXR657006W-5K-240V-BL-10VDIM-A130 X B136 X C119 MM**	06W	5000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	
85	**MAZDA-UPXR657006W-6K-240V-BL-ND-A130 X B136 X C119 MM**	06W	6000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	ON - OFF	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	
86	**MAZDA-UPXR657006W-6K-240V-BL-DA-A130 X B136 X C119 MM**	06W	6000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	
87	**MAZDA-UPXR657006W-6K-240V-BL-PH-A130 X B136 X C119 MM**	06W	6000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	
88	**MAZDA-UPXR657006W-6K-240V-BL-10VDIM-A130 X B136 X C119 MM**	06W	6000	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	
89	**MAZDA-UPXR657006W-2.7K-240V-BL-ND-A130 X B136 X C119 MM**	06W	2700	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	ON - OFF	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	
90	**MAZDA-UPXR657006W-2.7K-240V-BL-DA-A130 X B136 X C119 MM**	06W	2700	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	
91	**MAZDA-UPXR657006W-2.7K-240V-BL-PH-A130 X B136 X C119 MM**	06W	2700	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	
92	**MAZDA-UPXR657006W-2.7K-240V-BL-10VDIM-A130 X B136 X C119 MM**	06W	2700	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	
93	**MAZDA-UPXR657006W-6.5K-240V-BL-ND-A130 X B136 X C119 MM**	06W	6500	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	ON - OFF	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	
94	**MAZDA-UPXR657006W-6.5K-240V-BL-DA-A130 X B136 X C119 MM**	06W	6500	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	
95	**MAZDA-UPXR657006W-6.5K-240V-BL-PH-A130 X B136 X C119 MM**	06W	6500	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	
96	**MAZDA-UPXR657006W-6.5K-240V-BL-10VDIM-A130 X B136 X C119 MM**	06W	6500	240V	BLACK, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	5	A130 X B136 X C119 MM	DIE CAST ALUMINUM	IP67	A130 X B136 X C119 MM	