DATASHEET

GENERATED ON: 12 Nov 2026 | SYS.REF: MAZDA-LED



GRAPHE

MAZDA Model: UPXR6572 Inground Light

The LED Buried Light is an outdoor buried light fixture. It has monochrome or RGB LEDs that can be controlled by DMX. This product is very suitable for lighting on the road, decorative Color washing effect. This is also great Replacement of urban furniture due to its IP68 protection rating.

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
1	**MAZDA-UPXR657205W-3K-240V-BL-ND-A90 X B96**	05W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96
2	**MAZDA-UPXR657205W-3K-240V-BL-DA-A90 X B96**	05W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96
3	**MAZDA-UPXR657205W-3K-240V-BL-PH-A90 X B96**	05W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96
4	**MAZDA-UPXR657205W-3K-240V-BL-10VDIM-A90 X B96**	05W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96
5	**MAZDA-UPXR657205W-4K-240V-BL-ND-A90 X B96**	05W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96
6	**MAZDA-UPXR657205W-4K-240V-BL-DA-A90 X B96**	05W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96
7	**MAZDA-UPXR657205W-4K-240V-BL-PH-A90 X B96**	05W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96
8	**MAZDA-UPXR657205W-4K-240V-BL-10VDIM-A90 X B96**	05W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96
9	**MAZDA-UPXR657205W-5K-240V-BL-ND-A90 X B96**	05W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96
10	**MAZDA-UPXR657205W-5K-240V-BL-DA-A90 X B96**	05W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96
11	**MAZDA-UPXR657205W-5K-240V-BL-PH-A90 X B96**	05W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96
12	**MAZDA-UPXR657205W-5K-240V-BL-10VDIM-A90 X B96**	05W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96
13	**MAZDA-UPXR657205W-6K-240V-BL-ND-A90 X B96**	05W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96
14	**MAZDA-UPXR657205W-6K-240V-BL-DA-A90 X B96**	05W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96
15	**MAZDA-UPXR657205W-6K-240V-BL-PH-A90 X B96**	05W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96
16	**MAZDA-UPXR657205W-6K-240V-BL-10VDIM-A90 X B96**	05W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96

DATASHEET

GENERATED ON: 12 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
17	**MAZDA-UPXR657205W-2.7K-240V-BL-ND-A90 X B96**	05W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96
18	**MAZDA-UPXR657205W-2.7K-240V-BL-DA-A90 X B96**	05W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96
19	**MAZDA-UPXR657205W-2.7K-240V-BL-PH-A90 X B96**	05W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96
20	**MAZDA-UPXR657205W-2.7K-240V-BL-10VDIM-A90 X B96**	05W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96
21	**MAZDA-UPXR657205W-6.5K-240V-BL-ND-A90 X B96**	05W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96
22	**MAZDA-UPXR657205W-6.5K-240V-BL-DA-A90 X B96**	05W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96
23	**MAZDA-UPXR657205W-6.5K-240V-BL-PH-A90 X B96**	05W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96
24	**MAZDA-UPXR657205W-6.5K-240V-BL-10VDIM-A90 X B96**	05W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96
25	**MAZDA-UPXR657210W-3K-240V-BL-ND-A90 X B96**	10W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96
26	**MAZDA-UPXR657210W-3K-240V-BL-DA-A90 X B96**	10W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96
27	**MAZDA-UPXR657210W-3K-240V-BL-PH-A90 X B96**	10W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96
28	**MAZDA-UPXR657210W-3K-240V-BL-10VDIM-A90 X B96**	10W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96
29	**MAZDA-UPXR657210W-4K-240V-BL-ND-A90 X B96**	10W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96
30	**MAZDA-UPXR657210W-4K-240V-BL-DA-A90 X B96**	10W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96
31	**MAZDA-UPXR657210W-4K-240V-BL-PH-A90 X B96**	10W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96
32	**MAZDA-UPXR657210W-4K-240V-BL-10VDIM-A90 X B96**	10W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96
33	**MAZDA-UPXR657210W-5K-240V-BL-ND-A90 X B96**	10W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96
34	**MAZDA-UPXR657210W-5K-240V-BL-DA-A90 X B96**	10W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96
35	**MAZDA-UPXR657210W-5K-240V-BL-PH-A90 X B96**	10W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96
36	**MAZDA-UPXR657210W-5K-240V-BL-10VDIM-A90 X B96**	10W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96
37	**MAZDA-UPXR657210W-6K-240V-BL-ND-A90 X B96**	10W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96
38	**MAZDA-UPXR657210W-6K-240V-BL-DA-A90 X B96**	10W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96
39	**MAZDA-UPXR657210W-6K-240V-BL-PH-A90 X B96**	10W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96
40	**MAZDA-UPXR657210W-6K-240V-BL-10VDIM-A90 X B96**	10W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96
41	**MAZDA-UPXR657210W-2.7K-240V-BL-ND-A90 X B96**	10W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96

DATASHEET

GENERATED ON: 12 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
42	**MAZDA-UPXR657210W-2.7K-240V-BL-DA-A90 X B96**	10W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
43	**MAZDA-UPXR657210W-2.7K-240V-BL-PH-A90 X B96**	10W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
44	**MAZDA-UPXR657210W-2.7K-240V-BL-10VDIM-A90 X B96**	10W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
45	**MAZDA-UPXR657210W-6.5K-240V-BL-ND-A90 X B96**	10W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
46	**MAZDA-UPXR657210W-6.5K-240V-BL-DA-A90 X B96**	10W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
47	**MAZDA-UPXR657210W-6.5K-240V-BL-PH-A90 X B96**	10W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
48	**MAZDA-UPXR657210W-6.5K-240V-BL-10VDIM-A90 X B96**	10W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
49	**MAZDA-UPXR657215W-3K-240V-BL-ND-A90 X B96**	15W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
50	**MAZDA-UPXR657215W-3K-240V-BL-DA-A90 X B96**	15W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
51	**MAZDA-UPXR657215W-3K-240V-BL-PH-A90 X B96**	15W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
52	**MAZDA-UPXR657215W-3K-240V-BL-10VDIM-A90 X B96**	15W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
53	**MAZDA-UPXR657215W-4K-240V-BL-ND-A90 X B96**	15W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
54	**MAZDA-UPXR657215W-4K-240V-BL-DA-A90 X B96**	15W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
55	**MAZDA-UPXR657215W-4K-240V-BL-PH-A90 X B96**	15W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
56	**MAZDA-UPXR657215W-4K-240V-BL-10VDIM-A90 X B96**	15W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
57	**MAZDA-UPXR657215W-5K-240V-BL-ND-A90 X B96**	15W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
58	**MAZDA-UPXR657215W-5K-240V-BL-DA-A90 X B96**	15W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
59	**MAZDA-UPXR657215W-5K-240V-BL-PH-A90 X B96**	15W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
60	**MAZDA-UPXR657215W-5K-240V-BL-10VDIM-A90 X B96**	15W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
61	**MAZDA-UPXR657215W-6K-240V-BL-ND-A90 X B96**	15W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
62	**MAZDA-UPXR657215W-6K-240V-BL-DA-A90 X B96**	15W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
63	**MAZDA-UPXR657215W-6K-240V-BL-PH-A90 X B96**	15W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
64	**MAZDA-UPXR657215W-6K-240V-BL-10VDIM-A90 X B96**	15W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
65	**MAZDA-UPXR657215W-2.7K-240V-BL-ND-A90 X B96**	15W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
66	**MAZDA-UPXR657215W-2.7K-240V-BL-DA-A90 X B96**	15W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
67	**MAZDA-UPXR657215W-2.7K-240V-BL-PH-A90 X B96**	15W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
68	**MAZDA-UPXR657215W-2.7K-240V-BL-10VDIM-A90 X B96**	15W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
69	**MAZDA-UPXR657215W-6.5K-240V-BL-ND-A90 X B96**	15W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
70	**MAZDA-UPXR657215W-6.5K-240V-BL-DA-A90 X B96**	15W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
71	**MAZDA-UPXR657215W-6.5K-240V-BL-PH-A90 X B96**	15W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
72	**MAZDA-UPXR657215W-6.5K-240V-BL-10VDIM-A90 X B96**	15W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	