



GRAPHE

MAZDA Model: **UPXR6572** **Inground Light**

The LED Buried Light is an outdoor buried light fixture. It has monochrome or RGB LEDs that can be controlled by DMX. This product is very suitable for lighting on the road, decorative Color washing effect. This is also great Replacement of urban furniture due to its IP68 protection rating.

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
1	MAZDA-UPXR657205W-3K-240V-BL-ND-A90 X B96	05W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
2	MAZDA-UPXR657205W-3K-240V-BL-DA-A90 X B96	05W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE 8 DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
3	MAZDA-UPXR657205W-3K-240V-BL-PH-A90 X B96	05W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
4	MAZDA-UPXR657205W-3K-240V-BL-10VDIM-A90 X B96	05W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE 8 DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
5	MAZDA-UPXR657205W-4K-240V-BL-ND-A90 X B96	05W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
6	MAZDA-UPXR657205W-4K-240V-BL-DA-A90 X B96	05W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE 8 DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
7	MAZDA-UPXR657205W-4K-240V-BL-PH-A90 X B96	05W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
8	MAZDA-UPXR657205W-4K-240V-BL-10VDIM-A90 X B96	05W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE 8 DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
9	MAZDA-UPXR657205W-5K-240V-BL-ND-A90 X B96	05W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
10	MAZDA-UPXR657205W-5K-240V-BL-DA-A90 X B96	05W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE 8 DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
11	MAZDA-UPXR657205W-5K-240V-BL-PH-A90 X B96	05W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
12	MAZDA-UPXR657205W-5K-240V-BL-10VDIM-A90 X B96	05W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE 8 DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
13	MAZDA-UPXR657205W-6K-240V-BL-ND-A90 X B96	05W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
14	MAZDA-UPXR657205W-6K-240V-BL-DA-A90 X B96	05W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE 8 DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
15	MAZDA-UPXR657205W-6K-240V-BL-PH-A90 X B96	05W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
16	MAZDA-UPXR657205W-6K-240V-BL-10VDIM-A90 X B96	05W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE 8 DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	



DATASHEET

GENERATED ON: 06 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
17	MAZDA-UPXR657205W-2.7K-240V-BL-ND-A90 X B96	05W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
18	MAZDA-UPXR657205W-2.7K-240V-BL-DA-A90 X B96	05W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
19	MAZDA-UPXR657205W-2.7K-240V-BL-PH-A90 X B96	05W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
20	MAZDA-UPXR657205W-2.7K-240V-BL-10VDIM-A90 X B96	05W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
21	MAZDA-UPXR657205W-6.5K-240V-BL-ND-A90 X B96	05W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
22	MAZDA-UPXR657205W-6.5K-240V-BL-DA-A90 X B96	05W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
23	MAZDA-UPXR657205W-6.5K-240V-BL-PH-A90 X B96	05W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
24	MAZDA-UPXR657205W-6.5K-240V-BL-10VDIM-A90 X B96	05W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
25	MAZDA-UPXR657210W-3K-240V-BL-ND-A90 X B96	10W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
26	MAZDA-UPXR657210W-3K-240V-BL-DA-A90 X B96	10W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
27	MAZDA-UPXR657210W-3K-240V-BL-PH-A90 X B96	10W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
28	MAZDA-UPXR657210W-3K-240V-BL-10VDIM-A90 X B96	10W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
29	MAZDA-UPXR657210W-4K-240V-BL-ND-A90 X B96	10W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
30	MAZDA-UPXR657210W-4K-240V-BL-DA-A90 X B96	10W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
31	MAZDA-UPXR657210W-4K-240V-BL-PH-A90 X B96	10W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
32	MAZDA-UPXR657210W-4K-240V-BL-10VDIM-A90 X B96	10W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
33	MAZDA-UPXR657210W-5K-240V-BL-ND-A90 X B96	10W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
34	MAZDA-UPXR657210W-5K-240V-BL-DA-A90 X B96	10W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
35	MAZDA-UPXR657210W-5K-240V-BL-PH-A90 X B96	10W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
36	MAZDA-UPXR657210W-5K-240V-BL-10VDIM-A90 X B96	10W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
37	MAZDA-UPXR657210W-6K-240V-BL-ND-A90 X B96	10W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
38	MAZDA-UPXR657210W-6K-240V-BL-DA-A90 X B96	10W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
39	MAZDA-UPXR657210W-6K-240V-BL-PH-A90 X B96	10W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
40	MAZDA-UPXR657210W-6K-240V-BL-10VDIM-A90 X B96	10W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
41	MAZDA-UPXR657210W-2.7K-240V-BL-ND-A90 X B96	10W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	



DATASHEET

GENERATED ON: 06 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
42	MAZDA-UPXR657210W-2.7K-240V-BL-DA-A90 X B96	10W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
43	MAZDA-UPXR657210W-2.7K-240V-BL-PH-A90 X B96	10W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
44	MAZDA-UPXR657210W-2.7K-240V-BL-10VDIM-A90 X B96	10W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
45	MAZDA-UPXR657210W-6.5K-240V-BL-ND-A90 X B96	10W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
46	MAZDA-UPXR657210W-6.5K-240V-BL-DA-A90 X B96	10W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
47	MAZDA-UPXR657210W-6.5K-240V-BL-PH-A90 X B96	10W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
48	MAZDA-UPXR657210W-6.5K-240V-BL-10VDIM-A90 X B96	10W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
49	MAZDA-UPXR657215W-3K-240V-BL-ND-A90 X B96	15W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
50	MAZDA-UPXR657215W-3K-240V-BL-DA-A90 X B96	15W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
51	MAZDA-UPXR657215W-3K-240V-BL-PH-A90 X B96	15W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
52	MAZDA-UPXR657215W-3K-240V-BL-10VDIM-A90 X B96	15W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
53	MAZDA-UPXR657215W-4K-240V-BL-ND-A90 X B96	15W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
54	MAZDA-UPXR657215W-4K-240V-BL-DA-A90 X B96	15W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
55	MAZDA-UPXR657215W-4K-240V-BL-PH-A90 X B96	15W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
56	MAZDA-UPXR657215W-4K-240V-BL-10VDIM-A90 X B96	15W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
57	MAZDA-UPXR657215W-5K-240V-BL-ND-A90 X B96	15W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
58	MAZDA-UPXR657215W-5K-240V-BL-DA-A90 X B96	15W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
59	MAZDA-UPXR657215W-5K-240V-BL-PH-A90 X B96	15W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
60	MAZDA-UPXR657215W-5K-240V-BL-10VDIM-A90 X B96	15W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
61	MAZDA-UPXR657215W-6K-240V-BL-ND-A90 X B96	15W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
62	MAZDA-UPXR657215W-6K-240V-BL-DA-A90 X B96	15W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
63	MAZDA-UPXR657215W-6K-240V-BL-PH-A90 X B96	15W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
64	MAZDA-UPXR657215W-6K-240V-BL-10VDIM-A90 X B96	15W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
65	MAZDA-UPXR657215W-2.7K-240V-BL-ND-A90 X B96	15W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
66	MAZDA-UPXR657215W-2.7K-240V-BL-DA-A90 X B96	15W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
67	MAZDA-UPXR657215W-2.7K-240V-BL-PH-A90 X B96	15W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
68	MAZDA-UPXR657215W-2.7K-240V-BL-10VDIM-A90 X B96	15W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
69	MAZDA-UPXR657215W-6.5K-240V-BL-ND-A90 X B96	15W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
70	MAZDA-UPXR657215W-6.5K-240V-BL-DA-A90 X B96	15W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
71	MAZDA-UPXR657215W-6.5K-240V-BL-PH-A90 X B96	15W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	
72	MAZDA-UPXR657215W-6.5K-240V-BL-10VDIM-A90 X B96	15W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A90 X B96	DIE CAST ALUMINUM	IP68	A90 X B96	