



HALO

MAZDA Model: DXR1719 DownLight

Halo LED Down Light is recognised as one of the most trusted and highly desirable consumer fitting, we manufactured it to the highest standards. This superior design skillfully prevent the human eyes contact with the light sources directly, makes the light more soft. Meanwhile the light efficiency reach to 120lm/w with perfect accent lighting performance. That makes it become the priority selected product for commercial lighting. Great cooling fins heat sink design increases the interface between heat sink and air, which makes the heat dissipating performance outstanding and extend the service life of the downlight. Suitable for commercial and residential applications like office, supermarket, shop, school, hotel, restaurant, workshop, warehouse, home etc.

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
1	MAZDA-DXR171910W-3K-240V-WH-ND-A118XB57XC90MM	10W	3000	240V	WHITE	NON EMERGENCY	ON - OFF	110	A118XB57XC90MM	DIE CAST ALUMINUM	IP54	1200LM	A118XB57XC90MM	
2	MAZDA-DXR171910W-3K-240V-WH-DA-A118XB57XC90MM	10W	3000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	110	A118XB57XC90MM	DIE CAST ALUMINUM	IP54	1200LM	A118XB57XC90MM	
3	MAZDA-DXR171910W-3K-240V-WH-PH-A118XB57XC90MM	10W	3000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	110	A118XB57XC90MM	DIE CAST ALUMINUM	IP54	1200LM	A118XB57XC90MM	
4	MAZDA-DXR171910W-3K-240V-WH-10VDIM-A118XB57XC90MM	10W	3000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	110	A118XB57XC90MM	DIE CAST ALUMINUM	IP54	1200LM	A118XB57XC90MM	
5	MAZDA-DXR171910W-4K-240V-WH-ND-A118XB57XC90MM	10W	4000	240V	WHITE	NON EMERGENCY	ON - OFF	110	A118XB57XC90MM	DIE CAST ALUMINUM	IP54	1200LM	A118XB57XC90MM	
6	MAZDA-DXR171910W-4K-240V-WH-DA-A118XB57XC90MM	10W	4000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	110	A118XB57XC90MM	DIE CAST ALUMINUM	IP54	1200LM	A118XB57XC90MM	
7	MAZDA-DXR171910W-4K-240V-WH-PH-A118XB57XC90MM	10W	4000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	110	A118XB57XC90MM	DIE CAST ALUMINUM	IP54	1200LM	A118XB57XC90MM	
8	MAZDA-DXR171910W-4K-240V-WH-10VDIM-A118XB57XC90MM	10W	4000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	110	A118XB57XC90MM	DIE CAST ALUMINUM	IP54	1200LM	A118XB57XC90MM	
9	MAZDA-DXR171910W-5K-240V-WH-ND-A118XB57XC90MM	10W	5000	240V	WHITE	NON EMERGENCY	ON - OFF	110	A118XB57XC90MM	DIE CAST ALUMINUM	IP54	1200LM	A118XB57XC90MM	
10	MAZDA-DXR171910W-5K-240V-WH-DA-A118XB57XC90MM	10W	5000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	110	A118XB57XC90MM	DIE CAST ALUMINUM	IP54	1200LM	A118XB57XC90MM	
11	MAZDA-DXR171910W-5K-240V-WH-PH-A118XB57XC90MM	10W	5000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	110	A118XB57XC90MM	DIE CAST ALUMINUM	IP54	1200LM	A118XB57XC90MM	
12	MAZDA-DXR171910W-5K-240V-WH-10VDIM-A118XB57XC90MM	10W	5000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	110	A118XB57XC90MM	DIE CAST ALUMINUM	IP54	1200LM	A118XB57XC90MM	
13	MAZDA-DXR171910W-6K-240V-WH-ND-A118XB57XC90MM	10W	6000	240V	WHITE	NON EMERGENCY	ON - OFF	110	A118XB57XC90MM	DIE CAST ALUMINUM	IP54	1200LM	A118XB57XC90MM	
14	MAZDA-DXR171910W-6K-240V-WH-DA-A118XB57XC90MM	10W	6000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	110	A118XB57XC90MM	DIE CAST ALUMINUM	IP54	1200LM	A118XB57XC90MM	
15	MAZDA-DXR171910W-6K-240V-WH-PH-A118XB57XC90MM	10W	6000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	110	A118XB57XC90MM	DIE CAST ALUMINUM	IP54	1200LM	A118XB57XC90MM	
16	MAZDA-DXR171910W-6K-240V-WH-10VDIM-A118XB57XC90MM	10W	6000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	110	A118XB57XC90MM	DIE CAST ALUMINUM	IP54	1200LM	A118XB57XC90MM	
17	MAZDA-DXR171910W-2.7K-240V-WH-ND-A118XB57XC90MM	10W	2700	240V	WHITE	NON EMERGENCY	ON - OFF	110	A118XB57XC90MM	DIE CAST ALUMINUM	IP54	1200LM	A118XB57XC90MM	
18	MAZDA-DXR171910W-2.7K-240V-WH-DA-A118XB57XC90MM	10W	2700	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	110	A118XB57XC90MM	DIE CAST ALUMINUM	IP54	1200LM	A118XB57XC90MM	
19	MAZDA-DXR171910W-2.7K-240V-WH-PH-A118XB57XC90MM	10W	2700	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	110	A118XB57XC90MM	DIE CAST ALUMINUM	IP54	1200LM	A118XB57XC90MM	
20	MAZDA-DXR171910W-2.7K-240V-WH-10VDIM-A118XB57XC90MM	10W	2700	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	110	A118XB57XC90MM	DIE CAST ALUMINUM	IP54	1200LM	A118XB57XC90MM	
21	MAZDA-DXR171910W-6.5K-240V-WH-ND-A118XB57XC90MM	10W	6500	240V	WHITE	NON EMERGENCY	ON - OFF	110	A118XB57XC90MM	DIE CAST ALUMINUM	IP54	1200LM	A118XB57XC90MM	



DATASHEET

GENERATED ON: 14 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
22	MAZDA-DXR171910W-6.5K-240V-WH-DA-A118XB57XC90MM	10W	6500	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	110	A118XB57XC90MM	DIE CAST ALUMINUM	IP54	1200LM	A118XB57XC90MM	
23	MAZDA-DXR171910W-6.5K-240V-WH-PH-A118XB57XC90MM	10W	6500	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	110	A118XB57XC90MM	DIE CAST ALUMINUM	IP54	1200LM	A118XB57XC90MM	
24	MAZDA-DXR171910W-6.5K-240V-WH-10VDIM-A118XB57XC90MM	10W	6500	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	110	A118XB57XC90MM	DIE CAST ALUMINUM	IP54	1200LM	A118XB57XC90MM	
25	MAZDA-DXR171915W-3K-240V-WH-ND-A138XB60XC115MM	15W	3000	240V	WHITE	NON EMERGENCY	ON - OFF	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
26	MAZDA-DXR171915W-3K-240V-WH-DA-A138XB60XC115MM	15W	3000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
27	MAZDA-DXR171915W-3K-240V-WH-PH-A138XB60XC115MM	15W	3000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
28	MAZDA-DXR171915W-3K-240V-WH-10VDIM-A138XB60XC115MM	15W	3000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
29	MAZDA-DXR171915W-4K-240V-WH-ND-A138XB60XC115MM	15W	4000	240V	WHITE	NON EMERGENCY	ON - OFF	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
30	MAZDA-DXR171915W-4K-240V-WH-DA-A138XB60XC115MM	15W	4000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
31	MAZDA-DXR171915W-4K-240V-WH-PH-A138XB60XC115MM	15W	4000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
32	MAZDA-DXR171915W-4K-240V-WH-10VDIM-A138XB60XC115MM	15W	4000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
33	MAZDA-DXR171915W-5K-240V-WH-ND-A138XB60XC115MM	15W	5000	240V	WHITE	NON EMERGENCY	ON - OFF	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
34	MAZDA-DXR171915W-5K-240V-WH-DA-A138XB60XC115MM	15W	5000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
35	MAZDA-DXR171915W-5K-240V-WH-PH-A138XB60XC115MM	15W	5000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
36	MAZDA-DXR171915W-5K-240V-WH-10VDIM-A138XB60XC115MM	15W	5000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
37	MAZDA-DXR171915W-6K-240V-WH-ND-A138XB60XC115MM	15W	6000	240V	WHITE	NON EMERGENCY	ON - OFF	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
38	MAZDA-DXR171915W-6K-240V-WH-DA-A138XB60XC115MM	15W	6000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
39	MAZDA-DXR171915W-6K-240V-WH-PH-A138XB60XC115MM	15W	6000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
40	MAZDA-DXR171915W-6K-240V-WH-10VDIM-A138XB60XC115MM	15W	6000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
41	MAZDA-DXR171915W-2.7K-240V-WH-ND-A138XB60XC115MM	15W	2700	240V	WHITE	NON EMERGENCY	ON - OFF	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
42	MAZDA-DXR171915W-2.7K-240V-WH-DA-A138XB60XC115MM	15W	2700	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
43	MAZDA-DXR171915W-2.7K-240V-WH-PH-A138XB60XC115MM	15W	2700	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
44	MAZDA-DXR171915W-2.7K-240V-WH-10VDIM-A138XB60XC115MM	15W	2700	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
45	MAZDA-DXR171915W-6.5K-240V-WH-ND-A138XB60XC115MM	15W	6500	240V	WHITE	NON EMERGENCY	ON - OFF	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
46	MAZDA-DXR171915W-6.5K-240V-WH-DA-A138XB60XC115MM	15W	6500	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
47	MAZDA-DXR171915W-6.5K-240V-WH-PH-A138XB60XC115MM	15W	6500	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
48	MAZDA-DXR171915W-6.5K-240V-WH-10VDIM-A138XB60XC115MM	15W	6500	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
49	MAZDA-DXR171915W-3K-240V-WH-ND-A138XB60XC115MM	15W	3000	240V	WHITE	NON EMERGENCY	ON - OFF	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
50	MAZDA-DXR171915W-3K-240V-WH-DA-A138XB60XC115MM	15W	3000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
51	MAZDA-DXR171915W-3K-240V-WH-PH-A138XB60XC115MM	15W	3000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
52	MAZDA-DXR171915W-3K-240V-WH-10VDIM-A138XB60XC115MM	15W	3000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
53	MAZDA-DXR171915W-4K-240V-WH-ND-A138XB60XC115MM	15W	4000	240V	WHITE	NON EMERGENCY	ON - OFF	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
54	MAZDA-DXR171915W-4K-240V-WH-DA-A138XB60XC115MM	15W	4000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	



DATASHEET

GENERATED ON: 14 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
55	MAZDA-DXR171915W-4K-240V-WH-PH-A138XB60XC115MM	15W	4000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
56	MAZDA-DXR171915W-4K-240V-WH-10VDIM-A138XB60XC115MM	15W	4000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
57	MAZDA-DXR171915W-5K-240V-WH-ND-A138XB60XC115MM	15W	5000	240V	WHITE	NON EMERGENCY	ON - OFF	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
58	MAZDA-DXR171915W-5K-240V-WH-DA-A138XB60XC115MM	15W	5000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
59	MAZDA-DXR171915W-5K-240V-WH-PH-A138XB60XC115MM	15W	5000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
60	MAZDA-DXR171915W-5K-240V-WH-10VDIM-A138XB60XC115MM	15W	5000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
61	MAZDA-DXR171915W-6K-240V-WH-ND-A138XB60XC115MM	15W	6000	240V	WHITE	NON EMERGENCY	ON - OFF	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
62	MAZDA-DXR171915W-6K-240V-WH-DA-A138XB60XC115MM	15W	6000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
63	MAZDA-DXR171915W-6K-240V-WH-PH-A138XB60XC115MM	15W	6000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
64	MAZDA-DXR171915W-6K-240V-WH-10VDIM-A138XB60XC115MM	15W	6000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
65	MAZDA-DXR171915W-2.7K-240V-WH-ND-A138XB60XC115MM	15W	2700	240V	WHITE	NON EMERGENCY	ON - OFF	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
66	MAZDA-DXR171915W-2.7K-240V-WH-DA-A138XB60XC115MM	15W	2700	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
67	MAZDA-DXR171915W-2.7K-240V-WH-PH-A138XB60XC115MM	15W	2700	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
68	MAZDA-DXR171915W-2.7K-240V-WH-10VDIM-A138XB60XC115MM	15W	2700	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
69	MAZDA-DXR171915W-6.5K-240V-WH-ND-A138XB60XC115MM	15W	6500	240V	WHITE	NON EMERGENCY	ON - OFF	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
70	MAZDA-DXR171915W-6.5K-240V-WH-DA-A138XB60XC115MM	15W	6500	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
71	MAZDA-DXR171915W-6.5K-240V-WH-PH-A138XB60XC115MM	15W	6500	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
72	MAZDA-DXR171915W-6.5K-240V-WH-10VDIM-A138XB60XC115MM	15W	6500	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	110	A138XB60XC115MM	DIE CAST ALUMINUM	IP54	1800LM	A138XB60XC115MM	
73	MAZDA-DXR171920W-3K-240V-WH-ND-A178XB70XC150MM	20W	3000	240V	WHITE	NON EMERGENCY	ON - OFF	110	A178XB70XC150MM	DIE CAST ALUMINUM	IP54	2400LM	A178XB70XC150MM	
74	MAZDA-DXR171920W-3K-240V-WH-DA-A178XB70XC150MM	20W	3000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	110	A178XB70XC150MM	DIE CAST ALUMINUM	IP54	2400LM	A178XB70XC150MM	
75	MAZDA-DXR171920W-3K-240V-WH-PH-A178XB70XC150MM	20W	3000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	110	A178XB70XC150MM	DIE CAST ALUMINUM	IP54	2400LM	A178XB70XC150MM	
76	MAZDA-DXR171920W-3K-240V-WH-10VDIM-A178XB70XC150MM	20W	3000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	110	A178XB70XC150MM	DIE CAST ALUMINUM	IP54	2400LM	A178XB70XC150MM	
77	MAZDA-DXR171920W-4K-240V-WH-ND-A178XB70XC150MM	20W	4000	240V	WHITE	NON EMERGENCY	ON - OFF	110	A178XB70XC150MM	DIE CAST ALUMINUM	IP54	2400LM	A178XB70XC150MM	
78	MAZDA-DXR171920W-4K-240V-WH-DA-A178XB70XC150MM	20W	4000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	110	A178XB70XC150MM	DIE CAST ALUMINUM	IP54	2400LM	A178XB70XC150MM	
79	MAZDA-DXR171920W-4K-240V-WH-PH-A178XB70XC150MM	20W	4000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	110	A178XB70XC150MM	DIE CAST ALUMINUM	IP54	2400LM	A178XB70XC150MM	
80	MAZDA-DXR171920W-4K-240V-WH-10VDIM-A178XB70XC150MM	20W	4000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	110	A178XB70XC150MM	DIE CAST ALUMINUM	IP54	2400LM	A178XB70XC150MM	
81	MAZDA-DXR171920W-5K-240V-WH-ND-A178XB70XC150MM	20W	5000	240V	WHITE	NON EMERGENCY	ON - OFF	110	A178XB70XC150MM	DIE CAST ALUMINUM	IP54	2400LM	A178XB70XC150MM	
82	MAZDA-DXR171920W-5K-240V-WH-DA-A178XB70XC150MM	20W	5000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	110	A178XB70XC150MM	DIE CAST ALUMINUM	IP54	2400LM	A178XB70XC150MM	
83	MAZDA-DXR171920W-5K-240V-WH-PH-A178XB70XC150MM	20W	5000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	110	A178XB70XC150MM	DIE CAST ALUMINUM	IP54	2400LM	A178XB70XC150MM	
84	MAZDA-DXR171920W-5K-240V-WH-10VDIM-A178XB70XC150MM	20W	5000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	110	A178XB70XC150MM	DIE CAST ALUMINUM	IP54	2400LM	A178XB70XC150MM	
85	MAZDA-DXR171920W-6K-240V-WH-ND-A178XB70XC150MM	20W	6000	240V	WHITE	NON EMERGENCY	ON - OFF	110	A178XB70XC150MM	DIE CAST ALUMINUM	IP54	2400LM	A178XB70XC150MM	
86	MAZDA-DXR171920W-6K-240V-WH-DA-A178XB70XC150MM	20W	6000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	110	A178XB70XC150MM	DIE CAST ALUMINUM	IP54	2400LM	A178XB70XC150MM	
87	MAZDA-DXR171920W-6K-240V-WH-PH-A178XB70XC150MM	20W	6000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	110	A178XB70XC150MM	DIE CAST ALUMINUM	IP54	2400LM	A178XB70XC150MM	



#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
88	MAZDA-DXR171920W-6K-240V-WH-10VDIM-A178XB70XC150MM	20W	6000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	110	A178XB70XC150MM	DIE CAST ALUMINUM	IP54	2400LM	A178XB70XC150MM	
89	MAZDA-DXR171920W-2.7K-240V-WH-ND-A178XB70XC150MM	20W	2700	240V	WHITE	NON EMERGENCY	ON - OFF	110	A178XB70XC150MM	DIE CAST ALUMINUM	IP54	2400LM	A178XB70XC150MM	
90	MAZDA-DXR171920W-2.7K-240V-WH-DA-A178XB70XC150MM	20W	2700	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	110	A178XB70XC150MM	DIE CAST ALUMINUM	IP54	2400LM	A178XB70XC150MM	
91	MAZDA-DXR171920W-2.7K-240V-WH-PH-A178XB70XC150MM	20W	2700	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	110	A178XB70XC150MM	DIE CAST ALUMINUM	IP54	2400LM	A178XB70XC150MM	
92	MAZDA-DXR171920W-2.7K-240V-WH-10VDIM-A178XB70XC150MM	20W	2700	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	110	A178XB70XC150MM	DIE CAST ALUMINUM	IP54	2400LM	A178XB70XC150MM	
93	MAZDA-DXR171920W-6.5K-240V-WH-ND-A178XB70XC150MM	20W	6500	240V	WHITE	NON EMERGENCY	ON - OFF	110	A178XB70XC150MM	DIE CAST ALUMINUM	IP54	2400LM	A178XB70XC150MM	
94	MAZDA-DXR171920W-6.5K-240V-WH-DA-A178XB70XC150MM	20W	6500	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	110	A178XB70XC150MM	DIE CAST ALUMINUM	IP54	2400LM	A178XB70XC150MM	
95	MAZDA-DXR171920W-6.5K-240V-WH-PH-A178XB70XC150MM	20W	6500	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	110	A178XB70XC150MM	DIE CAST ALUMINUM	IP54	2400LM	A178XB70XC150MM	
96	MAZDA-DXR171920W-6.5K-240V-WH-10VDIM-A178XB70XC150MM	20W	6500	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	110	A178XB70XC150MM	DIE CAST ALUMINUM	IP54	2400LM	A178XB70XC150MM	
97	MAZDA-DXR171925W-3K-240V-WH-ND-A188XB78XC160MM	25W	3000	240V	WHITE	NON EMERGENCY	ON - OFF	110	A188XB78XC160MM	DIE CAST ALUMINUM	IP54	3000LM	A188XB78XC160MM	
98	MAZDA-DXR171925W-3K-240V-WH-DA-A188XB78XC160MM	25W	3000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	110	A188XB78XC160MM	DIE CAST ALUMINUM	IP54	3000LM	A188XB78XC160MM	
99	MAZDA-DXR171925W-3K-240V-WH-PH-A188XB78XC160MM	25W	3000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	110	A188XB78XC160MM	DIE CAST ALUMINUM	IP54	3000LM	A188XB78XC160MM	
100	MAZDA-DXR171925W-3K-240V-WH-10VDIM-A188XB78XC160MM	25W	3000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	110	A188XB78XC160MM	DIE CAST ALUMINUM	IP54	3000LM	A188XB78XC160MM	
101	MAZDA-DXR171925W-4K-240V-WH-ND-A188XB78XC160MM	25W	4000	240V	WHITE	NON EMERGENCY	ON - OFF	110	A188XB78XC160MM	DIE CAST ALUMINUM	IP54	3000LM	A188XB78XC160MM	
102	MAZDA-DXR171925W-4K-240V-WH-DA-A188XB78XC160MM	25W	4000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	110	A188XB78XC160MM	DIE CAST ALUMINUM	IP54	3000LM	A188XB78XC160MM	
103	MAZDA-DXR171925W-4K-240V-WH-PH-A188XB78XC160MM	25W	4000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	110	A188XB78XC160MM	DIE CAST ALUMINUM	IP54	3000LM	A188XB78XC160MM	
104	MAZDA-DXR171925W-4K-240V-WH-10VDIM-A188XB78XC160MM	25W	4000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	110	A188XB78XC160MM	DIE CAST ALUMINUM	IP54	3000LM	A188XB78XC160MM	
105	MAZDA-DXR171925W-5K-240V-WH-ND-A188XB78XC160MM	25W	5000	240V	WHITE	NON EMERGENCY	ON - OFF	110	A188XB78XC160MM	DIE CAST ALUMINUM	IP54	3000LM	A188XB78XC160MM	
106	MAZDA-DXR171925W-5K-240V-WH-DA-A188XB78XC160MM	25W	5000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	110	A188XB78XC160MM	DIE CAST ALUMINUM	IP54	3000LM	A188XB78XC160MM	
107	MAZDA-DXR171925W-5K-240V-WH-PH-A188XB78XC160MM	25W	5000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	110	A188XB78XC160MM	DIE CAST ALUMINUM	IP54	3000LM	A188XB78XC160MM	
108	MAZDA-DXR171925W-5K-240V-WH-10VDIM-A188XB78XC160MM	25W	5000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	110	A188XB78XC160MM	DIE CAST ALUMINUM	IP54	3000LM	A188XB78XC160MM	
109	MAZDA-DXR171925W-6K-240V-WH-ND-A188XB78XC160MM	25W	6000	240V	WHITE	NON EMERGENCY	ON - OFF	110	A188XB78XC160MM	DIE CAST ALUMINUM	IP54	3000LM	A188XB78XC160MM	
110	MAZDA-DXR171925W-6K-240V-WH-DA-A188XB78XC160MM	25W	6000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	110	A188XB78XC160MM	DIE CAST ALUMINUM	IP54	3000LM	A188XB78XC160MM	
111	MAZDA-DXR171925W-6K-240V-WH-PH-A188XB78XC160MM	25W	6000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	110	A188XB78XC160MM	DIE CAST ALUMINUM	IP54	3000LM	A188XB78XC160MM	
112	MAZDA-DXR171925W-6K-240V-WH-10VDIM-A188XB78XC160MM	25W	6000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	110	A188XB78XC160MM	DIE CAST ALUMINUM	IP54	3000LM	A188XB78XC160MM	
113	MAZDA-DXR171925W-2.7K-240V-WH-ND-A188XB78XC160MM	25W	2700	240V	WHITE	NON EMERGENCY	ON - OFF	110	A188XB78XC160MM	DIE CAST ALUMINUM	IP54	3000LM	A188XB78XC160MM	
114	MAZDA-DXR171925W-2.7K-240V-WH-DA-A188XB78XC160MM	25W	2700	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	110	A188XB78XC160MM	DIE CAST ALUMINUM	IP54	3000LM	A188XB78XC160MM	
115	MAZDA-DXR171925W-2.7K-240V-WH-PH-A188XB78XC160MM	25W	2700	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	110	A188XB78XC160MM	DIE CAST ALUMINUM	IP54	3000LM	A188XB78XC160MM	
116	MAZDA-DXR171925W-2.7K-240V-WH-10VDIM-A188XB78XC160MM	25W	2700	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	110	A188XB78XC160MM	DIE CAST ALUMINUM	IP54	3000LM	A188XB78XC160MM	
117	MAZDA-DXR171925W-6.5K-240V-WH-ND-A188XB78XC160MM	25W	6500	240V	WHITE	NON EMERGENCY	ON - OFF	110	A188XB78XC160MM	DIE CAST ALUMINUM	IP54	3000LM	A188XB78XC160MM	
118	MAZDA-DXR171925W-6.5K-240V-WH-DA-A188XB78XC160MM	25W	6500	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	110	A188XB78XC160MM	DIE CAST ALUMINUM	IP54	3000LM	A188XB78XC160MM	
119	MAZDA-DXR171925W-6.5K-240V-WH-PH-A188XB78XC160MM	25W	6500	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	110	A188XB78XC160MM	DIE CAST ALUMINUM	IP54	3000LM	A188XB78XC160MM	
120	MAZDA-DXR171925W-6.5K-240V-WH-10VDIM-A188XB78XC160MM	25W	6500	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	110	A188XB78XC160MM	DIE CAST ALUMINUM	IP54	3000LM	A188XB78XC160MM	



#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
121	MAZDA-DXR171930W-3K-240V-WH-ND-A240XB93XC210MM	30W	3000	240V	WHITE	NON EMERGENCY	ON - OFF	110	A240XB93XC210MM	DIE CAST ALUMINUM	IP54	3600LM	A240XB93XC210MM	
122	MAZDA-DXR171930W-3K-240V-WH-DA-A240XB93XC210MM	30W	3000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	110	A240XB93XC210MM	DIE CAST ALUMINUM	IP54	3600LM	A240XB93XC210MM	
123	MAZDA-DXR171930W-3K-240V-WH-PH-A240XB93XC210MM	30W	3000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	110	A240XB93XC210MM	DIE CAST ALUMINUM	IP54	3600LM	A240XB93XC210MM	
124	MAZDA-DXR171930W-3K-240V-WH-10VDIM-A240XB93XC210MM	30W	3000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	110	A240XB93XC210MM	DIE CAST ALUMINUM	IP54	3600LM	A240XB93XC210MM	
125	MAZDA-DXR171930W-4K-240V-WH-ND-A240XB93XC210MM	30W	4000	240V	WHITE	NON EMERGENCY	ON - OFF	110	A240XB93XC210MM	DIE CAST ALUMINUM	IP54	3600LM	A240XB93XC210MM	
126	MAZDA-DXR171930W-4K-240V-WH-DA-A240XB93XC210MM	30W	4000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	110	A240XB93XC210MM	DIE CAST ALUMINUM	IP54	3600LM	A240XB93XC210MM	
127	MAZDA-DXR171930W-4K-240V-WH-PH-A240XB93XC210MM	30W	4000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	110	A240XB93XC210MM	DIE CAST ALUMINUM	IP54	3600LM	A240XB93XC210MM	
128	MAZDA-DXR171930W-4K-240V-WH-10VDIM-A240XB93XC210MM	30W	4000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	110	A240XB93XC210MM	DIE CAST ALUMINUM	IP54	3600LM	A240XB93XC210MM	
129	MAZDA-DXR171930W-5K-240V-WH-ND-A240XB93XC210MM	30W	5000	240V	WHITE	NON EMERGENCY	ON - OFF	110	A240XB93XC210MM	DIE CAST ALUMINUM	IP54	3600LM	A240XB93XC210MM	
130	MAZDA-DXR171930W-5K-240V-WH-DA-A240XB93XC210MM	30W	5000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	110	A240XB93XC210MM	DIE CAST ALUMINUM	IP54	3600LM	A240XB93XC210MM	
131	MAZDA-DXR171930W-5K-240V-WH-PH-A240XB93XC210MM	30W	5000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	110	A240XB93XC210MM	DIE CAST ALUMINUM	IP54	3600LM	A240XB93XC210MM	
132	MAZDA-DXR171930W-5K-240V-WH-10VDIM-A240XB93XC210MM	30W	5000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	110	A240XB93XC210MM	DIE CAST ALUMINUM	IP54	3600LM	A240XB93XC210MM	
133	MAZDA-DXR171930W-6K-240V-WH-ND-A240XB93XC210MM	30W	6000	240V	WHITE	NON EMERGENCY	ON - OFF	110	A240XB93XC210MM	DIE CAST ALUMINUM	IP54	3600LM	A240XB93XC210MM	
134	MAZDA-DXR171930W-6K-240V-WH-DA-A240XB93XC210MM	30W	6000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	110	A240XB93XC210MM	DIE CAST ALUMINUM	IP54	3600LM	A240XB93XC210MM	
135	MAZDA-DXR171930W-6K-240V-WH-PH-A240XB93XC210MM	30W	6000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	110	A240XB93XC210MM	DIE CAST ALUMINUM	IP54	3600LM	A240XB93XC210MM	
136	MAZDA-DXR171930W-6K-240V-WH-10VDIM-A240XB93XC210MM	30W	6000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	110	A240XB93XC210MM	DIE CAST ALUMINUM	IP54	3600LM	A240XB93XC210MM	
37	MAZDA-DXR171930W-2.7K-240V-WH-ND-A240XB93XC210MM	30W	2700	240V	WHITE	NON EMERGENCY	ON - OFF	110	A240XB93XC210MM	DIE CAST ALUMINUM	IP54	3600LM	A240XB93XC210MM	
138	MAZDA-DXR171930W-2.7K-240V-WH-DA-A240XB93XC210MM	30W	2700	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	110	A240XB93XC210MM	DIE CAST ALUMINUM	IP54	3600LM	A240XB93XC210MM	
139	MAZDA-DXR171930W-2.7K-240V-WH-PH-A240XB93XC210MM	30W	2700	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	110	A240XB93XC210MM	DIE CAST ALUMINUM	IP54	3600LM	A240XB93XC210MM	
140	MAZDA-DXR171930W-2.7K-240V-WH-10VDIM-A240XB93XC210MM	30W	2700	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	110	A240XB93XC210MM	DIE CAST ALUMINUM	IP54	3600LM	A240XB93XC210MM	
141	MAZDA-DXR171930W-6.5K-240V-WH-ND-A240XB93XC210MM	30W	6500	240V	WHITE	NON EMERGENCY	ON - OFF	110	A240XB93XC210MM	DIE CAST ALUMINUM	IP54	3600LM	A240XB93XC210MM	
142	MAZDA-DXR171930W-6.5K-240V-WH-DA-A240XB93XC210MM	30W	6500	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	110	A240XB93XC210MM	DIE CAST ALUMINUM	IP54	3600LM	A240XB93XC210MM	
143	MAZDA-DXR171930W-6.5K-240V-WH-PH-A240XB93XC210MM													

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
154	MAZDA-DXR171930W-5K-240V-WH-DA-A240XB93XC210MM	30W	5000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	110	A240XB93XC210MM	DIE CAST ALUMINUM	IP54	3600LM	A240XB93XC210MM	
155	MAZDA-DXR171930W-5K-240V-WH-PH-A240XB93XC210MM	30W	5000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	110	A240XB93XC210MM	DIE CAST ALUMINUM	IP54	3600LM	A240XB93XC210MM	
156	MAZDA-DXR171930W-5K-240V-WH-10VDIM-A240XB93XC210MM	30W	5000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	110	A240XB93XC210MM	DIE CAST ALUMINUM	IP54	3600LM	A240XB93XC210MM	
157	MAZDA-DXR171930W-6K-240V-WH-ND-A240XB93XC210MM	30W	6000	240V	WHITE	NON EMERGENCY	ON - OFF	110	A240XB93XC210MM	DIE CAST ALUMINUM	IP54	3600LM	A240XB93XC210MM	
158	MAZDA-DXR171930W-6K-240V-WH-DA-A240XB93XC210MM	30W	6000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	110	A240XB93XC210MM	DIE CAST ALUMINUM	IP54	3600LM	A240XB93XC210MM	
159	MAZDA-DXR171930W-6K-240V-WH-PH-A240XB93XC210MM	30W	6000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	110	A240XB93XC210MM	DIE CAST ALUMINUM	IP54	3600LM	A240XB93XC210MM	
160	MAZDA-DXR171930W-6K-240V-WH-10VDIM-A240XB93XC210MM	30W	6000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	110	A240XB93XC210MM	DIE CAST ALUMINUM	IP54	3600LM	A240XB93XC210MM	
161	MAZDA-DXR171930W-2.7K-240V-WH-ND-A240XB93XC210MM	30W	2700	240V	WHITE	NON EMERGENCY	ON - OFF	110	A240XB93XC210MM	DIE CAST ALUMINUM	IP54	3600LM	A240XB93XC210MM	
162	MAZDA-DXR171930W-2.7K-240V-WH-DA-A240XB93XC210MM	30W	2700	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	110	A240XB93XC210MM	DIE CAST ALUMINUM	IP54	3600LM	A240XB93XC210MM	
163	MAZDA-DXR171930W-2.7K-240V-WH-PH-A240XB93XC210MM	30W	2700	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	110	A240XB93XC210MM	DIE CAST ALUMINUM	IP54	3600LM	A240XB93XC210MM	
164	MAZDA-DXR171930W-2.7K-240V-WH-10VDIM-A240XB93XC210MM	30W	2700	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	110	A240XB93XC210MM	DIE CAST ALUMINUM	IP54	3600LM	A240XB93XC210MM	
165	MAZDA-DXR171930W-6.5K-240V-WH-ND-A240XB93XC210MM	30W	6500	240V	WHITE	NON EMERGENCY	ON - OFF	110	A240XB93XC210MM	DIE CAST ALUMINUM	IP54	3600LM	A240XB93XC210MM	
166	MAZDA-DXR171930W-6.5K-240V-WH-DA-A240XB93XC210MM	30W	6500	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	110	A240XB93XC210MM	DIE CAST ALUMINUM	IP54	3600LM	A240XB93XC210MM	
167	MAZDA-DXR171930W-6.5K-240V-WH-PH-A240XB93XC210MM	30W	6500	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	110	A240XB93XC210MM	DIE CAST ALUMINUM	IP54	3600LM	A240XB93XC210MM	
168	MAZDA-DXR171930W-6.5K-240V-WH-10VDIM-A240XB93XC210MM	30W	6500	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	110	A240XB93XC210MM	DIE CAST ALUMINUM	IP54	3600LM	A240XB93XC210MM	