DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED



MARK

MAZDA Model: SXR1804 Spot Light

Mark LED Spot Light is a mini and exquisite lamp with high light transmittance. It offers a very little size in many design styles, without forgetting about the functionality: all the range is characterized by the use high quality LEDtechnology, so the result is a choice of accent light suitable for false ceiling, kitchen cabinet and not only. The possible applications are a multitude. The mini spotlights are all environmental friendly and very useful in a matter of energy and economical saving.
The light result is bright, uniform and comfortable. Housing made by die cast aluminium powder coated with choice of RAL colors reflector with pure die cast aluminium diffuser tempered glass

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
1	MAZDA-SXR180402W-3K-240V-WH-ND-A47 X B43 X C40 MM	02W	3000	240V	WHITE	NON EMERGENCY	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
2	MAZDA-SXR180402W-3K-240V-WH-ND-EM-A47 X B43 X C40 MM	02W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
3	MAZDA-SXR180402W-3K-240V-WH-DA-A47 X B43 X C40 MM	02W	3000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
4	MAZDA-SXR180402W-3K-240V-WH-DA-EM-A47 X B43 X C40 MM	02W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
5	MAZDA-SXR180402W-3K-240V-WH-PH-A47 X B43 X C40 MM	02W	3000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
6	MAZDA-SXR180402W-3K-240V-WH-PH-EM-A47 X B43 X C40 MM	02W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
7	MAZDA-SXR180402W-3K-240V-WH-10VDIM-A47 X B43 X C40 MM	02W	3000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
8	MAZDA-SXR180402W-3K-240V-WH-10VDIM-EM-A47 X B43 X C40 MM	02W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
9	MAZDA-SXR180402W-4K-240V-WH-ND-A47 X B43 X C40 MM	02W	4000	240V	WHITE	NON EMERGENCY	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
10	MAZDA-SXR180402W-4K-240V-WH-ND-EM-A47 X B43 X C40 MM	02W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
11	MAZDA-SXR180402W-4K-240V-WH-DA-A47 X B43 X C40 MM	02W	4000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
12	MAZDA-SXR180402W-4K-240V-WH-DA-EM-A47 X B43 X C40 MM	02W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
13	MAZDA-SXR180402W-4K-240V-WH-PH-A47 X B43 X C40 MM	02W	4000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
14	MAZDA-SXR180402W-4K-240V-WH-PH-EM-A47 X B43 X C40 MM	02W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
15	MAZDA-SXR180402W-4K-240V-WH-10VDIM-A47 X B43 X C40 MM	02W	4000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
16	MAZDA-SXR180402W-4K-240V-WH-10VDIM-EM-A47 X B43 X C40 MM	02W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
17	MAZDA-SXR180402W-5K-240V-WH-ND-A47 X B43 X C40 MM	02W	5000	240V	WHITE	NON EMERGENCY	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
18	MAZDA-SXR180402W-5K-240V-WH-ND-EM-A47 X B43 X C40 MM	02W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
19	MAZDA-SXR180402W-5K-240V-WH-DA-A47 X B43 X C40 MM	02W	5000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
20	MAZDA-SXR180402W-5K-240V-WH-DA-EM-A47 X B43 X C40 MM	02W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
21	MAZDA-SXR180402W-5K-240V-WH-PH-A47 X B43 X C40 MM	02W	5000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
22	MAZDA-SXR180402W-5K-240V-WH-PH-EM-A47 X B43 X C40 MM	02W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
23	MAZDA-SXR180402W-5K-240V-WH-10VDIM-A47 X B43 X C40 MM	02W	5000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
24	MAZDA-SXR180402W-5K-240V-WH-10VDIM-EM-A47 X B43 X C40 MM	02W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
25	MAZDA-SXR180402W-6K-240V-WH-ND-A47 X B43 X C40 MM	02W	6000	240V	WHITE	NON EMERGENCY	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
26	MAZDA-SXR180402W-6K-240V-WH-ND-EM-A47 X B43 X C40 MM	02W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
27	MAZDA-SXR180402W-6K-240V-WH-DA-A47 X B43 X C40 MM	02W	6000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
28	MAZDA-SXR180402W-6K-240V-WH-DA-EM-A47 X B43 X C40 MM	02W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
29	MAZDA-SXR180402W-6K-240V-WH-PH-A47 X B43 X C40 MM	02W	6000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
30	MAZDA-SXR180402W-6K-240V-WH-PH-EM-A47 X B43 X C40 MM	02W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
31	MAZDA-SXR180402W-6K-240V-WH-10VDIM-A47 X B43 X C40 MM	02W	6000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
32	MAZDA-SXR180402W-6K-240V-WH-10VDIM-EM-A47 X B43 X C40 MM	02W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
33	MAZDA-SXR180402W-2.7K-240V-WH-ND-A47 X B43 X C40 MM	02W	2700	240V	WHITE	NON EMERGENCY	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
34	MAZDA-SXR180402W-2.7K-240V-WH-ND-EM-A47 X B43 X C40 MM	02W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
35	MAZDA-SXR180402W-2.7K-240V-WH-DA-A47 X B43 X C40 MM	02W	2700	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
36	MAZDA-SXR180402W-2.7K-240V-WH-DA-EM-A47 X B43 X C40 MM	02W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
37	MAZDA-SXR180402W-2.7K-240V-WH-PH-A47 X B43 X C40 MM	02W	2700	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
38	MAZDA-SXR180402W-2.7K-240V-WH-PH-EM-A47 X B43 X C40 MM	02W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
39	MAZDA-SXR180402W-2.7K-240V-WH-10VDIM-A47 X B43 X C40 MM	02W	2700	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
40	MAZDA-SXR180402W-2.7K-240V-WH-10VDIM-EM-A47 X B43 X C40 MM	02W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
41	MAZDA-SXR180402W-6.5K-240V-WH-ND-A47 X B43 X C40 MM	02W	6500	240V	WHITE	NON EMERGENCY	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
42	MAZDA-SXR180402W-6.5K-240V-WH-ND-EM-A47 X B43 X C40 MM	02W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
43	MAZDA-SXR180402W-6.5K-240V-WH-DA-A47 X B43 X C40 MM	02W	6500	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
44	MAZDA-SXR180402W-6.5K-240V-WH-DA-EM-A47 X B43 X C40 MM	02W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
45	MAZDA-SXR180402W-6.5K-240V-WH-PH-A47 X B43 X C40 MM	02W	6500	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
46	MAZDA-SXR180402W-6.5K-240V-WH-PH-EM-A47 X B43 X C40 MM	02W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
47	MAZDA-SXR180402W-6.5K-240V-WH-10VDIM-A47 X B43 X C40 MM	02W	6500	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
48	MAZDA-SXR180402W-6.5K-240V-WH-10VDIM-EM-A47 X B43 X C40 MM	02W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
49	MAZDA-SXR180402W-3K-240V-WH-ND-A47 X B43 X C40 MM	02W	3000	240V	WHITE	NON EMERGENCY	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
50	MAZDA-SXR180402W-3K-240V-WH-ND-EM-A47 X B43 X C40 MM	02W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
51	MAZDA-SXR180402W-3K-240V-WH-DA-A47 X B43 X C40 MM	02W	3000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
52	MAZDA-SXR180402W-3K-240V-WH-DA-EM-A47 X B43 X C40 MM	02W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
53	MAZDA-SXR180402W-3K-240V-WH-PH-A47 X B43 X C40 MM	02W	3000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
54	MAZDA-SXR180402W-3K-240V-WH-PH-EM-A47 X B43 X C40 MM	02W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
55	MAZDA-SXR180402W-3K-240V-WH-10VDIM-A47 X B43 X C40 MM	02W	3000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
56	MAZDA-SXR180402W-3K-240V-WH-10VDIM-EM-A47 X B43 X C40 MM	02W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
57	MAZDA-SXR180402W-4K-240V-WH-ND-A47 X B43 X C40 MM	02W	4000	240V	WHITE	NON EMERGENCY	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
58	MAZDA-SXR180402W-4K-240V-WH-ND-EM-A47 X B43 X C40 MM	02W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
59	MAZDA-SXR180402W-4K-240V-WH-DA-A47 X B43 X C40 MM	02W	4000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
60	MAZDA-SXR180402W-4K-240V-WH-DA-EM-A47 X B43 X C40 MM	02W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
61	MAZDA-SXR180402W-4K-240V-WH-PH-A47 X B43 X C40 MM	02W	4000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
62	MAZDA-SXR180402W-4K-240V-WH-PH-EM-A47 X B43 X C40 MM	02W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
63	MAZDA-SXR180402W-4K-240V-WH-10VDIM-A47 X B43 X C40 MM	02W	4000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
64	MAZDA-SXR180402W-4K-240V-WH-10VDIM-EM-A47 X B43 X C40 MM	02W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
65	MAZDA-SXR180402W-5K-240V-WH-ND-A47 X B43 X C40 MM	02W	5000	240V	WHITE	NON EMERGENCY	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
66	MAZDA-SXR180402W-5K-240V-WH-ND-EM-A47 X B43 X C40 MM	02W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
67	MAZDA-SXR180402W-5K-240V-WH-DA-A47 X B43 X C40 MM	02W	5000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
68	MAZDA-SXR180402W-5K-240V-WH-DA-EM-A47 X B43 X C40 MM	02W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
69	MAZDA-SXR180402W-5K-240V-WH-PH-A47 X B43 X C40 MM	02W	5000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
70	MAZDA-SXR180402W-5K-240V-WH-PH-EM-A47 X B43 X C40 MM	02W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
71	MAZDA-SXR180402W-5K-240V-WH-10VDIM-A47 X B43 X C40 MM	02W	5000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
72	MAZDA-SXR180402W-5K-240V-WH-10VDIM-EM-A47 X B43 X C40 MM	02W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
73	MAZDA-SXR180402W-6K-240V-WH-ND-A47 X B43 X C40 MM	02W	6000	240V	WHITE	NON EMERGENCY	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
74	MAZDA-SXR180402W-6K-240V-WH-ND-EM-A47 X B43 X C40 MM	02W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
75	MAZDA-SXR180402W-6K-240V-WH-DA-A47 X B43 X C40 MM	02W	6000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
76	MAZDA-SXR180402W-6K-240V-WH-DA-EM-A47 X B43 X C40 MM	02W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
77	MAZDA-SXR180402W-6K-240V-WH-PH-A47 X B43 X C40 MM	02W	6000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
78	MAZDA-SXR180402W-6K-240V-WH-PH-EM-A47 X B43 X C40 MM	02W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
79	MAZDA-SXR180402W-6K-240V-WH-10VDIM-A47 X B43 X C40 MM	02W	6000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
80	MAZDA-SXR180402W-6K-240V-WH-10VDIM-EM-A47 X B43 X C40 MM	02W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
81	MAZDA-SXR180402W-2.7K-240V-WH-ND-A47 X B43 X C40 MM	02W	2700	240V	WHITE	NON EMERGENCY	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
82	MAZDA-SXR180402W-2.7K-240V-WH-ND-EM-A47 X B43 X C40 MM	02W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
83	MAZDA-SXR180402W-2.7K-240V-WH-DA-A47 X B43 X C40 MM	02W	2700	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
84	MAZDA-SXR180402W-2.7K-240V-WH-DA-EM-A47 X B43 X C40 MM	02W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
85	MAZDA-SXR180402W-2.7K-240V-WH-PH-A47 X B43 X C40 MM	02W	2700	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
86	MAZDA-SXR180402W-2.7K-240V-WH-PH-EM-A47 X B43 X C40 MM	02W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
87	MAZDA-SXR180402W-2.7K-240V-WH-10VDIM-A47 X B43 X C40 MM	02W	2700	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
88	MAZDA-SXR180402W-2.7K-240V-WH-10VDIM-EM-A47 X B43 X C40 MM	02W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
89	MAZDA-SXR180402W-6.5K-240V-WH-ND-A47 X B43 X C40 MM	02W	6500	240V	WHITE	NON EMERGENCY	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
90	MAZDA-SXR180402W-6.5K-240V-WH-ND-EM-A47 X B43 X C40 MM	02W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
91	MAZDA-SXR180402W-6.5K-240V-WH-DA-A47 X B43 X C40 MM	02W	6500	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
92	MAZDA-SXR180402W-6.5K-240V-WH-DA-EM-A47 X B43 X C40 MM	02W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
93	MAZDA-SXR180402W-6.5K-240V-WH-PH-A47 X B43 X C40 MM	02W	6500	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
94	MAZDA-SXR180402W-6.5K-240V-WH-PH-EM-A47 X B43 X C40 MM	02W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
95	MAZDA-SXR180402W-6.5K-240V-WH-10VDIM-A47 X B43 X C40 MM	02W	6500	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
96	MAZDA-SXR180402W-6.5K-240V-WH-10VDIM-EM-A47 X B43 X C40 MM	02W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	240LM	A47 X B43 X C40 MM	
97	MAZDA-SXR180403W-3K-240V-WH-ND-A47 X B43 X C40 MM	03W	3000	240V	WHITE	NON EMERGENCY	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	
98	MAZDA-SXR180403W-3K-240V-WH-ND-EM-A47 X B43 X C40 MM	03W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	
99	MAZDA-SXR180403W-3K-240V-WH-DA-A47 X B43 X C40 MM	03W	3000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	
100	MAZDA-SXR180403W-3K-240V-WH-DA-EM-A47 X B43 X C40 MM	03W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	
101	MAZDA-SXR180403W-3K-240V-WH-PH-A47 X B43 X C40 MM	03W	3000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	
102	MAZDA-SXR180403W-3K-240V-WH-PH-EM-A47 X B43 X C40 MM	03W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	
103	MAZDA-SXR180403W-3K-240V-WH-10VDIM-A47 X B43 X C40 MM	03W	3000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	
104	MAZDA-SXR180403W-3K-240V-WH-10VDIM-EM-A47 X B43 X C40 MM	03W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	
105	MAZDA-SXR180403W-4K-240V-WH-ND-A47 X B43 X C40 MM	03W	4000	240V	WHITE	NON EMERGENCY	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	
106	MAZDA-SXR180403W-4K-240V-WH-ND-EM-A47 X B43 X C40 MM	03W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	
107	MAZDA-SXR180403W-4K-240V-WH-DA-A47 X B43 X C40 MM	03W	4000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
108	**MAZDA-SXR180403W-4K-240V-WH-DA-EM-A47 X B43 X C40 MM**	03W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	
109	**MAZDA-SXR180403W-4K-240V-WH-PH-A47 X B43 X C40 MM**	03W	4000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	
110	**MAZDA-SXR180403W-4K-240V-WH-PH-EM-A47 X B43 X C40 MM**	03W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	
111	**MAZDA-SXR180403W-4K-240V-WH-10VDIM-A47 X B43 X C40 MM**	03W	4000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	
112	**MAZDA-SXR180403W-4K-240V-WH-10VDIM-EM-A47 X B43 X C40 MM**	03W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	
113	**MAZDA-SXR180403W-5K-240V-WH-ND-A47 X B43 X C40 MM**	03W	5000	240V	WHITE	NON EMERGENCY	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	
114	**MAZDA-SXR180403W-5K-240V-WH-ND-EM-A47 X B43 X C40 MM**	03W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	
115	**MAZDA-SXR180403W-5K-240V-WH-DA-A47 X B43 X C40 MM**	03W	5000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	
116	**MAZDA-SXR180403W-5K-240V-WH-DA-EM-A47 X B43 X C40 MM**	03W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	
117	**MAZDA-SXR180403W-5K-240V-WH-PH-A47 X B43 X C40 MM**	03W	5000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	
118	**MAZDA-SXR180403W-5K-240V-WH-PH-EM-A47 X B43 X C40 MM**	03W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	
119	**MAZDA-SXR180403W-5K-240V-WH-10VDIM-A47 X B43 X C40 MM**	03W	5000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	
120	**MAZDA-SXR180403W-5K-240V-WH-10VDIM-EM-A47 X B43 X C40 MM**	03W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	
121	**MAZDA-SXR180403W-6K-240V-WH-ND-A47 X B43 X C40 MM**	03W	6000	240V	WHITE	NON EMERGENCY	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	
122	**MAZDA-SXR180403W-6K-240V-WH-ND-EM-A47 X B43 X C40 MM**	03W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	
123	**MAZDA-SXR180403W-6K-240V-WH-DA-A47 X B43 X C40 MM**	03W	6000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	
124	**MAZDA-SXR180403W-6K-240V-WH-DA-EM-A47 X B43 X C40 MM**	03W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	
125	**MAZDA-SXR180403W-6K-240V-WH-PH-A47 X B43 X C40 MM**	03W	6000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	
126	**MAZDA-SXR180403W-6K-240V-WH-PH-EM-A47 X B43 X C40 MM**	03W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	
127	**MAZDA-SXR180403W-6K-240V-WH-10VDIM-A47 X B43 X C40 MM**	03W	6000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	
128	**MAZDA-SXR180403W-6K-240V-WH-10VDIM-EM-A47 X B43 X C40 MM**	03W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	
129	**MAZDA-SXR180403W-2.7K-240V-WH-ND-A47 X B43 X C40 MM**	03W	2700	240V	WHITE	NON EMERGENCY	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	
130	**MAZDA-SXR180403W-2.7K-240V-WH-ND-EM-A47 X B43 X C40 MM**	03W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	
131	**MAZDA-SXR180403W-2.7K-240V-WH-DA-A47 X B43 X C40 MM**	03W	2700	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	
132	**MAZDA-SXR180403W-2.7K-240V-WH-DA-EM-A47 X B43 X C40 MM**	03W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	
133	**MAZDA-SXR180403W-2.7K-240V-WH-PH-A47 X B43 X C40 MM**	03W	2700	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	
134	**MAZDA-SXR180403W-2.7K-240V-WH-PH-EM-A47 X B43 X C40 MM**	03W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	
135	**MAZDA-SXR180403W-2.7K-240V-WH-10VDIM-A47 X B43 X C40 MM**	03W	2700	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	
136	**MAZDA-SXR180403W-2.7K-240V-WH-10VDIM-EM-A47 X B43 X C40 MM**	03W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	
137	**MAZDA-SXR180403W-6.5K-240V-WH-ND-A47 X B43 X C40 MM**	03W	6500	240V	WHITE	NON EMERGENCY	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
138	MAZDA-SXR180403W-6.5K-240V-WH-ND-EM-A47 X B43 X C40 MM	03W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	
139	MAZDA-SXR180403W-6.5K-240V-WH-DA-A47 X B43 X C40 MM	03W	6500	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	
140	MAZDA-SXR180403W-6.5K-240V-WH-DA-EM-A47 X B43 X C40 MM	03W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	
141	MAZDA-SXR180403W-6.5K-240V-WH-PH-A47 X B43 X C40 MM	03W	6500	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	
142	MAZDA-SXR180403W-6.5K-240V-WH-PH-EM-A47 X B43 X C40 MM	03W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	
143	MAZDA-SXR180403W-6.5K-240V-WH-10VDIM-A47 X B43 X C40 MM	03W	6500	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	
144	MAZDA-SXR180403W-6.5K-240V-WH-10VDIM-EM-A47 X B43 X C40 MM	03W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	360LM	A47 X B43 X C40 MM	
145	MAZDA-SXR180405W-3K-240V-WH-ND-A47 X B43 X C40 MM	05W	3000	240V	WHITE	NON EMERGENCY	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	
146	MAZDA-SXR180405W-3K-240V-WH-ND-EM-A47 X B43 X C40 MM	05W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	
147	MAZDA-SXR180405W-3K-240V-WH-DA-A47 X B43 X C40 MM	05W	3000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	
148	MAZDA-SXR180405W-3K-240V-WH-DA-EM-A47 X B43 X C40 MM	05W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	
149	MAZDA-SXR180405W-3K-240V-WH-PH-A47 X B43 X C40 MM	05W	3000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	
150	MAZDA-SXR180405W-3K-240V-WH-PH-EM-A47 X B43 X C40 MM	05W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	
151	MAZDA-SXR180405W-3K-240V-WH-10VDIM-A47 X B43 X C40 MM	05W	3000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	
152	MAZDA-SXR180405W-3K-240V-WH-10VDIM-EM-A47 X B43 X C40 MM	05W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	
153	MAZDA-SXR180405W-4K-240V-WH-ND-A47 X B43 X C40 MM	05W	4000	240V	WHITE	NON EMERGENCY	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	
154	MAZDA-SXR180405W-4K-240V-WH-ND-EM-A47 X B43 X C40 MM	05W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	
155	MAZDA-SXR180405W-4K-240V-WH-DA-A47 X B43 X C40 MM	05W	4000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	
156	MAZDA-SXR180405W-4K-240V-WH-DA-EM-A47 X B43 X C40 MM	05W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	
157	MAZDA-SXR180405W-4K-240V-WH-PH-A47 X B43 X C40 MM	05W	4000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	
158	MAZDA-SXR180405W-4K-240V-WH-PH-EM-A47 X B43 X C40 MM	05W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	
159	MAZDA-SXR180405W-4K-240V-WH-10VDIM-A47 X B43 X C40 MM	05W	4000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	
160	MAZDA-SXR180405W-4K-240V-WH-10VDIM-EM-A47 X B43 X C40 MM	05W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	
161	MAZDA-SXR180405W-5K-240V-WH-ND-A47 X B43 X C40 MM	05W	5000	240V	WHITE	NON EMERGENCY	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	
162	MAZDA-SXR180405W-5K-240V-WH-ND-EM-A47 X B43 X C40 MM	05W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	
163	MAZDA-SXR180405W-5K-240V-WH-DA-A47 X B43 X C40 MM	05W	5000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	
164	MAZDA-SXR180405W-5K-240V-WH-DA-EM-A47 X B43 X C40 MM	05W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	
165	MAZDA-SXR180405W-5K-240V-WH-PH-A47 X B43 X C40 MM	05W	5000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	
166	MAZDA-SXR180405W-5K-240V-WH-PH-EM-A47 X B43 X C40 MM	05W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
167	**MAZDA-SXR180405W-5K-240V-WH-10VDIM-A47 X B43 X C40 MM**	05W	5000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	
168	**MAZDA-SXR180405W-5K-240V-WH-10VDIM-EM-A47 X B43 X C40 MM**	05W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	
169	**MAZDA-SXR180405W-6K-240V-WH-ND-A47 X B43 X C40 MM**	05W	6000	240V	WHITE	NON EMERGENCY	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	
170	**MAZDA-SXR180405W-6K-240V-WH-ND-EM-A47 X B43 X C40 MM**	05W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	
171	**MAZDA-SXR180405W-6K-240V-WH-DA-A47 X B43 X C40 MM**	05W	6000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	
172	**MAZDA-SXR180405W-6K-240V-WH-DA-EM-A47 X B43 X C40 MM**	05W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	
173	**MAZDA-SXR180405W-6K-240V-WH-PH-A47 X B43 X C40 MM**	05W	6000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	
174	**MAZDA-SXR180405W-6K-240V-WH-PH-EM-A47 X B43 X C40 MM**	05W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	
175	**MAZDA-SXR180405W-6K-240V-WH-10VDIM-A47 X B43 X C40 MM**	05W	6000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	
176	**MAZDA-SXR180405W-6K-240V-WH-10VDIM-EM-A47 X B43 X C40 MM**	05W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	
177	**MAZDA-SXR180405W-2.7K-240V-WH-ND-A47 X B43 X C40 MM**	05W	2700	240V	WHITE	NON EMERGENCY	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	
178	**MAZDA-SXR180405W-2.7K-240V-WH-ND-EM-A47 X B43 X C40 MM**	05W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	
179	**MAZDA-SXR180405W-2.7K-240V-WH-DA-A47 X B43 X C40 MM**	05W	2700	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	
180	**MAZDA-SXR180405W-2.7K-240V-WH-DA-EM-A47 X B43 X C40 MM**	05W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	
181	**MAZDA-SXR180405W-2.7K-240V-WH-PH-A47 X B43 X C40 MM**	05W	2700	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	
182	**MAZDA-SXR180405W-2.7K-240V-WH-PH-EM-A47 X B43 X C40 MM**	05W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	
183	**MAZDA-SXR180405W-2.7K-240V-WH-10VDIM-A47 X B43 X C40 MM**	05W	2700	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	
184	**MAZDA-SXR180405W-2.7K-240V-WH-10VDIM-EM-A47 X B43 X C40 MM**	05W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	
185	**MAZDA-SXR180405W-6.5K-240V-WH-ND-A47 X B43 X C40 MM**	05W	6500	240V	WHITE	NON EMERGENCY	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	
186	**MAZDA-SXR180405W-6.5K-240V-WH-ND-EM-A47 X B43 X C40 MM**	05W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	
187	**MAZDA-SXR180405W-6.5K-240V-WH-DA-A47 X B43 X C40 MM**	05W	6500	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	
188	**MAZDA-SXR180405W-6.5K-240V-WH-DA-EM-A47 X B43 X C40 MM**	05W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	
189	**MAZDA-SXR180405W-6.5K-240V-WH-PH-A47 X B43 X C40 MM**	05W	6500	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	
190	**MAZDA-SXR180405W-6.5K-240V-WH-PH-EM-A47 X B43 X C40 MM**	05W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	
191	**MAZDA-SXR180405W-6.5K-240V-WH-10VDIM-A47 X B43 X C40 MM**	05W	6500	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	
192	**MAZDA-SXR180405W-6.5K-240V-WH-10VDIM-EM-A47 X B43 X C40 MM**	05W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A47 X B43 X C40 MM	DIE CAST ALUMINUM	IP44	600LM	A47 X B43 X C40 MM	