DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED



MARKONI

MAZDA Model: DXR1779 Downlight

MARKONI LED Down Light Slim and modern exclusive downlight for indoor or outdoor use, particularly well suited
to basic lighting due to its very low unified glare rating. Great cooling fins heat sink design increases the interface
between heat sink and air, which makes the heat dissipating performance outstanding and extend the service life of
the downlight. Suitable for commercial and residential applications like office, supermarket, shop, school, hotel,
restaurant, workshop, etc

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
1	MAZDA-DXR177908W-3K-240V-WH-ND-A120 X B120 X C35MM	08W	3000	240V	WHITE	NON EMERGENCY	ON - OFF	24	A120 X B120 X C35MM	DIE CAST ALUMINUM	IP54	960LM	A120 X B120 X C35MM	
2	MAZDA-DXR177908W-3K-240V-WH-DA-A120 X B120 X C35MM	08W	3000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A120 X B120 X C35MM	DIE CAST ALUMINUM	IP54	960LM	A120 X B120 X C35MM	
3	MAZDA-DXR177908W-3K-240V-WH-PH-A120 X B120 X C35MM	08W	3000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A120 X B120 X C35MM	DIE CAST ALUMINUM	IP54	960LM	A120 X B120 X C35MM	
4	MAZDA-DXR177908W-3K-240V-WH-10VDIM-A120 X B120 X C35MM	08W	3000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A120 X B120 X C35MM	DIE CAST ALUMINUM	IP54	960LM	A120 X B120 X C35MM	
5	MAZDA-DXR177908W-4K-240V-WH-ND-A120 X B120 X C35MM	08W	4000	240V	WHITE	NON EMERGENCY	ON - OFF	24	A120 X B120 X C35MM	DIE CAST ALUMINUM	IP54	960LM	A120 X B120 X C35MM	
6	MAZDA-DXR177908W-4K-240V-WH-DA-A120 X B120 X C35MM	08W	4000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A120 X B120 X C35MM	DIE CAST ALUMINUM	IP54	960LM	A120 X B120 X C35MM	
7	MAZDA-DXR177908W-4K-240V-WH-PH-A120 X B120 X C35MM	08W	4000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A120 X B120 X C35MM	DIE CAST ALUMINUM	IP54	960LM	A120 X B120 X C35MM	
8	MAZDA-DXR177908W-4K-240V-WH-10VDIM-A120 X B120 X C35MM	08W	4000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A120 X B120 X C35MM	DIE CAST ALUMINUM	IP54	960LM	A120 X B120 X C35MM	
9	MAZDA-DXR177908W-5K-240V-WH-ND-A120 X B120 X C35MM	08W	5000	240V	WHITE	NON EMERGENCY	ON - OFF	24	A120 X B120 X C35MM	DIE CAST ALUMINUM	IP54	960LM	A120 X B120 X C35MM	
10	MAZDA-DXR177908W-5K-240V-WH-DA-A120 X B120 X C35MM	08W	5000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A120 X B120 X C35MM	DIE CAST ALUMINUM	IP54	960LM	A120 X B120 X C35MM	
11	MAZDA-DXR177908W-5K-240V-WH-PH-A120 X B120 X C35MM	08W	5000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A120 X B120 X C35MM	DIE CAST ALUMINUM	IP54	960LM	A120 X B120 X C35MM	
12	MAZDA-DXR177908W-5K-240V-WH-10VDIM-A120 X B120 X C35MM	08W	5000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A120 X B120 X C35MM	DIE CAST ALUMINUM	IP54	960LM	A120 X B120 X C35MM	
13	MAZDA-DXR177908W-6K-240V-WH-ND-A120 X B120 X C35MM	08W	6000	240V	WHITE	NON EMERGENCY	ON - OFF	24	A120 X B120 X C35MM	DIE CAST ALUMINUM	IP54	960LM	A120 X B120 X C35MM	
14	MAZDA-DXR177908W-6K-240V-WH-DA-A120 X B120 X C35MM	08W	6000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A120 X B120 X C35MM	DIE CAST ALUMINUM	IP54	960LM	A120 X B120 X C35MM	
15	MAZDA-DXR177908W-6K-240V-WH-PH-A120 X B120 X C35MM	08W	6000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A120 X B120 X C35MM	DIE CAST ALUMINUM	IP54	960LM	A120 X B120 X C35MM	
16	MAZDA-DXR177908W-6K-240V-WH-10VDIM-A120 X B120 X C35MM	08W	6000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A120 X B120 X C35MM	DIE CAST ALUMINUM	IP54	960LM	A120 X B120 X C35MM	
17	MAZDA-DXR177908W-2.7K-240V-WH-ND-A120 X B120 X C35MM	08W	2700	240V	WHITE	NON EMERGENCY	ON - OFF	24	A120 X B120 X C35MM	DIE CAST ALUMINUM	IP54	960LM	A120 X B120 X C35MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
18	MAZDA-DXR177908W-2.7K-240V-WH-DA-A120 X B120 X C35MM	08W	2700	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A120 X B120 X C35MM	DIE CAST ALUMINUM	IP54	960LM	A120 X B120 X C35MM	
19	MAZDA-DXR177908W-2.7K-240V-WH-PH-A120 X B120 X C35MM	08W	2700	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A120 X B120 X C35MM	DIE CAST ALUMINUM	IP54	960LM	A120 X B120 X C35MM	
20	MAZDA-DXR177908W-2.7K-240V-WH-10VDIM-A120 X B120 X C35MM	08W	2700	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A120 X B120 X C35MM	DIE CAST ALUMINUM	IP54	960LM	A120 X B120 X C35MM	
21	MAZDA-DXR177908W-6.5K-240V-WH-ND-A120 X B120 X C35MM	08W	6500	240V	WHITE	NON EMERGENCY	ON - OFF	24	A120 X B120 X C35MM	DIE CAST ALUMINUM	IP54	960LM	A120 X B120 X C35MM	
22	MAZDA-DXR177908W-6.5K-240V-WH-DA-A120 X B120 X C35MM	08W	6500	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A120 X B120 X C35MM	DIE CAST ALUMINUM	IP54	960LM	A120 X B120 X C35MM	
23	MAZDA-DXR177908W-6.5K-240V-WH-PH-A120 X B120 X C35MM	08W	6500	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A120 X B120 X C35MM	DIE CAST ALUMINUM	IP54	960LM	A120 X B120 X C35MM	
24	MAZDA-DXR177908W-6.5K-240V-WH-10VDIM-A120 X B120 X C35MM	08W	6500	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A120 X B120 X C35MM	DIE CAST ALUMINUM	IP54	960LM	A120 X B120 X C35MM	
25	MAZDA-DXR177912W-3K-240V-WH-ND-A142 X B142 X C35MM	12W	3000	240V	WHITE	NON EMERGENCY	ON - OFF	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1440LM	A142 X B142 X C35MM	
26	MAZDA-DXR177912W-3K-240V-WH-DA-A142 X B142 X C35MM	12W	3000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1440LM	A142 X B142 X C35MM	
27	MAZDA-DXR177912W-3K-240V-WH-PH-A142 X B142 X C35MM	12W	3000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1440LM	A142 X B142 X C35MM	
28	MAZDA-DXR177912W-3K-240V-WH-10VDIM-A142 X B142 X C35MM	12W	3000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1440LM	A142 X B142 X C35MM	
29	MAZDA-DXR177912W-4K-240V-WH-ND-A142 X B142 X C35MM	12W	4000	240V	WHITE	NON EMERGENCY	ON - OFF	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1440LM	A142 X B142 X C35MM	
30	MAZDA-DXR177912W-4K-240V-WH-DA-A142 X B142 X C35MM	12W	4000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1440LM	A142 X B142 X C35MM	
31	MAZDA-DXR177912W-4K-240V-WH-PH-A142 X B142 X C35MM	12W	4000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1440LM	A142 X B142 X C35MM	
32	MAZDA-DXR177912W-4K-240V-WH-10VDIM-A142 X B142 X C35MM	12W	4000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1440LM	A142 X B142 X C35MM	
33	MAZDA-DXR177912W-5K-240V-WH-ND-A142 X B142 X C35MM	12W	5000	240V	WHITE	NON EMERGENCY	ON - OFF	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1440LM	A142 X B142 X C35MM	
34	MAZDA-DXR177912W-5K-240V-WH-DA-A142 X B142 X C35MM	12W	5000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1440LM	A142 X B142 X C35MM	
35	MAZDA-DXR177912W-5K-240V-WH-PH-A142 X B142 X C35MM	12W	5000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1440LM	A142 X B142 X C35MM	
36	MAZDA-DXR177912W-5K-240V-WH-10VDIM-A142 X B142 X C35MM	12W	5000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1440LM	A142 X B142 X C35MM	
37	MAZDA-DXR177912W-6K-240V-WH-ND-A142 X B142 X C35MM	12W	6000	240V	WHITE	NON EMERGENCY	ON - OFF	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1440LM	A142 X B142 X C35MM	
38	MAZDA-DXR177912W-6K-240V-WH-DA-A142 X B142 X C35MM	12W	6000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1440LM	A142 X B142 X C35MM	
39	MAZDA-DXR177912W-6K-240V-WH-PH-A142 X B142 X C35MM	12W	6000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1440LM	A142 X B142 X C35MM	
40	MAZDA-DXR177912W-6K-240V-WH-10VDIM-A142 X B142 X C35MM	12W	6000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1440LM	A142 X B142 X C35MM	
41	MAZDA-DXR177912W-2.7K-240V-WH-ND-A142 X B142 X C35MM	12W	2700	240V	WHITE	NON EMERGENCY	ON - OFF	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1440LM	A142 X B142 X C35MM	
42	MAZDA-DXR177912W-2.7K-240V-WH-DA-A142 X B142 X C35MM	12W	2700	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1440LM	A142 X B142 X C35MM	
43	MAZDA-DXR177912W-2.7K-240V-WH-PH-A142 X B142 X C35MM	12W	2700	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1440LM	A142 X B142 X C35MM	
44	MAZDA-DXR177912W-2.7K-240V-WH-10VDIM-A142 X B142 X C35MM	12W	2700	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1440LM	A142 X B142 X C35MM	
45	MAZDA-DXR177912W-6.5K-240V-WH-ND-A142 X B142 X C35MM	12W	6500	240V	WHITE	NON EMERGENCY	ON - OFF	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1440LM	A142 X B142 X C35MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
46	MAZDA-DXR177912W-6.5K-240V-WH-DA-A142 X B142 X C35MM	12W	6500	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1440LM	A142 X B142 X C35MM	
47	MAZDA-DXR177912W-6.5K-240V-WH-PH-A142 X B142 X C35MM	12W	6500	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1440LM	A142 X B142 X C35MM	
48	MAZDA-DXR177912W-6.5K-240V-WH-10VDIM-A142 X B142 X C35MM	12W	6500	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1440LM	A142 X B142 X C35MM	
49	MAZDA-DXR177915W-3K-240V-WH-ND-A142 X B142 X C35MM	15W	3000	240V	WHITE	NON EMERGENCY	ON - OFF	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1800LM	A142 X B142 X C35MM	
50	MAZDA-DXR177915W-3K-240V-WH-DA-A142 X B142 X C35MM	15W	3000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1800LM	A142 X B142 X C35MM	
51	MAZDA-DXR177915W-3K-240V-WH-PH-A142 X B142 X C35MM	15W	3000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1800LM	A142 X B142 X C35MM	
52	MAZDA-DXR177915W-3K-240V-WH-10VDIM-A142 X B142 X C35MM	15W	3000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1800LM	A142 X B142 X C35MM	
53	MAZDA-DXR177915W-4K-240V-WH-ND-A142 X B142 X C35MM	15W	4000	240V	WHITE	NON EMERGENCY	ON - OFF	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1800LM	A142 X B142 X C35MM	
54	MAZDA-DXR177915W-4K-240V-WH-DA-A142 X B142 X C35MM	15W	4000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1800LM	A142 X B142 X C35MM	
55	MAZDA-DXR177915W-4K-240V-WH-PH-A142 X B142 X C35MM	15W	4000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1800LM	A142 X B142 X C35MM	
56	MAZDA-DXR177915W-4K-240V-WH-10VDIM-A142 X B142 X C35MM	15W	4000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1800LM	A142 X B142 X C35MM	
57	MAZDA-DXR177915W-5K-240V-WH-ND-A142 X B142 X C35MM	15W	5000	240V	WHITE	NON EMERGENCY	ON - OFF	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1800LM	A142 X B142 X C35MM	
58	MAZDA-DXR177915W-5K-240V-WH-DA-A142 X B142 X C35MM	15W	5000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1800LM	A142 X B142 X C35MM	
59	MAZDA-DXR177915W-5K-240V-WH-PH-A142 X B142 X C35MM	15W	5000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1800LM	A142 X B142 X C35MM	
60	MAZDA-DXR177915W-5K-240V-WH-10VDIM-A142 X B142 X C35MM	15W	5000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1800LM	A142 X B142 X C35MM	
61	MAZDA-DXR177915W-6K-240V-WH-ND-A142 X B142 X C35MM	15W	6000	240V	WHITE	NON EMERGENCY	ON - OFF	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1800LM	A142 X B142 X C35MM	
62	MAZDA-DXR177915W-6K-240V-WH-DA-A142 X B142 X C35MM	15W	6000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1800LM	A142 X B142 X C35MM	
63	MAZDA-DXR177915W-6K-240V-WH-PH-A142 X B142 X C35MM	15W	6000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1800LM	A142 X B142 X C35MM	
64	MAZDA-DXR177915W-6K-240V-WH-10VDIM-A142 X B142 X C35MM	15W	6000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1800LM	A142 X B142 X C35MM	
65	MAZDA-DXR177915W-2.7K-240V-WH-ND-A142 X B142 X C35MM	15W	2700	240V	WHITE	NON EMERGENCY	ON - OFF	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1800LM	A142 X B142 X C35MM	
66	MAZDA-DXR177915W-2.7K-240V-WH-DA-A142 X B142 X C35MM	15W	2700	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1800LM	A142 X B142 X C35MM	
67	MAZDA-DXR177915W-2.7K-240V-WH-PH-A142 X B142 X C35MM	15W	2700	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1800LM	A142 X B142 X C35MM	
68	MAZDA-DXR177915W-2.7K-240V-WH-10VDIM-A142 X B142 X C35MM	15W	2700	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1800LM	A142 X B142 X C35MM	
69	MAZDA-DXR177915W-6.5K-240V-WH-ND-A142 X B142 X C35MM	15W	6500	240V	WHITE	NON EMERGENCY	ON - OFF	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1800LM	A142 X B142 X C35MM	
70	MAZDA-DXR177915W-6.5K-240V-WH-DA-A142 X B142 X C35MM	15W	6500	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1800LM	A142 X B142 X C35MM	
71	MAZDA-DXR177915W-6.5K-240V-WH-PH-A142 X B142 X C35MM	15W	6500	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1800LM	A142 X B142 X C35MM	
72	MAZDA-DXR177915W-6.5K-240V-WH-10VDIM-A142 X B142 X C35MM	15W	6500	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A142 X B142 X C35MM	DIE CAST ALUMINUM	IP54	1800LM	A142 X B142 X C35MM	
73	MAZDA-DXR177918W-3K-240V-WH-ND-A170 X B170 X C35MM	18W	3000	240V	WHITE	NON EMERGENCY	ON - OFF	24	A170 X B170 X C35MM	DIE CAST ALUMINUM	IP54	2160LM	A170 X B170 X C35MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
74	MAZDA-DXR177918W-3K-240V-WH-DA-A170 X B170 X C35MM	18W	3000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A170 X B170 X C35MM	DIE CAST ALUMINUM	IP54	2160LM	A170 X B170 X C35MM	
75	MAZDA-DXR177918W-3K-240V-WH-PH-A170 X B170 X C35MM	18W	3000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A170 X B170 X C35MM	DIE CAST ALUMINUM	IP54	2160LM	A170 X B170 X C35MM	
76	MAZDA-DXR177918W-3K-240V-WH-10VDIM-A170 X B170 X C35MM	18W	3000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A170 X B170 X C35MM	DIE CAST ALUMINUM	IP54	2160LM	A170 X B170 X C35MM	
77	MAZDA-DXR177918W-4K-240V-WH-ND-A170 X B170 X C35MM	18W	4000	240V	WHITE	NON EMERGENCY	ON - OFF	24	A170 X B170 X C35MM	DIE CAST ALUMINUM	IP54	2160LM	A170 X B170 X C35MM	
78	MAZDA-DXR177918W-4K-240V-WH-DA-A170 X B170 X C35MM	18W	4000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A170 X B170 X C35MM	DIE CAST ALUMINUM	IP54	2160LM	A170 X B170 X C35MM	
79	MAZDA-DXR177918W-4K-240V-WH-PH-A170 X B170 X C35MM	18W	4000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A170 X B170 X C35MM	DIE CAST ALUMINUM	IP54	2160LM	A170 X B170 X C35MM	
80	MAZDA-DXR177918W-4K-240V-WH-10VDIM-A170 X B170 X C35MM	18W	4000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A170 X B170 X C35MM	DIE CAST ALUMINUM	IP54	2160LM	A170 X B170 X C35MM	
81	MAZDA-DXR177918W-5K-240V-WH-ND-A170 X B170 X C35MM	18W	5000	240V	WHITE	NON EMERGENCY	ON - OFF	24	A170 X B170 X C35MM	DIE CAST ALUMINUM	IP54	2160LM	A170 X B170 X C35MM	
82	MAZDA-DXR177918W-5K-240V-WH-DA-A170 X B170 X C35MM	18W	5000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A170 X B170 X C35MM	DIE CAST ALUMINUM	IP54	2160LM	A170 X B170 X C35MM	
83	MAZDA-DXR177918W-5K-240V-WH-PH-A170 X B170 X C35MM	18W	5000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A170 X B170 X C35MM	DIE CAST ALUMINUM	IP54	2160LM	A170 X B170 X C35MM	
84	MAZDA-DXR177918W-5K-240V-WH-10VDIM-A170 X B170 X C35MM	18W	5000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A170 X B170 X C35MM	DIE CAST ALUMINUM	IP54	2160LM	A170 X B170 X C35MM	
85	MAZDA-DXR177918W-6K-240V-WH-ND-A170 X B170 X C35MM	18W	6000	240V	WHITE	NON EMERGENCY	ON - OFF	24	A170 X B170 X C35MM	DIE CAST ALUMINUM	IP54	2160LM	A170 X B170 X C35MM	
86	MAZDA-DXR177918W-6K-240V-WH-DA-A170 X B170 X C35MM	18W	6000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A170 X B170 X C35MM	DIE CAST ALUMINUM	IP54	2160LM	A170 X B170 X C35MM	
87	MAZDA-DXR177918W-6K-240V-WH-PH-A170 X B170 X C35MM	18W	6000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A170 X B170 X C35MM	DIE CAST ALUMINUM	IP54	2160LM	A170 X B170 X C35MM	
88	MAZDA-DXR177918W-6K-240V-WH-10VDIM-A170 X B170 X C35MM	18W	6000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A170 X B170 X C35MM	DIE CAST ALUMINUM	IP54	2160LM	A170 X B170 X C35MM	
89	MAZDA-DXR177918W-2.7K-240V-WH-ND-A170 X B170 X C35MM	18W	2700	240V	WHITE	NON EMERGENCY	ON - OFF	24	A170 X B170 X C35MM	DIE CAST ALUMINUM	IP54	2160LM	A170 X B170 X C35MM	
90	MAZDA-DXR177918W-2.7K-240V-WH-DA-A170 X B170 X C35MM	18W	2700	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A170 X B170 X C35MM	DIE CAST ALUMINUM	IP54	2160LM	A170 X B170 X C35MM	
91	MAZDA-DXR177918W-2.7K-240V-WH-PH-A170 X B170 X C35MM	18W	2700	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A170 X B170 X C35MM	DIE CAST ALUMINUM	IP54	2160LM	A170 X B170 X C35MM	
92	MAZDA-DXR177918W-2.7K-240V-WH-10VDIM-A170 X B170 X C35MM	18W	2700	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A170 X B170 X C35MM	DIE CAST ALUMINUM	IP54	2160LM	A170 X B170 X C35MM	
93	MAZDA-DXR177918W-6.5K-240V-WH-ND-A170 X B170 X C35MM	18W	6500	240V	WHITE	NON EMERGENCY	ON - OFF	24	A170 X B170 X C35MM	DIE CAST ALUMINUM	IP54	2160LM	A170 X B170 X C35MM	
94	MAZDA-DXR177918W-6.5K-240V-WH-DA-A170 X B170 X C35MM	18W	6500	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A170 X B170 X C35MM	DIE CAST ALUMINUM	IP54	2160LM	A170 X B170 X C35MM	
95	MAZDA-DXR177918W-6.5K-240V-WH-PH-A170 X B170 X C35MM	18W	6500	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A170 X B170 X C35MM	DIE CAST ALUMINUM	IP54	2160LM	A170 X B170 X C35MM	
96	MAZDA-DXR177918W-6.5K-240V-WH-10VDIM-A170 X B170 X C35MM	18W	6500	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A170 X B170 X C35MM	DIE CAST ALUMINUM	IP54	2160LM	A170 X B170 X C35MM	
97	MAZDA-DXR177925W-3K-240V-WH-ND-A225 X B225 X C35MM	25W	3000	240V	WHITE	NON EMERGENCY	ON - OFF	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	3000LM	A225 X B225 X C35MM	
98	MAZDA-DXR177925W-3K-240V-WH-DA-A225 X B225 X C35MM	25W	3000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	3000LM	A225 X B225 X C35MM	
99	MAZDA-DXR177925W-3K-240V-WH-PH-A225 X B225 X C35MM	25W	3000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	3000LM	A225 X B225 X C35MM	
100	MAZDA-DXR177925W-3K-240V-WH-10VDIM-A225 X B225 X C35MM	25W	3000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	3000LM	A225 X B225 X C35MM	
101	MAZDA-DXR177925W-4K-240V-WH-ND-A225 X B225 X C35MM	25W	4000	240V	WHITE	NON EMERGENCY	ON - OFF	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	3000LM	A225 X B225 X C35MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
102	MAZDA-DXR177925W-4K-240V-WH-DA-A225 X B225 X C35MM	25W	4000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	3000LM	A225 X B225 X C35MM	
103	MAZDA-DXR177925W-4K-240V-WH-PH-A225 X B225 X C35MM	25W	4000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	3000LM	A225 X B225 X C35MM	
104	MAZDA-DXR177925W-4K-240V-WH-10VDIM-A225 X B225 X C35MM	25W	4000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	3000LM	A225 X B225 X C35MM	
105	MAZDA-DXR177925W-5K-240V-WH-ND-A225 X B225 X C35MM	25W	5000	240V	WHITE	NON EMERGENCY	ON - OFF	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	3000LM	A225 X B225 X C35MM	
106	MAZDA-DXR177925W-5K-240V-WH-DA-A225 X B225 X C35MM	25W	5000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	3000LM	A225 X B225 X C35MM	
107	MAZDA-DXR177925W-5K-240V-WH-PH-A225 X B225 X C35MM	25W	5000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	3000LM	A225 X B225 X C35MM	
108	MAZDA-DXR177925W-5K-240V-WH-10VDIM-A225 X B225 X C35MM	25W	5000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	3000LM	A225 X B225 X C35MM	
109	MAZDA-DXR177925W-6K-240V-WH-ND-A225 X B225 X C35MM	25W	6000	240V	WHITE	NON EMERGENCY	ON - OFF	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	3000LM	A225 X B225 X C35MM	
110	MAZDA-DXR177925W-6K-240V-WH-DA-A225 X B225 X C35MM	25W	6000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	3000LM	A225 X B225 X C35MM	
111	MAZDA-DXR177925W-6K-240V-WH-PH-A225 X B225 X C35MM	25W	6000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	3000LM	A225 X B225 X C35MM	
112	MAZDA-DXR177925W-6K-240V-WH-10VDIM-A225 X B225 X C35MM	25W	6000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	3000LM	A225 X B225 X C35MM	
113	MAZDA-DXR177925W-2.7K-240V-WH-ND-A225 X B225 X C35MM	25W	2700	240V	WHITE	NON EMERGENCY	ON - OFF	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	3000LM	A225 X B225 X C35MM	
114	MAZDA-DXR177925W-2.7K-240V-WH-DA-A225 X B225 X C35MM	25W	2700	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	3000LM	A225 X B225 X C35MM	
115	MAZDA-DXR177925W-2.7K-240V-WH-PH-A225 X B225 X C35MM	25W	2700	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	3000LM	A225 X B225 X C35MM	
116	MAZDA-DXR177925W-2.7K-240V-WH-10VDIM-A225 X B225 X C35MM	25W	2700	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	3000LM	A225 X B225 X C35MM	
117	MAZDA-DXR177925W-6.5K-240V-WH-ND-A225 X B225 X C35MM	25W	6500	240V	WHITE	NON EMERGENCY	ON - OFF	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	3000LM	A225 X B225 X C35MM	
118	MAZDA-DXR177925W-6.5K-240V-WH-DA-A225 X B225 X C35MM	25W	6500	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	3000LM	A225 X B225 X C35MM	
119	MAZDA-DXR177925W-6.5K-240V-WH-PH-A225 X B225 X C35MM	25W	6500	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	3000LM	A225 X B225 X C35MM	
120	MAZDA-DXR177925W-6.5K-240V-WH-10VDIM-A225 X B225 X C35MM	25W	6500	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	3000LM	A225 X B225 X C35MM	
121	MAZDA-DXR177936W-3K-240V-WH-ND-A225 X B225 X C35MM	36W	3000	240V	WHITE	NON EMERGENCY	ON - OFF	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	4320LM	A225 X B225 X C35MM	
122	MAZDA-DXR177936W-3K-240V-WH-DA-A225 X B225 X C35MM	36W	3000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	4320LM	A225 X B225 X C35MM	
123	MAZDA-DXR177936W-3K-240V-WH-PH-A225 X B225 X C35MM	36W	3000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	4320LM	A225 X B225 X C35MM	
124	MAZDA-DXR177936W-3K-240V-WH-10VDIM-A225 X B225 X C35MM	36W	3000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	4320LM	A225 X B225 X C35MM	
125	MAZDA-DXR177936W-4K-240V-WH-ND-A225 X B225 X C35MM	36W	4000	240V	WHITE	NON EMERGENCY	ON - OFF	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	4320LM	A225 X B225 X C35MM	
126	MAZDA-DXR177936W-4K-240V-WH-DA-A225 X B225 X C35MM	36W	4000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	4320LM	A225 X B225 X C35MM	
127	MAZDA-DXR177936W-4K-240V-WH-PH-A225 X B225 X C35MM	36W	4000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	4320LM	A225 X B225 X C35MM	
128	MAZDA-DXR177936W-4K-240V-WH-10VDIM-A225 X B225 X C35MM	36W	4000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	4320LM	A225 X B225 X C35MM	
129	MAZDA-DXR177936W-5K-240V-WH-ND-A225 X B225 X C35MM	36W	5000	240V	WHITE	NON EMERGENCY	ON - OFF	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	4320LM	A225 X B225 X C35MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
130	**MAZDA-DXR177936W-5K-240V-WH-DA-A225 X B225 X C35MM**	36W	5000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	4320LM	A225 X B225 X C35MM	
131	**MAZDA-DXR177936W-5K-240V-WH-PH-A225 X B225 X C35MM**	36W	5000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	4320LM	A225 X B225 X C35MM	
132	**MAZDA-DXR177936W-5K-240V-WH-10VDIM-A225 X B225 X C35MM**	36W	5000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	4320LM	A225 X B225 X C35MM	
133	**MAZDA-DXR177936W-6K-240V-WH-ND-A225 X B225 X C35MM**	36W	6000	240V	WHITE	NON EMERGENCY	ON - OFF	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	4320LM	A225 X B225 X C35MM	
134	**MAZDA-DXR177936W-6K-240V-WH-DA-A225 X B225 X C35MM**	36W	6000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	4320LM	A225 X B225 X C35MM	
135	**MAZDA-DXR177936W-6K-240V-WH-PH-A225 X B225 X C35MM**	36W	6000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	4320LM	A225 X B225 X C35MM	
136	**MAZDA-DXR177936W-6K-240V-WH-10VDIM-A225 X B225 X C35MM**	36W	6000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	4320LM	A225 X B225 X C35MM	
137	**MAZDA-DXR177936W-2.7K-240V-WH-ND-A225 X B225 X C35MM**	36W	2700	240V	WHITE	NON EMERGENCY	ON - OFF	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	4320LM	A225 X B225 X C35MM	
138	**MAZDA-DXR177936W-2.7K-240V-WH-DA-A225 X B225 X C35MM**	36W	2700	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	4320LM	A225 X B225 X C35MM	
139	**MAZDA-DXR177936W-2.7K-240V-WH-PH-A225 X B225 X C35MM**	36W	2700	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	4320LM	A225 X B225 X C35MM	
140	**MAZDA-DXR177936W-2.7K-240V-WH-10VDIM-A225 X B225 X C35MM**	36W	2700	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	4320LM	A225 X B225 X C35MM	
141	**MAZDA-DXR177936W-6.5K-240V-WH-ND-A225 X B225 X C35MM**	36W	6500	240V	WHITE	NON EMERGENCY	ON - OFF	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	4320LM	A225 X B225 X C35MM	
142	**MAZDA-DXR177936W-6.5K-240V-WH-DA-A225 X B225 X C35MM**	36W	6500	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	4320LM	A225 X B225 X C35MM	
143	**MAZDA-DXR177936W-6.5K-240V-WH-PH-A225 X B225 X C35MM**	36W	6500	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	4320LM	A225 X B225 X C35MM	
144	**MAZDA-DXR177936W-6.5K-240V-WH-10VDIM-A225 X B225 X C35MM**	36W	6500	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A225 X B225 X C35MM	DIE CAST ALUMINUM	IP54	4320LM	A225 X B225 X C35MM	