



## MARKONI

**MAZDA Model: DXR1779 Downlight**

MARKONI LED Down Light Slim and modern exclusive downlight for indoor or outdoor use, particularly well suited to basic lighting due to its very low unified glare rating. Great cooling fins heat sink design increases the interface between heat sink and air, which makes the heat dissipating performance outstanding and extend the service life of the downlight. Suitable for commercial and residential applications like office, supermarket, shop, school, hotel, restaurant, workshop, etc

## ALL AVAILABLE VARIANTS

| #  | Code                                                   | WATT | CCT  | Voltage | Body Color | Emergency Backup | Control                  | Beam Angel | Dimension           | Material          | IP   | lumen | Dimensions          | Price |
|----|--------------------------------------------------------|------|------|---------|------------|------------------|--------------------------|------------|---------------------|-------------------|------|-------|---------------------|-------|
| 1  | MAZDA-DXR177908W-3K-240V-WH-ND-A120 X B120 X C35MM     | 08W  | 3000 | 240V    | WHITE      | NON EMERGENCY    | ON - OFF                 | 24         | A120 X B120 X C35MM | DIE CAST ALUMINUM | IP54 | 960LM | A120 X B120 X C35MM |       |
| 2  | MAZDA-DXR177908W-3K-240V-WH-DA-A120 X B120 X C35MM     | 08W  | 3000 | 240V    | WHITE      | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 24         | A120 X B120 X C35MM | DIE CAST ALUMINUM | IP54 | 960LM | A120 X B120 X C35MM |       |
| 3  | MAZDA-DXR177908W-3K-240V-WH-PH-A120 X B120 X C35MM     | 08W  | 3000 | 240V    | WHITE      | NON EMERGENCY    | PHASE CUT DIMMABLE       | 24         | A120 X B120 X C35MM | DIE CAST ALUMINUM | IP54 | 960LM | A120 X B120 X C35MM |       |
| 4  | MAZDA-DXR177908W-3K-240V-WH-10VDIM-A120 X B120 X C35MM | 08W  | 3000 | 240V    | WHITE      | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 24         | A120 X B120 X C35MM | DIE CAST ALUMINUM | IP54 | 960LM | A120 X B120 X C35MM |       |
| 5  | MAZDA-DXR177908W-4K-240V-WH-ND-A120 X B120 X C35MM     | 08W  | 4000 | 240V    | WHITE      | NON EMERGENCY    | ON - OFF                 | 24         | A120 X B120 X C35MM | DIE CAST ALUMINUM | IP54 | 960LM | A120 X B120 X C35MM |       |
| 6  | MAZDA-DXR177908W-4K-240V-WH-DA-A120 X B120 X C35MM     | 08W  | 4000 | 240V    | WHITE      | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 24         | A120 X B120 X C35MM | DIE CAST ALUMINUM | IP54 | 960LM | A120 X B120 X C35MM |       |
| 7  | MAZDA-DXR177908W-4K-240V-WH-PH-A120 X B120 X C35MM     | 08W  | 4000 | 240V    | WHITE      | NON EMERGENCY    | PHASE CUT DIMMABLE       | 24         | A120 X B120 X C35MM | DIE CAST ALUMINUM | IP54 | 960LM | A120 X B120 X C35MM |       |
| 8  | MAZDA-DXR177908W-4K-240V-WH-10VDIM-A120 X B120 X C35MM | 08W  | 4000 | 240V    | WHITE      | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 24         | A120 X B120 X C35MM | DIE CAST ALUMINUM | IP54 | 960LM | A120 X B120 X C35MM |       |
| 9  | MAZDA-DXR177908W-5K-240V-WH-ND-A120 X B120 X C35MM     | 08W  | 5000 | 240V    | WHITE      | NON EMERGENCY    | ON - OFF                 | 24         | A120 X B120 X C35MM | DIE CAST ALUMINUM | IP54 | 960LM | A120 X B120 X C35MM |       |
| 10 | MAZDA-DXR177908W-5K-240V-WH-DA-A120 X B120 X C35MM     | 08W  | 5000 | 240V    | WHITE      | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 24         | A120 X B120 X C35MM | DIE CAST ALUMINUM | IP54 | 960LM | A120 X B120 X C35MM |       |
| 11 | MAZDA-DXR177908W-5K-240V-WH-PH-A120 X B120 X C35MM     | 08W  | 5000 | 240V    | WHITE      | NON EMERGENCY    | PHASE CUT DIMMABLE       | 24         | A120 X B120 X C35MM | DIE CAST ALUMINUM | IP54 | 960LM | A120 X B120 X C35MM |       |
| 12 | MAZDA-DXR177908W-5K-240V-WH-10VDIM-A120 X B120 X C35MM | 08W  | 5000 | 240V    | WHITE      | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 24         | A120 X B120 X C35MM | DIE CAST ALUMINUM | IP54 | 960LM | A120 X B120 X C35MM |       |
| 13 | MAZDA-DXR177908W-6K-240V-WH-ND-A120 X B120 X C35MM     | 08W  | 6000 | 240V    | WHITE      | NON EMERGENCY    | ON - OFF                 | 24         | A120 X B120 X C35MM | DIE CAST ALUMINUM | IP54 | 960LM | A120 X B120 X C35MM |       |
| 14 | MAZDA-DXR177908W-6K-240V-WH-DA-A120 X B120 X C35MM     | 08W  | 6000 | 240V    | WHITE      | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 24         | A120 X B120 X C35MM | DIE CAST ALUMINUM | IP54 | 960LM | A120 X B120 X C35MM |       |
| 15 | MAZDA-DXR177908W-6K-240V-WH-PH-A120 X B120 X C35MM     | 08W  | 6000 | 240V    | WHITE      | NON EMERGENCY    | PHASE CUT DIMMABLE       | 24         | A120 X B120 X C35MM | DIE CAST ALUMINUM | IP54 | 960LM | A120 X B120 X C35MM |       |
| 16 | MAZDA-DXR177908W-6K-240V-WH-10VDIM-A120 X B120 X C35MM | 08W  | 6000 | 240V    | WHITE      | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 24         | A120 X B120 X C35MM | DIE CAST ALUMINUM | IP54 | 960LM | A120 X B120 X C35MM |       |
| 17 | MAZDA-DXR177908W-2.7K-240V-WH-ND-A120 X B120 X C35MM   | 08W  | 2700 | 240V    | WHITE      | NON EMERGENCY    | ON - OFF                 | 24         | A120 X B120 X C35MM | DIE CAST ALUMINUM | IP54 | 960LM | A120 X B120 X C35MM |       |



# DATASHEET

GENERATED ON: 14 Sep 2026 | SYS.REF: MAZDA-LED

| #  | Code                                                     | WATT | CCT  | Voltage | Body Color | Emergency Backup | Control                  | Beam Angel | Dimension           | Material          | IP   | lumen  | Dimensions          | Price |
|----|----------------------------------------------------------|------|------|---------|------------|------------------|--------------------------|------------|---------------------|-------------------|------|--------|---------------------|-------|
| 18 | MAZDA-DXR177908W-2.7K-240V-WH-DA-A120 X B120 X C35MM     | 08W  | 2700 | 240V    | WHITE      | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 24         | A120 X B120 X C35MM | DIE CAST ALUMINUM | IP54 | 960LM  | A120 X B120 X C35MM |       |
| 19 | MAZDA-DXR177908W-2.7K-240V-WH-PH-A120 X B120 X C35MM     | 08W  | 2700 | 240V    | WHITE      | NON EMERGENCY    | PHASE CUT DIMMABLE       | 24         | A120 X B120 X C35MM | DIE CAST ALUMINUM | IP54 | 960LM  | A120 X B120 X C35MM |       |
| 20 | MAZDA-DXR177908W-2.7K-240V-WH-10VDIM-A120 X B120 X C35MM | 08W  | 2700 | 240V    | WHITE      | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 24         | A120 X B120 X C35MM | DIE CAST ALUMINUM | IP54 | 960LM  | A120 X B120 X C35MM |       |
| 21 | MAZDA-DXR177908W-6.5K-240V-WH-ND-A120 X B120 X C35MM     | 08W  | 6500 | 240V    | WHITE      | NON EMERGENCY    | ON - OFF                 | 24         | A120 X B120 X C35MM | DIE CAST ALUMINUM | IP54 | 960LM  | A120 X B120 X C35MM |       |
| 22 | MAZDA-DXR177908W-6.5K-240V-WH-DA-A120 X B120 X C35MM     | 08W  | 6500 | 240V    | WHITE      | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 24         | A120 X B120 X C35MM | DIE CAST ALUMINUM | IP54 | 960LM  | A120 X B120 X C35MM |       |
| 23 | MAZDA-DXR177908W-6.5K-240V-WH-PH-A120 X B120 X C35MM     | 08W  | 6500 | 240V    | WHITE      | NON EMERGENCY    | PHASE CUT DIMMABLE       | 24         | A120 X B120 X C35MM | DIE CAST ALUMINUM | IP54 | 960LM  | A120 X B120 X C35MM |       |
| 24 | MAZDA-DXR177908W-6.5K-240V-WH-10VDIM-A120 X B120 X C35MM | 08W  | 6500 | 240V    | WHITE      | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 24         | A120 X B120 X C35MM | DIE CAST ALUMINUM | IP54 | 960LM  | A120 X B120 X C35MM |       |
| 25 | MAZDA-DXR177912W-3K-240V-WH-ND-A142 X B142 X C35MM       | 12W  | 3000 | 240V    | WHITE      | NON EMERGENCY    | ON - OFF                 | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1440LM | A142 X B142 X C35MM |       |
| 26 | MAZDA-DXR177912W-3K-240V-WH-DA-A142 X B142 X C35MM       | 12W  | 3000 | 240V    | WHITE      | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1440LM | A142 X B142 X C35MM |       |
| 27 | MAZDA-DXR177912W-3K-240V-WH-PH-A142 X B142 X C35MM       | 12W  | 3000 | 240V    | WHITE      | NON EMERGENCY    | PHASE CUT DIMMABLE       | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1440LM | A142 X B142 X C35MM |       |
| 28 | MAZDA-DXR177912W-3K-240V-WH-10VDIM-A142 X B142 X C35MM   | 12W  | 3000 | 240V    | WHITE      | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1440LM | A142 X B142 X C35MM |       |
| 29 | MAZDA-DXR177912W-4K-240V-WH-ND-A142 X B142 X C35MM       | 12W  | 4000 | 240V    | WHITE      | NON EMERGENCY    | ON - OFF                 | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1440LM | A142 X B142 X C35MM |       |
| 30 | MAZDA-DXR177912W-4K-240V-WH-DA-A142 X B142 X C35MM       | 12W  | 4000 | 240V    | WHITE      | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1440LM | A142 X B142 X C35MM |       |
| 31 | MAZDA-DXR177912W-4K-240V-WH-PH-A142 X B142 X C35MM       | 12W  | 4000 | 240V    | WHITE      | NON EMERGENCY    | PHASE CUT DIMMABLE       | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1440LM | A142 X B142 X C35MM |       |
| 32 | MAZDA-DXR177912W-4K-240V-WH-10VDIM-A142 X B142 X C35MM   | 12W  | 4000 | 240V    | WHITE      | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1440LM | A142 X B142 X C35MM |       |
| 33 | MAZDA-DXR177912W-5K-240V-WH-ND-A142 X B142 X C35MM       | 12W  | 5000 | 240V    | WHITE      | NON EMERGENCY    | ON - OFF                 | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1440LM | A142 X B142 X C35MM |       |
| 34 | MAZDA-DXR177912W-5K-240V-WH-DA-A142 X B142 X C35MM       | 12W  | 5000 | 240V    | WHITE      | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1440LM | A142 X B142 X C35MM |       |
| 35 | MAZDA-DXR177912W-5K-240V-WH-PH-A142 X B142 X C35MM       | 12W  | 5000 | 240V    | WHITE      | NON EMERGENCY    | PHASE CUT DIMMABLE       | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1440LM | A142 X B142 X C35MM |       |
| 36 | MAZDA-DXR177912W-5K-240V-WH-10VDIM-A142 X B142 X C35MM   | 12W  | 5000 | 240V    | WHITE      | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1440LM | A142 X B142 X C35MM |       |
| 37 | MAZDA-DXR177912W-6K-240V-WH-ND-A142 X B142 X C35MM       | 12W  | 6000 | 240V    | WHITE      | NON EMERGENCY    | ON - OFF                 | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1440LM | A142 X B142 X C35MM |       |
| 38 | MAZDA-DXR177912W-6K-240V-WH-DA-A142 X B142 X C35MM       | 12W  | 6000 | 240V    | WHITE      | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1440LM | A142 X B142 X C35MM |       |
| 39 | MAZDA-DXR177912W-6K-240V-WH-PH-A142 X B142 X C35MM       | 12W  | 6000 | 240V    | WHITE      | NON EMERGENCY    | PHASE CUT DIMMABLE       | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1440LM | A142 X B142 X C35MM |       |
| 40 | MAZDA-DXR177912W-6K-240V-WH-10VDIM-A142 X B142 X C35MM   | 12W  | 6000 | 240V    | WHITE      | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1440LM | A142 X B142 X C35MM |       |
| 41 | MAZDA-DXR177912W-2.7K-240V-WH-ND-A142 X B142 X C35MM     | 12W  | 2700 | 240V    | WHITE      | NON EMERGENCY    | ON - OFF                 | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1440LM | A142 X B142 X C35MM |       |
| 42 | MAZDA-DXR177912W-2.7K-240V-WH-DA-A142 X B142 X C35MM     | 12W  | 2700 | 240V    | WHITE      | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1440LM | A142 X B142 X C35MM |       |
| 43 | MAZDA-DXR177912W-2.7K-240V-WH-PH-A142 X B142 X C35MM     | 12W  | 2700 | 240V    | WHITE      | NON EMERGENCY    | PHASE CUT DIMMABLE       | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1440LM | A142 X B142 X C35MM |       |
| 44 | MAZDA-DXR177912W-2.7K-240V-WH-10VDIM-A142 X B142 X C35MM | 12W  | 2700 | 240V    | WHITE      | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1440LM | A142 X B142 X C35MM |       |
| 45 | MAZDA-DXR177912W-6.5K-240V-WH-ND-A142 X B142 X C35MM     | 12W  | 6500 | 240V    | WHITE      | NON EMERGENCY    | ON - OFF                 | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1440LM | A142 X B142 X C35MM |       |



# DATASHEET

GENERATED ON: 14 Sep 2026 | SYS.REF: MAZDA-LED

| #  | Code                                                     | WATT | CCT  | Voltage | Body Color | Emergency Backup | Control                  | Beam Angel | Dimension           | Material          | IP   | lumen  | Dimensions          | Price |
|----|----------------------------------------------------------|------|------|---------|------------|------------------|--------------------------|------------|---------------------|-------------------|------|--------|---------------------|-------|
| 46 | MAZDA-DXR177912W-6.5K-240V-WH-DA-A142 X B142 X C35MM     | 12W  | 6500 | 240V    | WHITE      | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1440LM | A142 X B142 X C35MM |       |
| 47 | MAZDA-DXR177912W-6.5K-240V-WH-PH-A142 X B142 X C35MM     | 12W  | 6500 | 240V    | WHITE      | NON EMERGENCY    | PHASE CUT DIMMABLE       | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1440LM | A142 X B142 X C35MM |       |
| 48 | MAZDA-DXR177912W-6.5K-240V-WH-10VDIM-A142 X B142 X C35MM | 12W  | 6500 | 240V    | WHITE      | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1440LM | A142 X B142 X C35MM |       |
| 49 | MAZDA-DXR177915W-3K-240V-WH-ND-A142 X B142 X C35MM       | 15W  | 3000 | 240V    | WHITE      | NON EMERGENCY    | ON - OFF                 | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1800LM | A142 X B142 X C35MM |       |
| 50 | MAZDA-DXR177915W-3K-240V-WH-DA-A142 X B142 X C35MM       | 15W  | 3000 | 240V    | WHITE      | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1800LM | A142 X B142 X C35MM |       |
| 51 | MAZDA-DXR177915W-3K-240V-WH-PH-A142 X B142 X C35MM       | 15W  | 3000 | 240V    | WHITE      | NON EMERGENCY    | PHASE CUT DIMMABLE       | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1800LM | A142 X B142 X C35MM |       |
| 52 | MAZDA-DXR177915W-3K-240V-WH-10VDIM-A142 X B142 X C35MM   | 15W  | 3000 | 240V    | WHITE      | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1800LM | A142 X B142 X C35MM |       |
| 53 | MAZDA-DXR177915W-4K-240V-WH-ND-A142 X B142 X C35MM       | 15W  | 4000 | 240V    | WHITE      | NON EMERGENCY    | ON - OFF                 | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1800LM | A142 X B142 X C35MM |       |
| 54 | MAZDA-DXR177915W-4K-240V-WH-DA-A142 X B142 X C35MM       | 15W  | 4000 | 240V    | WHITE      | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1800LM | A142 X B142 X C35MM |       |
| 55 | MAZDA-DXR177915W-4K-240V-WH-PH-A142 X B142 X C35MM       | 15W  | 4000 | 240V    | WHITE      | NON EMERGENCY    | PHASE CUT DIMMABLE       | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1800LM | A142 X B142 X C35MM |       |
| 56 | MAZDA-DXR177915W-4K-240V-WH-10VDIM-A142 X B142 X C35MM   | 15W  | 4000 | 240V    | WHITE      | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1800LM | A142 X B142 X C35MM |       |
| 57 | MAZDA-DXR177915W-5K-240V-WH-ND-A142 X B142 X C35MM       | 15W  | 5000 | 240V    | WHITE      | NON EMERGENCY    | ON - OFF                 | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1800LM | A142 X B142 X C35MM |       |
| 58 | MAZDA-DXR177915W-5K-240V-WH-DA-A142 X B142 X C35MM       | 15W  | 5000 | 240V    | WHITE      | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1800LM | A142 X B142 X C35MM |       |
| 59 | MAZDA-DXR177915W-5K-240V-WH-PH-A142 X B142 X C35MM       | 15W  | 5000 | 240V    | WHITE      | NON EMERGENCY    | PHASE CUT DIMMABLE       | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1800LM | A142 X B142 X C35MM |       |
| 60 | MAZDA-DXR177915W-5K-240V-WH-10VDIM-A142 X B142 X C35MM   | 15W  | 5000 | 240V    | WHITE      | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1800LM | A142 X B142 X C35MM |       |
| 61 | MAZDA-DXR177915W-6K-240V-WH-ND-A142 X B142 X C35MM       | 15W  | 6000 | 240V    | WHITE      | NON EMERGENCY    | ON - OFF                 | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1800LM | A142 X B142 X C35MM |       |
| 62 | MAZDA-DXR177915W-6K-240V-WH-DA-A142 X B142 X C35MM       | 15W  | 6000 | 240V    | WHITE      | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1800LM | A142 X B142 X C35MM |       |
| 63 | MAZDA-DXR177915W-6K-240V-WH-PH-A142 X B142 X C35MM       | 15W  | 6000 | 240V    | WHITE      | NON EMERGENCY    | PHASE CUT DIMMABLE       | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1800LM | A142 X B142 X C35MM |       |
| 64 | MAZDA-DXR177915W-6K-240V-WH-10VDIM-A142 X B142 X C35MM   | 15W  | 6000 | 240V    | WHITE      | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1800LM | A142 X B142 X C35MM |       |
| 65 | MAZDA-DXR177915W-2.7K-240V-WH-ND-A142 X B142 X C35MM     | 15W  | 2700 | 240V    | WHITE      | NON EMERGENCY    | ON - OFF                 | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1800LM | A142 X B142 X C35MM |       |
| 66 | MAZDA-DXR177915W-2.7K-240V-WH-DA-A142 X B142 X C35MM     | 15W  | 2700 | 240V    | WHITE      | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1800LM | A142 X B142 X C35MM |       |
| 67 | MAZDA-DXR177915W-2.7K-240V-WH-PH-A142 X B142 X C35MM     | 15W  | 2700 | 240V    | WHITE      | NON EMERGENCY    | PHASE CUT DIMMABLE       | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1800LM | A142 X B142 X C35MM |       |
| 68 | MAZDA-DXR177915W-2.7K-240V-WH-10VDIM-A142 X B142 X C35MM | 15W  | 2700 | 240V    | WHITE      | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1800LM | A142 X B142 X C35MM |       |
| 69 | MAZDA-DXR177915W-6.5K-240V-WH-ND-A142 X B142 X C35MM     | 15W  | 6500 | 240V    | WHITE      | NON EMERGENCY    | ON - OFF                 | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1800LM | A142 X B142 X C35MM |       |
| 70 | MAZDA-DXR177915W-6.5K-240V-WH-DA-A142 X B142 X C35MM     | 15W  | 6500 | 240V    | WHITE      | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1800LM | A142 X B142 X C35MM |       |
| 71 | MAZDA-DXR177915W-6.5K-240V-WH-PH-A142 X B142 X C35MM     | 15W  | 6500 | 240V    | WHITE      | NON EMERGENCY    | PHASE CUT DIMMABLE       | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1800LM | A142 X B142 X C35MM |       |
| 72 | MAZDA-DXR177915W-6.5K-240V-WH-10VDIM-A142 X B142 X C35MM | 15W  | 6500 | 240V    | WHITE      | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 24         | A142 X B142 X C35MM | DIE CAST ALUMINUM | IP54 | 1800LM | A142 X B142 X C35MM |       |
| 73 | MAZDA-DXR177918W-3K-240V-WH-ND-A170 X B170 X C35MM       | 18W  | 3000 | 240V    | WHITE      | NON EMERGENCY    | ON - OFF                 | 24         | A170 X B170 X C35MM | DIE CAST ALUMINUM | IP54 | 2160LM | A170 X B170 X C35MM |       |



# DATASHEET

GENERATED ON: 14 Sep 2026 | SYS.REF: MAZDA-LED

| #   | Code                                                     | WATT | CCT  | Voltage | Body Color | Emergency Backup | Control                  | Beam Angel | Dimension           | Material          | IP   | lumen  | Dimensions          | Price |
|-----|----------------------------------------------------------|------|------|---------|------------|------------------|--------------------------|------------|---------------------|-------------------|------|--------|---------------------|-------|
| 74  | MAZDA-DXR177918W-3K-240V-WH-DA-A170 X B170 X C35MM       | 18W  | 3000 | 240V    | WHITE      | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 24         | A170 X B170 X C35MM | DIE CAST ALUMINUM | IP54 | 2160LM | A170 X B170 X C35MM |       |
| 75  | MAZDA-DXR177918W-3K-240V-WH-PH-A170 X B170 X C35MM       | 18W  | 3000 | 240V    | WHITE      | NON EMERGENCY    | PHASE CUT DIMMABLE       | 24         | A170 X B170 X C35MM | DIE CAST ALUMINUM | IP54 | 2160LM | A170 X B170 X C35MM |       |
| 76  | MAZDA-DXR177918W-3K-240V-WH-10VDIM-A170 X B170 X C35MM   | 18W  | 3000 | 240V    | WHITE      | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 24         | A170 X B170 X C35MM | DIE CAST ALUMINUM | IP54 | 2160LM | A170 X B170 X C35MM |       |
| 77  | MAZDA-DXR177918W-4K-240V-WH-ND-A170 X B170 X C35MM       | 18W  | 4000 | 240V    | WHITE      | NON EMERGENCY    | ON - OFF                 | 24         | A170 X B170 X C35MM | DIE CAST ALUMINUM | IP54 | 2160LM | A170 X B170 X C35MM |       |
| 78  | MAZDA-DXR177918W-4K-240V-WH-DA-A170 X B170 X C35MM       | 18W  | 4000 | 240V    | WHITE      | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 24         | A170 X B170 X C35MM | DIE CAST ALUMINUM | IP54 | 2160LM | A170 X B170 X C35MM |       |
| 79  | MAZDA-DXR177918W-4K-240V-WH-PH-A170 X B170 X C35MM       | 18W  | 4000 | 240V    | WHITE      | NON EMERGENCY    | PHASE CUT DIMMABLE       | 24         | A170 X B170 X C35MM | DIE CAST ALUMINUM | IP54 | 2160LM | A170 X B170 X C35MM |       |
| 80  | MAZDA-DXR177918W-4K-240V-WH-10VDIM-A170 X B170 X C35MM   | 18W  | 4000 | 240V    | WHITE      | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 24         | A170 X B170 X C35MM | DIE CAST ALUMINUM | IP54 | 2160LM | A170 X B170 X C35MM |       |
| 81  | MAZDA-DXR177918W-5K-240V-WH-ND-A170 X B170 X C35MM       | 18W  | 5000 | 240V    | WHITE      | NON EMERGENCY    | ON - OFF                 | 24         | A170 X B170 X C35MM | DIE CAST ALUMINUM | IP54 | 2160LM | A170 X B170 X C35MM |       |
| 82  | MAZDA-DXR177918W-5K-240V-WH-DA-A170 X B170 X C35MM       | 18W  | 5000 | 240V    | WHITE      | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 24         | A170 X B170 X C35MM | DIE CAST ALUMINUM | IP54 | 2160LM | A170 X B170 X C35MM |       |
| 83  | MAZDA-DXR177918W-5K-240V-WH-PH-A170 X B170 X C35MM       | 18W  | 5000 | 240V    | WHITE      | NON EMERGENCY    | PHASE CUT DIMMABLE       | 24         | A170 X B170 X C35MM | DIE CAST ALUMINUM | IP54 | 2160LM | A170 X B170 X C35MM |       |
| 84  | MAZDA-DXR177918W-5K-240V-WH-10VDIM-A170 X B170 X C35MM   | 18W  | 5000 | 240V    | WHITE      | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 24         | A170 X B170 X C35MM | DIE CAST ALUMINUM | IP54 | 2160LM | A170 X B170 X C35MM |       |
| 85  | MAZDA-DXR177918W-6K-240V-WH-ND-A170 X B170 X C35MM       | 18W  | 6000 | 240V    | WHITE      | NON EMERGENCY    | ON - OFF                 | 24         | A170 X B170 X C35MM | DIE CAST ALUMINUM | IP54 | 2160LM | A170 X B170 X C35MM |       |
| 86  | MAZDA-DXR177918W-6K-240V-WH-DA-A170 X B170 X C35MM       | 18W  | 6000 | 240V    | WHITE      | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 24         | A170 X B170 X C35MM | DIE CAST ALUMINUM | IP54 | 2160LM | A170 X B170 X C35MM |       |
| 87  | MAZDA-DXR177918W-6K-240V-WH-PH-A170 X B170 X C35MM       | 18W  | 6000 | 240V    | WHITE      | NON EMERGENCY    | PHASE CUT DIMMABLE       | 24         | A170 X B170 X C35MM | DIE CAST ALUMINUM | IP54 | 2160LM | A170 X B170 X C35MM |       |
| 88  | MAZDA-DXR177918W-6K-240V-WH-10VDIM-A170 X B170 X C35MM   | 18W  | 6000 | 240V    | WHITE      | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 24         | A170 X B170 X C35MM | DIE CAST ALUMINUM | IP54 | 2160LM | A170 X B170 X C35MM |       |
| 89  | MAZDA-DXR177918W-2.7K-240V-WH-ND-A170 X B170 X C35MM     | 18W  | 2700 | 240V    | WHITE      | NON EMERGENCY    | ON - OFF                 | 24         | A170 X B170 X C35MM | DIE CAST ALUMINUM | IP54 | 2160LM | A170 X B170 X C35MM |       |
| 90  | MAZDA-DXR177918W-2.7K-240V-WH-DA-A170 X B170 X C35MM     | 18W  | 2700 | 240V    | WHITE      | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 24         | A170 X B170 X C35MM | DIE CAST ALUMINUM | IP54 | 2160LM | A170 X B170 X C35MM |       |
| 91  | MAZDA-DXR177918W-2.7K-240V-WH-PH-A170 X B170 X C35MM     | 18W  | 2700 | 240V    | WHITE      | NON EMERGENCY    | PHASE CUT DIMMABLE       | 24         | A170 X B170 X C35MM | DIE CAST ALUMINUM | IP54 | 2160LM | A170 X B170 X C35MM |       |
| 92  | MAZDA-DXR177918W-2.7K-240V-WH-10VDIM-A170 X B170 X C35MM | 18W  | 2700 | 240V    | WHITE      | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 24         | A170 X B170 X C35MM | DIE CAST ALUMINUM | IP54 | 2160LM | A170 X B170 X C35MM |       |
| 93  | MAZDA-DXR177918W-6.5K-240V-WH-ND-A170 X B170 X C35MM     | 18W  | 6500 | 240V    | WHITE      | NON EMERGENCY    | ON - OFF                 | 24         | A170 X B170 X C35MM | DIE CAST ALUMINUM | IP54 | 2160LM | A170 X B170 X C35MM |       |
| 94  | MAZDA-DXR177918W-6.5K-240V-WH-DA-A170 X B170 X C35MM     | 18W  | 6500 | 240V    | WHITE      | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 24         | A170 X B170 X C35MM | DIE CAST ALUMINUM | IP54 | 2160LM | A170 X B170 X C35MM |       |
| 95  | MAZDA-DXR177918W-6.5K-240V-WH-PH-A170 X B170 X C35MM     | 18W  | 6500 | 240V    | WHITE      | NON EMERGENCY    | PHASE CUT DIMMABLE       | 24         | A170 X B170 X C35MM | DIE CAST ALUMINUM | IP54 | 2160LM | A170 X B170 X C35MM |       |
| 96  | MAZDA-DXR177918W-6.5K-240V-WH-10VDIM-A170 X B170 X C35MM | 18W  | 6500 | 240V    | WHITE      | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 24         | A170 X B170 X C35MM | DIE CAST ALUMINUM | IP54 | 2160LM | A170 X B170 X C35MM |       |
| 97  | MAZDA-DXR177925W-3K-240V-WH-ND-A225 X B225 X C35MM       | 25W  | 3000 | 240V    | WHITE      | NON EMERGENCY    | ON - OFF                 | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 3000LM | A225 X B225 X C35MM |       |
| 98  | MAZDA-DXR177925W-3K-240V-WH-DA-A225 X B225 X C35MM       | 25W  | 3000 | 240V    | WHITE      | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 3000LM | A225 X B225 X C35MM |       |
| 99  | MAZDA-DXR177925W-3K-240V-WH-PH-A225 X B225 X C35MM       | 25W  | 3000 | 240V    | WHITE      | NON EMERGENCY    | PHASE CUT DIMMABLE       | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 3000LM | A225 X B225 X C35MM |       |
| 100 | MAZDA-DXR177925W-3K-240V-WH-10VDIM-A225 X B225 X C35MM   | 25W  | 3000 | 240V    | WHITE      | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 3000LM | A225 X B225 X C35MM |       |
| 101 | MAZDA-DXR177925W-4K-240V-WH-ND-A225 X B225 X C35MM       | 25W  | 4000 | 240V    | WHITE      | NON EMERGENCY    | ON - OFF                 | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 3000LM | A225 X B225 X C35MM |       |



# DATASHEET

GENERATED ON: 14 Sep 2026 | SYS.REF: MAZDA-LED

| #   | Code                                                     | WATT | CCT  | Voltage | Body Color | Emergency Backup | Control                  | Beam Angel | Dimension           | Material          | IP   | lumen  | Dimensions          | Price |
|-----|----------------------------------------------------------|------|------|---------|------------|------------------|--------------------------|------------|---------------------|-------------------|------|--------|---------------------|-------|
| 102 | MAZDA-DXR177925W-4K-240V-WH-DA-A225 X B225 X C35MM       | 25W  | 4000 | 240V    | WHITE      | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 3000LM | A225 X B225 X C35MM |       |
| 103 | MAZDA-DXR177925W-4K-240V-WH-PH-A225 X B225 X C35MM       | 25W  | 4000 | 240V    | WHITE      | NON EMERGENCY    | PHASE CUT DIMMABLE       | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 3000LM | A225 X B225 X C35MM |       |
| 104 | MAZDA-DXR177925W-4K-240V-WH-10VDIM-A225 X B225 X C35MM   | 25W  | 4000 | 240V    | WHITE      | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 3000LM | A225 X B225 X C35MM |       |
| 105 | MAZDA-DXR177925W-5K-240V-WH-ND-A225 X B225 X C35MM       | 25W  | 5000 | 240V    | WHITE      | NON EMERGENCY    | ON - OFF                 | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 3000LM | A225 X B225 X C35MM |       |
| 106 | MAZDA-DXR177925W-5K-240V-WH-DA-A225 X B225 X C35MM       | 25W  | 5000 | 240V    | WHITE      | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 3000LM | A225 X B225 X C35MM |       |
| 107 | MAZDA-DXR177925W-5K-240V-WH-PH-A225 X B225 X C35MM       | 25W  | 5000 | 240V    | WHITE      | NON EMERGENCY    | PHASE CUT DIMMABLE       | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 3000LM | A225 X B225 X C35MM |       |
| 108 | MAZDA-DXR177925W-5K-240V-WH-10VDIM-A225 X B225 X C35MM   | 25W  | 5000 | 240V    | WHITE      | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 3000LM | A225 X B225 X C35MM |       |
| 109 | MAZDA-DXR177925W-6K-240V-WH-ND-A225 X B225 X C35MM       | 25W  | 6000 | 240V    | WHITE      | NON EMERGENCY    | ON - OFF                 | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 3000LM | A225 X B225 X C35MM |       |
| 110 | MAZDA-DXR177925W-6K-240V-WH-DA-A225 X B225 X C35MM       | 25W  | 6000 | 240V    | WHITE      | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 3000LM | A225 X B225 X C35MM |       |
| 111 | MAZDA-DXR177925W-6K-240V-WH-PH-A225 X B225 X C35MM       | 25W  | 6000 | 240V    | WHITE      | NON EMERGENCY    | PHASE CUT DIMMABLE       | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 3000LM | A225 X B225 X C35MM |       |
| 112 | MAZDA-DXR177925W-6K-240V-WH-10VDIM-A225 X B225 X C35MM   | 25W  | 6000 | 240V    | WHITE      | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 3000LM | A225 X B225 X C35MM |       |
| 113 | MAZDA-DXR177925W-2.7K-240V-WH-ND-A225 X B225 X C35MM     | 25W  | 2700 | 240V    | WHITE      | NON EMERGENCY    | ON - OFF                 | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 3000LM | A225 X B225 X C35MM |       |
| 114 | MAZDA-DXR177925W-2.7K-240V-WH-DA-A225 X B225 X C35MM     | 25W  | 2700 | 240V    | WHITE      | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 3000LM | A225 X B225 X C35MM |       |
| 115 | MAZDA-DXR177925W-2.7K-240V-WH-PH-A225 X B225 X C35MM     | 25W  | 2700 | 240V    | WHITE      | NON EMERGENCY    | PHASE CUT DIMMABLE       | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 3000LM | A225 X B225 X C35MM |       |
| 116 | MAZDA-DXR177925W-2.7K-240V-WH-10VDIM-A225 X B225 X C35MM | 25W  | 2700 | 240V    | WHITE      | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 3000LM | A225 X B225 X C35MM |       |
| 117 | MAZDA-DXR177925W-6.5K-240V-WH-ND-A225 X B225 X C35MM     | 25W  | 6500 | 240V    | WHITE      | NON EMERGENCY    | ON - OFF                 | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 3000LM | A225 X B225 X C35MM |       |
| 118 | MAZDA-DXR177925W-6.5K-240V-WH-DA-A225 X B225 X C35MM     | 25W  | 6500 | 240V    | WHITE      | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 3000LM | A225 X B225 X C35MM |       |
| 119 | MAZDA-DXR177925W-6.5K-240V-WH-PH-A225 X B225 X C35MM     | 25W  | 6500 | 240V    | WHITE      | NON EMERGENCY    | PHASE CUT DIMMABLE       | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 3000LM | A225 X B225 X C35MM |       |
| 120 | MAZDA-DXR177925W-6.5K-240V-WH-10VDIM-A225 X B225 X C35MM | 25W  | 6500 | 240V    | WHITE      | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 3000LM | A225 X B225 X C35MM |       |
| 121 | MAZDA-DXR177936W-3K-240V-WH-ND-A225 X B225 X C35MM       | 36W  | 3000 | 240V    | WHITE      | NON EMERGENCY    | ON - OFF                 | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 4320LM | A225 X B225 X C35MM |       |
| 122 | MAZDA-DXR177936W-3K-240V-WH-DA-A225 X B225 X C35MM       | 36W  | 3000 | 240V    | WHITE      | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 4320LM | A225 X B225 X C35MM |       |
| 123 | MAZDA-DXR177936W-3K-240V-WH-PH-A225 X B225 X C35MM       | 36W  | 3000 | 240V    | WHITE      | NON EMERGENCY    | PHASE CUT DIMMABLE       | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 4320LM | A225 X B225 X C35MM |       |
| 124 | MAZDA-DXR177936W-3K-240V-WH-10VDIM-A225 X B225 X C35MM   | 36W  | 3000 | 240V    | WHITE      | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 4320LM | A225 X B225 X C35MM |       |
| 125 | MAZDA-DXR177936W-4K-240V-WH-ND-A225 X B225 X C35MM       | 36W  | 4000 | 240V    | WHITE      | NON EMERGENCY    | ON - OFF                 | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 4320LM | A225 X B225 X C35MM |       |
| 126 | MAZDA-DXR177936W-4K-240V-WH-DA-A225 X B225 X C35MM       | 36W  | 4000 | 240V    | WHITE      | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 4320LM | A225 X B225 X C35MM |       |
| 127 | MAZDA-DXR177936W-4K-240V-WH-PH-A225 X B225 X C35MM       | 36W  | 4000 | 240V    | WHITE      | NON EMERGENCY    | PHASE CUT DIMMABLE       | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 4320LM | A225 X B225 X C35MM |       |
| 128 | MAZDA-DXR177936W-4K-240V-WH-10VDIM-A225 X B225 X C35MM   | 36W  | 4000 | 240V    | WHITE      | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 4320LM | A225 X B225 X C35MM |       |
| 129 | MAZDA-DXR177936W-5K-240V-WH-ND-A225 X B225 X C35MM       | 36W  | 5000 | 240V    | WHITE      | NON EMERGENCY    | ON - OFF                 | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 4320LM | A225 X B225 X C35MM |       |

| #   | Code                                                     | WATT | CCT  | Voltage | Body Color | Emergency Backup | Control                  | Beam Angel | Dimension           | Material          | IP   | lumen  | Dimensions          | Price |
|-----|----------------------------------------------------------|------|------|---------|------------|------------------|--------------------------|------------|---------------------|-------------------|------|--------|---------------------|-------|
| 130 | MAZDA-DXR177936W-5K-240V-WH-DA-A225 X B225 X C35MM       | 36W  | 5000 | 240V    | WHITE      | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 4320LM | A225 X B225 X C35MM |       |
| 131 | MAZDA-DXR177936W-5K-240V-WH-PH-A225 X B225 X C35MM       | 36W  | 5000 | 240V    | WHITE      | NON EMERGENCY    | PHASE CUT DIMMABLE       | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 4320LM | A225 X B225 X C35MM |       |
| 132 | MAZDA-DXR177936W-5K-240V-WH-10VDIM-A225 X B225 X C35MM   | 36W  | 5000 | 240V    | WHITE      | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 4320LM | A225 X B225 X C35MM |       |
| 133 | MAZDA-DXR177936W-6K-240V-WH-ND-A225 X B225 X C35MM       | 36W  | 6000 | 240V    | WHITE      | NON EMERGENCY    | ON - OFF                 | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 4320LM | A225 X B225 X C35MM |       |
| 134 | MAZDA-DXR177936W-6K-240V-WH-DA-A225 X B225 X C35MM       | 36W  | 6000 | 240V    | WHITE      | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 4320LM | A225 X B225 X C35MM |       |
| 135 | MAZDA-DXR177936W-6K-240V-WH-PH-A225 X B225 X C35MM       | 36W  | 6000 | 240V    | WHITE      | NON EMERGENCY    | PHASE CUT DIMMABLE       | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 4320LM | A225 X B225 X C35MM |       |
| 136 | MAZDA-DXR177936W-6K-240V-WH-10VDIM-A225 X B225 X C35MM   | 36W  | 6000 | 240V    | WHITE      | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 4320LM | A225 X B225 X C35MM |       |
| 137 | MAZDA-DXR177936W-2.7K-240V-WH-ND-A225 X B225 X C35MM     | 36W  | 2700 | 240V    | WHITE      | NON EMERGENCY    | ON - OFF                 | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 4320LM | A225 X B225 X C35MM |       |
| 138 | MAZDA-DXR177936W-2.7K-240V-WH-DA-A225 X B225 X C35MM     | 36W  | 2700 | 240V    | WHITE      | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 4320LM | A225 X B225 X C35MM |       |
| 139 | MAZDA-DXR177936W-2.7K-240V-WH-PH-A225 X B225 X C35MM     | 36W  | 2700 | 240V    | WHITE      | NON EMERGENCY    | PHASE CUT DIMMABLE       | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 4320LM | A225 X B225 X C35MM |       |
| 140 | MAZDA-DXR177936W-2.7K-240V-WH-10VDIM-A225 X B225 X C35MM | 36W  | 2700 | 240V    | WHITE      | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 4320LM | A225 X B225 X C35MM |       |
| 141 | MAZDA-DXR177936W-6.5K-240V-WH-ND-A225 X B225 X C35MM     | 36W  | 6500 | 240V    | WHITE      | NON EMERGENCY    | ON - OFF                 | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 4320LM | A225 X B225 X C35MM |       |
| 142 | MAZDA-DXR177936W-6.5K-240V-WH-DA-A225 X B225 X C35MM     | 36W  | 6500 | 240V    | WHITE      | NON EMERGENCY    | DALI DIMMABLE DRIVER     | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 4320LM | A225 X B225 X C35MM |       |
| 143 | MAZDA-DXR177936W-6.5K-240V-WH-PH-A225 X B225 X C35MM     | 36W  | 6500 | 240V    | WHITE      | NON EMERGENCY    | PHASE CUT DIMMABLE       | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 4320LM | A225 X B225 X C35MM |       |
| 144 | MAZDA-DXR177936W-6.5K-240V-WH-10VDIM-A225 X B225 X C35MM | 36W  | 6500 | 240V    | WHITE      | NON EMERGENCY    | 0/1-10 V DIMMABLE DRIVER | 24         | A225 X B225 X C35MM | DIE CAST ALUMINUM | IP54 | 4320LM | A225 X B225 X C35MM |       |