DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED



PLUTO

MAZDA Model: SXR1850 Spot Light

Pluto Trimless led spownlight is designed for durability and stylish, Black/White/Gold reflector optional, with deep anti-glare performance. It is ok for installation at the initial desig stage or as part of wider refurbishment due to the way in which it is fitted. There is square optional with 15°, 24° and 38° optional, now it is widely used for hotels, supermarkets etc.

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
1	MAZDA-SXR185007W-3K-240V-WH-ND-A143 X B84 X C110 MM	07W	3000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	ON - OFF	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	
2	MAZDA-SXR185007W-3K-240V-WH-ND-EM-A143 X B84 X C110 MM	07W	3000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	
3	MAZDA-SXR185007W-3K-240V-WH-DA-A143 X B84 X C110 MM	07W	3000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	
4	MAZDA-SXR185007W-3K-240V-WH-DA-EM-A143 X B84 X C110 MM	07W	3000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	
5	MAZDA-SXR185007W-3K-240V-WH-PH-A143 X B84 X C110 MM	07W	3000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	PHASE CUT DIMMABLE	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	
6	MAZDA-SXR185007W-3K-240V-WH-PH-EM-A143 X B84 X C110 MM	07W	3000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	
7	MAZDA-SXR185007W-3K-240V-WH-10VDIM-A143 X B84 X C110 MM	07W	3000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	
8	MAZDA-SXR185007W-3K-240V-WH-10VDIM-EM-A143 X B84 X C110 MM	07W	3000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	
9	MAZDA-SXR185007W-4K-240V-WH-ND-A143 X B84 X C110 MM	07W	4000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	ON - OFF	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	
10	MAZDA-SXR185007W-4K-240V-WH-ND-EM-A143 X B84 X C110 MM	07W	4000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	
11	MAZDA-SXR185007W-4K-240V-WH-DA-A143 X B84 X C110 MM	07W	4000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	
12	MAZDA-SXR185007W-4K-240V-WH-DA-EM-A143 X B84 X C110 MM	07W	4000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	
13	MAZDA-SXR185007W-4K-240V-WH-PH-A143 X B84 X C110 MM	07W	4000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	PHASE CUT DIMMABLE	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	
14	MAZDA-SXR185007W-4K-240V-WH-PH-EM-A143 X B84 X C110 MM	07W	4000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
15	**MAZDA-SXR185007W-4K-240V-WH-10VDIM-A143 X B84 X C110 MM**	07W	4000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	
16	**MAZDA-SXR185007W-4K-240V-WH-10VDIM-EM-A143 X B84 X C110 MM**	07W	4000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	
17	**MAZDA-SXR185007W-5K-240V-WH-ND-A143 X B84 X C110 MM**	07W	5000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	ON - OFF	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	
18	**MAZDA-SXR185007W-5K-240V-WH-ND-EM-A143 X B84 X C110 MM**	07W	5000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	
19	**MAZDA-SXR185007W-5K-240V-WH-DA-A143 X B84 X C110 MM**	07W	5000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	
20	**MAZDA-SXR185007W-5K-240V-WH-DA-EM-A143 X B84 X C110 MM**	07W	5000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	
21	**MAZDA-SXR185007W-5K-240V-WH-PH-A143 X B84 X C110 MM**	07W	5000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	PHASE CUT DIMMABLE	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	
22	**MAZDA-SXR185007W-5K-240V-WH-PH-EM-A143 X B84 X C110 MM**	07W	5000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	
23	**MAZDA-SXR185007W-5K-240V-WH-10VDIM-A143 X B84 X C110 MM**	07W	5000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	
24	**MAZDA-SXR185007W-5K-240V-WH-10VDIM-EM-A143 X B84 X C110 MM**	07W	5000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	
25	**MAZDA-SXR185007W-6K-240V-WH-ND-A143 X B84 X C110 MM**	07W	6000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	ON - OFF	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	
26	**MAZDA-SXR185007W-6K-240V-WH-ND-EM-A143 X B84 X C110 MM**	07W	6000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	
27	**MAZDA-SXR185007W-6K-240V-WH-DA-A143 X B84 X C110 MM**	07W	6000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	
28	**MAZDA-SXR185007W-6K-240V-WH-DA-EM-A143 X B84 X C110 MM**	07W	6000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	
29	**MAZDA-SXR185007W-6K-240V-WH-PH-A143 X B84 X C110 MM**	07W	6000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	PHASE CUT DIMMABLE	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	
30	**MAZDA-SXR185007W-6K-240V-WH-PH-EM-A143 X B84 X C110 MM**	07W	6000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	
31	**MAZDA-SXR185007W-6K-240V-WH-10VDIM-A143 X B84 X C110 MM**	07W	6000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	
32	**MAZDA-SXR185007W-6K-240V-WH-10VDIM-EM-A143 X B84 X C110 MM**	07W	6000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	
33	**MAZDA-SXR185007W-2.7K-240V-WH-ND-A143 X B84 X C110 MM**	07W	2700	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	ON - OFF	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	
34	**MAZDA-SXR185007W-2.7K-240V-WH-ND-EM-A143 X B84 X C110 MM**	07W	2700	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	
35	**MAZDA-SXR185007W-2.7K-240V-WH-DA-A143 X B84 X C110 MM**	07W	2700	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	
36	**MAZDA-SXR185007W-2.7K-240V-WH-DA-EM-A143 X B84 X C110 MM**	07W	2700	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
37	**MAZDA-SXR185007W-2.7K-240V-WH-PH-A143 X B84 X C110 MM**	07W	2700	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	PHASE CUT DIMMABLE	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	
38	**MAZDA-SXR185007W-2.7K-240V-WH-PH-EM-A143 X B84 X C110 MM**	07W	2700	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	
39	**MAZDA-SXR185007W-2.7K-240V-WH-10VDIM-A143 X B84 X C110 MM**	07W	2700	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	
40	**MAZDA-SXR185007W-2.7K-240V-WH-10VDIM-EM-A143 X B84 X C110 MM**	07W	2700	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	
41	**MAZDA-SXR185007W-6.5K-240V-WH-ND-A143 X B84 X C110 MM**	07W	6500	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	ON - OFF	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	
42	**MAZDA-SXR185007W-6.5K-240V-WH-ND-EM-A143 X B84 X C110 MM**	07W	6500	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	
43	**MAZDA-SXR185007W-6.5K-240V-WH-DA-A143 X B84 X C110 MM**	07W	6500	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	
44	**MAZDA-SXR185007W-6.5K-240V-WH-DA-EM-A143 X B84 X C110 MM**	07W	6500	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	
45	**MAZDA-SXR185007W-6.5K-240V-WH-PH-A143 X B84 X C110 MM**	07W	6500	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	PHASE CUT DIMMABLE	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	
46	**MAZDA-SXR185007W-6.5K-240V-WH-PH-EM-A143 X B84 X C110 MM**	07W	6500	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	
47	**MAZDA-SXR185007W-6.5K-240V-WH-10VDIM-A143 X B84 X C110 MM**	07W	6500	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	
48	**MAZDA-SXR185007W-6.5K-240V-WH-10VDIM-EM-A143 X B84 X C110 MM**	07W	6500	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	700LM	A143 X B84 X C110 MM	
49	**MAZDA-SXR185010W-3K-240V-WH-ND-A143 X B84 X C110 MM**	10W	3000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	ON - OFF	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	
50	**MAZDA-SXR185010W-3K-240V-WH-ND-EM-A143 X B84 X C110 MM**	10W	3000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	
51	**MAZDA-SXR185010W-3K-240V-WH-DA-A143 X B84 X C110 MM**	10W	3000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	
52	**MAZDA-SXR185010W-3K-240V-WH-DA-EM-A143 X B84 X C110 MM**	10W	3000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	
53	**MAZDA-SXR185010W-3K-240V-WH-PH-A143 X B84 X C110 MM**	10W	3000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	PHASE CUT DIMMABLE	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	
54	**MAZDA-SXR185010W-3K-240V-WH-PH-EM-A143 X B84 X C110 MM**	10W	3000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	
55	**MAZDA-SXR185010W-3K-240V-WH-10VDIM-A143 X B84 X C110 MM**	10W	3000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	
56	**MAZDA-SXR185010W-3K-240V-WH-10VDIM-EM-A143 X B84 X C110 MM**	10W	3000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	
57	**MAZDA-SXR185010W-4K-240V-WH-ND-A143 X B84 X C110 MM**	10W	4000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	ON - OFF	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	
58	**MAZDA-SXR185010W-4K-240V-WH-ND-EM-A143 X B84 X C110 MM**	10W	4000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
59	**MAZDA-SXR185010W-4K-240V-WH-DA-A143 X B84 X C110 MM**	10W	4000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	
60	**MAZDA-SXR185010W-4K-240V-WH-DA-EM-A143 X B84 X C110 MM**	10W	4000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	
61	**MAZDA-SXR185010W-4K-240V-WH-PH-A143 X B84 X C110 MM**	10W	4000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	PHASE CUT DIMMABLE	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	
62	**MAZDA-SXR185010W-4K-240V-WH-PH-EM-A143 X B84 X C110 MM**	10W	4000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	
63	**MAZDA-SXR185010W-4K-240V-WH-10VDIM-A143 X B84 X C110 MM**	10W	4000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	
64	**MAZDA-SXR185010W-4K-240V-WH-10VDIM-EM-A143 X B84 X C110 MM**	10W	4000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	
65	**MAZDA-SXR185010W-5K-240V-WH-ND-A143 X B84 X C110 MM**	10W	5000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	ON - OFF	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	
66	**MAZDA-SXR185010W-5K-240V-WH-ND-EM-A143 X B84 X C110 MM**	10W	5000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	
67	**MAZDA-SXR185010W-5K-240V-WH-DA-A143 X B84 X C110 MM**	10W	5000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	
68	**MAZDA-SXR185010W-5K-240V-WH-DA-EM-A143 X B84 X C110 MM**	10W	5000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	
69	**MAZDA-SXR185010W-5K-240V-WH-PH-A143 X B84 X C110 MM**	10W	5000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	PHASE CUT DIMMABLE	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	
70	**MAZDA-SXR185010W-5K-240V-WH-PH-EM-A143 X B84 X C110 MM**	10W	5000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	
71	**MAZDA-SXR185010W-5K-240V-WH-10VDIM-A143 X B84 X C110 MM**	10W	5000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	
72	**MAZDA-SXR185010W-5K-240V-WH-10VDIM-EM-A143 X B84 X C110 MM**	10W	5000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	
73	**MAZDA-SXR185010W-6K-240V-WH-ND-A143 X B84 X C110 MM**	10W	6000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	ON - OFF	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	
74	**MAZDA-SXR185010W-6K-240V-WH-ND-EM-A143 X B84 X C110 MM**	10W	6000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	
75	**MAZDA-SXR185010W-6K-240V-WH-DA-A143 X B84 X C110 MM**	10W	6000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	
76	**MAZDA-SXR185010W-6K-240V-WH-DA-EM-A143 X B84 X C110 MM**	10W	6000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	
77	**MAZDA-SXR185010W-6K-240V-WH-PH-A143 X B84 X C110 MM**	10W	6000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	PHASE CUT DIMMABLE	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	
78	**MAZDA-SXR185010W-6K-240V-WH-PH-EM-A143 X B84 X C110 MM**	10W	6000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	
79	**MAZDA-SXR185010W-6K-240V-WH-10VDIM-A143 X B84 X C110 MM**	10W	6000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	
80	**MAZDA-SXR185010W-6K-240V-WH-10VDIM-EM-A143 X B84 X C110 MM**	10W	6000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
81	**MAZDA-SXR185010W-2.7K-240V-WH-ND-A143 X B84 X C110 MM**	10W	2700	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	ON - OFF	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	
82	**MAZDA-SXR185010W-2.7K-240V-WH-ND-EM-A143 X B84 X C110 MM**	10W	2700	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	
83	**MAZDA-SXR185010W-2.7K-240V-WH-DA-A143 X B84 X C110 MM**	10W	2700	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	
84	**MAZDA-SXR185010W-2.7K-240V-WH-DA-EM-A143 X B84 X C110 MM**	10W	2700	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	
85	**MAZDA-SXR185010W-2.7K-240V-WH-PH-A143 X B84 X C110 MM**	10W	2700	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	PHASE CUT DIMMABLE	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	
86	**MAZDA-SXR185010W-2.7K-240V-WH-PH-EM-A143 X B84 X C110 MM**	10W	2700	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	
87	**MAZDA-SXR185010W-2.7K-240V-WH-10VDIM-A143 X B84 X C110 MM**	10W	2700	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	
88	**MAZDA-SXR185010W-2.7K-240V-WH-10VDIM-EM-A143 X B84 X C110 MM**	10W	2700	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	
89	**MAZDA-SXR185010W-6.5K-240V-WH-ND-A143 X B84 X C110 MM**	10W	6500	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	ON - OFF	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	
90	**MAZDA-SXR185010W-6.5K-240V-WH-ND-EM-A143 X B84 X C110 MM**	10W	6500	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	
91	**MAZDA-SXR185010W-6.5K-240V-WH-DA-A143 X B84 X C110 MM**	10W	6500	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	
92	**MAZDA-SXR185010W-6.5K-240V-WH-DA-EM-A143 X B84 X C110 MM**	10W	6500	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	
93	**MAZDA-SXR185010W-6.5K-240V-WH-PH-A143 X B84 X C110 MM**	10W	6500	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	PHASE CUT DIMMABLE	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	
94	**MAZDA-SXR185010W-6.5K-240V-WH-PH-EM-A143 X B84 X C110 MM**	10W	6500	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	
95	**MAZDA-SXR185010W-6.5K-240V-WH-10VDIM-A143 X B84 X C110 MM**	10W	6500	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	
96	**MAZDA-SXR185010W-6.5K-240V-WH-10VDIM-EM-A143 X B84 X C110 MM**	10W	6500	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1000LM	A143 X B84 X C110 MM	
97	**MAZDA-SXR185015W-3K-240V-WH-ND-A143 X B84 X C110 MM**	15W	3000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	ON - OFF	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	
98	**MAZDA-SXR185015W-3K-240V-WH-ND-EM-A143 X B84 X C110 MM**	15W	3000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	
99	**MAZDA-SXR185015W-3K-240V-WH-DA-A143 X B84 X C110 MM**	15W	3000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	
100	**MAZDA-SXR185015W-3K-240V-WH-DA-EM-A143 X B84 X C110 MM**	15W	3000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	
101	**MAZDA-SXR185015W-3K-240V-WH-PH-A143 X B84 X C110 MM**	15W	3000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	PHASE CUT DIMMABLE	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	
102	**MAZDA-SXR185015W-3K-240V-WH-PH-EM-A143 X B84 X C110 MM**	15W	3000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
103	**MAZDA-SXR185015W-3K-240V-WH-10VDIM-A143 X B84 X C110 MM**	15W	3000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	
104	**MAZDA-SXR185015W-3K-240V-WH-10VDIM-EM-A143 X B84 X C110 MM**	15W	3000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	
105	**MAZDA-SXR185015W-4K-240V-WH-ND-A143 X B84 X C110 MM**	15W	4000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	ON - OFF	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	
106	**MAZDA-SXR185015W-4K-240V-WH-ND-EM-A143 X B84 X C110 MM**	15W	4000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	
107	**MAZDA-SXR185015W-4K-240V-WH-DA-A143 X B84 X C110 MM**	15W	4000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	
108	**MAZDA-SXR185015W-4K-240V-WH-DA-EM-A143 X B84 X C110 MM**	15W	4000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	
109	**MAZDA-SXR185015W-4K-240V-WH-PH-A143 X B84 X C110 MM**	15W	4000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	PHASE CUT DIMMABLE	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	
110	**MAZDA-SXR185015W-4K-240V-WH-PH-EM-A143 X B84 X C110 MM**	15W	4000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	
111	**MAZDA-SXR185015W-4K-240V-WH-10VDIM-A143 X B84 X C110 MM**	15W	4000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	
112	**MAZDA-SXR185015W-4K-240V-WH-10VDIM-EM-A143 X B84 X C110 MM**	15W	4000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	
113	**MAZDA-SXR185015W-5K-240V-WH-ND-A143 X B84 X C110 MM**	15W	5000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	ON - OFF	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	
114	**MAZDA-SXR185015W-5K-240V-WH-ND-EM-A143 X B84 X C110 MM**	15W	5000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	
115	**MAZDA-SXR185015W-5K-240V-WH-DA-A143 X B84 X C110 MM**	15W	5000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	
116	**MAZDA-SXR185015W-5K-240V-WH-DA-EM-A143 X B84 X C110 MM**	15W	5000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	
117	**MAZDA-SXR185015W-5K-240V-WH-PH-A143 X B84 X C110 MM**	15W	5000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	PHASE CUT DIMMABLE	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	
118	**MAZDA-SXR185015W-5K-240V-WH-PH-EM-A143 X B84 X C110 MM**	15W	5000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	
119	**MAZDA-SXR185015W-5K-240V-WH-10VDIM-A143 X B84 X C110 MM**	15W	5000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	
120	**MAZDA-SXR185015W-5K-240V-WH-10VDIM-EM-A143 X B84 X C110 MM**	15W	5000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	
121	**MAZDA-SXR185015W-6K-240V-WH-ND-A143 X B84 X C110 MM**	15W	6000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	ON - OFF	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	
122	**MAZDA-SXR185015W-6K-240V-WH-ND-EM-A143 X B84 X C110 MM**	15W	6000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	
123	**MAZDA-SXR185015W-6K-240V-WH-DA-A143 X B84 X C110 MM**	15W	6000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	
124	**MAZDA-SXR185015W-6K-240V-WH-DA-EM-A143 X B84 X C110 MM**	15W	6000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
125	**MAZDA-SXR185015W-6K-240V-WH-PH-A143 X B84 X C110 MM**	15W	6000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	PHASE CUT DIMMABLE	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	
126	**MAZDA-SXR185015W-6K-240V-WH-PH-EM-A143 X B84 X C110 MM**	15W	6000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	
127	**MAZDA-SXR185015W-6K-240V-WH-10VDIM-A143 X B84 X C110 MM**	15W	6000	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	
128	**MAZDA-SXR185015W-6K-240V-WH-10VDIM-EM-A143 X B84 X C110 MM**	15W	6000	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	
129	**MAZDA-SXR185015W-2.7K-240V-WH-ND-A143 X B84 X C110 MM**	15W	2700	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	ON - OFF	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	
130	**MAZDA-SXR185015W-2.7K-240V-WH-ND-EM-A143 X B84 X C110 MM**	15W	2700	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	
131	**MAZDA-SXR185015W-2.7K-240V-WH-DA-A143 X B84 X C110 MM**	15W	2700	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	
132	**MAZDA-SXR185015W-2.7K-240V-WH-DA-EM-A143 X B84 X C110 MM**	15W	2700	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	
133	**MAZDA-SXR185015W-2.7K-240V-WH-PH-A143 X B84 X C110 MM**	15W	2700	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	PHASE CUT DIMMABLE	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	
134	**MAZDA-SXR185015W-2.7K-240V-WH-PH-EM-A143 X B84 X C110 MM**	15W	2700	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	
135	**MAZDA-SXR185015W-2.7K-240V-WH-10VDIM-A143 X B84 X C110 MM**	15W	2700	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	
136	**MAZDA-SXR185015W-2.7K-240V-WH-10VDIM-EM-A143 X B84 X C110 MM**	15W	2700	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	
137	**MAZDA-SXR185015W-6.5K-240V-WH-ND-A143 X B84 X C110 MM**	15W	6500	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	ON - OFF	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	
138	**MAZDA-SXR185015W-6.5K-240V-WH-ND-EM-A143 X B84 X C110 MM**	15W	6500	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	ON - OFF	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	
139	**MAZDA-SXR185015W-6.5K-240V-WH-DA-A143 X B84 X C110 MM**	15W	6500	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	
140	**MAZDA-SXR185015W-6.5K-240V-WH-DA-EM-A143 X B84 X C110 MM**	15W	6500	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	
141	**MAZDA-SXR185015W-6.5K-240V-WH-PH-A143 X B84 X C110 MM**	15W	6500	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	PHASE CUT DIMMABLE	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	
142	**MAZDA-SXR185015W-6.5K-240V-WH-PH-EM-A143 X B84 X C110 MM**	15W	6500	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	
143	**MAZDA-SXR185015W-6.5K-240V-WH-10VDIM-A143 X B84 X C110 MM**	15W	6500	240V	WHITE, BRONZE, GOLD, SILVER'	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	
144	**MAZDA-SXR185015W-6.5K-240V-WH-10VDIM-EM-A143 X B84 X C110 MM**	15W	6500	240V	WHITE, BRONZE, GOLD, SILVER'	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	15	A143 X B84 X C110 MM	DIE CAST ALUMINUM	IP54	1500LM	A143 X B84 X C110 MM	