DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED



STAKU

MAZDA Model: DXR1760 Downlight

This innovative deep reflector downlight combines high-lumen efficiency SMD LED technology with durable ADC12 aluminum for excellent thermal management. Featuring three interchangeable covers—honeycomb, tri-reflector, and adapter ring—it offers versatile applications and easy installation. The low-glare design (UGR<19) ensures optimal lighting with an IP54-rated front for added durability. Equipped with an external flicker-free driver, it supports multiple dimming options (Triac, DALI, 0-10V, Push dim). Ideal for offices, shops, hotels, and public areas such as lobbies, stairways, and corridors, this downlight delivers reliable performance with stylish adaptability

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
1	MAZDA-DXR176010W-3K-240V-WH-ND-A110 X B84 X C100 MM	10W	3000	240V	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A110 X B84 X C100 MM	DIE CAST ALUMINUM	IP54	1000LM	A110 X B84 X C100 MM	
2	MAZDA-DXR176010W-3K-240V-WH-DA-A110 X B84 X C100 MM	10W	3000	240V	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A110 X B84 X C100 MM	DIE CAST ALUMINUM	IP54	1000LM	A110 X B84 X C100 MM	
3	MAZDA-DXR176010W-3K-240V-WH-PH-A110 X B84 X C100 MM	10W	3000	240V	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A110 X B84 X C100 MM	DIE CAST ALUMINUM	IP54	1000LM	A110 X B84 X C100 MM	
4	MAZDA-DXR176010W-3K-240V-WH-10VDIM-A110 X B84 X C100 MM	10W	3000	240V	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A110 X B84 X C100 MM	DIE CAST ALUMINUM	IP54	1000LM	A110 X B84 X C100 MM	
5	MAZDA-DXR176010W-4K-240V-WH-ND-A110 X B84 X C100 MM	10W	4000	240V	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A110 X B84 X C100 MM	DIE CAST ALUMINUM	IP54	1000LM	A110 X B84 X C100 MM	
6	MAZDA-DXR176010W-4K-240V-WH-DA-A110 X B84 X C100 MM	10W	4000	240V	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A110 X B84 X C100 MM	DIE CAST ALUMINUM	IP54	1000LM	A110 X B84 X C100 MM	
7	MAZDA-DXR176010W-4K-240V-WH-PH-A110 X B84 X C100 MM	10W	4000	240V	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A110 X B84 X C100 MM	DIE CAST ALUMINUM	IP54	1000LM	A110 X B84 X C100 MM	
8	MAZDA-DXR176010W-4K-240V-WH-10VDIM-A110 X B84 X C100 MM	10W	4000	240V	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A110 X B84 X C100 MM	DIE CAST ALUMINUM	IP54	1000LM	A110 X B84 X C100 MM	
9	MAZDA-DXR176010W-5K-240V-WH-ND-A110 X B84 X C100 MM	10W	5000	240V	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A110 X B84 X C100 MM	DIE CAST ALUMINUM	IP54	1000LM	A110 X B84 X C100 MM	
10	MAZDA-DXR176010W-5K-240V-WH-DA-A110 X B84 X C100 MM	10W	5000	240V	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A110 X B84 X C100 MM	DIE CAST ALUMINUM	IP54	1000LM	A110 X B84 X C100 MM	
11	MAZDA-DXR176010W-5K-240V-WH-PH-A110 X B84 X C100 MM	10W	5000	240V	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A110 X B84 X C100 MM	DIE CAST ALUMINUM	IP54	1000LM	A110 X B84 X C100 MM	
12	MAZDA-DXR176010W-5K-240V-WH-10VDIM-A110 X B84 X C100 MM	10W	5000	240V	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A110 X B84 X C100 MM	DIE CAST ALUMINUM	IP54	1000LM	A110 X B84 X C100 MM	
13	MAZDA-DXR176010W-6K-240V-WH-ND-A110 X B84 X C100 MM	10W	6000	240V	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A110 X B84 X C100 MM	DIE CAST ALUMINUM	IP54	1000LM	A110 X B84 X C100 MM	
14	MAZDA-DXR176010W-6K-240V-WH-DA-A110 X B84 X C100 MM	10W	6000	240V	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A110 X B84 X C100 MM	DIE CAST ALUMINUM	IP54	1000LM	A110 X B84 X C100 MM	
15	MAZDA-DXR176010W-6K-240V-WH-PH-A110 X B84 X C100 MM	10W	6000	240V	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A110 X B84 X C100 MM	DIE CAST ALUMINUM	IP54	1000LM	A110 X B84 X C100 MM	
16	MAZDA-DXR176010W-6K-240V-WH-10VDIM-A110 X B84 X C100 MM	10W	6000	240V	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A110 X B84 X C100 MM	DIE CAST ALUMINUM	IP54	1000LM	A110 X B84 X C100 MM	
17	MAZDA-DXR176010W-2.7K-240V-WH-ND-A110 X B84 X C100 MM	10W	2700	240V	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A110 X B84 X C100 MM	DIE CAST ALUMINUM	IP54	1000LM	A110 X B84 X C100 MM	
18	MAZDA-DXR176010W-2.7K-240V-WH-DA-A110 X B84 X C100 MM	10W	2700	240V	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A110 X B84 X C100 MM	DIE CAST ALUMINUM	IP54	1000LM	A110 X B84 X C100 MM	
19	MAZDA-DXR176010W-2.7K-240V-WH-PH-A110 X B84 X C100 MM	10W	2700	240V	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A110 X B84 X C100 MM	DIE CAST ALUMINUM	IP54	1000LM	A110 X B84 X C100 MM	
20	MAZDA-DXR176010W-2.7K-240V-WH-10VDIM-A110 X B84 X C100 MM	10W	2700	240V	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A110 X B84 X C100 MM	DIE CAST ALUMINUM	IP54	1000LM	A110 X B84 X C100 MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
21	MAZDA-DXR176010W-6.5K-240V-WH-ND-A110 X B84 X C100 MM	10W	6500	240V	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A110 X B84 X C100 MM	DIE CAST ALUMINUM	IP54	1000LM	A110 X B84 X C100 MM	
22	MAZDA-DXR176010W-6.5K-240V-WH-DA-A110 X B84 X C100 MM	10W	6500	240V	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A110 X B84 X C100 MM	DIE CAST ALUMINUM	IP54	1000LM	A110 X B84 X C100 MM	
23	MAZDA-DXR176010W-6.5K-240V-WH-PH-A110 X B84 X C100 MM	10W	6500	240V	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A110 X B84 X C100 MM	DIE CAST ALUMINUM	IP54	1000LM	A110 X B84 X C100 MM	
24	MAZDA-DXR176010W-6.5K-240V-WH-10VDIM-A110 X B84 X C100 MM	10W	6500	240V	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A110 X B84 X C100 MM	DIE CAST ALUMINUM	IP54	1000LM	A110 X B84 X C100 MM	
25	MAZDA-DXR176018W-3K-240V-WH-ND-A135 X B96 X C125 MM	18W	3000	240V	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B96 X C125 MM	
26	MAZDA-DXR176018W-3K-240V-WH-DA-A135 X B96 X C125 MM	18W	3000	240V	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B96 X C125 MM	
27	MAZDA-DXR176018W-3K-240V-WH-PH-A135 X B96 X C125 MM	18W	3000	240V	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B96 X C125 MM	
28	MAZDA-DXR176018W-3K-240V-WH-10VDIM-A135 X B96 X C125 MM	18W	3000	240V	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B96 X C125 MM	
29	MAZDA-DXR176018W-4K-240V-WH-ND-A135 X B96 X C125 MM	18W	4000	240V	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B96 X C125 MM	
30	MAZDA-DXR176018W-4K-240V-WH-DA-A135 X B96 X C125 MM	18W	4000	240V	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B96 X C125 MM	
31	MAZDA-DXR176018W-4K-240V-WH-PH-A135 X B96 X C125 MM	18W	4000	240V	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B96 X C125 MM	
32	MAZDA-DXR176018W-4K-240V-WH-10VDIM-A135 X B96 X C125 MM	18W	4000	240V	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B96 X C125 MM	
33	MAZDA-DXR176018W-5K-240V-WH-ND-A135 X B96 X C125 MM	18W	5000	240V	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B96 X C125 MM	
34	MAZDA-DXR176018W-5K-240V-WH-DA-A135 X B96 X C125 MM	18W	5000	240V	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B96 X C125 MM	
35	MAZDA-DXR176018W-5K-240V-WH-PH-A135 X B96 X C125 MM	18W	5000	240V	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B96 X C125 MM	
36	MAZDA-DXR176018W-5K-240V-WH-10VDIM-A135 X B96 X C125 MM	18W	5000	240V	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B96 X C125 MM	
37	MAZDA-DXR176018W-6K-240V-WH-ND-A135 X B96 X C125 MM	18W	6000	240V	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B96 X C125 MM	
38	MAZDA-DXR176018W-6K-240V-WH-DA-A135 X B96 X C125 MM	18W	6000	240V	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B96 X C125 MM	
39	MAZDA-DXR176018W-6K-240V-WH-PH-A135 X B96 X C125 MM	18W	6000	240V	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B96 X C125 MM	
40	MAZDA-DXR176018W-6K-240V-WH-10VDIM-A135 X B96 X C125 MM	18W	6000	240V	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B96 X C125 MM	
41	MAZDA-DXR176018W-2.7K-240V-WH-ND-A135 X B96 X C125 MM	18W	2700	240V	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B96 X C125 MM	
42	MAZDA-DXR176018W-2.7K-240V-WH-DA-A135 X B96 X C125 MM	18W	2700	240V	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B96 X C125 MM	
43	MAZDA-DXR176018W-2.7K-240V-WH-PH-A135 X B96 X C125 MM	18W	2700	240V	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B96 X C125 MM	
44	MAZDA-DXR176018W-2.7K-240V-WH-10VDIM-A135 X B96 X C125 MM	18W	2700	240V	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B96 X C125 MM	
45	MAZDA-DXR176018W-6.5K-240V-WH-ND-A135 X B96 X C125 MM	18W	6500	240V	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B96 X C125 MM	
46	MAZDA-DXR176018W-6.5K-240V-WH-DA-A135 X B96 X C125 MM	18W	6500	240V	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B96 X C125 MM	
47	MAZDA-DXR176018W-6.5K-240V-WH-PH-A135 X B96 X C125 MM	18W	6500	240V	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B96 X C125 MM	
48	MAZDA-DXR176018W-6.5K-240V-WH-10VDIM-A135 X B96 X C125 MM	18W	6500	240V	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	1800LM	A135 X B96 X C125 MM	
49	MAZDA-DXR176025W-3K-240V-WH-ND-A135 X B96 X C125 MM	25W	3000	240V	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	2500LM	A135 X B96 X C125 MM	
50	MAZDA-DXR176025W-3K-240V-WH-DA-A135 X B96 X C125 MM	25W	3000	240V	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	2500LM	A135 X B96 X C125 MM	
51	MAZDA-DXR176025W-3K-240V-WH-PH-A135 X B96 X C125 MM	25W	3000	240V	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	2500LM	A135 X B96 X C125 MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
52	MAZDA-DXR176025W-3K-240V-WH-10VDIM-A135 X B96 X C125 MM	25W	3000	240V	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	2500LM	A135 X B96 X C125 MM	
53	MAZDA-DXR176025W-4K-240V-WH-ND-A135 X B96 X C125 MM	25W	4000	240V	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	2500LM	A135 X B96 X C125 MM	
54	MAZDA-DXR176025W-4K-240V-WH-DA-A135 X B96 X C125 MM	25W	4000	240V	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	2500LM	A135 X B96 X C125 MM	
55	MAZDA-DXR176025W-4K-240V-WH-PH-A135 X B96 X C125 MM	25W	4000	240V	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	2500LM	A135 X B96 X C125 MM	
56	MAZDA-DXR176025W-4K-240V-WH-10VDIM-A135 X B96 X C125 MM	25W	4000	240V	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	2500LM	A135 X B96 X C125 MM	
57	MAZDA-DXR176025W-5K-240V-WH-ND-A135 X B96 X C125 MM	25W	5000	240V	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	2500LM	A135 X B96 X C125 MM	
58	MAZDA-DXR176025W-5K-240V-WH-DA-A135 X B96 X C125 MM	25W	5000	240V	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	2500LM	A135 X B96 X C125 MM	
59	MAZDA-DXR176025W-5K-240V-WH-PH-A135 X B96 X C125 MM	25W	5000	240V	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	2500LM	A135 X B96 X C125 MM	
60	MAZDA-DXR176025W-5K-240V-WH-10VDIM-A135 X B96 X C125 MM	25W	5000	240V	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	2500LM	A135 X B96 X C125 MM	
61	MAZDA-DXR176025W-6K-240V-WH-ND-A135 X B96 X C125 MM	25W	6000	240V	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	2500LM	A135 X B96 X C125 MM	
62	MAZDA-DXR176025W-6K-240V-WH-DA-A135 X B96 X C125 MM	25W	6000	240V	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	2500LM	A135 X B96 X C125 MM	
63	MAZDA-DXR176025W-6K-240V-WH-PH-A135 X B96 X C125 MM	25W	6000	240V	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	2500LM	A135 X B96 X C125 MM	
64	MAZDA-DXR176025W-6K-240V-WH-10VDIM-A135 X B96 X C125 MM	25W	6000	240V	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	2500LM	A135 X B96 X C125 MM	
65	MAZDA-DXR176025W-2.7K-240V-WH-ND-A135 X B96 X C125 MM	25W	2700	240V	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	2500LM	A135 X B96 X C125 MM	
66	MAZDA-DXR176025W-2.7K-240V-WH-DA-A135 X B96 X C125 MM	25W	2700	240V	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	2500LM	A135 X B96 X C125 MM	
67	MAZDA-DXR176025W-2.7K-240V-WH-PH-A135 X B96 X C125 MM	25W	2700	240V	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	2500LM	A135 X B96 X C125 MM	
68	MAZDA-DXR176025W-2.7K-240V-WH-10VDIM-A135 X B96 X C125 MM	25W	2700	240V	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	2500LM	A135 X B96 X C125 MM	
69	MAZDA-DXR176025W-6.5K-240V-WH-ND-A135 X B96 X C125 MM	25W	6500	240V	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	2500LM	A135 X B96 X C125 MM	
70	MAZDA-DXR176025W-6.5K-240V-WH-DA-A135 X B96 X C125 MM	25W	6500	240V	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	2500LM	A135 X B96 X C125 MM	
71	MAZDA-DXR176025W-6.5K-240V-WH-PH-A135 X B96 X C125 MM	25W	6500	240V	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	2500LM	A135 X B96 X C125 MM	
72	MAZDA-DXR176025W-6.5K-240V-WH-10VDIM-A135 X B96 X C125 MM	25W	6500	240V	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A135 X B96 X C125 MM	DIE CAST ALUMINUM	IP54	2500LM	A135 X B96 X C125 MM	
73	MAZDA-DXR176035W-3K-240V-WH-ND-A160 X B117 X C155 MM	35W	3000	240V	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A160 X B117 X C155 MM	DIE CAST ALUMINUM	IP54	3500LM	A160 X B117 X C155 MM	
74	MAZDA-DXR176035W-3K-240V-WH-DA-A160 X B117 X C155 MM	35W	3000	240V	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A160 X B117 X C155 MM	DIE CAST ALUMINUM	IP54	3500LM	A160 X B117 X C155 MM	
75	MAZDA-DXR176035W-3K-240V-WH-PH-A160 X B117 X C155 MM	35W	3000	240V	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A160 X B117 X C155 MM	DIE CAST ALUMINUM	IP54	3500LM	A160 X B117 X C155 MM	
76	MAZDA-DXR176035W-3K-240V-WH-10VDIM-A160 X B117 X C155 MM	35W	3000	240V	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A160 X B117 X C155 MM	DIE CAST ALUMINUM	IP54	3500LM	A160 X B117 X C155 MM	
77	MAZDA-DXR176035W-4K-240V-WH-ND-A160 X B117 X C155 MM	35W	4000	240V	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A160 X B117 X C155 MM	DIE CAST ALUMINUM	IP54	3500LM	A160 X B117 X C155 MM	
78	MAZDA-DXR176035W-4K-240V-WH-DA-A160 X B117 X C155 MM	35W	4000	240V	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A160 X B117 X C155 MM	DIE CAST ALUMINUM	IP54	3500LM	A160 X B117 X C155 MM	
79	MAZDA-DXR176035W-4K-240V-WH-PH-A160 X B117 X C155 MM	35W	4000	240V	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A160 X B117 X C155 MM	DIE CAST ALUMINUM	IP54	3500LM	A160 X B117 X C155 MM	
80	MAZDA-DXR176035W-4K-240V-WH-10VDIM-A160 X B117 X C155 MM	35W	4000	240V	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A160 X B117 X C155 MM	DIE CAST ALUMINUM	IP54	3500LM	A160 X B117 X C155 MM	
81	MAZDA-DXR176035W-5K-240V-WH-ND-A160 X B117 X C155 MM	35W	5000	240V	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A160 X B117 X C155 MM	DIE CAST ALUMINUM	IP54	3500LM	A160 X B117 X C155 MM	

DATASHEET

GENERATED ON: 26 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
82	MAZDA-DXR176035W-5K-240V-WH-DA-A160 X B117 X C155 MM	35W	5000	240V	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A160 X B117 X C155 MM	DIE CAST ALUMINUM	IP54	3500LM	A160 X B117 X C155 MM	
83	MAZDA-DXR176035W-5K-240V-WH-PH-A160 X B117 X C155 MM	35W	5000	240V	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A160 X B117 X C155 MM	DIE CAST ALUMINUM	IP54	3500LM	A160 X B117 X C155 MM	
84	MAZDA-DXR176035W-5K-240V-WH-10VDIM-A160 X B117 X C155 MM	35W	5000	240V	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A160 X B117 X C155 MM	DIE CAST ALUMINUM	IP54	3500LM	A160 X B117 X C155 MM	
85	MAZDA-DXR176035W-6K-240V-WH-ND-A160 X B117 X C155 MM	35W	6000	240V	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A160 X B117 X C155 MM	DIE CAST ALUMINUM	IP54	3500LM	A160 X B117 X C155 MM	
86	MAZDA-DXR176035W-6K-240V-WH-DA-A160 X B117 X C155 MM	35W	6000	240V	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A160 X B117 X C155 MM	DIE CAST ALUMINUM	IP54	3500LM	A160 X B117 X C155 MM	
87	MAZDA-DXR176035W-6K-240V-WH-PH-A160 X B117 X C155 MM	35W	6000	240V	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A160 X B117 X C155 MM	DIE CAST ALUMINUM	IP54	3500LM	A160 X B117 X C155 MM	
88	MAZDA-DXR176035W-6K-240V-WH-10VDIM-A160 X B117 X C155 MM	35W	6000	240V	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A160 X B117 X C155 MM	DIE CAST ALUMINUM	IP54	3500LM	A160 X B117 X C155 MM	
89	MAZDA-DXR176035W-2.7K-240V-WH-ND-A160 X B117 X C155 MM	35W	2700	240V	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A160 X B117 X C155 MM	DIE CAST ALUMINUM	IP54	3500LM	A160 X B117 X C155 MM	
90	MAZDA-DXR176035W-2.7K-240V-WH-DA-A160 X B117 X C155 MM	35W	2700	240V	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A160 X B117 X C155 MM	DIE CAST ALUMINUM	IP54	3500LM	A160 X B117 X C155 MM	
91	MAZDA-DXR176035W-2.7K-240V-WH-PH-A160 X B117 X C155 MM	35W	2700	240V	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A160 X B117 X C155 MM	DIE CAST ALUMINUM	IP54	3500LM	A160 X B117 X C155 MM	
92	MAZDA-DXR176035W-2.7K-240V-WH-10VDIM-A160 X B117 X C155 MM	35W	2700	240V	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A160 X B117 X C155 MM	DIE CAST ALUMINUM	IP54	3500LM	A160 X B117 X C155 MM	
93	MAZDA-DXR176035W-6.5K-240V-WH-ND-A160 X B117 X C155 MM	35W	6500	240V	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A160 X B117 X C155 MM	DIE CAST ALUMINUM	IP54	3500LM	A160 X B117 X C155 MM	
94	MAZDA-DXR176035W-6.5K-240V-WH-DA-A160 X B117 X C155 MM	35W	6500	240V	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A160 X B117 X C155 MM	DIE CAST ALUMINUM	IP54	3500LM	A160 X B117 X C155 MM	
95	MAZDA-DXR176035W-6.5K-240V-WH-PH-A160 X B117 X C155 MM	35W	6500	240V	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A160 X B117 X C155 MM	DIE CAST ALUMINUM	IP54	3500LM	A160 X B117 X C155 MM	
96	MAZDA-DXR176035W-6.5K-240V-WH-10VDIM-A160 X B117 X C155 MM	35W	6500	240V	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A160 X B117 X C155 MM	DIE CAST ALUMINUM	IP54	3500LM	A160 X B117 X C155 MM	
97	MAZDA-DXR176042W-3K-240V-WH-ND-A186 X B128 X C175 MM	42W	3000	240V	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A186 X B128 X C175 MM	DIE CAST ALUMINUM	IP54	4200LM	A186 X B128 X C175 MM	
98	MAZDA-DXR176042W-3K-240V-WH-DA-A186 X B128 X C175 MM	42W	3000	240V	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B128 X C175 MM	DIE CAST ALUMINUM	IP54	4200LM	A186 X B128 X C175 MM	
99	MAZDA-DXR176042W-3K-240V-WH-PH-A186 X B128 X C175 MM	42W	3000	240V	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B128 X C175 MM	DIE CAST ALUMINUM	IP54	4200LM	A186 X B128 X C175 MM	
100	MAZDA-DXR176042W-3K-240V-WH-10VDIM-A186 X B128 X C175 MM	42W	3000	240V	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B128 X C175 MM	DIE CAST ALUMINUM	IP54	4200LM	A186 X B128 X C175 MM	
101	MAZDA-DXR176042W-4K-240V-WH-ND-A186 X B128 X C175 MM	42W	4000	240V	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A186 X B128 X C175 MM	DIE CAST ALUMINUM	IP54	4200LM	A186 X B128 X C175 MM	
102	MAZDA-DXR176042W-4K-240V-WH-DA-A186 X B128 X C175 MM	42W	4000	240V	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B128 X C175 MM	DIE CAST ALUMINUM	IP54	4200LM	A186 X B128 X C175 MM	
103	MAZDA-DXR176042W-4K-240V-WH-PH-A186 X B128 X C175 MM	42W	4000	240V	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B128 X C175 MM	DIE CAST ALUMINUM	IP54	4200LM	A186 X B128 X C175 MM	
104	MAZDA-DXR176042W-4K-240V-WH-10VDIM-A186 X B128 X C175 MM	42W	4000	240V	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B128 X C175 MM	DIE CAST ALUMINUM	IP54	4200LM	A186 X B128 X C175 MM	
105	MAZDA-DXR176042W-5K-240V-WH-ND-A186 X B128 X C175 MM	42W	5000	240V	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A186 X B128 X C175 MM	DIE CAST ALUMINUM	IP54	4200LM	A186 X B128 X C175 MM	
106	MAZDA-DXR176042W-5K-240V-WH-DA-A186 X B128 X C175 MM	42W	5000	240V	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B128 X C175 MM	DIE CAST ALUMINUM	IP54	4200LM	A186 X B128 X C175 MM	
107	MAZDA-DXR176042W-5K-240V-WH-PH-A186 X B128 X C175 MM	42W	5000	240V	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B128 X C175 MM	DIE CAST ALUMINUM	IP54	4200LM	A186 X B128 X C175 MM	
108	MAZDA-DXR176042W-5K-240V-WH-10VDIM-A186 X B128 X C175 MM	42W	5000	240V	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B128 X C175 MM	DIE CAST ALUMINUM	IP54	4200LM	A186 X B128 X C175 MM	
109	MAZDA-DXR176042W-6K-240V-WH-ND-A186 X B128 X C175 MM	42W	6000	240V	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A186 X B128 X C175 MM	DIE CAST ALUMINUM	IP54	4200LM	A186 X B128 X C175 MM	
110	MAZDA-DXR176042W-6K-240V-WH-DA-A186 X B128 X C175 MM	42W	6000	240V	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B128 X C175 MM	DIE CAST ALUMINUM	IP54	4200LM	A186 X B128 X C175 MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
111	**MAZDA-DXR176042W-6K-240V-WH-PH-A186 X B128 X C175 MM**	42W	6000	240V	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B128 X C175 MM	DIE CAST ALUMINUM	IP54	4200LM	A186 X B128 X C175 MM	
112	**MAZDA-DXR176042W-6K-240V-WH-10VDIM-A186 X B128 X C175 MM**	42W	6000	240V	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B128 X C175 MM	DIE CAST ALUMINUM	IP54	4200LM	A186 X B128 X C175 MM	
113	**MAZDA-DXR176042W-2.7K-240V-WH-ND-A186 X B128 X C175 MM**	42W	2700	240V	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A186 X B128 X C175 MM	DIE CAST ALUMINUM	IP54	4200LM	A186 X B128 X C175 MM	
114	**MAZDA-DXR176042W-2.7K-240V-WH-DA-A186 X B128 X C175 MM**	42W	2700	240V	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B128 X C175 MM	DIE CAST ALUMINUM	IP54	4200LM	A186 X B128 X C175 MM	
115	**MAZDA-DXR176042W-2.7K-240V-WH-PH-A186 X B128 X C175 MM**	42W	2700	240V	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B128 X C175 MM	DIE CAST ALUMINUM	IP54	4200LM	A186 X B128 X C175 MM	
116	**MAZDA-DXR176042W-2.7K-240V-WH-10VDIM-A186 X B128 X C175 MM**	42W	2700	240V	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B128 X C175 MM	DIE CAST ALUMINUM	IP54	4200LM	A186 X B128 X C175 MM	
117	**MAZDA-DXR176042W-6.5K-240V-WH-ND-A186 X B128 X C175 MM**	42W	6500	240V	WHITE RAL9010	NON EMERGENCY	ON - OFF	24	A186 X B128 X C175 MM	DIE CAST ALUMINUM	IP54	4200LM	A186 X B128 X C175 MM	
118	**MAZDA-DXR176042W-6.5K-240V-WH-DA-A186 X B128 X C175 MM**	42W	6500	240V	WHITE RAL9010	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A186 X B128 X C175 MM	DIE CAST ALUMINUM	IP54	4200LM	A186 X B128 X C175 MM	
119	**MAZDA-DXR176042W-6.5K-240V-WH-PH-A186 X B128 X C175 MM**	42W	6500	240V	WHITE RAL9010	NON EMERGENCY	PHASE CUT DIMMABLE	24	A186 X B128 X C175 MM	DIE CAST ALUMINUM	IP54	4200LM	A186 X B128 X C175 MM	
120	**MAZDA-DXR176042W-6.5K-240V-WH-10VDIM-A186 X B128 X C175 MM**	42W	6500	240V	WHITE RAL9010	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A186 X B128 X C175 MM	DIE CAST ALUMINUM	IP54	4200LM	A186 X B128 X C175 MM	