



ULTRA

MAZDA Model: DXR1781 Downlight

Ultra LED down light attractive exclusive downlight for indoor or outdoor use, particularly well suited to basic lighting due to its very low unified glare rating. The light efficiency reach up to 120lm/w with perfect accent lighting performance. That makes it become the priority selected product for commercial lighting. Great cooling fins heat sink design increases the interface between heat sink and air, which makes the heat dissipating performance outstanding and extend the service life of the downlight. Suitable for commercial and residential applications like office, supermarket, shop, school, hotel, restaurant, workshop, etc.

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
1	MAZDA-DXR178112W-3K-240V-WH-ND-A100 X B100 X C26MM	12W	3000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A100 X B100 X C26MM	DIE CAST ALUMINUM	IP20	1380LM	A100 X B100 X C26MM	
2	MAZDA-DXR178112W-3K-240V-WH-DA-A100 X B100 X C26MM	12W	3000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A100 X B100 X C26MM	DIE CAST ALUMINUM	IP20	1380LM	A100 X B100 X C26MM	
3	MAZDA-DXR178112W-3K-240V-WH-PH-A100 X B100 X C26MM	12W	3000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A100 X B100 X C26MM	DIE CAST ALUMINUM	IP20	1380LM	A100 X B100 X C26MM	
4	MAZDA-DXR178112W-3K-240V-WH-10VDIM-A100 X B100 X C26MM	12W	3000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A100 X B100 X C26MM	DIE CAST ALUMINUM	IP20	1380LM	A100 X B100 X C26MM	
5	MAZDA-DXR178112W-4K-240V-WH-ND-A100 X B100 X C26MM	12W	4000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A100 X B100 X C26MM	DIE CAST ALUMINUM	IP20	1380LM	A100 X B100 X C26MM	
6	MAZDA-DXR178112W-4K-240V-WH-DA-A100 X B100 X C26MM	12W	4000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A100 X B100 X C26MM	DIE CAST ALUMINUM	IP20	1380LM	A100 X B100 X C26MM	
7	MAZDA-DXR178112W-4K-240V-WH-PH-A100 X B100 X C26MM	12W	4000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A100 X B100 X C26MM	DIE CAST ALUMINUM	IP20	1380LM	A100 X B100 X C26MM	
8	MAZDA-DXR178112W-4K-240V-WH-10VDIM-A100 X B100 X C26MM	12W	4000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A100 X B100 X C26MM	DIE CAST ALUMINUM	IP20	1380LM	A100 X B100 X C26MM	
9	MAZDA-DXR178112W-5K-240V-WH-ND-A100 X B100 X C26MM	12W	5000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A100 X B100 X C26MM	DIE CAST ALUMINUM	IP20	1380LM	A100 X B100 X C26MM	
10	MAZDA-DXR178112W-5K-240V-WH-DA-A100 X B100 X C26MM	12W	5000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A100 X B100 X C26MM	DIE CAST ALUMINUM	IP20	1380LM	A100 X B100 X C26MM	
11	MAZDA-DXR178112W-5K-240V-WH-PH-A100 X B100 X C26MM	12W	5000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A100 X B100 X C26MM	DIE CAST ALUMINUM	IP20	1380LM	A100 X B100 X C26MM	
12	MAZDA-DXR178112W-5K-240V-WH-10VDIM-A100 X B100 X C26MM	12W	5000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A100 X B100 X C26MM	DIE CAST ALUMINUM	IP20	1380LM	A100 X B100 X C26MM	
13	MAZDA-DXR178112W-6K-240V-WH-ND-A100 X B100 X C26MM	12W	6000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A100 X B100 X C26MM	DIE CAST ALUMINUM	IP20	1380LM	A100 X B100 X C26MM	
14	MAZDA-DXR178112W-6K-240V-WH-DA-A100 X B100 X C26MM	12W	6000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A100 X B100 X C26MM	DIE CAST ALUMINUM	IP20	1380LM	A100 X B100 X C26MM	
15	MAZDA-DXR178112W-6K-240V-WH-PH-A100 X B100 X C26MM	12W	6000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A100 X B100 X C26MM	DIE CAST ALUMINUM	IP20	1380LM	A100 X B100 X C26MM	
16	MAZDA-DXR178112W-6K-240V-WH-10VDIM-A100 X B100 X C26MM	12W	6000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A100 X B100 X C26MM	DIE CAST ALUMINUM	IP20	1380LM	A100 X B100 X C26MM	
17	MAZDA-DXR178112W-2.7K-240V-WH-ND-A100 X B100 X C26MM	12W	2700	240V	WHITE	NON EMERGENCY	ON - OFF	120	A100 X B100 X C26MM	DIE CAST ALUMINUM	IP20	1380LM	A100 X B100 X C26MM	



DATASHEET

GENERATED ON: 14 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
18	MAZDA-DXR178112W-2.7K-240V-WH-DA-A100 X B100 X C26MM	12W	2700	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A100 X B100 X C26MM	DIE CAST ALUMINUM	IP20	1380LM	A100 X B100 X C26MM	
19	MAZDA-DXR178112W-2.7K-240V-WH-PH-A100 X B100 X C26MM	12W	2700	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A100 X B100 X C26MM	DIE CAST ALUMINUM	IP20	1380LM	A100 X B100 X C26MM	
20	MAZDA-DXR178112W-2.7K-240V-WH-10VDIM-A100 X B100 X C26MM	12W	2700	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A100 X B100 X C26MM	DIE CAST ALUMINUM	IP20	1380LM	A100 X B100 X C26MM	
21	MAZDA-DXR178112W-6.5K-240V-WH-ND-A100 X B100 X C26MM	12W	6500	240V	WHITE	NON EMERGENCY	ON - OFF	120	A100 X B100 X C26MM	DIE CAST ALUMINUM	IP20	1380LM	A100 X B100 X C26MM	
22	MAZDA-DXR178112W-6.5K-240V-WH-DA-A100 X B100 X C26MM	12W	6500	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A100 X B100 X C26MM	DIE CAST ALUMINUM	IP20	1380LM	A100 X B100 X C26MM	
23	MAZDA-DXR178112W-6.5K-240V-WH-PH-A100 X B100 X C26MM	12W	6500	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A100 X B100 X C26MM	DIE CAST ALUMINUM	IP20	1380LM	A100 X B100 X C26MM	
24	MAZDA-DXR178112W-6.5K-240V-WH-10VDIM-A100 X B100 X C26MM	12W	6500	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A100 X B100 X C26MM	DIE CAST ALUMINUM	IP20	1380LM	A100 X B100 X C26MM	
25	MAZDA-DXR178118W-3K-240V-WH-ND-A132 X B132 X C26MM	18W	3000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A132 X B132 X C26MM	DIE CAST ALUMINUM	IP20	2070LM	A132 X B132 X C26MM	
26	MAZDA-DXR178118W-3K-240V-WH-DA-A132 X B132 X C26MM	18W	3000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A132 X B132 X C26MM	DIE CAST ALUMINUM	IP20	2070LM	A132 X B132 X C26MM	
27	MAZDA-DXR178118W-3K-240V-WH-PH-A132 X B132 X C26MM	18W	3000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A132 X B132 X C26MM	DIE CAST ALUMINUM	IP20	2070LM	A132 X B132 X C26MM	
28	MAZDA-DXR178118W-3K-240V-WH-10VDIM-A132 X B132 X C26MM	18W	3000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A132 X B132 X C26MM	DIE CAST ALUMINUM	IP20	2070LM	A132 X B132 X C26MM	
29	MAZDA-DXR178118W-4K-240V-WH-ND-A132 X B132 X C26MM	18W	4000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A132 X B132 X C26MM	DIE CAST ALUMINUM	IP20	2070LM	A132 X B132 X C26MM	
30	MAZDA-DXR178118W-4K-240V-WH-DA-A132 X B132 X C26MM	18W	4000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A132 X B132 X C26MM	DIE CAST ALUMINUM	IP20	2070LM	A132 X B132 X C26MM	
31	MAZDA-DXR178118W-4K-240V-WH-PH-A132 X B132 X C26MM	18W	4000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A132 X B132 X C26MM	DIE CAST ALUMINUM	IP20	2070LM	A132 X B132 X C26MM	
32	MAZDA-DXR178118W-4K-240V-WH-10VDIM-A132 X B132 X C26MM	18W	4000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A132 X B132 X C26MM	DIE CAST ALUMINUM	IP20	2070LM	A132 X B132 X C26MM	
33	MAZDA-DXR178118W-5K-240V-WH-ND-A132 X B132 X C26MM	18W	5000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A132 X B132 X C26MM	DIE CAST ALUMINUM	IP20	2070LM	A132 X B132 X C26MM	
34	MAZDA-DXR178118W-5K-240V-WH-DA-A132 X B132 X C26MM	18W	5000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A132 X B132 X C26MM	DIE CAST ALUMINUM	IP20	2070LM	A132 X B132 X C26MM	
35	MAZDA-DXR178118W-5K-240V-WH-PH-A132 X B132 X C26MM	18W	5000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A132 X B132 X C26MM	DIE CAST ALUMINUM	IP20	2070LM	A132 X B132 X C26MM	
36	MAZDA-DXR178118W-5K-240V-WH-10VDIM-A132 X B132 X C26MM	18W	5000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A132 X B132 X C26MM	DIE CAST ALUMINUM	IP20	2070LM	A132 X B132 X C26MM	
37	MAZDA-DXR178118W-6K-240V-WH-ND-A132 X B132 X C26MM	18W	6000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A132 X B132 X C26MM	DIE CAST ALUMINUM	IP20	2070LM	A132 X B132 X C26MM	
38	MAZDA-DXR178118W-6K-240V-WH-DA-A132 X B132 X C26MM	18W	6000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A132 X B132 X C26MM	DIE CAST ALUMINUM	IP20	2070LM	A132 X B132 X C26MM	
39	MAZDA-DXR178118W-6K-240V-WH-PH-A132 X B132 X C26MM	18W	6000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A132 X B132 X C26MM	DIE CAST ALUMINUM	IP20	2070LM	A132 X B132 X C26MM	
40	MAZDA-DXR178118W-6K-240V-WH-10VDIM-A132 X B132 X C26MM	18W	6000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A132 X B132 X C26MM	DIE CAST ALUMINUM	IP20	2070LM	A132 X B132 X C26MM	
41	MAZDA-DXR178118W-2.7K-240V-WH-ND-A132 X B132 X C26MM	18W	2700	240V	WHITE	NON EMERGENCY	ON - OFF	120	A132 X B132 X C26MM	DIE CAST ALUMINUM	IP20	2070LM	A132 X B132 X C26MM	
42	MAZDA-DXR178118W-2.7K-240V-WH-DA-A132 X B132 X C26MM	18W	2700	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A132 X B132 X C26MM	DIE CAST ALUMINUM	IP20	2070LM	A132 X B132 X C26MM	
43	MAZDA-DXR178118W-2.7K-240V-WH-PH-A132 X B132 X C26MM	18W	2700	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A132 X B132 X C26MM	DIE CAST ALUMINUM	IP20	2070LM	A132 X B132 X C26MM	
44	MAZDA-DXR178118W-2.7K-240V-WH-10VDIM-A132 X B132 X C26MM	18W	2700	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A132 X B132 X C26MM	DIE CAST ALUMINUM	IP20	2070LM	A132 X B132 X C26MM	
45	MAZDA-DXR178118W-6.5K-240V-WH-ND-A132 X B132 X C26MM	18W	6500	240V	WHITE	NON EMERGENCY	ON - OFF	120	A132 X B132 X C26MM	DIE CAST ALUMINUM	IP20	2070LM	A132 X B132 X C26MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	lumen	Dimensions	Price
46	MAZDA-DXR178118W-6.5K-240V-WH-DA-A132 X B132 X C26MM	18W	6500	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A132 X B132 X C26MM	DIE CAST ALUMINUM	IP20	2070LM	A132 X B132 X C26MM	
47	MAZDA-DXR178118W-6.5K-240V-WH-PH-A132 X B132 X C26MM	18W	6500	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A132 X B132 X C26MM	DIE CAST ALUMINUM	IP20	2070LM	A132 X B132 X C26MM	
48	MAZDA-DXR178118W-6.5K-240V-WH-10VDIM-A132 X B132 X C26MM	18W	6500	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A132 X B132 X C26MM	DIE CAST ALUMINUM	IP20	2070LM	A132 X B132 X C26MM	
49	MAZDA-DXR178124W-3K-240V-WH-ND-A153 X B153 X C26MM	24W	3000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A153 X B153 X C26MM	DIE CAST ALUMINUM	IP20	2760LM	A153 X B153 X C26MM	
50	MAZDA-DXR178124W-3K-240V-WH-DA-A153 X B153 X C26MM	24W	3000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A153 X B153 X C26MM	DIE CAST ALUMINUM	IP20	2760LM	A153 X B153 X C26MM	
51	MAZDA-DXR178124W-3K-240V-WH-PH-A153 X B153 X C26MM	24W	3000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A153 X B153 X C26MM	DIE CAST ALUMINUM	IP20	2760LM	A153 X B153 X C26MM	
52	MAZDA-DXR178124W-3K-240V-WH-10VDIM-A153 X B153 X C26MM	24W	3000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A153 X B153 X C26MM	DIE CAST ALUMINUM	IP20	2760LM	A153 X B153 X C26MM	
53	MAZDA-DXR178124W-4K-240V-WH-ND-A153 X B153 X C26MM	24W	4000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A153 X B153 X C26MM	DIE CAST ALUMINUM	IP20	2760LM	A153 X B153 X C26MM	
54	MAZDA-DXR178124W-4K-240V-WH-DA-A153 X B153 X C26MM	24W	4000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A153 X B153 X C26MM	DIE CAST ALUMINUM	IP20	2760LM	A153 X B153 X C26MM	
55	MAZDA-DXR178124W-4K-240V-WH-PH-A153 X B153 X C26MM	24W	4000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A153 X B153 X C26MM	DIE CAST ALUMINUM	IP20	2760LM	A153 X B153 X C26MM	
56	MAZDA-DXR178124W-4K-240V-WH-10VDIM-A153 X B153 X C26MM	24W	4000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A153 X B153 X C26MM	DIE CAST ALUMINUM	IP20	2760LM	A153 X B153 X C26MM	
57	MAZDA-DXR178124W-5K-240V-WH-ND-A153 X B153 X C26MM	24W	5000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A153 X B153 X C26MM	DIE CAST ALUMINUM	IP20	2760LM	A153 X B153 X C26MM	
58	MAZDA-DXR178124W-5K-240V-WH-DA-A153 X B153 X C26MM	24W	5000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A153 X B153 X C26MM	DIE CAST ALUMINUM	IP20	2760LM	A153 X B153 X C26MM	
59	MAZDA-DXR178124W-5K-240V-WH-PH-A153 X B153 X C26MM	24W	5000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A153 X B153 X C26MM	DIE CAST ALUMINUM	IP20	2760LM	A153 X B153 X C26MM	
60	MAZDA-DXR178124W-5K-240V-WH-10VDIM-A153 X B153 X C26MM	24W	5000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A153 X B153 X C26MM	DIE CAST ALUMINUM	IP20	2760LM	A153 X B153 X C26MM	
61	MAZDA-DXR178124W-6K-240V-WH-ND-A153 X B153 X C26MM	24W	6000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A153 X B153 X C26MM	DIE CAST ALUMINUM	IP20	2760LM	A153 X B153 X C26MM	
62	MAZDA-DXR178124W-6K-240V-WH-DA-A153 X B153 X C26MM	24W	6000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A153 X B153 X C26MM	DIE CAST ALUMINUM	IP20	2760LM	A153 X B153 X C26MM	
63	MAZDA-DXR178124W-6K-240V-WH-PH-A153 X B153 X C26MM	24W	6000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A153 X B153 X C26MM	DIE CAST ALUMINUM	IP20	2760LM	A153 X B153 X C26MM	
64	MAZDA-DXR178124W-6K-240V-WH-10VDIM-A153 X B153 X C26MM	24W	6000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A153 X B153 X C26MM	DIE CAST ALUMINUM	IP20	2760LM	A153 X B153 X C26MM	
65	MAZDA-DXR178124W-2.7K-240V-WH-ND-A153 X B153 X C26MM	24W	2700	240V	WHITE	NON EMERGENCY	ON - OFF	120	A153 X B153 X C26MM	DIE CAST ALUMINUM	IP20	2760LM	A153 X B153 X C26MM	
66	MAZDA-DXR178124W-2.7K-240V-WH-DA-A153 X B153 X C26MM	24W	2700	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A153 X B153 X C26MM	DIE CAST ALUMINUM	IP20	2760LM	A153 X B153 X C26MM	
67	MAZDA-DXR178124W-2.7K-240V-WH-PH-A153 X B153 X C26MM	24W	2700	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A153 X B153 X C26MM	DIE CAST ALUMINUM	IP20	2760LM	A153 X B153 X C26MM	
68	MAZDA-DXR178124W-2.7K-240V-WH-10VDIM-A153 X B153 X C26MM	24W	2700	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A153 X B153 X C26MM	DIE CAST ALUMINUM	IP20	2760LM	A153 X B153 X C26MM	
69	MAZDA-DXR178124W-6.5K-240V-WH-ND-A153 X B153 X C26MM	24W	6500	240V	WHITE	NON EMERGENCY	ON - OFF	120	A153 X B153 X C26MM	DIE CAST ALUMINUM	IP20	2760LM	A153 X B153 X C26MM	
70	MAZDA-DXR178124W-6.5K-240V-WH-DA-A153 X B153 X C26MM	24W	6500	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A153 X B153 X C26MM	DIE CAST ALUMINUM	IP20	2760LM	A153 X B153 X C26MM	
71	MAZDA-DXR178124W-6.5K-240V-WH-PH-A153 X B153 X C26MM	24W	6500	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A153 X B153 X C26MM	DIE CAST ALUMINUM	IP20	2760LM	A153 X B153 X C26MM	
72	MAZDA-DXR178124W-6.5K-240V-WH-10VDIM-A153 X B153 X C26MM	24W	6500	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A153 X B153 X C26MM	DIE CAST ALUMINUM	IP20	2760LM	A153 X B153 X C26MM	