



TROY

MAZDA Model: IDXR29801 HIGHBAY LIGHT

Troy LED High Bay is High quality light source. With SMD3030, this LED highbay light provides excellent lumen output, long-lasting stability and splendid sight. Unique heat dissipation design and stable product performance. Excellent heat dissipation function enables the LEDs consistently work under cool circumstance, providing significant boosts to lifespan and efficacy. These high bay lights meet all UK safety regulations (CE and RoHs)

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
1	MAZDA-IDXR29801100W-3K-277V-BL-ND-A270 X B114 MM	100W	3000	277V	BLACK, GREY, WHITE	NON EMERGENCY	ON - OFF	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	
2	MAZDA-IDXR29801100W-3K-277V-BL-ND-EM-A270 X B114 MM	100W	3000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	
3	MAZDA-IDXR29801100W-3K-277V-BL-DA-A270 X B114 MM	100W	3000	277V	BLACK, GREY, WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	
4	MAZDA-IDXR29801100W-3K-277V-BL-DA-EM-A270 X B114 MM	100W	3000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	
5	MAZDA-IDXR29801100W-3K-277V-BL-PH-A270 X B114 MM	100W	3000	277V	BLACK, GREY, WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	
6	MAZDA-IDXR29801100W-3K-277V-BL-PH-EM-A270 X B114 MM	100W	3000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	
7	MAZDA-IDXR29801100W-3K-277V-BL-10VDIM-A270 X B114 MM	100W	3000	277V	BLACK, GREY, WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	
8	MAZDA-IDXR29801100W-3K-277V-BL-10VDIM-EM-A270 X B114 MM	100W	3000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	
9	MAZDA-IDXR29801100W-4K-277V-BL-ND-A270 X B114 MM	100W	4000	277V	BLACK, GREY, WHITE	NON EMERGENCY	ON - OFF	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	
10	MAZDA-IDXR29801100W-4K-277V-BL-ND-EM-A270 X B114 MM	100W	4000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	
11	MAZDA-IDXR29801100W-4K-277V-BL-DA-A270 X B114 MM	100W	4000	277V	BLACK, GREY, WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	
12	MAZDA-IDXR29801100W-4K-277V-BL-DA-EM-A270 X B114 MM	100W	4000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	
13	MAZDA-IDXR29801100W-4K-277V-BL-PH-A270 X B114 MM	100W	4000	277V	BLACK, GREY, WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	
14	MAZDA-IDXR29801100W-4K-277V-BL-PH-EM-A270 X B114 MM	100W	4000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	
15	MAZDA-IDXR29801100W-4K-277V-BL-10VDIM-A270 X B114 MM	100W	4000	277V	BLACK, GREY, WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	
16	MAZDA-IDXR29801100W-4K-277V-BL-10VDIM-EM-A270 X B114 MM	100W	4000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	
17	MAZDA-IDXR29801100W-5K-277V-BL-ND-A270 X B114 MM	100W	5000	277V	BLACK, GREY, WHITE	NON EMERGENCY	ON - OFF	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	



DATASHEET

GENERATED ON: 15 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
18	MAZDA-IDXR29801100W-5K-277V-BL-ND-EM-A270 X B114 MM	100W	5000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	
19	MAZDA-IDXR29801100W-5K-277V-BL-DA-A270 X B114 MM	100W	5000	277V	BLACK, GREY, WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	
20	MAZDA-IDXR29801100W-5K-277V-BL-DA-EM-A270 X B114 MM	100W	5000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	
21	MAZDA-IDXR29801100W-5K-277V-BL-PH-A270 X B114 MM	100W	5000	277V	BLACK, GREY, WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	
22	MAZDA-IDXR29801100W-5K-277V-BL-PH-EM-A270 X B114 MM	100W	5000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	
23	MAZDA-IDXR29801100W-5K-277V-BL-10VDIM-A270 X B114 MM	100W	5000	277V	BLACK, GREY, WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	
24	MAZDA-IDXR29801100W-5K-277V-BL-10VDIM-EM-A270 X B114 MM	100W	5000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	
25	MAZDA-IDXR29801100W-6K-277V-BL-ND-A270 X B114 MM	100W	6000	277V	BLACK, GREY, WHITE	NON EMERGENCY	ON - OFF	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	
26	MAZDA-IDXR29801100W-6K-277V-BL-ND-EM-A270 X B114 MM	100W	6000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	
27	MAZDA-IDXR29801100W-6K-277V-BL-DA-A270 X B114 MM	100W	6000	277V	BLACK, GREY, WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	
28	MAZDA-IDXR29801100W-6K-277V-BL-DA-EM-A270 X B114 MM	100W	6000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	
29	MAZDA-IDXR29801100W-6K-277V-BL-PH-A270 X B114 MM	100W	6000	277V	BLACK, GREY, WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	
30	MAZDA-IDXR29801100W-6K-277V-BL-PH-EM-A270 X B114 MM	100W	6000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	
31	MAZDA-IDXR29801100W-6K-277V-BL-10VDIM-A270 X B114 MM	100W	6000	277V	BLACK, GREY, WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	
32	MAZDA-IDXR29801100W-6K-277V-BL-10VDIM-EM-A270 X B114 MM	100W	6000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	
33	MAZDA-IDXR29801100W-2.7K-277V-BL-ND-A270 X B114 MM	100W	2700	277V	BLACK, GREY, WHITE	NON EMERGENCY	ON - OFF	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	
34	MAZDA-IDXR29801100W-2.7K-277V-BL-ND-EM-A270 X B114 MM	100W	2700	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	
35	MAZDA-IDXR29801100W-2.7K-277V-BL-DA-A270 X B114 MM	100W	2700	277V	BLACK, GREY, WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	
36	MAZDA-IDXR29801100W-2.7K-277V-BL-DA-EM-A270 X B114 MM	100W	2700	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	
37	MAZDA-IDXR29801100W-2.7K-277V-BL-PH-A270 X B114 MM	100W	2700	277V	BLACK, GREY, WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	
38	MAZDA-IDXR29801100W-2.7K-277V-BL-PH-EM-A270 X B114 MM	100W	2700	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	
39	MAZDA-IDXR29801100W-2.7K-277V-BL-10VDIM-A270 X B114 MM	100W	2700	277V	BLACK, GREY, WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	
40	MAZDA-IDXR29801100W-2.7K-277V-BL-10VDIM-EM-A270 X B114 MM	100W	2700	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	
41	MAZDA-IDXR29801100W-6.5K-277V-BL-ND-A270 X B114 MM	100W	6500	277V	BLACK, GREY, WHITE	NON EMERGENCY	ON - OFF	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	
42	MAZDA-IDXR29801100W-6.5K-277V-BL-ND-EM-A270 X B114 MM	100W	6500	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	
43	MAZDA-IDXR29801100W-6.5K-277V-BL-DA-A270 X B114 MM	100W	6500	277V	BLACK, GREY, WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	
44	MAZDA-IDXR29801100W-6.5K-277V-BL-DA-EM-A270 X B114 MM	100W	6500	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	



DATASHEET

GENERATED ON: 15 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
45	MAZDA-IDXR29801100W-6.5K-277V-BL-PH-A270 X B114 MM	100W	6500	277V	BLACK, GREY, WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	
46	MAZDA-IDXR29801100W-6.5K-277V-BL-PH-EM-A270 X B114 MM	100W	6500	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	
47	MAZDA-IDXR29801100W-6.5K-277V-BL-10VDIM-A270 X B114 MM	100W	6500	277V	BLACK, GREY, WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	
48	MAZDA-IDXR29801100W-6.5K-277V-BL-10VDIM-EM-A270 X B114 MM	100W	6500	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A270 X B114 MM	DIE CAST ALUMINUM	IP66	A270 X B114 MM	
49	MAZDA-IDXR29801150W-3K-277V-BL-ND-A316 X B110 MM	150W	3000	277V	BLACK, GREY, WHITE	NON EMERGENCY	ON - OFF	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
50	MAZDA-IDXR29801150W-3K-277V-BL-ND-EM-A316 X B110 MM	150W	3000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
51	MAZDA-IDXR29801150W-3K-277V-BL-DA-A316 X B110 MM	150W	3000	277V	BLACK, GREY, WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
52	MAZDA-IDXR29801150W-3K-277V-BL-DA-EM-A316 X B110 MM	150W	3000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
53	MAZDA-IDXR29801150W-3K-277V-BL-PH-A316 X B110 MM	150W	3000	277V	BLACK, GREY, WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
54	MAZDA-IDXR29801150W-3K-277V-BL-PH-EM-A316 X B110 MM	150W	3000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
55	MAZDA-IDXR29801150W-3K-277V-BL-10VDIM-A316 X B110 MM	150W	3000	277V	BLACK, GREY, WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
56	MAZDA-IDXR29801150W-3K-277V-BL-10VDIM-EM-A316 X B110 MM	150W	3000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
57	MAZDA-IDXR29801150W-4K-277V-BL-ND-A316 X B110 MM	150W	4000	277V	BLACK, GREY, WHITE	NON EMERGENCY	ON - OFF	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
58	MAZDA-IDXR29801150W-4K-277V-BL-ND-EM-A316 X B110 MM	150W	4000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
59	MAZDA-IDXR29801150W-4K-277V-BL-DA-A316 X B110 MM	150W	4000	277V	BLACK, GREY, WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
60	MAZDA-IDXR29801150W-4K-277V-BL-DA-EM-A316 X B110 MM	150W	4000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
61	MAZDA-IDXR29801150W-4K-277V-BL-PH-A316 X B110 MM	150W	4000	277V	BLACK, GREY, WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
62	MAZDA-IDXR29801150W-4K-277V-BL-PH-EM-A316 X B110 MM	150W	4000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
63	MAZDA-IDXR29801150W-4K-277V-BL-10VDIM-A316 X B110 MM	150W	4000	277V	BLACK, GREY, WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
64	MAZDA-IDXR29801150W-4K-277V-BL-10VDIM-EM-A316 X B110 MM	150W	4000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
65	MAZDA-IDXR29801150W-5K-277V-BL-ND-A316 X B110 MM	150W	5000	277V	BLACK, GREY, WHITE	NON EMERGENCY	ON - OFF	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
66	MAZDA-IDXR29801150W-5K-277V-BL-ND-EM-A316 X B110 MM	150W	5000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
67	MAZDA-IDXR29801150W-5K-277V-BL-DA-A316 X B110 MM	150W	5000	277V	BLACK, GREY, WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
68	MAZDA-IDXR29801150W-5K-277V-BL-DA-EM-A316 X B110 MM	150W	5000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
69	MAZDA-IDXR29801150W-5K-277V-BL-PH-A316 X B110 MM	150W	5000	277V	BLACK, GREY, WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
70	MAZDA-IDXR29801150W-5K-277V-BL-PH-EM-A316 X B110 MM	150W	5000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
71	MAZDA-IDXR29801150W-5K-277V-BL-10VDIM-A316 X B110 MM	150W	5000	277V	BLACK, GREY, WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	



DATASHEET

GENERATED ON: 15 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
72	MAZDA-IDXR29801150W-5K-277V-BL-10VDIM-EM-A316 X B110 MM	150W	5000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
73	MAZDA-IDXR29801150W-6K-277V-BL-ND-A316 X B110 MM	150W	6000	277V	BLACK, GREY, WHITE	NON EMERGENCY	ON - OFF	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
74	MAZDA-IDXR29801150W-6K-277V-BL-ND-EM-A316 X B110 MM	150W	6000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
75	MAZDA-IDXR29801150W-6K-277V-BL-DA-A316 X B110 MM	150W	6000	277V	BLACK, GREY, WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
76	MAZDA-IDXR29801150W-6K-277V-BL-DA-EM-A316 X B110 MM	150W	6000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
77	MAZDA-IDXR29801150W-6K-277V-BL-PH-A316 X B110 MM	150W	6000	277V	BLACK, GREY, WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
78	MAZDA-IDXR29801150W-6K-277V-BL-PH-EM-A316 X B110 MM	150W	6000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
79	MAZDA-IDXR29801150W-6K-277V-BL-10VDIM-A316 X B110 MM	150W	6000	277V	BLACK, GREY, WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
80	MAZDA-IDXR29801150W-6K-277V-BL-10VDIM-EM-A316 X B110 MM	150W	6000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
81	MAZDA-IDXR29801150W-2.7K-277V-BL-ND-A316 X B110 MM	150W	2700	277V	BLACK, GREY, WHITE	NON EMERGENCY	ON - OFF	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
82	MAZDA-IDXR29801150W-2.7K-277V-BL-ND-EM-A316 X B110 MM	150W	2700	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
83	MAZDA-IDXR29801150W-2.7K-277V-BL-DA-A316 X B110 MM	150W	2700	277V	BLACK, GREY, WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
84	MAZDA-IDXR29801150W-2.7K-277V-BL-DA-EM-A316 X B110 MM	150W	2700	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
85	MAZDA-IDXR29801150W-2.7K-277V-BL-PH-A316 X B110 MM	150W	2700	277V	BLACK, GREY, WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
86	MAZDA-IDXR29801150W-2.7K-277V-BL-PH-EM-A316 X B110 MM	150W	2700	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
87	MAZDA-IDXR29801150W-2.7K-277V-BL-10VDIM-A316 X B110 MM	150W	2700	277V	BLACK, GREY, WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
88	MAZDA-IDXR29801150W-2.7K-277V-BL-10VDIM-EM-A316 X B110 MM	150W	2700	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
89	MAZDA-IDXR29801150W-6.5K-277V-BL-ND-A316 X B110 MM	150W	6500	277V	BLACK, GREY, WHITE	NON EMERGENCY	ON - OFF	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
90	MAZDA-IDXR29801150W-6.5K-277V-BL-ND-EM-A316 X B110 MM	150W	6500	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
91	MAZDA-IDXR29801150W-6.5K-277V-BL-DA-A316 X B110 MM	150W	6500	277V	BLACK, GREY, WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
92	MAZDA-IDXR29801150W-6.5K-277V-BL-DA-EM-A316 X B110 MM	150W	6500	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
93	MAZDA-IDXR29801150W-6.5K-277V-BL-PH-A316 X B110 MM	150W	6500	277V	BLACK, GREY, WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
94	MAZDA-IDXR29801150W-6.5K-277V-BL-PH-EM-A316 X B110 MM	150W	6500	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
95	MAZDA-IDXR29801150W-6.5K-277V-BL-10VDIM-A316 X B110 MM	150W	6500	277V	BLACK, GREY, WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
96	MAZDA-IDXR29801150W-6.5K-277V-BL-10VDIM-EM-A316 X B110 MM	150W	6500	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A316 X B110 MM	DIE CAST ALUMINUM	IP66	A316 X B110 MM	
97	MAZDA-IDXR29801200W-3K-277V-BL-ND-A340 X B130 MM	200W	3000	277V	BLACK, GREY, WHITE	NON EMERGENCY	ON - OFF	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	
98	MAZDA-IDXR29801200W-3K-277V-BL-ND-EM-A340 X B130 MM	200W	3000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	



#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
99	MAZDA-IDXR29801200W-3K-277V-BL-DA-A340 X B130 MM	200W	3000	277V	BLACK, GREY, WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	
100	MAZDA-IDXR29801200W-3K-277V-BL-DA-EM-A340 X B130 MM	200W	3000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	
101	MAZDA-IDXR29801200W-3K-277V-BL-PH-A340 X B130 MM	200W	3000	277V	BLACK, GREY, WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	
102	MAZDA-IDXR29801200W-3K-277V-BL-PH-EM-A340 X B130 MM	200W	3000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	
103	MAZDA-IDXR29801200W-3K-277V-BL-10VDIM-A340 X B130 MM	200W	3000	277V	BLACK, GREY, WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	
104	MAZDA-IDXR29801200W-3K-277V-BL-10VDIM-EM-A340 X B130 MM	200W	3000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	
105	MAZDA-IDXR29801200W-4K-277V-BL-ND-A340 X B130 MM	200W	4000	277V	BLACK, GREY, WHITE	NON EMERGENCY	ON - OFF	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	
106	MAZDA-IDXR29801200W-4K-277V-BL-ND-EM-A340 X B130 MM	200W	4000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	
107	MAZDA-IDXR29801200W-4K-277V-BL-DA-A340 X B130 MM	200W	4000	277V	BLACK, GREY, WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	
108	MAZDA-IDXR29801200W-4K-277V-BL-DA-EM-A340 X B130 MM	200W	4000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	
109	MAZDA-IDXR29801200W-4K-277V-BL-PH-A340 X B130 MM	200W	4000	277V	BLACK, GREY, WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	
110	MAZDA-IDXR29801200W-4K-277V-BL-PH-EM-A340 X B130 MM	200W	4000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	
111	MAZDA-IDXR29801200W-4K-277V-BL-10VDIM-A340 X B130 MM	200W	4000	277V	BLACK, GREY, WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	
112	MAZDA-IDXR29801200W-4K-277V-BL-10VDIM-EM-A340 X B130 MM	200W	4000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	
113	MAZDA-IDXR29801200W-5K-277V-BL-ND-A340 X B130 MM	200W	5000	277V	BLACK, GREY, WHITE	NON EMERGENCY	ON - OFF	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	
114	MAZDA-IDXR29801200W-5K-277V-BL-ND-EM-A340 X B130 MM	200W	5000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	
115	MAZDA-IDXR29801200W-5K-277V-BL-DA-A340 X B130 MM	200W	5000	277V	BLACK, GREY, WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	
116	MAZDA-IDXR29801200W-5K-277V-BL-DA-EM-A340 X B130 MM	200W	5000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	
117	MAZDA-IDXR29801200W-5K-277V-BL-PH-A340 X B130 MM	200W	5000	277V	BLACK, GREY, WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	
118	MAZDA-IDXR29801200W-5K-277V-BL-PH-EM-A340 X B130 MM	200W	5000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	
119	MAZDA-IDXR29801200W-5K-277V-BL-10VDIM-A340 X B130 MM	200W	5000	277V	BLACK, GREY, WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	
120	MAZDA-IDXR29801200W-5K-277V-BL-10VDIM-EM-A340 X B130 MM	200W	5000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	
121	MAZDA-IDXR29801200W-6K-277V-BL-ND-A340 X B130 MM	200W	6000	277V	BLACK, GREY, WHITE	NON EMERGENCY	ON - OFF	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	
122	MAZDA-IDXR29801200W-6K-277V-BL-ND-EM-A340 X B130 MM	200W	6000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	
123	MAZDA-IDXR29801200W-6K-277V-BL-DA-A340 X B130 MM	200W	6000	277V	BLACK, GREY, WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	
124	MAZDA-IDXR29801200W-6K-277V-BL-DA-EM-A340 X B130 MM	200W	6000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	
125	MAZDA-IDXR29801200W-6K-277V-BL-PH-A340 X B130 MM	200W	6000	277V	BLACK, GREY, WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
126	MAZDA-IDXR29801200W-6K-277V-BL-PH-EM-A340 X B130 MM	200W	6000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	
127	MAZDA-IDXR29801200W-6K-277V-BL-10VDIM-A340 X B130 MM	200W	6000	277V	BLACK, GREY, WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	
128	MAZDA-IDXR29801200W-6K-277V-BL-10VDIM-EM-A340 X B130 MM	200W	6000	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	
129	MAZDA-IDXR29801200W-2.7K-277V-BL-ND-A340 X B130 MM	200W	2700	277V	BLACK, GREY, WHITE	NON EMERGENCY	ON - OFF	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	
130	MAZDA-IDXR29801200W-2.7K-277V-BL-ND-EM-A340 X B130 MM	200W	2700	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	
131	MAZDA-IDXR29801200W-2.7K-277V-BL-DA-A340 X B130 MM	200W	2700	277V	BLACK, GREY, WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	
132	MAZDA-IDXR29801200W-2.7K-277V-BL-DA-EM-A340 X B130 MM	200W	2700	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	
133	MAZDA-IDXR29801200W-2.7K-277V-BL-PH-A340 X B130 MM	200W	2700	277V	BLACK, GREY, WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	
134	MAZDA-IDXR29801200W-2.7K-277V-BL-PH-EM-A340 X B130 MM	200W	2700	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	
135	MAZDA-IDXR29801200W-2.7K-277V-BL-10VDIM-A340 X B130 MM	200W	2700	277V	BLACK, GREY, WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	
136	MAZDA-IDXR29801200W-2.7K-277V-BL-10VDIM-EM-A340 X B130 MM	200W	2700	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	
137	MAZDA-IDXR29801200W-6.5K-277V-BL-ND-A340 X B130 MM	200W	6500	277V	BLACK, GREY, WHITE	NON EMERGENCY	ON - OFF	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	
138	MAZDA-IDXR29801200W-6.5K-277V-BL-ND-EM-A340 X B130 MM	200W	6500	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	
139	MAZDA-IDXR29801200W-6.5K-277V-BL-DA-A340 X B130 MM	200W	6500	277V	BLACK, GREY, WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	
140	MAZDA-IDXR29801200W-6.5K-277V-BL-DA-EM-A340 X B130 MM	200W	6500	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	
141	MAZDA-IDXR29801200W-6.5K-277V-BL-PH-A340 X B130 MM	200W	6500	277V	BLACK, GREY, WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	
142	MAZDA-IDXR29801200W-6.5K-277V-BL-PH-EM-A340 X B130 MM	200W	6500	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	
143	MAZDA-IDXR29801200W-6.5K-277V-BL-10VDIM-A340 X B130 MM	200W	6500	277V	BLACK, GREY, WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	
144	MAZDA-IDXR29801200W-6.5K-277V-BL-10VDIM-EM-A340 X B130 MM	200W	6500	277V	BLACK, GREY, WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	24	A340 X B130 MM	DIE CAST ALUMINUM	IP66	A340 X B130 MM	