



WALKER

MAZDA Model: IDXR2985 HIGHBAY LIGHT

Walker LED High Bay is high quality light source. Combination of multiple high-power LEDs features. As a new type provides excellent lumen output, long-lasting stability and splendid sight. It is driven by high-end LED with long service life, Unique heat dissipation design and stable product performance. Excellent heat dissipation function, significantly improving service life and efficiency. Optional light color meets the needs of different environments. No depression, no disturbing vision. These high bay lights meet all UK safety regulations (CE and RoHs)

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angle	Dimension	Material	IP	Dimensions	Price
1	MAZDA-IDXR298560W-3K-265V-BL-ND-A300 X B300 X 75 CM	60W	3000	265V	BLACK & GREY	NON EMERGENCY	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
2	MAZDA-IDXR298560W-3K-265V-BL-ND-EM-A300 X B300 X 75 CM	60W	3000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
3	MAZDA-IDXR298560W-3K-265V-BL-DA-A300 X B300 X 75 CM	60W	3000	265V	BLACK & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
4	MAZDA-IDXR298560W-3K-265V-BL-DA-EM-A300 X B300 X 75 CM	60W	3000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
5	MAZDA-IDXR298560W-3K-265V-BL-PH-A300 X B300 X 75 CM	60W	3000	265V	BLACK & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
6	MAZDA-IDXR298560W-3K-265V-BL-PH-EM-A300 X B300 X 75 CM	60W	3000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
7	MAZDA-IDXR298560W-3K-265V-BL-10VDIM-A300 X B300 X 75 CM	60W	3000	265V	BLACK & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
8	MAZDA-IDXR298560W-3K-265V-BL-10VDIM-EM-A300 X B300 X 75 CM	60W	3000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
9	MAZDA-IDXR298560W-4K-265V-BL-ND-A300 X B300 X 75 CM	60W	4000	265V	BLACK & GREY	NON EMERGENCY	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
10	MAZDA-IDXR298560W-4K-265V-BL-ND-EM-A300 X B300 X 75 CM	60W	4000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
11	MAZDA-IDXR298560W-4K-265V-BL-DA-A300 X B300 X 75 CM	60W	4000	265V	BLACK & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
12	MAZDA-IDXR298560W-4K-265V-BL-DA-EM-A300 X B300 X 75 CM	60W	4000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
13	MAZDA-IDXR298560W-4K-265V-BL-PH-A300 X B300 X 75 CM	60W	4000	265V	BLACK & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
14	MAZDA-IDXR298560W-4K-265V-BL-PH-EM-A300 X B300 X 75 CM	60W	4000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
15	MAZDA-IDXR298560W-4K-265V-BL-10VDIM-A300 X B300 X 75 CM	60W	4000	265V	BLACK & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
16	MAZDA-IDXR298560W-4K-265V-BL-10VDIM-EM-A300 X B300 X 75 CM	60W	4000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
17	MAZDA-IDXR298560W-5K-265V-BL-ND-A300 X B300 X 75 CM	60W	5000	265V	BLACK & GREY	NON EMERGENCY	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	



DATASHEET

GENERATED ON: 15 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
18	MAZDA-IDXR298560W-5K-265V-BL-ND-EM-A300 X B300 X 75 CM	60W	5000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
19	MAZDA-IDXR298560W-5K-265V-BL-DA-A300 X B300 X 75 CM	60W	5000	265V	BLACK & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
20	MAZDA-IDXR298560W-5K-265V-BL-DA-EM-A300 X B300 X 75 CM	60W	5000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
21	MAZDA-IDXR298560W-5K-265V-BL-PH-A300 X B300 X 75 CM	60W	5000	265V	BLACK & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
22	MAZDA-IDXR298560W-5K-265V-BL-PH-EM-A300 X B300 X 75 CM	60W	5000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
23	MAZDA-IDXR298560W-5K-265V-BL-10VDIM-A300 X B300 X 75 CM	60W	5000	265V	BLACK & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
24	MAZDA-IDXR298560W-5K-265V-BL-10VDIM-EM-A300 X B300 X 75 CM	60W	5000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
25	MAZDA-IDXR298560W-6K-265V-BL-ND-A300 X B300 X 75 CM	60W	6000	265V	BLACK & GREY	NON EMERGENCY	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
26	MAZDA-IDXR298560W-6K-265V-BL-ND-EM-A300 X B300 X 75 CM	60W	6000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
27	MAZDA-IDXR298560W-6K-265V-BL-DA-A300 X B300 X 75 CM	60W	6000	265V	BLACK & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
28	MAZDA-IDXR298560W-6K-265V-BL-DA-EM-A300 X B300 X 75 CM	60W	6000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
29	MAZDA-IDXR298560W-6K-265V-BL-PH-A300 X B300 X 75 CM	60W	6000	265V	BLACK & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
30	MAZDA-IDXR298560W-6K-265V-BL-PH-EM-A300 X B300 X 75 CM	60W	6000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
31	MAZDA-IDXR298560W-6K-265V-BL-10VDIM-A300 X B300 X 75 CM	60W	6000	265V	BLACK & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
32	MAZDA-IDXR298560W-6K-265V-BL-10VDIM-EM-A300 X B300 X 75 CM	60W	6000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
33	MAZDA-IDXR298560W-2.7K-265V-BL-ND-A300 X B300 X 75 CM	60W	2700	265V	BLACK & GREY	NON EMERGENCY	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
34	MAZDA-IDXR298560W-2.7K-265V-BL-ND-EM-A300 X B300 X 75 CM	60W	2700	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
35	MAZDA-IDXR298560W-2.7K-265V-BL-DA-A300 X B300 X 75 CM	60W	2700	265V	BLACK & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
36	MAZDA-IDXR298560W-2.7K-265V-BL-DA-EM-A300 X B300 X 75 CM	60W	2700	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
37	MAZDA-IDXR298560W-2.7K-265V-BL-PH-A300 X B300 X 75 CM	60W	2700	265V	BLACK & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
38	MAZDA-IDXR298560W-2.7K-265V-BL-PH-EM-A300 X B300 X 75 CM	60W	2700	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
39	MAZDA-IDXR298560W-2.7K-265V-BL-10VDIM-A300 X B300 X 75 CM	60W	2700	265V	BLACK & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
40	MAZDA-IDXR298560W-2.7K-265V-BL-10VDIM-EM-A300 X B300 X 75 CM	60W	2700	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
41	MAZDA-IDXR298560W-6.5K-265V-BL-ND-A300 X B300 X 75 CM	60W	6500	265V	BLACK & GREY	NON EMERGENCY	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
42	MAZDA-IDXR298560W-6.5K-265V-BL-ND-EM-A300 X B300 X 75 CM	60W	6500	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
43	MAZDA-IDXR298560W-6.5K-265V-BL-DA-A300 X B300 X 75 CM	60W	6500	265V	BLACK & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
44	MAZDA-IDXR298560W-6.5K-265V-BL-DA-EM-A300 X B300 X 75 CM	60W	6500	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	



DATASHEET

GENERATED ON: 15 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
45	MAZDA-IDXR298560W-6.5K-265V-BL-PH-A300 X B300 X 75 CM	60W	6500	265V	BLACK & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
46	MAZDA-IDXR298560W-6.5K-265V-BL-PH-EM-A300 X B300 X 75 CM	60W	6500	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
47	MAZDA-IDXR298560W-6.5K-265V-BL-10VDIM-A300 X B300 X 75 CM	60W	6500	265V	BLACK & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
48	MAZDA-IDXR298560W-6.5K-265V-BL-10VDIM-EM-A300 X B300 X 75 CM	60W	6500	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
49	MAZDA-IDXR298580W-3K-265V-BL-ND-A300 X B300 X 75 CM	80W	3000	265V	BLACK & GREY	NON EMERGENCY	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
50	MAZDA-IDXR298580W-3K-265V-BL-ND-EM-A300 X B300 X 75 CM	80W	3000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
51	MAZDA-IDXR298580W-3K-265V-BL-DA-A300 X B300 X 75 CM	80W	3000	265V	BLACK & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
52	MAZDA-IDXR298580W-3K-265V-BL-DA-EM-A300 X B300 X 75 CM	80W	3000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
53	MAZDA-IDXR298580W-3K-265V-BL-PH-A300 X B300 X 75 CM	80W	3000	265V	BLACK & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
54	MAZDA-IDXR298580W-3K-265V-BL-PH-EM-A300 X B300 X 75 CM	80W	3000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
55	MAZDA-IDXR298580W-3K-265V-BL-10VDIM-A300 X B300 X 75 CM	80W	3000	265V	BLACK & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
56	MAZDA-IDXR298580W-3K-265V-BL-10VDIM-EM-A300 X B300 X 75 CM	80W	3000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
57	MAZDA-IDXR298580W-4K-265V-BL-ND-A300 X B300 X 75 CM	80W	4000	265V	BLACK & GREY	NON EMERGENCY	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
58	MAZDA-IDXR298580W-4K-265V-BL-ND-EM-A300 X B300 X 75 CM	80W	4000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
59	MAZDA-IDXR298580W-4K-265V-BL-DA-A300 X B300 X 75 CM	80W	4000	265V	BLACK & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
60	MAZDA-IDXR298580W-4K-265V-BL-DA-EM-A300 X B300 X 75 CM	80W	4000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
61	MAZDA-IDXR298580W-4K-265V-BL-PH-A300 X B300 X 75 CM	80W	4000	265V	BLACK & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
62	MAZDA-IDXR298580W-4K-265V-BL-PH-EM-A300 X B300 X 75 CM	80W	4000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
63	MAZDA-IDXR298580W-4K-265V-BL-10VDIM-A300 X B300 X 75 CM	80W	4000	265V	BLACK & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
64	MAZDA-IDXR298580W-4K-265V-BL-10VDIM-EM-A300 X B300 X 75 CM	80W	4000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
65	MAZDA-IDXR298580W-5K-265V-BL-ND-A300 X B300 X 75 CM	80W	5000	265V	BLACK & GREY	NON EMERGENCY	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
66	MAZDA-IDXR298580W-5K-265V-BL-ND-EM-A300 X B300 X 75 CM	80W	5000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
67	MAZDA-IDXR298580W-5K-265V-BL-DA-A300 X B300 X 75 CM	80W	5000	265V	BLACK & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
68	MAZDA-IDXR298580W-5K-265V-BL-DA-EM-A300 X B300 X 75 CM	80W	5000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
69	MAZDA-IDXR298580W-5K-265V-BL-PH-A300 X B300 X 75 CM	80W	5000	265V	BLACK & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
70	MAZDA-IDXR298580W-5K-265V-BL-PH-EM-A300 X B300 X 75 CM	80W	5000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
71	MAZDA-IDXR298580W-5K-265V-BL-10VDIM-A300 X B300 X 75 CM	80W	5000	265V	BLACK & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	



DATASHEET

GENERATED ON: 15 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
72	MAZDA-IDXR298580W-5K-265V-BL-10VDIM-EM-A300 X B300 X 75 CM	80W	5000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
73	MAZDA-IDXR298580W-6K-265V-BL-ND-A300 X B300 X 75 CM	80W	6000	265V	BLACK & GREY	NON EMERGENCY	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
74	MAZDA-IDXR298580W-6K-265V-BL-ND-EM-A300 X B300 X 75 CM	80W	6000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
75	MAZDA-IDXR298580W-6K-265V-BL-DA-A300 X B300 X 75 CM	80W	6000	265V	BLACK & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
76	MAZDA-IDXR298580W-6K-265V-BL-DA-EM-A300 X B300 X 75 CM	80W	6000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
77	MAZDA-IDXR298580W-6K-265V-BL-PH-A300 X B300 X 75 CM	80W	6000	265V	BLACK & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
78	MAZDA-IDXR298580W-6K-265V-BL-PH-EM-A300 X B300 X 75 CM	80W	6000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
79	MAZDA-IDXR298580W-6K-265V-BL-10VDIM-A300 X B300 X 75 CM	80W	6000	265V	BLACK & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
80	MAZDA-IDXR298580W-6K-265V-BL-10VDIM-EM-A300 X B300 X 75 CM	80W	6000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
81	MAZDA-IDXR298580W-2.7K-265V-BL-ND-A300 X B300 X 75 CM	80W	2700	265V	BLACK & GREY	NON EMERGENCY	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
82	MAZDA-IDXR298580W-2.7K-265V-BL-ND-EM-A300 X B300 X 75 CM	80W	2700	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
83	MAZDA-IDXR298580W-2.7K-265V-BL-DA-A300 X B300 X 75 CM	80W	2700	265V	BLACK & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
84	MAZDA-IDXR298580W-2.7K-265V-BL-DA-EM-A300 X B300 X 75 CM	80W	2700	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
85	MAZDA-IDXR298580W-2.7K-265V-BL-PH-A300 X B300 X 75 CM	80W	2700	265V	BLACK & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
86	MAZDA-IDXR298580W-2.7K-265V-BL-PH-EM-A300 X B300 X 75 CM	80W	2700	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
87	MAZDA-IDXR298580W-2.7K-265V-BL-10VDIM-A300 X B300 X 75 CM	80W	2700	265V	BLACK & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
88	MAZDA-IDXR298580W-2.7K-265V-BL-10VDIM-EM-A300 X B300 X 75 CM	80W	2700	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
89	MAZDA-IDXR298580W-6.5K-265V-BL-ND-A300 X B300 X 75 CM	80W	6500	265V	BLACK & GREY	NON EMERGENCY	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
90	MAZDA-IDXR298580W-6.5K-265V-BL-ND-EM-A300 X B300 X 75 CM	80W	6500	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
91	MAZDA-IDXR298580W-6.5K-265V-BL-DA-A300 X B300 X 75 CM	80W	6500	265V	BLACK & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
92	MAZDA-IDXR298580W-6.5K-265V-BL-DA-EM-A300 X B300 X 75 CM	80W	6500	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
93	MAZDA-IDXR298580W-6.5K-265V-BL-PH-A300 X B300 X 75 CM	80W	6500	265V	BLACK & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
94	MAZDA-IDXR298580W-6.5K-265V-BL-PH-EM-A300 X B300 X 75 CM	80W	6500	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
95	MAZDA-IDXR298580W-6.5K-265V-BL-10VDIM-A300 X B300 X 75 CM	80W	6500	265V	BLACK & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
96	MAZDA-IDXR298580W-6.5K-265V-BL-10VDIM-EM-A300 X B300 X 75 CM	80W	6500	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
97	MAZDA-IDXR2985100W-3K-265V-BL-ND-A300 X B300 X 75 CM	100W	3000	265V	BLACK & GREY	NON EMERGENCY	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
98	MAZDA-IDXR2985100W-3K-265V-BL-ND-EM-A300 X B300 X 75 CM	100W	3000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	



DATASHEET

GENERATED ON: 15 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
99	MAZDA-IDXR2985100W-3K-265V-BL-DA-A300 X B300 X 75 CM	100W	3000	265V	BLACK & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
100	MAZDA-IDXR2985100W-3K-265V-BL-DA-EM-A300 X B300 X 75 CM	100W	3000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
101	MAZDA-IDXR2985100W-3K-265V-BL-PH-A300 X B300 X 75 CM	100W	3000	265V	BLACK & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
102	MAZDA-IDXR2985100W-3K-265V-BL-PH-EM-A300 X B300 X 75 CM	100W	3000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
103	MAZDA-IDXR2985100W-3K-265V-BL-10VDIM-A300 X B300 X 75 CM	100W	3000	265V	BLACK & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
104	MAZDA-IDXR2985100W-3K-265V-BL-10VDIM-EM-A300 X B300 X 75 CM	100W	3000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
105	MAZDA-IDXR2985100W-4K-265V-BL-ND-A300 X B300 X 75 CM	100W	4000	265V	BLACK & GREY	NON EMERGENCY	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
106	MAZDA-IDXR2985100W-4K-265V-BL-ND-EM-A300 X B300 X 75 CM	100W	4000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
107	MAZDA-IDXR2985100W-4K-265V-BL-DA-A300 X B300 X 75 CM	100W	4000	265V	BLACK & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
108	MAZDA-IDXR2985100W-4K-265V-BL-DA-EM-A300 X B300 X 75 CM	100W	4000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
109	MAZDA-IDXR2985100W-4K-265V-BL-PH-A300 X B300 X 75 CM	100W	4000	265V	BLACK & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
110	MAZDA-IDXR2985100W-4K-265V-BL-PH-EM-A300 X B300 X 75 CM	100W	4000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
111	MAZDA-IDXR2985100W-4K-265V-BL-10VDIM-A300 X B300 X 75 CM	100W	4000	265V	BLACK & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
112	MAZDA-IDXR2985100W-4K-265V-BL-10VDIM-EM-A300 X B300 X 75 CM	100W	4000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
113	MAZDA-IDXR2985100W-5K-265V-BL-ND-A300 X B300 X 75 CM	100W	5000	265V	BLACK & GREY	NON EMERGENCY	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
114	MAZDA-IDXR2985100W-5K-265V-BL-ND-EM-A300 X B300 X 75 CM	100W	5000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
115	MAZDA-IDXR2985100W-5K-265V-BL-DA-A300 X B300 X 75 CM	100W	5000	265V	BLACK & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
116	MAZDA-IDXR2985100W-5K-265V-BL-DA-EM-A300 X B300 X 75 CM	100W	5000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
117	MAZDA-IDXR2985100W-5K-265V-BL-PH-A300 X B300 X 75 CM	100W	5000	265V	BLACK & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
118	MAZDA-IDXR2985100W-5K-265V-BL-PH-EM-A300 X B300 X 75 CM	100W	5000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
119	MAZDA-IDXR2985100W-5K-265V-BL-10VDIM-A300 X B300 X 75 CM	100W	5000	265V	BLACK & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
120	MAZDA-IDXR2985100W-5K-265V-BL-10VDIM-EM-A300 X B300 X 75 CM	100W	5000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
121	MAZDA-IDXR2985100W-6K-265V-BL-ND-A300 X B300 X 75 CM	100W	6000	265V	BLACK & GREY	NON EMERGENCY	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
122	MAZDA-IDXR2985100W-6K-265V-BL-ND-EM-A300 X B300 X 75 CM	100W	6000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
123	MAZDA-IDXR2985100W-6K-265V-BL-DA-A300 X B300 X 75 CM	100W	6000	265V	BLACK & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
124	MAZDA-IDXR2985100W-6K-265V-BL-DA-EM-A300 X B300 X 75 CM	100W	6000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
125	MAZDA-IDXR2985100W-6K-265V-BL-PH-A300 X B300 X 75 CM	100W	6000	265V	BLACK & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	



DATASHEET

GENERATED ON: 15 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
126	MAZDA-IDXR2985100W-6K-265V-BL-PH-EM-A300 X B300 X 75 CM	100W	6000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
127	MAZDA-IDXR2985100W-6K-265V-BL-10VDIM-A300 X B300 X 75 CM	100W	6000	265V	BLACK & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
128	MAZDA-IDXR2985100W-6K-265V-BL-10VDIM-EM-A300 X B300 X 75 CM	100W	6000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
129	MAZDA-IDXR2985100W-2.7K-265V-BL-ND-A300 X B300 X 75 CM	100W	2700	265V	BLACK & GREY	NON EMERGENCY	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
130	MAZDA-IDXR2985100W-2.7K-265V-BL-ND-EM-A300 X B300 X 75 CM	100W	2700	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
131	MAZDA-IDXR2985100W-2.7K-265V-BL-DA-A300 X B300 X 75 CM	100W	2700	265V	BLACK & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
132	MAZDA-IDXR2985100W-2.7K-265V-BL-DA-EM-A300 X B300 X 75 CM	100W	2700	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
133	MAZDA-IDXR2985100W-2.7K-265V-BL-PH-A300 X B300 X 75 CM	100W	2700	265V	BLACK & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
134	MAZDA-IDXR2985100W-2.7K-265V-BL-PH-EM-A300 X B300 X 75 CM	100W	2700	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
135	MAZDA-IDXR2985100W-2.7K-265V-BL-10VDIM-A300 X B300 X 75 CM	100W	2700	265V	BLACK & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
136	MAZDA-IDXR2985100W-2.7K-265V-BL-10VDIM-EM-A300 X B300 X 75 CM	100W	2700	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
137	MAZDA-IDXR2985100W-6.5K-265V-BL-ND-A300 X B300 X 75 CM	100W	6500	265V	BLACK & GREY	NON EMERGENCY	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
138	MAZDA-IDXR2985100W-6.5K-265V-BL-ND-EM-A300 X B300 X 75 CM	100W	6500	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
139	MAZDA-IDXR2985100W-6.5K-265V-BL-DA-A300 X B300 X 75 CM	100W	6500	265V	BLACK & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
140	MAZDA-IDXR2985100W-6.5K-265V-BL-DA-EM-A300 X B300 X 75 CM	100W	6500	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
141	MAZDA-IDXR2985100W-6.5K-265V-BL-PH-A300 X B300 X 75 CM	100W	6500	265V	BLACK & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
142	MAZDA-IDXR2985100W-6.5K-265V-BL-PH-EM-A300 X B300 X 75 CM	100W	6500	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
143	MAZDA-IDXR2985100W-6.5K-265V-BL-10VDIM-A300 X B300 X 75 CM	100W	6500	265V	BLACK & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
144	MAZDA-IDXR2985100W-6.5K-265V-BL-10VDIM-EM-A300 X B300 X 75 CM	100W	6500	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
145	MAZDA-IDXR2985120W-3K-265V-BL-ND-A300 X B300 X 75 CM	120W	3000	265V	BLACK & GREY	NON EMERGENCY	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
146	MAZDA-IDXR2985120W-3K-265V-BL-ND-EM-A300 X B300 X 75 CM	120W	3000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
147	MAZDA-IDXR2985120W-3K-265V-BL-DA-A300 X B300 X 75 CM	120W	3000	265V	BLACK & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
148	MAZDA-IDXR2985120W-3K-265V-BL-DA-EM-A300 X B300 X 75 CM	120W	3000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
149	MAZDA-IDXR2985120W-3K-265V-BL-PH-A300 X B300 X 75 CM	120W	3000	265V	BLACK & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
150	MAZDA-IDXR2985120W-3K-265V-BL-PH-EM-A300 X B300 X 75 CM	120W	3000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
151	MAZDA-IDXR2985120W-3K-265V-BL-10VDIM-A300 X B300 X 75 CM	120W	3000	265V	BLACK & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
152	MAZDA-IDXR2985120W-3K-265V-BL-10VDIM-EM-A300 X B300 X 75 CM	120W	3000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	



DATASHEET

GENERATED ON: 15 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
153	MAZDA-IDXR2985120W-4K-265V-BL-ND-A300 X B300 X 75 CM	120W	4000	265V	BLACK & GREY	NON EMERGENCY	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
154	MAZDA-IDXR2985120W-4K-265V-BL-ND-EM-A300 X B300 X 75 CM	120W	4000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
155	MAZDA-IDXR2985120W-4K-265V-BL-DA-A300 X B300 X 75 CM	120W	4000	265V	BLACK & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
156	MAZDA-IDXR2985120W-4K-265V-BL-DA-EM-A300 X B300 X 75 CM	120W	4000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
157	MAZDA-IDXR2985120W-4K-265V-BL-PH-A300 X B300 X 75 CM	120W	4000	265V	BLACK & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
158	MAZDA-IDXR2985120W-4K-265V-BL-PH-EM-A300 X B300 X 75 CM	120W	4000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
159	MAZDA-IDXR2985120W-4K-265V-BL-10VDIM-A300 X B300 X 75 CM	120W	4000	265V	BLACK & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
160	MAZDA-IDXR2985120W-4K-265V-BL-10VDIM-EM-A300 X B300 X 75 CM	120W	4000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
161	MAZDA-IDXR2985120W-5K-265V-BL-ND-A300 X B300 X 75 CM	120W	5000	265V	BLACK & GREY	NON EMERGENCY	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
162	MAZDA-IDXR2985120W-5K-265V-BL-ND-EM-A300 X B300 X 75 CM	120W	5000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
163	MAZDA-IDXR2985120W-5K-265V-BL-DA-A300 X B300 X 75 CM	120W	5000	265V	BLACK & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
164	MAZDA-IDXR2985120W-5K-265V-BL-DA-EM-A300 X B300 X 75 CM	120W	5000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
165	MAZDA-IDXR2985120W-5K-265V-BL-PH-A300 X B300 X 75 CM	120W	5000	265V	BLACK & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
166	MAZDA-IDXR2985120W-5K-265V-BL-PH-EM-A300 X B300 X 75 CM	120W	5000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
167	MAZDA-IDXR2985120W-5K-265V-BL-10VDIM-A300 X B300 X 75 CM	120W	5000	265V	BLACK & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
168	MAZDA-IDXR2985120W-5K-265V-BL-10VDIM-EM-A300 X B300 X 75 CM	120W	5000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
169	MAZDA-IDXR2985120W-6K-265V-BL-ND-A300 X B300 X 75 CM	120W	6000	265V	BLACK & GREY	NON EMERGENCY	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
170	MAZDA-IDXR2985120W-6K-265V-BL-ND-EM-A300 X B300 X 75 CM	120W	6000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
171	MAZDA-IDXR2985120W-6K-265V-BL-DA-A300 X B300 X 75 CM	120W	6000	265V	BLACK & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
172	MAZDA-IDXR2985120W-6K-265V-BL-DA-EM-A300 X B300 X 75 CM	120W	6000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
173	MAZDA-IDXR2985120W-6K-265V-BL-PH-A300 X B300 X 75 CM	120W	6000	265V	BLACK & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
174	MAZDA-IDXR2985120W-6K-265V-BL-PH-EM-A300 X B300 X 75 CM	120W	6000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
175	MAZDA-IDXR2985120W-6K-265V-BL-10VDIM-A300 X B300 X 75 CM	120W	6000	265V	BLACK & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
176	MAZDA-IDXR2985120W-6K-265V-BL-10VDIM-EM-A300 X B300 X 75 CM	120W	6000	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
177	MAZDA-IDXR2985120W-2.7K-265V-BL-ND-A300 X B300 X 75 CM	120W	2700	265V	BLACK & GREY	NON EMERGENCY	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
178	MAZDA-IDXR2985120W-2.7K-265V-BL-ND-EM-A300 X B300 X 75 CM	120W	2700	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
179	MAZDA-IDXR2985120W-2.7K-265V-BL-DA-A300 X B300 X 75 CM	120W	2700	265V	BLACK & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
180	MAZDA-IDXR2985120W-2.7K-265V-BL-DA-EM-A300 X B300 X 75 CM	120W	2700	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
181	MAZDA-IDXR2985120W-2.7K-265V-BL-PH-A300 X B300 X 75 CM	120W	2700	265V	BLACK & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
182	MAZDA-IDXR2985120W-2.7K-265V-BL-PH-EM-A300 X B300 X 75 CM	120W	2700	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
183	MAZDA-IDXR2985120W-2.7K-265V-BL-10VDIM-A300 X B300 X 75 CM	120W	2700	265V	BLACK & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
184	MAZDA-IDXR2985120W-2.7K-265V-BL-10VDIM-EM-A300 X B300 X 75 CM	120W	2700	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
185	MAZDA-IDXR2985120W-6.5K-265V-BL-ND-A300 X B300 X 75 CM	120W	6500	265V	BLACK & GREY	NON EMERGENCY	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
186	MAZDA-IDXR2985120W-6.5K-265V-BL-ND-EM-A300 X B300 X 75 CM	120W	6500	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
187	MAZDA-IDXR2985120W-6.5K-265V-BL-DA-A300 X B300 X 75 CM	120W	6500	265V	BLACK & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
188	MAZDA-IDXR2985120W-6.5K-265V-BL-DA-EM-A300 X B300 X 75 CM	120W	6500	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
189	MAZDA-IDXR2985120W-6.5K-265V-BL-PH-A300 X B300 X 75 CM	120W	6500	265V	BLACK & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
190	MAZDA-IDXR2985120W-6.5K-265V-BL-PH-EM-A300 X B300 X 75 CM	120W	6500	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
191	MAZDA-IDXR2985120W-6.5K-265V-BL-10VDIM-A300 X B300 X 75 CM	120W	6500	265V	BLACK & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	
192	MAZDA-IDXR2985120W-6.5K-265V-BL-10VDIM-EM-A300 X B300 X 75 CM	120W	6500	265V	BLACK & GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	36	A300 X B300 X 75 CM	DIE CAST ALUMINUM	IP66	A300 X B300 X 75 CM	