



LYRE

MAZDA Model: IDXR2945 HIGHBAY LIGHT

Lyre LED a square highbay light is a type of lighting fixture designed for high-ceiling environments such as warehouses, industrial facilities, and commercial spaces. It is characterized by its square shape and is typically installed at heights ranging from 15 feet to 40 feet or higher. Square highbay lights are known for their powerful illumination, providing bright and uniform light distribution over large areas. They are equipped with energy-efficient LED technology, which offers long-lasting performance and significant energy savings compared to traditional lighting options. Square highbay lights often feature a rugged and durable construction to withstand harsh conditions and are designed to provide optimal lighting for efficient productivity and safety in industrial settings

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
1	MAZDA-IDXR2945100W-3K-277V-BL-ND-A490 X B360 X C95MM	100W	3000	277V	BLACK, GREY	NON EMERGENCY	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
2	MAZDA-IDXR2945100W-3K-277V-BL-ND-EM-A490 X B360 X C95MM	100W	3000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
3	MAZDA-IDXR2945100W-3K-277V-BL-DA-A490 X B360 X C95MM	100W	3000	277V	BLACK, GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
4	MAZDA-IDXR2945100W-3K-277V-BL-DA-EM-A490 X B360 X C95MM	100W	3000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
5	MAZDA-IDXR2945100W-3K-277V-BL-PH-A490 X B360 X C95MM	100W	3000	277V	BLACK, GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
6	MAZDA-IDXR2945100W-3K-277V-BL-PH-EM-A490 X B360 X C95MM	100W	3000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
7	MAZDA-IDXR2945100W-3K-277V-BL-10VDIM-A490 X B360 X C95MM	100W	3000	277V	BLACK, GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
8	MAZDA-IDXR2945100W-3K-277V-BL-10VDIM-EM-A490 X B360 X C95MM	100W	3000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
9	MAZDA-IDXR2945100W-4K-277V-BL-ND-A490 X B360 X C95MM	100W	4000	277V	BLACK, GREY	NON EMERGENCY	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
10	MAZDA-IDXR2945100W-4K-277V-BL-ND-EM-A490 X B360 X C95MM	100W	4000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
11	MAZDA-IDXR2945100W-4K-277V-BL-DA-A490 X B360 X C95MM	100W	4000	277V	BLACK, GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
12	MAZDA-IDXR2945100W-4K-277V-BL-DA-EM-A490 X B360 X C95MM	100W	4000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
13	MAZDA-IDXR2945100W-4K-277V-BL-PH-A490 X B360 X C95MM	100W	4000	277V	BLACK, GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
14	MAZDA-IDXR2945100W-4K-277V-BL-PH-EM-A490 X B360 X C95MM	100W	4000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
15	MAZDA-IDXR2945100W-4K-277V-BL-10VDIM-A490 X B360 X C95MM	100W	4000	277V	BLACK, GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
16	MAZDA-IDXR2945100W-4K-277V-BL-10VDIM-EM-A490 X B360 X C95MM	100W	4000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
17	MAZDA-IDXR2945100W-5K-277V-BL-ND-A490 X B360 X C95MM	100W	5000	277V	BLACK, GREY	NON EMERGENCY	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	



DATASHEET

GENERATED ON: 15 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
18	MAZDA-IDXR2945100W-5K-277V-BL-ND-EM-A490 X B360 X C95MM	100W	5000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
19	MAZDA-IDXR2945100W-5K-277V-BL-DA-A490 X B360 X C95MM	100W	5000	277V	BLACK, GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
20	MAZDA-IDXR2945100W-5K-277V-BL-DA-EM-A490 X B360 X C95MM	100W	5000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
21	MAZDA-IDXR2945100W-5K-277V-BL-PH-A490 X B360 X C95MM	100W	5000	277V	BLACK, GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
22	MAZDA-IDXR2945100W-5K-277V-BL-PH-EM-A490 X B360 X C95MM	100W	5000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
23	MAZDA-IDXR2945100W-5K-277V-BL-10VDIM-A490 X B360 X C95MM	100W	5000	277V	BLACK, GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
24	MAZDA-IDXR2945100W-5K-277V-BL-10VDIM-EM-A490 X B360 X C95MM	100W	5000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
25	MAZDA-IDXR2945100W-6K-277V-BL-ND-A490 X B360 X C95MM	100W	6000	277V	BLACK, GREY	NON EMERGENCY	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
26	MAZDA-IDXR2945100W-6K-277V-BL-ND-EM-A490 X B360 X C95MM	100W	6000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
27	MAZDA-IDXR2945100W-6K-277V-BL-DA-A490 X B360 X C95MM	100W	6000	277V	BLACK, GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
28	MAZDA-IDXR2945100W-6K-277V-BL-DA-EM-A490 X B360 X C95MM	100W	6000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
29	MAZDA-IDXR2945100W-6K-277V-BL-PH-A490 X B360 X C95MM	100W	6000	277V	BLACK, GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
30	MAZDA-IDXR2945100W-6K-277V-BL-PH-EM-A490 X B360 X C95MM	100W	6000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
31	MAZDA-IDXR2945100W-6K-277V-BL-10VDIM-A490 X B360 X C95MM	100W	6000	277V	BLACK, GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
32	MAZDA-IDXR2945100W-6K-277V-BL-10VDIM-EM-A490 X B360 X C95MM	100W	6000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
33	MAZDA-IDXR2945100W-2.7K-277V-BL-ND-A490 X B360 X C95MM	100W	2700	277V	BLACK, GREY	NON EMERGENCY	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
34	MAZDA-IDXR2945100W-2.7K-277V-BL-ND-EM-A490 X B360 X C95MM	100W	2700	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
35	MAZDA-IDXR2945100W-2.7K-277V-BL-DA-A490 X B360 X C95MM	100W	2700	277V	BLACK, GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
36	MAZDA-IDXR2945100W-2.7K-277V-BL-DA-EM-A490 X B360 X C95MM	100W	2700	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
37	MAZDA-IDXR2945100W-2.7K-277V-BL-PH-A490 X B360 X C95MM	100W	2700	277V	BLACK, GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
38	MAZDA-IDXR2945100W-2.7K-277V-BL-PH-EM-A490 X B360 X C95MM	100W	2700	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
39	MAZDA-IDXR2945100W-2.7K-277V-BL-10VDIM-A490 X B360 X C95MM	100W	2700	277V	BLACK, GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
40	MAZDA-IDXR2945100W-2.7K-277V-BL-10VDIM-EM-A490 X B360 X C95MM	100W	2700	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
41	MAZDA-IDXR2945100W-6.5K-277V-BL-ND-A490 X B360 X C95MM	100W	6500	277V	BLACK, GREY	NON EMERGENCY	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
42	MAZDA-IDXR2945100W-6.5K-277V-BL-ND-EM-A490 X B360 X C95MM	100W	6500	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
43	MAZDA-IDXR2945100W-6.5K-277V-BL-DA-A490 X B360 X C95MM	100W	6500	277V	BLACK, GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
44	MAZDA-IDXR2945100W-6.5K-277V-BL-DA-EM-A490 X B360 X C95MM	100W	6500	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
45	MAZDA-IDXR2945100W-6.5K-277V-BL-PH-A490 X B360 X C95MM	100W	6500	277V	BLACK, GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	



DATASHEET

GENERATED ON: 15 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
46	MAZDA-IDXR2945100W-6.5K-277V-BL-PH-EM-A490 X B360 X C95MM	100W	6500	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
47	MAZDA-IDXR2945100W-6.5K-277V-BL-10VDIM-A490 X B360 X C95MM	100W	6500	277V	BLACK, GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
48	MAZDA-IDXR2945100W-6.5K-277V-BL-10VDIM-EM-A490 X B360 X C95MM	100W	6500	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
49	MAZDA-IDXR2945120W-3K-277V-BL-ND-A490 X B360 X C95MM	120W	3000	277V	BLACK, GREY	NON EMERGENCY	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
50	MAZDA-IDXR2945120W-3K-277V-BL-ND-EM-A490 X B360 X C95MM	120W	3000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
51	MAZDA-IDXR2945120W-3K-277V-BL-DA-A490 X B360 X C95MM	120W	3000	277V	BLACK, GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
52	MAZDA-IDXR2945120W-3K-277V-BL-DA-EM-A490 X B360 X C95MM	120W	3000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
53	MAZDA-IDXR2945120W-3K-277V-BL-PH-A490 X B360 X C95MM	120W	3000	277V	BLACK, GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
54	MAZDA-IDXR2945120W-3K-277V-BL-PH-EM-A490 X B360 X C95MM	120W	3000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
55	MAZDA-IDXR2945120W-3K-277V-BL-10VDIM-A490 X B360 X C95MM	120W	3000	277V	BLACK, GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
56	MAZDA-IDXR2945120W-3K-277V-BL-10VDIM-EM-A490 X B360 X C95MM	120W	3000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
57	MAZDA-IDXR2945120W-4K-277V-BL-ND-A490 X B360 X C95MM	120W	4000	277V	BLACK, GREY	NON EMERGENCY	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
58	MAZDA-IDXR2945120W-4K-277V-BL-ND-EM-A490 X B360 X C95MM	120W	4000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
59	MAZDA-IDXR2945120W-4K-277V-BL-DA-A490 X B360 X C95MM	120W	4000	277V	BLACK, GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
60	MAZDA-IDXR2945120W-4K-277V-BL-DA-EM-A490 X B360 X C95MM	120W	4000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
61	MAZDA-IDXR2945120W-4K-277V-BL-PH-A490 X B360 X C95MM	120W	4000	277V	BLACK, GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
62	MAZDA-IDXR2945120W-4K-277V-BL-PH-EM-A490 X B360 X C95MM	120W	4000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
63	MAZDA-IDXR2945120W-4K-277V-BL-10VDIM-A490 X B360 X C95MM	120W	4000	277V	BLACK, GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
64	MAZDA-IDXR2945120W-4K-277V-BL-10VDIM-EM-A490 X B360 X C95MM	120W	4000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
65	MAZDA-IDXR2945120W-5K-277V-BL-ND-A490 X B360 X C95MM	120W	5000	277V	BLACK, GREY	NON EMERGENCY	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
66	MAZDA-IDXR2945120W-5K-277V-BL-ND-EM-A490 X B360 X C95MM	120W	5000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
67	MAZDA-IDXR2945120W-5K-277V-BL-DA-A490 X B360 X C95MM	120W	5000	277V	BLACK, GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
68	MAZDA-IDXR2945120W-5K-277V-BL-DA-EM-A490 X B360 X C95MM	120W	5000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
69	MAZDA-IDXR2945120W-5K-277V-BL-PH-A490 X B360 X C95MM	120W	5000	277V	BLACK, GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
70	MAZDA-IDXR2945120W-5K-277V-BL-PH-EM-A490 X B360 X C95MM	120W	5000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
71	MAZDA-IDXR2945120W-5K-277V-BL-10VDIM-A490 X B360 X C95MM	120W	5000	277V	BLACK, GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
72	MAZDA-IDXR2945120W-5K-277V-BL-10VDIM-EM-A490 X B360 X C95MM	120W	5000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
73	MAZDA-IDXR2945120W-6K-277V-BL-ND-A490 X B360 X C95MM	120W	6000	277V	BLACK, GREY	NON EMERGENCY	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	



DATASHEET

GENERATED ON: 15 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
74	MAZDA-IDXR2945120W-6K-277V-BL-ND-EM-A490 X B360 X C95MM	120W	6000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
75	MAZDA-IDXR2945120W-6K-277V-BL-DA-A490 X B360 X C95MM	120W	6000	277V	BLACK, GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
76	MAZDA-IDXR2945120W-6K-277V-BL-DA-EM-A490 X B360 X C95MM	120W	6000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
77	MAZDA-IDXR2945120W-6K-277V-BL-PH-A490 X B360 X C95MM	120W	6000	277V	BLACK, GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
78	MAZDA-IDXR2945120W-6K-277V-BL-PH-EM-A490 X B360 X C95MM	120W	6000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
79	MAZDA-IDXR2945120W-6K-277V-BL-10VDIM-A490 X B360 X C95MM	120W	6000	277V	BLACK, GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
80	MAZDA-IDXR2945120W-6K-277V-BL-10VDIM-EM-A490 X B360 X C95MM	120W	6000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
81	MAZDA-IDXR2945120W-2.7K-277V-BL-ND-A490 X B360 X C95MM	120W	2700	277V	BLACK, GREY	NON EMERGENCY	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
82	MAZDA-IDXR2945120W-2.7K-277V-BL-ND-EM-A490 X B360 X C95MM	120W	2700	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
83	MAZDA-IDXR2945120W-2.7K-277V-BL-DA-A490 X B360 X C95MM	120W	2700	277V	BLACK, GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
84	MAZDA-IDXR2945120W-2.7K-277V-BL-DA-EM-A490 X B360 X C95MM	120W	2700	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
85	MAZDA-IDXR2945120W-2.7K-277V-BL-PH-A490 X B360 X C95MM	120W	2700	277V	BLACK, GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
86	MAZDA-IDXR2945120W-2.7K-277V-BL-PH-EM-A490 X B360 X C95MM	120W	2700	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
87	MAZDA-IDXR2945120W-2.7K-277V-BL-10VDIM-A490 X B360 X C95MM	120W	2700	277V	BLACK, GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
88	MAZDA-IDXR2945120W-2.7K-277V-BL-10VDIM-EM-A490 X B360 X C95MM	120W	2700	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
89	MAZDA-IDXR2945120W-6.5K-277V-BL-ND-A490 X B360 X C95MM	120W	6500	277V	BLACK, GREY	NON EMERGENCY	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
90	MAZDA-IDXR2945120W-6.5K-277V-BL-ND-EM-A490 X B360 X C95MM	120W	6500	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
91	MAZDA-IDXR2945120W-6.5K-277V-BL-DA-A490 X B360 X C95MM	120W	6500	277V	BLACK, GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
92	MAZDA-IDXR2945120W-6.5K-277V-BL-DA-EM-A490 X B360 X C95MM	120W	6500	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
93	MAZDA-IDXR2945120W-6.5K-277V-BL-PH-A490 X B360 X C95MM	120W	6500	277V	BLACK, GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
94	MAZDA-IDXR2945120W-6.5K-277V-BL-PH-EM-A490 X B360 X C95MM	120W	6500	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
95	MAZDA-IDXR2945120W-6.5K-277V-BL-10VDIM-A490 X B360 X C95MM	120W	6500	277V	BLACK, GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
96	MAZDA-IDXR2945120W-6.5K-277V-BL-10VDIM-EM-A490 X B360 X C95MM	120W	6500	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
97	MAZDA-IDXR2945140W-3K-277V-BL-ND-A490 X B360 X C95MM	140W	3000	277V	BLACK, GREY	NON EMERGENCY	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
98	MAZDA-IDXR2945140W-3K-277V-BL-ND-EM-A490 X B360 X C95MM	140W	3000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
99	MAZDA-IDXR2945140W-3K-277V-BL-DA-A490 X B360 X C95MM	140W	3000	277V	BLACK, GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
100	MAZDA-IDXR2945140W-3K-277V-BL-DA-EM-A490 X B360 X C95MM	140W	3000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
101	MAZDA-IDXR2945140W-3K-277V-BL-PH-A490 X B360 X C95MM	140W	3000	277V	BLACK, GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	



DATASHEET

GENERATED ON: 15 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
102	MAZDA-IDXR2945140W-3K-277V-BL-PH-EM-A490 X B360 X C95MM	140W	3000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
103	MAZDA-IDXR2945140W-3K-277V-BL-10VDIM-A490 X B360 X C95MM	140W	3000	277V	BLACK, GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
104	MAZDA-IDXR2945140W-3K-277V-BL-10VDIM-EM-A490 X B360 X C95MM	140W	3000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
105	MAZDA-IDXR2945140W-4K-277V-BL-ND-A490 X B360 X C95MM	140W	4000	277V	BLACK, GREY	NON EMERGENCY	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
106	MAZDA-IDXR2945140W-4K-277V-BL-ND-EM-A490 X B360 X C95MM	140W	4000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
107	MAZDA-IDXR2945140W-4K-277V-BL-DA-A490 X B360 X C95MM	140W	4000	277V	BLACK, GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
108	MAZDA-IDXR2945140W-4K-277V-BL-DA-EM-A490 X B360 X C95MM	140W	4000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
109	MAZDA-IDXR2945140W-4K-277V-BL-PH-A490 X B360 X C95MM	140W	4000	277V	BLACK, GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
110	MAZDA-IDXR2945140W-4K-277V-BL-PH-EM-A490 X B360 X C95MM	140W	4000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
111	MAZDA-IDXR2945140W-4K-277V-BL-10VDIM-A490 X B360 X C95MM	140W	4000	277V	BLACK, GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
112	MAZDA-IDXR2945140W-4K-277V-BL-10VDIM-EM-A490 X B360 X C95MM	140W	4000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
113	MAZDA-IDXR2945140W-5K-277V-BL-ND-A490 X B360 X C95MM	140W	5000	277V	BLACK, GREY	NON EMERGENCY	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
114	MAZDA-IDXR2945140W-5K-277V-BL-ND-EM-A490 X B360 X C95MM	140W	5000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
115	MAZDA-IDXR2945140W-5K-277V-BL-DA-A490 X B360 X C95MM	140W	5000	277V	BLACK, GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
116	MAZDA-IDXR2945140W-5K-277V-BL-DA-EM-A490 X B360 X C95MM	140W	5000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
117	MAZDA-IDXR2945140W-5K-277V-BL-PH-A490 X B360 X C95MM	140W	5000	277V	BLACK, GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
118	MAZDA-IDXR2945140W-5K-277V-BL-PH-EM-A490 X B360 X C95MM	140W	5000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
119	MAZDA-IDXR2945140W-5K-277V-BL-10VDIM-A490 X B360 X C95MM	140W	5000	277V	BLACK, GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
120	MAZDA-IDXR2945140W-5K-277V-BL-10VDIM-EM-A490 X B360 X C95MM	140W	5000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
121	MAZDA-IDXR2945140W-6K-277V-BL-ND-A490 X B360 X C95MM	140W	6000	277V	BLACK, GREY	NON EMERGENCY	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
122	MAZDA-IDXR2945140W-6K-277V-BL-ND-EM-A490 X B360 X C95MM	140W	6000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
123	MAZDA-IDXR2945140W-6K-277V-BL-DA-A490 X B360 X C95MM	140W	6000	277V	BLACK, GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
124	MAZDA-IDXR2945140W-6K-277V-BL-DA-EM-A490 X B360 X C95MM	140W	6000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
125	MAZDA-IDXR2945140W-6K-277V-BL-PH-A490 X B360 X C95MM	140W	6000	277V	BLACK, GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
126	MAZDA-IDXR2945140W-6K-277V-BL-PH-EM-A490 X B360 X C95MM	140W	6000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
127	MAZDA-IDXR2945140W-6K-277V-BL-10VDIM-A490 X B360 X C95MM	140W	6000	277V	BLACK, GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
128	MAZDA-IDXR2945140W-6K-277V-BL-10VDIM-EM-A490 X B360 X C95MM	140W	6000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
129	MAZDA-IDXR2945140W-2.7K-277V-BL-ND-A490 X B360 X C95MM	140W	2700	277V	BLACK, GREY	NON EMERGENCY	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	



DATASHEET

GENERATED ON: 15 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
130	MAZDA-IDXR2945140W-2.7K-277V-BL-ND-EM-A490 X B360 X C95MM	140W	2700	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
131	MAZDA-IDXR2945140W-2.7K-277V-BL-DA-A490 X B360 X C95MM	140W	2700	277V	BLACK, GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
132	MAZDA-IDXR2945140W-2.7K-277V-BL-DA-EM-A490 X B360 X C95MM	140W	2700	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
133	MAZDA-IDXR2945140W-2.7K-277V-BL-PH-A490 X B360 X C95MM	140W	2700	277V	BLACK, GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
134	MAZDA-IDXR2945140W-2.7K-277V-BL-PH-EM-A490 X B360 X C95MM	140W	2700	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
135	MAZDA-IDXR2945140W-2.7K-277V-BL-10VDIM-A490 X B360 X C95MM	140W	2700	277V	BLACK, GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
136	MAZDA-IDXR2945140W-2.7K-277V-BL-10VDIM-EM-A490 X B360 X C95MM	140W	2700	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
137	MAZDA-IDXR2945140W-6.5K-277V-BL-ND-A490 X B360 X C95MM	140W	6500	277V	BLACK, GREY	NON EMERGENCY	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
138	MAZDA-IDXR2945140W-6.5K-277V-BL-ND-EM-A490 X B360 X C95MM	140W	6500	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
139	MAZDA-IDXR2945140W-6.5K-277V-BL-DA-A490 X B360 X C95MM	140W	6500	277V	BLACK, GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
140	MAZDA-IDXR2945140W-6.5K-277V-BL-DA-EM-A490 X B360 X C95MM	140W	6500	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
141	MAZDA-IDXR2945140W-6.5K-277V-BL-PH-A490 X B360 X C95MM	140W	6500	277V	BLACK, GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
142	MAZDA-IDXR2945140W-6.5K-277V-BL-PH-EM-A490 X B360 X C95MM	140W	6500	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
143	MAZDA-IDXR2945140W-6.5K-277V-BL-10VDIM-A490 X B360 X C95MM	140W	6500	277V	BLACK, GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
144	MAZDA-IDXR2945140W-6.5K-277V-BL-10VDIM-EM-A490 X B360 X C95MM	140W	6500	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
145	MAZDA-IDXR2945160W-3K-277V-BL-ND-A490 X B360 X C95MM	160W	3000	277V	BLACK, GREY	NON EMERGENCY	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
146	MAZDA-IDXR2945160W-3K-277V-BL-ND-EM-A490 X B360 X C95MM	160W	3000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
147	MAZDA-IDXR2945160W-3K-277V-BL-DA-A490 X B360 X C95MM	160W	3000	277V	BLACK, GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
148	MAZDA-IDXR2945160W-3K-277V-BL-DA-EM-A490 X B360 X C95MM	160W	3000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
149	MAZDA-IDXR2945160W-3K-277V-BL-PH-A490 X B360 X C95MM	160W	3000	277V	BLACK, GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
150	MAZDA-IDXR2945160W-3K-277V-BL-PH-EM-A490 X B360 X C95MM	160W	3000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
151	MAZDA-IDXR2945160W-3K-277V-BL-10VDIM-A490 X B360 X C95MM	160W	3000	277V	BLACK, GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
152	MAZDA-IDXR2945160W-3K-277V-BL-10VDIM-EM-A490 X B360 X C95MM	160W	3000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
153	MAZDA-IDXR2945160W-4K-277V-BL-ND-A490 X B360 X C95MM	160W	4000	277V	BLACK, GREY	NON EMERGENCY	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
154	MAZDA-IDXR2945160W-4K-277V-BL-ND-EM-A490 X B360 X C95MM	160W	4000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
155	MAZDA-IDXR2945160W-4K-277V-BL-DA-A490 X B360 X C95MM	160W	4000	277V	BLACK, GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
156	MAZDA-IDXR2945160W-4K-277V-BL-DA-EM-A490 X B360 X C95MM	160W	4000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
157	MAZDA-IDXR2945160W-4K-277V-BL-PH-A490 X B360 X C95MM	160W	4000	277V	BLACK, GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	



DATASHEET

GENERATED ON: 15 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
158	MAZDA-IDXR2945160W-4K-277V-BL-PH-EM-A490 X B360 X C95MM	160W	4000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
159	MAZDA-IDXR2945160W-4K-277V-BL-10VDIM-A490 X B360 X C95MM	160W	4000	277V	BLACK, GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
160	MAZDA-IDXR2945160W-4K-277V-BL-10VDIM-EM-A490 X B360 X C95MM	160W	4000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
161	MAZDA-IDXR2945160W-5K-277V-BL-ND-A490 X B360 X C95MM	160W	5000	277V	BLACK, GREY	NON EMERGENCY	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
162	MAZDA-IDXR2945160W-5K-277V-BL-ND-EM-A490 X B360 X C95MM	160W	5000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
163	MAZDA-IDXR2945160W-5K-277V-BL-DA-A490 X B360 X C95MM	160W	5000	277V	BLACK, GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
164	MAZDA-IDXR2945160W-5K-277V-BL-DA-EM-A490 X B360 X C95MM	160W	5000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
165	MAZDA-IDXR2945160W-5K-277V-BL-PH-A490 X B360 X C95MM	160W	5000	277V	BLACK, GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
166	MAZDA-IDXR2945160W-5K-277V-BL-PH-EM-A490 X B360 X C95MM	160W	5000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
167	MAZDA-IDXR2945160W-5K-277V-BL-10VDIM-A490 X B360 X C95MM	160W	5000	277V	BLACK, GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
168	MAZDA-IDXR2945160W-5K-277V-BL-10VDIM-EM-A490 X B360 X C95MM	160W	5000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
169	MAZDA-IDXR2945160W-6K-277V-BL-ND-A490 X B360 X C95MM	160W	6000	277V	BLACK, GREY	NON EMERGENCY	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
170	MAZDA-IDXR2945160W-6K-277V-BL-ND-EM-A490 X B360 X C95MM	160W	6000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
171	MAZDA-IDXR2945160W-6K-277V-BL-DA-A490 X B360 X C95MM	160W	6000	277V	BLACK, GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
172	MAZDA-IDXR2945160W-6K-277V-BL-DA-EM-A490 X B360 X C95MM	160W	6000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
173	MAZDA-IDXR2945160W-6K-277V-BL-PH-A490 X B360 X C95MM	160W	6000	277V	BLACK, GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
174	MAZDA-IDXR2945160W-6K-277V-BL-PH-EM-A490 X B360 X C95MM	160W	6000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
175	MAZDA-IDXR2945160W-6K-277V-BL-10VDIM-A490 X B360 X C95MM	160W	6000	277V	BLACK, GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
176	MAZDA-IDXR2945160W-6K-277V-BL-10VDIM-EM-A490 X B360 X C95MM	160W	6000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
177	MAZDA-IDXR2945160W-2.7K-277V-BL-ND-A490 X B360 X C95MM	160W	2700	277V	BLACK, GREY	NON EMERGENCY	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
178	MAZDA-IDXR2945160W-2.7K-277V-BL-ND-EM-A490 X B360 X C95MM	160W	2700	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
179	MAZDA-IDXR2945160W-2.7K-277V-BL-DA-A490 X B360 X C95MM	160W	2700	277V	BLACK, GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
180	MAZDA-IDXR2945160W-2.7K-277V-BL-DA-EM-A490 X B360 X C95MM	160W	2700	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
181	MAZDA-IDXR2945160W-2.7K-277V-BL-PH-A490 X B360 X C95MM	160W	2700	277V	BLACK, GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
182	MAZDA-IDXR2945160W-2.7K-277V-BL-PH-EM-A490 X B360 X C95MM	160W	2700	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
183	MAZDA-IDXR2945160W-2.7K-277V-BL-10VDIM-A490 X B360 X C95MM	160W	2700	277V	BLACK, GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
184	MAZDA-IDXR2945160W-2.7K-277V-BL-10VDIM-EM-A490 X B360 X C95MM	160W	2700	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
185	MAZDA-IDXR2945160W-6.5K-277V-BL-ND-A490 X B360 X C95MM	160W	6500	277V	BLACK, GREY	NON EMERGENCY	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	



DATASHEET

GENERATED ON: 15 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
186	MAZDA-IDXR2945160W-6.5K-277V-BL-ND-EM-A490 X B360 X C95MM	160W	6500	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
187	MAZDA-IDXR2945160W-6.5K-277V-BL-DA-A490 X B360 X C95MM	160W	6500	277V	BLACK, GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
188	MAZDA-IDXR2945160W-6.5K-277V-BL-DA-EM-A490 X B360 X C95MM	160W	6500	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
189	MAZDA-IDXR2945160W-6.5K-277V-BL-PH-A490 X B360 X C95MM	160W	6500	277V	BLACK, GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
190	MAZDA-IDXR2945160W-6.5K-277V-BL-PH-EM-A490 X B360 X C95MM	160W	6500	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
191	MAZDA-IDXR2945160W-6.5K-277V-BL-10VDIM-A490 X B360 X C95MM	160W	6500	277V	BLACK, GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
192	MAZDA-IDXR2945160W-6.5K-277V-BL-10VDIM-EM-A490 X B360 X C95MM	160W	6500	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
193	MAZDA-IDXR2945180W-3K-277V-BL-ND-A490 X B360 X C95MM	180W	3000	277V	BLACK, GREY	NON EMERGENCY	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
194	MAZDA-IDXR2945180W-3K-277V-BL-ND-EM-A490 X B360 X C95MM	180W	3000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
195	MAZDA-IDXR2945180W-3K-277V-BL-DA-A490 X B360 X C95MM	180W	3000	277V	BLACK, GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
196	MAZDA-IDXR2945180W-3K-277V-BL-DA-EM-A490 X B360 X C95MM	180W	3000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
197	MAZDA-IDXR2945180W-3K-277V-BL-PH-A490 X B360 X C95MM	180W	3000	277V	BLACK, GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
198	MAZDA-IDXR2945180W-3K-277V-BL-PH-EM-A490 X B360 X C95MM	180W	3000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
199	MAZDA-IDXR2945180W-3K-277V-BL-10VDIM-A490 X B360 X C95MM	180W	3000	277V	BLACK, GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
200	MAZDA-IDXR2945180W-3K-277V-BL-10VDIM-EM-A490 X B360 X C95MM	180W	3000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
201	MAZDA-IDXR2945180W-4K-277V-BL-ND-A490 X B360 X C95MM	180W	4000	277V	BLACK, GREY	NON EMERGENCY	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
202	MAZDA-IDXR2945180W-4K-277V-BL-ND-EM-A490 X B360 X C95MM	180W	4000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
203	MAZDA-IDXR2945180W-4K-277V-BL-DA-A490 X B360 X C95MM	180W	4000	277V	BLACK, GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
204	MAZDA-IDXR2945180W-4K-277V-BL-DA-EM-A490 X B360 X C95MM	180W	4000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
205	MAZDA-IDXR2945180W-4K-277V-BL-PH-A490 X B360 X C95MM	180W	4000	277V	BLACK, GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
206	MAZDA-IDXR2945180W-4K-277V-BL-PH-EM-A490 X B360 X C95MM	180W	4000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
207	MAZDA-IDXR2945180W-4K-277V-BL-10VDIM-A490 X B360 X C95MM	180W	4000	277V	BLACK, GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
208	MAZDA-IDXR2945180W-4K-277V-BL-10VDIM-EM-A490 X B360 X C95MM	180W	4000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
209	MAZDA-IDXR2945180W-5K-277V-BL-ND-A490 X B360 X C95MM	180W	5000	277V	BLACK, GREY	NON EMERGENCY	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
210	MAZDA-IDXR2945180W-5K-277V-BL-ND-EM-A490 X B360 X C95MM	180W	5000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
211	MAZDA-IDXR2945180W-5K-277V-BL-DA-A490 X B360 X C95MM	180W	5000	277V	BLACK, GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
212	MAZDA-IDXR2945180W-5K-277V-BL-DA-EM-A490 X B360 X C95MM	180W	5000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
213	MAZDA-IDXR2945180W-5K-277V-BL-PH-A490 X B360 X C95MM	180W	5000	277V	BLACK, GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	



DATASHEET

GENERATED ON: 15 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
214	MAZDA-IDXR2945180W-5K-277V-BL-PH-EM-A490 X B360 X C95MM	180W	5000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
215	MAZDA-IDXR2945180W-5K-277V-BL-10VDIM-A490 X B360 X C95MM	180W	5000	277V	BLACK, GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
216	MAZDA-IDXR2945180W-5K-277V-BL-10VDIM-EM-A490 X B360 X C95MM	180W	5000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
217	MAZDA-IDXR2945180W-6K-277V-BL-ND-A490 X B360 X C95MM	180W	6000	277V	BLACK, GREY	NON EMERGENCY	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
218	MAZDA-IDXR2945180W-6K-277V-BL-ND-EM-A490 X B360 X C95MM	180W	6000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
219	MAZDA-IDXR2945180W-6K-277V-BL-DA-A490 X B360 X C95MM	180W	6000	277V	BLACK, GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
220	MAZDA-IDXR2945180W-6K-277V-BL-DA-EM-A490 X B360 X C95MM	180W	6000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
221	MAZDA-IDXR2945180W-6K-277V-BL-PH-A490 X B360 X C95MM	180W	6000	277V	BLACK, GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
222	MAZDA-IDXR2945180W-6K-277V-BL-PH-EM-A490 X B360 X C95MM	180W	6000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
223	MAZDA-IDXR2945180W-6K-277V-BL-10VDIM-A490 X B360 X C95MM	180W	6000	277V	BLACK, GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
224	MAZDA-IDXR2945180W-6K-277V-BL-10VDIM-EM-A490 X B360 X C95MM	180W	6000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
225	MAZDA-IDXR2945180W-2.7K-277V-BL-ND-A490 X B360 X C95MM	180W	2700	277V	BLACK, GREY	NON EMERGENCY	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
226	MAZDA-IDXR2945180W-2.7K-277V-BL-ND-EM-A490 X B360 X C95MM	180W	2700	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
227	MAZDA-IDXR2945180W-2.7K-277V-BL-DA-A490 X B360 X C95MM	180W	2700	277V	BLACK, GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
228	MAZDA-IDXR2945180W-2.7K-277V-BL-DA-EM-A490 X B360 X C95MM	180W	2700	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
229	MAZDA-IDXR2945180W-2.7K-277V-BL-PH-A490 X B360 X C95MM	180W	2700	277V	BLACK, GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
230	MAZDA-IDXR2945180W-2.7K-277V-BL-PH-EM-A490 X B360 X C95MM	180W	2700	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
231	MAZDA-IDXR2945180W-2.7K-277V-BL-10VDIM-A490 X B360 X C95MM	180W	2700	277V	BLACK, GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
232	MAZDA-IDXR2945180W-2.7K-277V-BL-10VDIM-EM-A490 X B360 X C95MM	180W	2700	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
233	MAZDA-IDXR2945180W-6.5K-277V-BL-ND-A490 X B360 X C95MM	180W	6500	277V	BLACK, GREY	NON EMERGENCY	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
234	MAZDA-IDXR2945180W-6.5K-277V-BL-ND-EM-A490 X B360 X C95MM	180W	6500	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
235	MAZDA-IDXR2945180W-6.5K-277V-BL-DA-A490 X B360 X C95MM	180W	6500	277V	BLACK, GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
236	MAZDA-IDXR2945180W-6.5K-277V-BL-DA-EM-A490 X B360 X C95MM	180W	6500	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
237	MAZDA-IDXR2945180W-6.5K-277V-BL-PH-A490 X B360 X C95MM	180W	6500	277V	BLACK, GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
238	MAZDA-IDXR2945180W-6.5K-277V-BL-PH-EM-A490 X B360 X C95MM	180W	6500	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
239	MAZDA-IDXR2945180W-6.5K-277V-BL-10VDIM-A490 X B360 X C95MM	180W	6500	277V	BLACK, GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
240	MAZDA-IDXR2945180W-6.5K-277V-BL-10VDIM-EM-A490 X B360 X C95MM	180W	6500	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
241	MAZDA-IDXR2945200W-3K-277V-BL-ND-A490 X B360 X C95MM	200W	3000	277V	BLACK, GREY	NON EMERGENCY	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	



DATASHEET

GENERATED ON: 15 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
242	MAZDA-IDXR2945200W-3K-277V-BL-ND-EM-A490 X B360 X C95MM	200W	3000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
243	MAZDA-IDXR2945200W-3K-277V-BL-DA-A490 X B360 X C95MM	200W	3000	277V	BLACK, GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
244	MAZDA-IDXR2945200W-3K-277V-BL-DA-EM-A490 X B360 X C95MM	200W	3000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
245	MAZDA-IDXR2945200W-3K-277V-BL-PH-A490 X B360 X C95MM	200W	3000	277V	BLACK, GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
246	MAZDA-IDXR2945200W-3K-277V-BL-PH-EM-A490 X B360 X C95MM	200W	3000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
247	MAZDA-IDXR2945200W-3K-277V-BL-10VDIM-A490 X B360 X C95MM	200W	3000	277V	BLACK, GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
248	MAZDA-IDXR2945200W-3K-277V-BL-10VDIM-EM-A490 X B360 X C95MM	200W	3000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
249	MAZDA-IDXR2945200W-4K-277V-BL-ND-A490 X B360 X C95MM	200W	4000	277V	BLACK, GREY	NON EMERGENCY	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
250	MAZDA-IDXR2945200W-4K-277V-BL-ND-EM-A490 X B360 X C95MM	200W	4000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
251	MAZDA-IDXR2945200W-4K-277V-BL-DA-A490 X B360 X C95MM	200W	4000	277V	BLACK, GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
252	MAZDA-IDXR2945200W-4K-277V-BL-DA-EM-A490 X B360 X C95MM	200W	4000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
253	MAZDA-IDXR2945200W-4K-277V-BL-PH-A490 X B360 X C95MM	200W	4000	277V	BLACK, GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
254	MAZDA-IDXR2945200W-4K-277V-BL-PH-EM-A490 X B360 X C95MM	200W	4000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
255	MAZDA-IDXR2945200W-4K-277V-BL-10VDIM-A490 X B360 X C95MM	200W	4000	277V	BLACK, GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
256	MAZDA-IDXR2945200W-4K-277V-BL-10VDIM-EM-A490 X B360 X C95MM	200W	4000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
257	MAZDA-IDXR2945200W-5K-277V-BL-ND-A490 X B360 X C95MM	200W	5000	277V	BLACK, GREY	NON EMERGENCY	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
258	MAZDA-IDXR2945200W-5K-277V-BL-ND-EM-A490 X B360 X C95MM	200W	5000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
259	MAZDA-IDXR2945200W-5K-277V-BL-DA-A490 X B360 X C95MM	200W	5000	277V	BLACK, GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
260	MAZDA-IDXR2945200W-5K-277V-BL-DA-EM-A490 X B360 X C95MM	200W	5000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
261	MAZDA-IDXR2945200W-5K-277V-BL-PH-A490 X B360 X C95MM	200W	5000	277V	BLACK, GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
262	MAZDA-IDXR2945200W-5K-277V-BL-PH-EM-A490 X B360 X C95MM	200W	5000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
263	MAZDA-IDXR2945200W-5K-277V-BL-10VDIM-A490 X B360 X C95MM	200W	5000	277V	BLACK, GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
264	MAZDA-IDXR2945200W-5K-277V-BL-10VDIM-EM-A490 X B360 X C95MM	200W	5000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
265	MAZDA-IDXR2945200W-6K-277V-BL-ND-A490 X B360 X C95MM	200W	6000	277V	BLACK, GREY	NON EMERGENCY	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
266	MAZDA-IDXR2945200W-6K-277V-BL-ND-EM-A490 X B360 X C95MM	200W	6000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
267	MAZDA-IDXR2945200W-6K-277V-BL-DA-A490 X B360 X C95MM	200W	6000	277V	BLACK, GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
268	MAZDA-IDXR2945200W-6K-277V-BL-DA-EM-A490 X B360 X C95MM	200W	6000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
269	MAZDA-IDXR2945200W-6K-277V-BL-PH-A490 X B360 X C95MM	200W	6000	277V	BLACK, GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
270	MAZDA-IDXR2945200W-6K-277V-BL-PH-EM-A490 X B360 X C95MM	200W	6000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
271	MAZDA-IDXR2945200W-6K-277V-BL-10VDIM-A490 X B360 X C95MM	200W	6000	277V	BLACK, GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
272	MAZDA-IDXR2945200W-6K-277V-BL-10VDIM-EM-A490 X B360 X C95MM	200W	6000	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
273	MAZDA-IDXR2945200W-2.7K-277V-BL-ND-A490 X B360 X C95MM	200W	2700	277V	BLACK, GREY	NON EMERGENCY	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
274	MAZDA-IDXR2945200W-2.7K-277V-BL-ND-EM-A490 X B360 X C95MM	200W	2700	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
275	MAZDA-IDXR2945200W-2.7K-277V-BL-DA-A490 X B360 X C95MM	200W	2700	277V	BLACK, GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
276	MAZDA-IDXR2945200W-2.7K-277V-BL-DA-EM-A490 X B360 X C95MM	200W	2700	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
277	MAZDA-IDXR2945200W-2.7K-277V-BL-PH-A490 X B360 X C95MM	200W	2700	277V	BLACK, GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
278	MAZDA-IDXR2945200W-2.7K-277V-BL-PH-EM-A490 X B360 X C95MM	200W	2700	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
279	MAZDA-IDXR2945200W-2.7K-277V-BL-10VDIM-A490 X B360 X C95MM	200W	2700	277V	BLACK, GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
280	MAZDA-IDXR2945200W-2.7K-277V-BL-10VDIM-EM-A490 X B360 X C95MM	200W	2700	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
281	MAZDA-IDXR2945200W-6.5K-277V-BL-ND-A490 X B360 X C95MM	200W	6500	277V	BLACK, GREY	NON EMERGENCY	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
282	MAZDA-IDXR2945200W-6.5K-277V-BL-ND-EM-A490 X B360 X C95MM	200W	6500	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	ON - OFF	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
283	MAZDA-IDXR2945200W-6.5K-277V-BL-DA-A490 X B360 X C95MM	200W	6500	277V	BLACK, GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
284	MAZDA-IDXR2945200W-6.5K-277V-BL-DA-EM-A490 X B360 X C95MM	200W	6500	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
285	MAZDA-IDXR2945200W-6.5K-277V-BL-PH-A490 X B360 X C95MM	200W	6500	277V	BLACK, GREY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
286	MAZDA-IDXR2945200W-6.5K-277V-BL-PH-EM-A490 X B360 X C95MM	200W	6500	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
287	MAZDA-IDXR2945200W-6.5K-277V-BL-10VDIM-A490 X B360 X C95MM	200W	6500	277V	BLACK, GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	
288	MAZDA-IDXR2945200W-6.5K-277V-BL-10VDIM-EM-A490 X B360 X C95MM	200W	6500	277V	BLACK, GREY	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	60	A490 X B360 X C95MM	DIE CAST ALUMINUM	IP67	A490 X B360 X C95MM	