



HANGER

MAZDA Model: IDXR2925 HIGHBAY LIGHT

Hanger LED High Bay is high quality light source. Combination of multiple high-power LEDs features. As a new type of high bay light, it distributes light by lens instead of additional reflector, which avoids the occurrence of situations like easy deformation that usually resulted from the classic LED high bay light in transportation. It's available with motion sensor as well, This is amazing performance is achieved because of the unique heat dissipation system built into the cast alloy casing design. With the reliability high quality Philips LED's this is a market leading product. Comfortable vision. High CRI shows the trueness of object. Optional light color meets the needs of different environments. No depression, no disturbing vision.

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angle	Dimension	Material	IP	Dimensions	Price
1	MAZDA-IDXR292550W-3K-277V-BL-ND-A236 X B101MM	50W	3000	277V	BLACK,GREY,WHITE	NON EMERGENCY 3 HOUR	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
2	MAZDA-IDXR292550W-3K-277V-BL-ND-EM-A236 X B101MM	50W	3000	277V	BLACK,GREY,WHITE	EMERGENCY BACKUP	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
3	MAZDA-IDXR292550W-3K-277V-BL-DA-A236 X B101MM	50W	3000	277V	BLACK,GREY,WHITE	NON EMERGENCY 3 HOUR	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
4	MAZDA-IDXR292550W-3K-277V-BL-DA-EM-A236 X B101MM	50W	3000	277V	BLACK,GREY,WHITE	EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
5	MAZDA-IDXR292550W-3K-277V-BL-PH-A236 X B101MM	50W	3000	277V	BLACK,GREY,WHITE	NON EMERGENCY 3 HOUR	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
6	MAZDA-IDXR292550W-3K-277V-BL-PH-EM-A236 X B101MM	50W	3000	277V	BLACK,GREY,WHITE	EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
7	MAZDA-IDXR292550W-3K-277V-BL-10VDIM-A236 X B101MM	50W	3000	277V	BLACK,GREY,WHITE	NON EMERGENCY 3 HOUR	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
8	MAZDA-IDXR292550W-3K-277V-BL-10VDIM-EM-A236 X B101MM	50W	3000	277V	BLACK,GREY,WHITE	EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
9	MAZDA-IDXR292550W-4K-277V-BL-ND-A236 X B101MM	50W	4000	277V	BLACK,GREY,WHITE	NON EMERGENCY 3 HOUR	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
10	MAZDA-IDXR292550W-4K-277V-BL-ND-EM-A236 X B101MM	50W	4000	277V	BLACK,GREY,WHITE	EMERGENCY BACKUP	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
11	MAZDA-IDXR292550W-4K-277V-BL-DA-A236 X B101MM	50W	4000	277V	BLACK,GREY,WHITE	NON EMERGENCY 3 HOUR	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
12	MAZDA-IDXR292550W-4K-277V-BL-DA-EM-A236 X B101MM	50W	4000	277V	BLACK,GREY,WHITE	EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
13	MAZDA-IDXR292550W-4K-277V-BL-PH-A236 X B101MM	50W	4000	277V	BLACK,GREY,WHITE	NON EMERGENCY 3 HOUR	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
14	MAZDA-IDXR292550W-4K-277V-BL-PH-EM-A236 X B101MM	50W	4000	277V	BLACK,GREY,WHITE	EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
15	MAZDA-IDXR292550W-4K-277V-BL-10VDIM-A236 X B101MM	50W	4000	277V	BLACK,GREY,WHITE	NON EMERGENCY 3 HOUR	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
16	MAZDA-IDXR292550W-4K-277V-BL-10VDIM-EM-A236 X B101MM	50W	4000	277V	BLACK,GREY,WHITE	EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
17	MAZDA-IDXR292550W-5K-277V-BL-ND-A236 X B101MM	50W	5000	277V	BLACK,GREY,WHITE	NON EMERGENCY 3 HOUR	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
18	MAZDA-IDXR292550W-5K-277V-BL-ND-EM-A236 X B101MM	50W	5000	277V	BLACK,GREY,WHITE	EMERGENCY BACKUP	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
19	MAZDA-IDXR292550W-5K-277V-BL-DA-A236 X B101MM	50W	5000	277V	BLACK,GREY,WHITE	NON EMERGENCY 3 HOUR	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	



DATASHEET

GENERATED ON: 15 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
20	MAZDA-IDXR292550W-5K-277V-BL-DA-EM-A236 X B101MM	50W	5000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
21	MAZDA-IDXR292550W-5K-277V-BL-PH-A236 X B101MM	50W	5000	277V	BLACK,GREY,WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
22	MAZDA-IDXR292550W-5K-277V-BL-PH-EM-A236 X B101MM	50W	5000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
23	MAZDA-IDXR292550W-5K-277V-BL-10VDIM-A236 X B101MM	50W	5000	277V	BLACK,GREY,WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
24	MAZDA-IDXR292550W-5K-277V-BL-10VDIM-EM-A236 X B101MM	50W	5000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
25	MAZDA-IDXR292550W-6K-277V-BL-ND-A236 X B101MM	50W	6000	277V	BLACK,GREY,WHITE	NON EMERGENCY	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
26	MAZDA-IDXR292550W-6K-277V-BL-ND-EM-A236 X B101MM	50W	6000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
27	MAZDA-IDXR292550W-6K-277V-BL-DA-A236 X B101MM	50W	6000	277V	BLACK,GREY,WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
28	MAZDA-IDXR292550W-6K-277V-BL-DA-EM-A236 X B101MM	50W	6000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
29	MAZDA-IDXR292550W-6K-277V-BL-PH-A236 X B101MM	50W	6000	277V	BLACK,GREY,WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
30	MAZDA-IDXR292550W-6K-277V-BL-PH-EM-A236 X B101MM	50W	6000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
31	MAZDA-IDXR292550W-6K-277V-BL-10VDIM-A236 X B101MM	50W	6000	277V	BLACK,GREY,WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
32	MAZDA-IDXR292550W-6K-277V-BL-10VDIM-EM-A236 X B101MM	50W	6000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
33	MAZDA-IDXR292550W-2.7K-277V-BL-ND-A236 X B101MM	50W	2700	277V	BLACK,GREY,WHITE	NON EMERGENCY	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
34	MAZDA-IDXR292550W-2.7K-277V-BL-ND-EM-A236 X B101MM	50W	2700	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
35	MAZDA-IDXR292550W-2.7K-277V-BL-DA-A236 X B101MM	50W	2700	277V	BLACK,GREY,WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
36	MAZDA-IDXR292550W-2.7K-277V-BL-DA-EM-A236 X B101MM	50W	2700	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
37	MAZDA-IDXR292550W-2.7K-277V-BL-PH-A236 X B101MM	50W	2700	277V	BLACK,GREY,WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
38	MAZDA-IDXR292550W-2.7K-277V-BL-PH-EM-A236 X B101MM	50W	2700	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
39	MAZDA-IDXR292550W-2.7K-277V-BL-10VDIM-A236 X B101MM	50W	2700	277V	BLACK,GREY,WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
40	MAZDA-IDXR292550W-2.7K-277V-BL-10VDIM-EM-A236 X B101MM	50W	2700	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
41	MAZDA-IDXR292550W-6.5K-277V-BL-ND-A236 X B101MM	50W	6500	277V	BLACK,GREY,WHITE	NON EMERGENCY	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
42	MAZDA-IDXR292550W-6.5K-277V-BL-ND-EM-A236 X B101MM	50W	6500	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
43	MAZDA-IDXR292550W-6.5K-277V-BL-DA-A236 X B101MM	50W	6500	277V	BLACK,GREY,WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
44	MAZDA-IDXR292550W-6.5K-277V-BL-DA-EM-A236 X B101MM	50W	6500	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
45	MAZDA-IDXR292550W-6.5K-277V-BL-PH-A236 X B101MM	50W	6500	277V	BLACK,GREY,WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
46	MAZDA-IDXR292550W-6.5K-277V-BL-PH-EM-A236 X B101MM	50W	6500	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
47	MAZDA-IDXR292550W-6.5K-277V-BL-10VDIM-A236 X B101MM	50W	6500	277V	BLACK,GREY,WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
48	MAZDA-IDXR292550W-6.5K-277V-BL-10VDIM-EM-A236 X B101MM	50W	6500	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
49	MAZDA-IDXR292560W-3K-277V-BL-ND-A236 X B101MM	60W	3000	277V	BLACK,GREY,WHITE	NON EMERGENCY	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	



DATASHEET

GENERATED ON: 15 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
50	MAZDA-IDXR292560W-3K-277V-BL-ND-EM-A236 X B101MM	60W	3000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
51	MAZDA-IDXR292560W-3K-277V-BL-DA-A236 X B101MM	60W	3000	277V	BLACK,GREY,WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
52	MAZDA-IDXR292560W-3K-277V-BL-DA-EM-A236 X B101MM	60W	3000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
53	MAZDA-IDXR292560W-3K-277V-BL-PH-A236 X B101MM	60W	3000	277V	BLACK,GREY,WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
54	MAZDA-IDXR292560W-3K-277V-BL-PH-EM-A236 X B101MM	60W	3000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
55	MAZDA-IDXR292560W-3K-277V-BL-10VDIM-A236 X B101MM	60W	3000	277V	BLACK,GREY,WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
56	MAZDA-IDXR292560W-3K-277V-BL-10VDIM-EM-A236 X B101MM	60W	3000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
57	MAZDA-IDXR292560W-4K-277V-BL-ND-A236 X B101MM	60W	4000	277V	BLACK,GREY,WHITE	NON EMERGENCY	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
58	MAZDA-IDXR292560W-4K-277V-BL-ND-EM-A236 X B101MM	60W	4000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
59	MAZDA-IDXR292560W-4K-277V-BL-DA-A236 X B101MM	60W	4000	277V	BLACK,GREY,WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
60	MAZDA-IDXR292560W-4K-277V-BL-DA-EM-A236 X B101MM	60W	4000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
61	MAZDA-IDXR292560W-4K-277V-BL-PH-A236 X B101MM	60W	4000	277V	BLACK,GREY,WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
62	MAZDA-IDXR292560W-4K-277V-BL-PH-EM-A236 X B101MM	60W	4000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
63	MAZDA-IDXR292560W-4K-277V-BL-10VDIM-A236 X B101MM	60W	4000	277V	BLACK,GREY,WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
64	MAZDA-IDXR292560W-4K-277V-BL-10VDIM-EM-A236 X B101MM	60W	4000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
65	MAZDA-IDXR292560W-5K-277V-BL-ND-A236 X B101MM	60W	5000	277V	BLACK,GREY,WHITE	NON EMERGENCY	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
66	MAZDA-IDXR292560W-5K-277V-BL-ND-EM-A236 X B101MM	60W	5000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
67	MAZDA-IDXR292560W-5K-277V-BL-DA-A236 X B101MM	60W	5000	277V	BLACK,GREY,WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
68	MAZDA-IDXR292560W-5K-277V-BL-DA-EM-A236 X B101MM	60W	5000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
69	MAZDA-IDXR292560W-5K-277V-BL-PH-A236 X B101MM	60W	5000	277V	BLACK,GREY,WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
70	MAZDA-IDXR292560W-5K-277V-BL-PH-EM-A236 X B101MM	60W	5000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
71	MAZDA-IDXR292560W-5K-277V-BL-10VDIM-A236 X B101MM	60W	5000	277V	BLACK,GREY,WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
72	MAZDA-IDXR292560W-5K-277V-BL-10VDIM-EM-A236 X B101MM	60W	5000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
73	MAZDA-IDXR292560W-6K-277V-BL-ND-A236 X B101MM	60W	6000	277V	BLACK,GREY,WHITE	NON EMERGENCY	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
74	MAZDA-IDXR292560W-6K-277V-BL-ND-EM-A236 X B101MM	60W	6000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
75	MAZDA-IDXR292560W-6K-277V-BL-DA-A236 X B101MM	60W	6000	277V	BLACK,GREY,WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
76	MAZDA-IDXR292560W-6K-277V-BL-DA-EM-A236 X B101MM	60W	6000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
77	MAZDA-IDXR292560W-6K-277V-BL-PH-A236 X B101MM	60W	6000	277V	BLACK,GREY,WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
78	MAZDA-IDXR292560W-6K-277V-BL-PH-EM-A236 X B101MM	60W	6000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	



DATASHEET

GENERATED ON: 15 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
79	MAZDA-IDXR292560W-6K-277V-BL-10VDIM-A236 X B101MM	60W	6000	277V	BLACK,GREY,WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
80	MAZDA-IDXR292560W-6K-277V-BL-10VDIM-EM-A236 X B101MM	60W	6000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
81	MAZDA-IDXR292560W-2.7K-277V-BL-ND-A236 X B101MM	60W	2700	277V	BLACK,GREY,WHITE	NON EMERGENCY	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
82	MAZDA-IDXR292560W-2.7K-277V-BL-ND-EM-A236 X B101MM	60W	2700	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
83	MAZDA-IDXR292560W-2.7K-277V-BL-DA-A236 X B101MM	60W	2700	277V	BLACK,GREY,WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
84	MAZDA-IDXR292560W-2.7K-277V-BL-DA-EM-A236 X B101MM	60W	2700	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
85	MAZDA-IDXR292560W-2.7K-277V-BL-PH-A236 X B101MM	60W	2700	277V	BLACK,GREY,WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
86	MAZDA-IDXR292560W-2.7K-277V-BL-PH-EM-A236 X B101MM	60W	2700	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
87	MAZDA-IDXR292560W-2.7K-277V-BL-10VDIM-A236 X B101MM	60W	2700	277V	BLACK,GREY,WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
88	MAZDA-IDXR292560W-2.7K-277V-BL-10VDIM-EM-A236 X B101MM	60W	2700	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
89	MAZDA-IDXR292560W-6.5K-277V-BL-ND-A236 X B101MM	60W	6500	277V	BLACK,GREY,WHITE	NON EMERGENCY	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
90	MAZDA-IDXR292560W-6.5K-277V-BL-ND-EM-A236 X B101MM	60W	6500	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
91	MAZDA-IDXR292560W-6.5K-277V-BL-DA-A236 X B101MM	60W	6500	277V	BLACK,GREY,WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
92	MAZDA-IDXR292560W-6.5K-277V-BL-DA-EM-A236 X B101MM	60W	6500	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
93	MAZDA-IDXR292560W-6.5K-277V-BL-PH-A236 X B101MM	60W	6500	277V	BLACK,GREY,WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
94	MAZDA-IDXR292560W-6.5K-277V-BL-PH-EM-A236 X B101MM	60W	6500	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
95	MAZDA-IDXR292560W-6.5K-277V-BL-10VDIM-A236 X B101MM	60W	6500	277V	BLACK,GREY,WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
96	MAZDA-IDXR292560W-6.5K-277V-BL-10VDIM-EM-A236 X B101MM	60W	6500	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
97	MAZDA-IDXR292570W-3K-277V-BL-ND-A236 X B101MM	70W	3000	277V	BLACK,GREY,WHITE	NON EMERGENCY	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
98	MAZDA-IDXR292570W-3K-277V-BL-ND-EM-A236 X B101MM	70W	3000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
99	MAZDA-IDXR292570W-3K-277V-BL-DA-A236 X B101MM	70W	3000	277V	BLACK,GREY,WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
100	MAZDA-IDXR292570W-3K-277V-BL-DA-EM-A236 X B101MM	70W	3000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
101	MAZDA-IDXR292570W-3K-277V-BL-PH-A236 X B101MM	70W	3000	277V	BLACK,GREY,WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
102	MAZDA-IDXR292570W-3K-277V-BL-PH-EM-A236 X B101MM	70W	3000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
103	MAZDA-IDXR292570W-3K-277V-BL-10VDIM-A236 X B101MM	70W	3000	277V	BLACK,GREY,WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
104	MAZDA-IDXR292570W-3K-277V-BL-10VDIM-EM-A236 X B101MM	70W	3000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
105	MAZDA-IDXR292570W-4K-277V-BL-ND-A236 X B101MM	70W	4000	277V	BLACK,GREY,WHITE	NON EMERGENCY	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
106	MAZDA-IDXR292570W-4K-277V-BL-ND-EM-A236 X B101MM	70W	4000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
107	MAZDA-IDXR292570W-4K-277V-BL-DA-A236 X B101MM	70W	4000	277V	BLACK,GREY,WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
108	MAZDA-IDXR292570W-4K-277V-BL-DA-EM-A236 X B101MM	70W	4000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	



DATASHEET

GENERATED ON: 15 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
109	MAZDA-IDXR292570W-4K-277V-BL-PH-A236 X B101MM	70W	4000	277V	BLACK,GREY,WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
110	MAZDA-IDXR292570W-4K-277V-BL-PH-EM-A236 X B101MM	70W	4000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
111	MAZDA-IDXR292570W-4K-277V-BL-10VDIM-A236 X B101MM	70W	4000	277V	BLACK,GREY,WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
112	MAZDA-IDXR292570W-4K-277V-BL-10VDIM-EM-A236 X B101MM	70W	4000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
113	MAZDA-IDXR292570W-5K-277V-BL-ND-A236 X B101MM	70W	5000	277V	BLACK,GREY,WHITE	NON EMERGENCY	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
114	MAZDA-IDXR292570W-5K-277V-BL-ND-EM-A236 X B101MM	70W	5000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
115	MAZDA-IDXR292570W-5K-277V-BL-DA-A236 X B101MM	70W	5000	277V	BLACK,GREY,WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
116	MAZDA-IDXR292570W-5K-277V-BL-DA-EM-A236 X B101MM	70W	5000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
117	MAZDA-IDXR292570W-5K-277V-BL-PH-A236 X B101MM	70W	5000	277V	BLACK,GREY,WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
118	MAZDA-IDXR292570W-5K-277V-BL-PH-EM-A236 X B101MM	70W	5000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
119	MAZDA-IDXR292570W-5K-277V-BL-10VDIM-A236 X B101MM	70W	5000	277V	BLACK,GREY,WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
120	MAZDA-IDXR292570W-5K-277V-BL-10VDIM-EM-A236 X B101MM	70W	5000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
121	MAZDA-IDXR292570W-6K-277V-BL-ND-A236 X B101MM	70W	6000	277V	BLACK,GREY,WHITE	NON EMERGENCY	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
122	MAZDA-IDXR292570W-6K-277V-BL-ND-EM-A236 X B101MM	70W	6000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
123	MAZDA-IDXR292570W-6K-277V-BL-DA-A236 X B101MM	70W	6000	277V	BLACK,GREY,WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
124	MAZDA-IDXR292570W-6K-277V-BL-DA-EM-A236 X B101MM	70W	6000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
125	MAZDA-IDXR292570W-6K-277V-BL-PH-A236 X B101MM	70W	6000	277V	BLACK,GREY,WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
126	MAZDA-IDXR292570W-6K-277V-BL-PH-EM-A236 X B101MM	70W	6000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
127	MAZDA-IDXR292570W-6K-277V-BL-10VDIM-A236 X B101MM	70W	6000	277V	BLACK,GREY,WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
128	MAZDA-IDXR292570W-6K-277V-BL-10VDIM-EM-A236 X B101MM	70W	6000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
129	MAZDA-IDXR292570W-2.7K-277V-BL-ND-A236 X B101MM	70W	2700	277V	BLACK,GREY,WHITE	NON EMERGENCY	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
130	MAZDA-IDXR292570W-2.7K-277V-BL-ND-EM-A236 X B101MM	70W	2700	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
131	MAZDA-IDXR292570W-2.7K-277V-BL-DA-A236 X B101MM	70W	2700	277V	BLACK,GREY,WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
132	MAZDA-IDXR292570W-2.7K-277V-BL-DA-EM-A236 X B101MM	70W	2700	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
133	MAZDA-IDXR292570W-2.7K-277V-BL-PH-A236 X B101MM	70W	2700	277V	BLACK,GREY,WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
134	MAZDA-IDXR292570W-2.7K-277V-BL-PH-EM-A236 X B101MM	70W	2700	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
135	MAZDA-IDXR292570W-2.7K-277V-BL-10VDIM-A236 X B101MM	70W	2700	277V	BLACK,GREY,WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
136	MAZDA-IDXR292570W-2.7K-277V-BL-10VDIM-EM-A236 X B101MM	70W	2700	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
137	MAZDA-IDXR292570W-6.5K-277V-BL-ND-A236 X B101MM	70W	6500	277V	BLACK,GREY,WHITE	NON EMERGENCY	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
138	MAZDA-IDXR292570W-6.5K-277V-BL-ND-EM-A236 X B101MM	70W	6500	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	



DATASHEET

GENERATED ON: 15 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
139	MAZDA-IDXR292570W-6.5K-277V-BL-DA-A236 X B101MM	70W	6500	277V	BLACK,GREY,WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
140	MAZDA-IDXR292570W-6.5K-277V-BL-DA-EM-A236 X B101MM	70W	6500	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
141	MAZDA-IDXR292570W-6.5K-277V-BL-PH-A236 X B101MM	70W	6500	277V	BLACK,GREY,WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
142	MAZDA-IDXR292570W-6.5K-277V-BL-PH-EM-A236 X B101MM	70W	6500	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
143	MAZDA-IDXR292570W-6.5K-277V-BL-10VDIM-A236 X B101MM	70W	6500	277V	BLACK,GREY,WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
144	MAZDA-IDXR292570W-6.5K-277V-BL-10VDIM-EM-A236 X B101MM	70W	6500	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
145	MAZDA-IDXR2925100W-3K-277V-BL-ND-A236 X B101MM	100W	3000	277V	BLACK,GREY,WHITE	NON EMERGENCY	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
146	MAZDA-IDXR2925100W-3K-277V-BL-ND-EM-A236 X B101MM	100W	3000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
147	MAZDA-IDXR2925100W-3K-277V-BL-DA-A236 X B101MM	100W	3000	277V	BLACK,GREY,WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
148	MAZDA-IDXR2925100W-3K-277V-BL-DA-EM-A236 X B101MM	100W	3000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
149	MAZDA-IDXR2925100W-3K-277V-BL-PH-A236 X B101MM	100W	3000	277V	BLACK,GREY,WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
150	MAZDA-IDXR2925100W-3K-277V-BL-PH-EM-A236 X B101MM	100W	3000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
151	MAZDA-IDXR2925100W-3K-277V-BL-10VDIM-A236 X B101MM	100W	3000	277V	BLACK,GREY,WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
152	MAZDA-IDXR2925100W-3K-277V-BL-10VDIM-EM-A236 X B101MM	100W	3000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
153	MAZDA-IDXR2925100W-4K-277V-BL-ND-A236 X B101MM	100W	4000	277V	BLACK,GREY,WHITE	NON EMERGENCY	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
154	MAZDA-IDXR2925100W-4K-277V-BL-ND-EM-A236 X B101MM	100W	4000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
155	MAZDA-IDXR2925100W-4K-277V-BL-DA-A236 X B101MM	100W	4000	277V	BLACK,GREY,WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
156	MAZDA-IDXR2925100W-4K-277V-BL-DA-EM-A236 X B101MM	100W	4000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
157	MAZDA-IDXR2925100W-4K-277V-BL-PH-A236 X B101MM	100W	4000	277V	BLACK,GREY,WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
158	MAZDA-IDXR2925100W-4K-277V-BL-PH-EM-A236 X B101MM	100W	4000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
159	MAZDA-IDXR2925100W-4K-277V-BL-10VDIM-A236 X B101MM	100W	4000	277V	BLACK,GREY,WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
160	MAZDA-IDXR2925100W-4K-277V-BL-10VDIM-EM-A236 X B101MM	100W	4000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
161	MAZDA-IDXR2925100W-5K-277V-BL-ND-A236 X B101MM	100W	5000	277V	BLACK,GREY,WHITE	NON EMERGENCY	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
162	MAZDA-IDXR2925100W-5K-277V-BL-ND-EM-A236 X B101MM	100W	5000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
163	MAZDA-IDXR2925100W-5K-277V-BL-DA-A236 X B101MM	100W	5000	277V	BLACK,GREY,WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
164	MAZDA-IDXR2925100W-5K-277V-BL-DA-EM-A236 X B101MM	100W	5000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
165	MAZDA-IDXR2925100W-5K-277V-BL-PH-A236 X B101MM	100W	5000	277V	BLACK,GREY,WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
166	MAZDA-IDXR2925100W-5K-277V-BL-PH-EM-A236 X B101MM	100W	5000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
167	MAZDA-IDXR2925100W-5K-277V-BL-10VDIM-A236 X B101MM	100W	5000	277V	BLACK,GREY,WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	



DATASHEET

GENERATED ON: 15 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
168	MAZDA-IDXR2925100W-5K-277V-BL-10VDIM-EM-A236 X B101MM	100W	5000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
169	MAZDA-IDXR2925100W-6K-277V-BL-ND-A236 X B101MM	100W	6000	277V	BLACK,GREY,WHITE	NON EMERGENCY	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
170	MAZDA-IDXR2925100W-6K-277V-BL-ND-EM-A236 X B101MM	100W	6000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
171	MAZDA-IDXR2925100W-6K-277V-BL-DA-A236 X B101MM	100W	6000	277V	BLACK,GREY,WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
172	MAZDA-IDXR2925100W-6K-277V-BL-DA-EM-A236 X B101MM	100W	6000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
173	MAZDA-IDXR2925100W-6K-277V-BL-PH-A236 X B101MM	100W	6000	277V	BLACK,GREY,WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
174	MAZDA-IDXR2925100W-6K-277V-BL-PH-EM-A236 X B101MM	100W	6000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
175	MAZDA-IDXR2925100W-6K-277V-BL-10VDIM-A236 X B101MM	100W	6000	277V	BLACK,GREY,WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
176	MAZDA-IDXR2925100W-6K-277V-BL-10VDIM-EM-A236 X B101MM	100W	6000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
177	MAZDA-IDXR2925100W-2.7K-277V-BL-ND-A236 X B101MM	100W	2700	277V	BLACK,GREY,WHITE	NON EMERGENCY	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
178	MAZDA-IDXR2925100W-2.7K-277V-BL-ND-EM-A236 X B101MM	100W	2700	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
179	MAZDA-IDXR2925100W-2.7K-277V-BL-DA-A236 X B101MM	100W	2700	277V	BLACK,GREY,WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
180	MAZDA-IDXR2925100W-2.7K-277V-BL-DA-EM-A236 X B101MM	100W	2700	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
181	MAZDA-IDXR2925100W-2.7K-277V-BL-PH-A236 X B101MM	100W	2700	277V	BLACK,GREY,WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
182	MAZDA-IDXR2925100W-2.7K-277V-BL-PH-EM-A236 X B101MM	100W	2700	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
183	MAZDA-IDXR2925100W-2.7K-277V-BL-10VDIM-A236 X B101MM	100W	2700	277V	BLACK,GREY,WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
184	MAZDA-IDXR2925100W-2.7K-277V-BL-10VDIM-EM-A236 X B101MM	100W	2700	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
185	MAZDA-IDXR2925100W-6.5K-277V-BL-ND-A236 X B101MM	100W	6500	277V	BLACK,GREY,WHITE	NON EMERGENCY	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
186	MAZDA-IDXR2925100W-6.5K-277V-BL-ND-EM-A236 X B101MM	100W	6500	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
187	MAZDA-IDXR2925100W-6.5K-277V-BL-DA-A236 X B101MM	100W	6500	277V	BLACK,GREY,WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
188	MAZDA-IDXR2925100W-6.5K-277V-BL-DA-EM-A236 X B101MM	100W	6500	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
189	MAZDA-IDXR2925100W-6.5K-277V-BL-PH-A236 X B101MM	100W	6500	277V	BLACK,GREY,WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
190	MAZDA-IDXR2925100W-6.5K-277V-BL-PH-EM-A236 X B101MM	100W	6500	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
191	MAZDA-IDXR2925100W-6.5K-277V-BL-10VDIM-A236 X B101MM	100W	6500	277V	BLACK,GREY,WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
192	MAZDA-IDXR2925100W-6.5K-277V-BL-10VDIM-EM-A236 X B101MM	100W	6500	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A236 X B101MM	DIE CAST ALUMINUM	IP66	A236 X B101MM	
193	MAZDA-IDXR2925150W-3K-277V-BL-ND-A286 X B106MM	150W	3000	277V	BLACK,GREY,WHITE	NON EMERGENCY	ON - OFF	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	
194	MAZDA-IDXR2925150W-3K-277V-BL-ND-EM-A286 X B106MM	150W	3000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	
195	MAZDA-IDXR2925150W-3K-277V-BL-DA-A286 X B106MM	150W	3000	277V	BLACK,GREY,WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	
196	MAZDA-IDXR2925150W-3K-277V-BL-DA-EM-A286 X B106MM	150W	3000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	
197	MAZDA-IDXR2925150W-3K-277V-BL-PH-A286 X B106MM	150W	3000	277V	BLACK,GREY,WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	



DATASHEET

GENERATED ON: 15 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
198	MAZDA-IDXR2925150W-3K-277V-BL-PH-EM-A286 X B106MM	150W	3000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	
199	MAZDA-IDXR2925150W-3K-277V-BL-10VDIM-A286 X B106MM	150W	3000	277V	BLACK,GREY,WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	
200	MAZDA-IDXR2925150W-3K-277V-BL-10VDIM-EM-A286 X B106MM	150W	3000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	
201	MAZDA-IDXR2925150W-4K-277V-BL-ND-A286 X B106MM	150W	4000	277V	BLACK,GREY,WHITE	NON EMERGENCY	ON - OFF	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	
202	MAZDA-IDXR2925150W-4K-277V-BL-ND-EM-A286 X B106MM	150W	4000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	
203	MAZDA-IDXR2925150W-4K-277V-BL-DA-A286 X B106MM	150W	4000	277V	BLACK,GREY,WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	
204	MAZDA-IDXR2925150W-4K-277V-BL-DA-EM-A286 X B106MM	150W	4000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	
205	MAZDA-IDXR2925150W-4K-277V-BL-PH-A286 X B106MM	150W	4000	277V	BLACK,GREY,WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	
206	MAZDA-IDXR2925150W-4K-277V-BL-PH-EM-A286 X B106MM	150W	4000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	
207	MAZDA-IDXR2925150W-4K-277V-BL-10VDIM-A286 X B106MM	150W	4000	277V	BLACK,GREY,WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	
208	MAZDA-IDXR2925150W-4K-277V-BL-10VDIM-EM-A286 X B106MM	150W	4000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	
209	MAZDA-IDXR2925150W-5K-277V-BL-ND-A286 X B106MM	150W	5000	277V	BLACK,GREY,WHITE	NON EMERGENCY	ON - OFF	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	
210	MAZDA-IDXR2925150W-5K-277V-BL-ND-EM-A286 X B106MM	150W	5000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	
211	MAZDA-IDXR2925150W-5K-277V-BL-DA-A286 X B106MM	150W	5000	277V	BLACK,GREY,WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	
212	MAZDA-IDXR2925150W-5K-277V-BL-DA-EM-A286 X B106MM	150W	5000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	
213	MAZDA-IDXR2925150W-5K-277V-BL-PH-A286 X B106MM	150W	5000	277V	BLACK,GREY,WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	
214	MAZDA-IDXR2925150W-5K-277V-BL-PH-EM-A286 X B106MM	150W	5000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	
215	MAZDA-IDXR2925150W-5K-277V-BL-10VDIM-A286 X B106MM	150W	5000	277V	BLACK,GREY,WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	
216	MAZDA-IDXR2925150W-5K-277V-BL-10VDIM-EM-A286 X B106MM	150W	5000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	
217	MAZDA-IDXR2925150W-6K-277V-BL-ND-A286 X B106MM	150W	6000	277V	BLACK,GREY,WHITE	NON EMERGENCY	ON - OFF	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	
218	MAZDA-IDXR2925150W-6K-277V-BL-ND-EM-A286 X B106MM	150W	6000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	
219	MAZDA-IDXR2925150W-6K-277V-BL-DA-A286 X B106MM	150W	6000	277V	BLACK,GREY,WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	
220	MAZDA-IDXR2925150W-6K-277V-BL-DA-EM-A286 X B106MM	150W	6000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	
221	MAZDA-IDXR2925150W-6K-277V-BL-PH-A286 X B106MM	150W	6000	277V	BLACK,GREY,WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	
222	MAZDA-IDXR2925150W-6K-277V-BL-PH-EM-A286 X B106MM	150W	6000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	
223	MAZDA-IDXR2925150W-6K-277V-BL-10VDIM-A286 X B106MM	150W	6000	277V	BLACK,GREY,WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	
224	MAZDA-IDXR2925150W-6K-277V-BL-10VDIM-EM-A286 X B106MM	150W	6000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	
225	MAZDA-IDXR2925150W-2.7K-277V-BL-ND-A286 X B106MM	150W	2700	277V	BLACK,GREY,WHITE	NON EMERGENCY	ON - OFF	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	
226	MAZDA-IDXR2925150W-2.7K-277V-BL-ND-EM-A286 X B106MM	150W	2700	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	
227	MAZDA-IDXR2925150W-2.7K-277V-BL-DA-A286 X B106MM	150W	2700	277V	BLACK,GREY,WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	



DATASHEET

GENERATED ON: 15 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
228	MAZDA-IDXR2925150W-2.7K-277V-BL-DA-EM-A286 X B106MM	150W	2700	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	
229	MAZDA-IDXR2925150W-2.7K-277V-BL-PH-A286 X B106MM	150W	2700	277V	BLACK,GREY,WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	
230	MAZDA-IDXR2925150W-2.7K-277V-BL-PH-EM-A286 X B106MM	150W	2700	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	
231	MAZDA-IDXR2925150W-2.7K-277V-BL-10VDIM-A286 X B106MM	150W	2700	277V	BLACK,GREY,WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	
232	MAZDA-IDXR2925150W-2.7K-277V-BL-10VDIM-EM-A286 X B106MM	150W	2700	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	
233	MAZDA-IDXR2925150W-6.5K-277V-BL-ND-A286 X B106MM	150W	6500	277V	BLACK,GREY,WHITE	NON EMERGENCY	ON - OFF	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	
234	MAZDA-IDXR2925150W-6.5K-277V-BL-ND-EM-A286 X B106MM	150W	6500	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	
235	MAZDA-IDXR2925150W-6.5K-277V-BL-DA-A286 X B106MM	150W	6500	277V	BLACK,GREY,WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	
236	MAZDA-IDXR2925150W-6.5K-277V-BL-DA-EM-A286 X B106MM	150W	6500	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	
237	MAZDA-IDXR2925150W-6.5K-277V-BL-PH-A286 X B106MM	150W	6500	277V	BLACK,GREY,WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	
238	MAZDA-IDXR2925150W-6.5K-277V-BL-PH-EM-A286 X B106MM	150W	6500	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	
239	MAZDA-IDXR2925150W-6.5K-277V-BL-10VDIM-A286 X B106MM	150W	6500	277V	BLACK,GREY,WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	
240	MAZDA-IDXR2925150W-6.5K-277V-BL-10VDIM-EM-A286 X B106MM	150W	6500	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A286 X B106MM	DIE CAST ALUMINUM	IP66	A286 X B106MM	
241	MAZDA-IDXR2925200W-3K-277V-BL-ND-A336 X B115MM	200W	3000	277V	BLACK,GREY,WHITE	NON EMERGENCY	ON - OFF	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
242	MAZDA-IDXR2925200W-3K-277V-BL-ND-EM-A336 X B115MM	200W	3000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
243	MAZDA-IDXR2925200W-3K-277V-BL-DA-A336 X B115MM	200W	3000	277V	BLACK,GREY,WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
244	MAZDA-IDXR2925200W-3K-277V-BL-DA-EM-A336 X B115MM	200W	3000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
245	MAZDA-IDXR2925200W-3K-277V-BL-PH-A336 X B115MM	200W	3000	277V	BLACK,GREY,WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
246	MAZDA-IDXR2925200W-3K-277V-BL-PH-EM-A336 X B115MM	200W	3000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
247	MAZDA-IDXR2925200W-3K-277V-BL-10VDIM-A336 X B115MM	200W	3000	277V	BLACK,GREY,WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
248	MAZDA-IDXR2925200W-3K-277V-BL-10VDIM-EM-A336 X B115MM	200W	3000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
249	MAZDA-IDXR2925200W-4K-277V-BL-ND-A336 X B115MM	200W	4000	277V	BLACK,GREY,WHITE	NON EMERGENCY	ON - OFF	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
250	MAZDA-IDXR2925200W-4K-277V-BL-ND-EM-A336 X B115MM	200W	4000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
251	MAZDA-IDXR2925200W-4K-277V-BL-DA-A336 X B115MM	200W	4000	277V	BLACK,GREY,WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
252	MAZDA-IDXR2925200W-4K-277V-BL-DA-EM-A336 X B115MM	200W	4000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
253	MAZDA-IDXR2925200W-4K-277V-BL-PH-A336 X B115MM	200W	4000	277V	BLACK,GREY,WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
254	MAZDA-IDXR2925200W-4K-277V-BL-PH-EM-A336 X B115MM	200W	4000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
255	MAZDA-IDXR2925200W-4K-277V-BL-10VDIM-A336 X B115MM	200W	4000	277V	BLACK,GREY,WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
256	MAZDA-IDXR2925200W-4K-277V-BL-10VDIM-EM-A336 X B115MM	200W	4000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
257	MAZDA-IDXR2925200W-5K-277V-BL-ND-A336 X B115MM	200W	5000	277V	BLACK,GREY,WHITE	NON EMERGENCY	ON - OFF	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	



DATASHEET

GENERATED ON: 15 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
258	MAZDA-IDXR2925200W-5K-277V-BL-ND-EM-A336 X B115MM	200W	5000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
259	MAZDA-IDXR2925200W-5K-277V-BL-DA-A336 X B115MM	200W	5000	277V	BLACK,GREY,WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
260	MAZDA-IDXR2925200W-5K-277V-BL-DA-EM-A336 X B115MM	200W	5000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
261	MAZDA-IDXR2925200W-5K-277V-BL-PH-A336 X B115MM	200W	5000	277V	BLACK,GREY,WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
262	MAZDA-IDXR2925200W-5K-277V-BL-PH-EM-A336 X B115MM	200W	5000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
263	MAZDA-IDXR2925200W-5K-277V-BL-10VDIM-A336 X B115MM	200W	5000	277V	BLACK,GREY,WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
264	MAZDA-IDXR2925200W-5K-277V-BL-10VDIM-EM-A336 X B115MM	200W	5000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
265	MAZDA-IDXR2925200W-6K-277V-BL-ND-A336 X B115MM	200W	6000	277V	BLACK,GREY,WHITE	NON EMERGENCY	ON - OFF	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
266	MAZDA-IDXR2925200W-6K-277V-BL-ND-EM-A336 X B115MM	200W	6000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
267	MAZDA-IDXR2925200W-6K-277V-BL-DA-A336 X B115MM	200W	6000	277V	BLACK,GREY,WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
268	MAZDA-IDXR2925200W-6K-277V-BL-DA-EM-A336 X B115MM	200W	6000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
269	MAZDA-IDXR2925200W-6K-277V-BL-PH-A336 X B115MM	200W	6000	277V	BLACK,GREY,WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
270	MAZDA-IDXR2925200W-6K-277V-BL-PH-EM-A336 X B115MM	200W	6000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
271	MAZDA-IDXR2925200W-6K-277V-BL-10VDIM-A336 X B115MM	200W	6000	277V	BLACK,GREY,WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
272	MAZDA-IDXR2925200W-6K-277V-BL-10VDIM-EM-A336 X B115MM	200W	6000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
273	MAZDA-IDXR2925200W-2.7K-277V-BL-ND-A336 X B115MM	200W	2700	277V	BLACK,GREY,WHITE	NON EMERGENCY	ON - OFF	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
274	MAZDA-IDXR2925200W-2.7K-277V-BL-ND-EM-A336 X B115MM	200W	2700	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
275	MAZDA-IDXR2925200W-2.7K-277V-BL-DA-A336 X B115MM	200W	2700	277V	BLACK,GREY,WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
276	MAZDA-IDXR2925200W-2.7K-277V-BL-DA-EM-A336 X B115MM	200W	2700	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
277	MAZDA-IDXR2925200W-2.7K-277V-BL-PH-A336 X B115MM	200W	2700	277V	BLACK,GREY,WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
278	MAZDA-IDXR2925200W-2.7K-277V-BL-PH-EM-A336 X B115MM	200W	2700	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
279	MAZDA-IDXR2925200W-2.7K-277V-BL-10VDIM-A336 X B115MM	200W	2700	277V	BLACK,GREY,WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
280	MAZDA-IDXR2925200W-2.7K-277V-BL-10VDIM-EM-A336 X B115MM	200W	2700	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
281	MAZDA-IDXR2925200W-6.5K-277V-BL-ND-A336 X B115MM	200W	6500	277V	BLACK,GREY,WHITE	NON EMERGENCY	ON - OFF	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
282	MAZDA-IDXR2925200W-6.5K-277V-BL-ND-EM-A336 X B115MM	200W	6500	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
283	MAZDA-IDXR2925200W-6.5K-277V-BL-DA-A336 X B115MM	200W	6500	277V	BLACK,GREY,WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
284	MAZDA-IDXR2925200W-6.5K-277V-BL-DA-EM-A336 X B115MM	200W	6500	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
285	MAZDA-IDXR2925200W-6.5K-277V-BL-PH-A336 X B115MM	200W	6500	277V	BLACK,GREY,WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
286	MAZDA-IDXR2925200W-6.5K-277V-BL-PH-EM-A336 X B115MM	200W	6500	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	



DATASHEET

GENERATED ON: 15 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
287	MAZDA-IDXR2925200W-6.5K-277V-BL-10VDIM-A336 X B115MM	200W	6500	277V	BLACK,GREY,WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
288	MAZDA-IDXR2925200W-6.5K-277V-BL-10VDIM-EM-A336 X B115MM	200W	6500	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
289	MAZDA-IDXR2925250W-3K-277V-BL-ND-A336 X B115MM	250W	3000	277V	BLACK,GREY,WHITE	NON EMERGENCY	ON - OFF	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
290	MAZDA-IDXR2925250W-3K-277V-BL-ND-EM-A336 X B115MM	250W	3000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
291	MAZDA-IDXR2925250W-3K-277V-BL-DA-A336 X B115MM	250W	3000	277V	BLACK,GREY,WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
292	MAZDA-IDXR2925250W-3K-277V-BL-DA-EM-A336 X B115MM	250W	3000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
293	MAZDA-IDXR2925250W-3K-277V-BL-PH-A336 X B115MM	250W	3000	277V	BLACK,GREY,WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
294	MAZDA-IDXR2925250W-3K-277V-BL-PH-EM-A336 X B115MM	250W	3000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
295	MAZDA-IDXR2925250W-3K-277V-BL-10VDIM-A336 X B115MM	250W	3000	277V	BLACK,GREY,WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
296	MAZDA-IDXR2925250W-3K-277V-BL-10VDIM-EM-A336 X B115MM	250W	3000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
297	MAZDA-IDXR2925250W-4K-277V-BL-ND-A336 X B115MM	250W	4000	277V	BLACK,GREY,WHITE	NON EMERGENCY	ON - OFF	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
298	MAZDA-IDXR2925250W-4K-277V-BL-ND-EM-A336 X B115MM	250W	4000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
299	MAZDA-IDXR2925250W-4K-277V-BL-DA-A336 X B115MM	250W	4000	277V	BLACK,GREY,WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
300	MAZDA-IDXR2925250W-4K-277V-BL-DA-EM-A336 X B115MM	250W	4000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
301	MAZDA-IDXR2925250W-4K-277V-BL-PH-A336 X B115MM	250W	4000	277V	BLACK,GREY,WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
302	MAZDA-IDXR2925250W-4K-277V-BL-PH-EM-A336 X B115MM	250W	4000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
303	MAZDA-IDXR2925250W-4K-277V-BL-10VDIM-A336 X B115MM	250W	4000	277V	BLACK,GREY,WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
304	MAZDA-IDXR2925250W-4K-277V-BL-10VDIM-EM-A336 X B115MM	250W	4000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
305	MAZDA-IDXR2925250W-5K-277V-BL-ND-A336 X B115MM	250W	5000	277V	BLACK,GREY,WHITE	NON EMERGENCY	ON - OFF	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
306	MAZDA-IDXR2925250W-5K-277V-BL-ND-EM-A336 X B115MM	250W	5000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
307	MAZDA-IDXR2925250W-5K-277V-BL-DA-A336 X B115MM	250W	5000	277V	BLACK,GREY,WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
308	MAZDA-IDXR2925250W-5K-277V-BL-DA-EM-A336 X B115MM	250W	5000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
309	MAZDA-IDXR2925250W-5K-277V-BL-PH-A336 X B115MM	250W	5000	277V	BLACK,GREY,WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
310	MAZDA-IDXR2925250W-5K-277V-BL-PH-EM-A336 X B115MM	250W	5000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
311	MAZDA-IDXR2925250W-5K-277V-BL-10VDIM-A336 X B115MM	250W	5000	277V	BLACK,GREY,WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
312	MAZDA-IDXR2925250W-5K-277V-BL-10VDIM-EM-A336 X B115MM	250W	5000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
313	MAZDA-IDXR2925250W-6K-277V-BL-ND-A336 X B115MM	250W	6000	277V	BLACK,GREY,WHITE	NON EMERGENCY	ON - OFF	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
314	MAZDA-IDXR2925250W-6K-277V-BL-ND-EM-A336 X B115MM	250W	6000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
315	MAZDA-IDXR2925250W-6K-277V-BL-DA-A336 X B115MM	250W	6000	277V	BLACK,GREY,WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
316	MAZDA-IDXR2925250W-6K-277V-BL-DA-EM-A336 X B115MM	250W	6000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	



DATASHEET

GENERATED ON: 15 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
317	MAZDA-IDXR2925250W-6K-277V-BL-PH-A336 X B115MM	250W	6000	277V	BLACK,GREY,WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
318	MAZDA-IDXR2925250W-6K-277V-BL-PH-EM-A336 X B115MM	250W	6000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
319	MAZDA-IDXR2925250W-6K-277V-BL-10VDIM-A336 X B115MM	250W	6000	277V	BLACK,GREY,WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
320	MAZDA-IDXR2925250W-6K-277V-BL-10VDIM-EM-A336 X B115MM	250W	6000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
321	MAZDA-IDXR2925250W-2.7K-277V-BL-ND-A336 X B115MM	250W	2700	277V	BLACK,GREY,WHITE	NON EMERGENCY	ON - OFF	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
322	MAZDA-IDXR2925250W-2.7K-277V-BL-ND-EM-A336 X B115MM	250W	2700	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
323	MAZDA-IDXR2925250W-2.7K-277V-BL-DA-A336 X B115MM	250W	2700	277V	BLACK,GREY,WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
324	MAZDA-IDXR2925250W-2.7K-277V-BL-DA-EM-A336 X B115MM	250W	2700	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
325	MAZDA-IDXR2925250W-2.7K-277V-BL-PH-A336 X B115MM	250W	2700	277V	BLACK,GREY,WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
326	MAZDA-IDXR2925250W-2.7K-277V-BL-PH-EM-A336 X B115MM	250W	2700	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
327	MAZDA-IDXR2925250W-2.7K-277V-BL-10VDIM-A336 X B115MM	250W	2700	277V	BLACK,GREY,WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
328	MAZDA-IDXR2925250W-2.7K-277V-BL-10VDIM-EM-A336 X B115MM	250W	2700	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
329	MAZDA-IDXR2925250W-6.5K-277V-BL-ND-A336 X B115MM	250W	6500	277V	BLACK,GREY,WHITE	NON EMERGENCY	ON - OFF	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
330	MAZDA-IDXR2925250W-6.5K-277V-BL-ND-EM-A336 X B115MM	250W	6500	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
331	MAZDA-IDXR2925250W-6.5K-277V-BL-DA-A336 X B115MM	250W	6500	277V	BLACK,GREY,WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
332	MAZDA-IDXR2925250W-6.5K-277V-BL-DA-EM-A336 X B115MM	250W	6500	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
333	MAZDA-IDXR2925250W-6.5K-277V-BL-PH-A336 X B115MM	250W	6500	277V	BLACK,GREY,WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
334	MAZDA-IDXR2925250W-6.5K-277V-BL-PH-EM-A336 X B115MM	250W	6500	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
335	MAZDA-IDXR2925250W-6.5K-277V-BL-10VDIM-A336 X B115MM	250W	6500	277V	BLACK,GREY,WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
336	MAZDA-IDXR2925250W-6.5K-277V-BL-10VDIM-EM-A336 X B115MM	250W	6500	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
337	MAZDA-IDXR2925300W-3K-277V-BL-ND-A336 X B115MM	300W	3000	277V	BLACK,GREY,WHITE	NON EMERGENCY	ON - OFF	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
338	MAZDA-IDXR2925300W-3K-277V-BL-ND-EM-A336 X B115MM	300W	3000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
339	MAZDA-IDXR2925300W-3K-277V-BL-DA-A336 X B115MM	300W	3000	277V	BLACK,GREY,WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
340	MAZDA-IDXR2925300W-3K-277V-BL-DA-EM-A336 X B115MM	300W	3000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
341	MAZDA-IDXR2925300W-3K-277V-BL-PH-A336 X B115MM	300W	3000	277V	BLACK,GREY,WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
342	MAZDA-IDXR2925300W-3K-277V-BL-PH-EM-A336 X B115MM	300W	3000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
343	MAZDA-IDXR2925300W-3K-277V-BL-10VDIM-A336 X B115MM	300W	3000	277V	BLACK,GREY,WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
344	MAZDA-IDXR2925300W-3K-277V-BL-10VDIM-EM-A336 X B115MM	300W	3000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
345	MAZDA-IDXR2925300W-4K-277V-BL-ND-A336 X B115MM	300W	4000	277V	BLACK,GREY,WHITE	NON EMERGENCY	ON - OFF	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
346	MAZDA-IDXR2925300W-4K-277V-BL-ND-EM-A336 X B115MM	300W	4000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	



DATASHEET

GENERATED ON: 15 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
347	MAZDA-IDXR2925300W-4K-277V-BL-DA-A336 X B115MM	300W	4000	277V	BLACK,GREY,WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
348	MAZDA-IDXR2925300W-4K-277V-BL-DA-EM-A336 X B115MM	300W	4000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
349	MAZDA-IDXR2925300W-4K-277V-BL-PH-A336 X B115MM	300W	4000	277V	BLACK,GREY,WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
350	MAZDA-IDXR2925300W-4K-277V-BL-PH-EM-A336 X B115MM	300W	4000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
351	MAZDA-IDXR2925300W-4K-277V-BL-10VDIM-A336 X B115MM	300W	4000	277V	BLACK,GREY,WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
352	MAZDA-IDXR2925300W-4K-277V-BL-10VDIM-EM-A336 X B115MM	300W	4000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
353	MAZDA-IDXR2925300W-5K-277V-BL-ND-A336 X B115MM	300W	5000	277V	BLACK,GREY,WHITE	NON EMERGENCY	ON - OFF	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
354	MAZDA-IDXR2925300W-5K-277V-BL-ND-EM-A336 X B115MM	300W	5000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
355	MAZDA-IDXR2925300W-5K-277V-BL-DA-A336 X B115MM	300W	5000	277V	BLACK,GREY,WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
356	MAZDA-IDXR2925300W-5K-277V-BL-DA-EM-A336 X B115MM	300W	5000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
357	MAZDA-IDXR2925300W-5K-277V-BL-PH-A336 X B115MM	300W	5000	277V	BLACK,GREY,WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
358	MAZDA-IDXR2925300W-5K-277V-BL-PH-EM-A336 X B115MM	300W	5000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
359	MAZDA-IDXR2925300W-5K-277V-BL-10VDIM-A336 X B115MM	300W	5000	277V	BLACK,GREY,WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
360	MAZDA-IDXR2925300W-5K-277V-BL-10VDIM-EM-A336 X B115MM	300W	5000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
361	MAZDA-IDXR2925300W-6K-277V-BL-ND-A336 X B115MM	300W	6000	277V	BLACK,GREY,WHITE	NON EMERGENCY	ON - OFF	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
362	MAZDA-IDXR2925300W-6K-277V-BL-ND-EM-A336 X B115MM	300W	6000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
363	MAZDA-IDXR2925300W-6K-277V-BL-DA-A336 X B115MM	300W	6000	277V	BLACK,GREY,WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
364	MAZDA-IDXR2925300W-6K-277V-BL-DA-EM-A336 X B115MM	300W	6000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
365	MAZDA-IDXR2925300W-6K-277V-BL-PH-A336 X B115MM	300W	6000	277V	BLACK,GREY,WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
366	MAZDA-IDXR2925300W-6K-277V-BL-PH-EM-A336 X B115MM	300W	6000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
367	MAZDA-IDXR2925300W-6K-277V-BL-10VDIM-A336 X B115MM	300W	6000	277V	BLACK,GREY,WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
368	MAZDA-IDXR2925300W-6K-277V-BL-10VDIM-EM-A336 X B115MM	300W	6000	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
369	MAZDA-IDXR2925300W-2.7K-277V-BL-ND-A336 X B115MM	300W	2700	277V	BLACK,GREY,WHITE	NON EMERGENCY	ON - OFF	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
370	MAZDA-IDXR2925300W-2.7K-277V-BL-ND-EM-A336 X B115MM	300W	2700	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
371	MAZDA-IDXR2925300W-2.7K-277V-BL-DA-A336 X B115MM	300W	2700	277V	BLACK,GREY,WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
372	MAZDA-IDXR2925300W-2.7K-277V-BL-DA-EM-A336 X B115MM	300W	2700	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
373	MAZDA-IDXR2925300W-2.7K-277V-BL-PH-A336 X B115MM	300W	2700	277V	BLACK,GREY,WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
374	MAZDA-IDXR2925300W-2.7K-277V-BL-PH-EM-A336 X B115MM	300W	2700	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
375	MAZDA-IDXR2925300W-2.7K-277V-BL-10VDIM-A336 X B115MM	300W	2700	277V	BLACK,GREY,WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
376	MAZDA-IDXR2925300W-2.7K-277V-BL-10VDIM-EM-A336 X B115MM	300W	2700	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
377	MAZDA-IDXR2925300W-6.5K-277V-BL-ND-A336 X B115MM	300W	6500	277V	BLACK,GREY,WHITE	NON EMERGENCY	ON - OFF	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
378	MAZDA-IDXR2925300W-6.5K-277V-BL-ND-EM-A336 X B115MM	300W	6500	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
379	MAZDA-IDXR2925300W-6.5K-277V-BL-DA-A336 X B115MM	300W	6500	277V	BLACK,GREY,WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
380	MAZDA-IDXR2925300W-6.5K-277V-BL-DA-EM-A336 X B115MM	300W	6500	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
381	MAZDA-IDXR2925300W-6.5K-277V-BL-PH-A336 X B115MM	300W	6500	277V	BLACK,GREY,WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
382	MAZDA-IDXR2925300W-6.5K-277V-BL-PH-EM-A336 X B115MM	300W	6500	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
383	MAZDA-IDXR2925300W-6.5K-277V-BL-10VDIM-A336 X B115MM	300W	6500	277V	BLACK,GREY,WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	
384	MAZDA-IDXR2925300W-6.5K-277V-BL-10VDIM-EM-A336 X B115MM	300W	6500	277V	BLACK,GREY,WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	30	A336 X B115MM	DIE CAST ALUMINUM	IP66	A336 X B115MM	