DATASHEET

GENERATED ON: 15 Sep 2026 | SYS.REF: MAZDA-LED

DAWN

MAZDA Model: IDXR2967 HIGHBAY LIGHT

This high-performance tri-proof light is designed to withstand demanding environments, making it ideal for farm and industrial applications. Engineered with IP67 ratings, it offers exceptional waterproof and dustproof protection. The durable PMMA material ensures long-lasting optical clarity and resistance to corrosion. Equipped with a fast cable gland for quick installation, the fixture supports Class I electrical safety. It also features advanced microwave sensor technology for motion detection, and is DALI-compatible, dimmable, and linkable, providing flexible lighting control and energy efficiency.

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
1	MAZDA-IDXR296720W-3K-240V-WH-ND-A74 X B723 MM	20W	3000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM
2	MAZDA-IDXR296720W-3K-240V-WH-ND-EM-A74 X B723 MM	20W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM
3	MAZDA-IDXR296720W-3K-240V-WH-DA-A74 X B723 MM	20W	3000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM
4	MAZDA-IDXR296720W-3K-240V-WH-DA-EM-A74 X B723 MM	20W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM
5	MAZDA-IDXR296720W-3K-240V-WH-PH-A74 X B723 MM	20W	3000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM
6	MAZDA-IDXR296720W-3K-240V-WH-PH-EM-A74 X B723 MM	20W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM
7	MAZDA-IDXR296720W-3K-240V-WH-10VDIM-A74 X B723 MM	20W	3000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM
8	MAZDA-IDXR296720W-3K-240V-WH-10VDIM-EM-A74 X B723 MM	20W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM
9	MAZDA-IDXR296720W-4K-240V-WH-ND-A74 X B723 MM	20W	4000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM
10	MAZDA-IDXR296720W-4K-240V-WH-ND-EM-A74 X B723 MM	20W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM
11	MAZDA-IDXR296720W-4K-240V-WH-DA-A74 X B723 MM	20W	4000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM
12	MAZDA-IDXR296720W-4K-240V-WH-DA-EM-A74 X B723 MM	20W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM
13	MAZDA-IDXR296720W-4K-240V-WH-PH-A74 X B723 MM	20W	4000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM
14	MAZDA-IDXR296720W-4K-240V-WH-PH-EM-A74 X B723 MM	20W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM
15	MAZDA-IDXR296720W-4K-240V-WH-10VDIM-A74 X B723 MM	20W	4000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM
16	MAZDA-IDXR296720W-4K-240V-WH-10VDIM-EM-A74 X B723 MM	20W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM
17	MAZDA-IDXR296720W-5K-240V-WH-ND-A74 X B723 MM	20W	5000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM
18	MAZDA-IDXR296720W-5K-240V-WH-ND-EM-A74 X B723 MM	20W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM

DATASHEET

GENERATED ON: 15 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
19	MAZDA-IDXR296720W-5K-240V-WH-DA-A74 X B723 MM	20W	5000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM
20	MAZDA-IDXR296720W-5K-240V-WH-DA-EM-A74 X B723 MM	20W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM
21	MAZDA-IDXR296720W-5K-240V-WH-PH-A74 X B723 MM	20W	5000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM
22	MAZDA-IDXR296720W-5K-240V-WH-PH-EM-A74 X B723 MM	20W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM
23	MAZDA-IDXR296720W-5K-240V-WH-10VDIM-A74 X B723 MM	20W	5000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM
24	MAZDA-IDXR296720W-5K-240V-WH-10VDIM-EM-A74 X B723 MM	20W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM
25	MAZDA-IDXR296720W-6K-240V-WH-ND-A74 X B723 MM	20W	6000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM
26	MAZDA-IDXR296720W-6K-240V-WH-ND-EM-A74 X B723 MM	20W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM
27	MAZDA-IDXR296720W-6K-240V-WH-DA-A74 X B723 MM	20W	6000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM
28	MAZDA-IDXR296720W-6K-240V-WH-DA-EM-A74 X B723 MM	20W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM
29	MAZDA-IDXR296720W-6K-240V-WH-PH-A74 X B723 MM	20W	6000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM
30	MAZDA-IDXR296720W-6K-240V-WH-PH-EM-A74 X B723 MM	20W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM
31	MAZDA-IDXR296720W-6K-240V-WH-10VDIM-A74 X B723 MM	20W	6000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM
32	MAZDA-IDXR296720W-6K-240V-WH-10VDIM-EM-A74 X B723 MM	20W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM
33	MAZDA-IDXR296720W-2.7K-240V-WH-ND-A74 X B723 MM	20W	2700	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM
34	MAZDA-IDXR296720W-2.7K-240V-WH-ND-EM-A74 X B723 MM	20W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM
35	MAZDA-IDXR296720W-2.7K-240V-WH-DA-A74 X B723 MM	20W	2700	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM
36	MAZDA-IDXR296720W-2.7K-240V-WH-DA-EM-A74 X B723 MM	20W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM
37	MAZDA-IDXR296720W-2.7K-240V-WH-PH-A74 X B723 MM	20W	2700	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM
38	MAZDA-IDXR296720W-2.7K-240V-WH-PH-EM-A74 X B723 MM	20W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM
39	MAZDA-IDXR296720W-2.7K-240V-WH-10VDIM-A74 X B723 MM	20W	2700	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM
40	MAZDA-IDXR296720W-2.7K-240V-WH-10VDIM-EM-A74 X B723 MM	20W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM
41	MAZDA-IDXR296720W-6.5K-240V-WH-ND-A74 X B723 MM	20W	6500	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM
42	MAZDA-IDXR296720W-6.5K-240V-WH-ND-EM-A74 X B723 MM	20W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM
43	MAZDA-IDXR296720W-6.5K-240V-WH-DA-A74 X B723 MM	20W	6500	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM
44	MAZDA-IDXR296720W-6.5K-240V-WH-DA-EM-A74 X B723 MM	20W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM
45	MAZDA-IDXR296720W-6.5K-240V-WH-PH-A74 X B723 MM	20W	6500	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM

DATASHEET

GENERATED ON: 15 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
46	**MAZDA-IDXR296720W-6.5K-240V-WH-PH-EM-A74 X B723 MM**	20W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM
47	**MAZDA-IDXR296720W-6.5K-240V-WH-10VDIM-A74 X B723 MM**	20W	6500	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM
48	**MAZDA-IDXR296720W-6.5K-240V-WH-10VDIM-EM-A74 X B723 MM**	20W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B723 MM	PMMA	IP67	A74 X B723 MM
49	**MAZDA-IDXR296730W-3K-240V-WH-ND-A74 X B1323 MM**	30W	3000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
50	**MAZDA-IDXR296730W-3K-240V-WH-ND-EM-A74 X B1323 MM**	30W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
51	**MAZDA-IDXR296730W-3K-240V-WH-DA-A74 X B1323 MM**	30W	3000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
52	**MAZDA-IDXR296730W-3K-240V-WH-DA-EM-A74 X B1323 MM**	30W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
53	**MAZDA-IDXR296730W-3K-240V-WH-PH-A74 X B1323 MM**	30W	3000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
54	**MAZDA-IDXR296730W-3K-240V-WH-PH-EM-A74 X B1323 MM**	30W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
55	**MAZDA-IDXR296730W-3K-240V-WH-10VDIM-A74 X B1323 MM**	30W	3000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
56	**MAZDA-IDXR296730W-3K-240V-WH-10VDIM-EM-A74 X B1323 MM**	30W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
57	**MAZDA-IDXR296730W-4K-240V-WH-ND-A74 X B1323 MM**	30W	4000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
58	**MAZDA-IDXR296730W-4K-240V-WH-ND-EM-A74 X B1323 MM**	30W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
59	**MAZDA-IDXR296730W-4K-240V-WH-DA-A74 X B1323 MM**	30W	4000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
60	**MAZDA-IDXR296730W-4K-240V-WH-DA-EM-A74 X B1323 MM**	30W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
61	**MAZDA-IDXR296730W-4K-240V-WH-PH-A74 X B1323 MM**	30W	4000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
62	**MAZDA-IDXR296730W-4K-240V-WH-PH-EM-A74 X B1323 MM**	30W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
63	**MAZDA-IDXR296730W-4K-240V-WH-10VDIM-A74 X B1323 MM**	30W	4000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
64	**MAZDA-IDXR296730W-4K-240V-WH-10VDIM-EM-A74 X B1323 MM**	30W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
65	**MAZDA-IDXR296730W-5K-240V-WH-ND-A74 X B1323 MM**	30W	5000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
66	**MAZDA-IDXR296730W-5K-240V-WH-ND-EM-A74 X B1323 MM**	30W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
67	**MAZDA-IDXR296730W-5K-240V-WH-DA-A74 X B1323 MM**	30W	5000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
68	**MAZDA-IDXR296730W-5K-240V-WH-DA-EM-A74 X B1323 MM**	30W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
69	**MAZDA-IDXR296730W-5K-240V-WH-PH-A74 X B1323 MM**	30W	5000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
70	**MAZDA-IDXR296730W-5K-240V-WH-PH-EM-A74 X B1323 MM**	30W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
71	**MAZDA-IDXR296730W-5K-240V-WH-10VDIM-A74 X B1323 MM**	30W	5000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
72	**MAZDA-IDXR296730W-5K-240V-WH-10VDIM-EM-A74 X B1323 MM**	30W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
73	**MAZDA-IDXR296730W-6K-240V-WH-ND-A74 X B1323 MM**	30W	6000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM

DATASHEET

GENERATED ON: 15 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
74	**MAZDA-IDXR296730W-6K-240V-WH-ND-EM-A74 X B1323 MM**	30W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
75	**MAZDA-IDXR296730W-6K-240V-WH-DA-A74 X B1323 MM**	30W	6000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
76	**MAZDA-IDXR296730W-6K-240V-WH-DA-EM-A74 X B1323 MM**	30W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
77	**MAZDA-IDXR296730W-6K-240V-WH-PH-A74 X B1323 MM**	30W	6000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
78	**MAZDA-IDXR296730W-6K-240V-WH-PH-EM-A74 X B1323 MM**	30W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
79	**MAZDA-IDXR296730W-6K-240V-WH-10VDIM-A74 X B1323 MM**	30W	6000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
80	**MAZDA-IDXR296730W-6K-240V-WH-10VDIM-EM-A74 X B1323 MM**	30W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
81	**MAZDA-IDXR296730W-2.7K-240V-WH-ND-A74 X B1323 MM**	30W	2700	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
82	**MAZDA-IDXR296730W-2.7K-240V-WH-ND-EM-A74 X B1323 MM**	30W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
83	**MAZDA-IDXR296730W-2.7K-240V-WH-DA-A74 X B1323 MM**	30W	2700	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
84	**MAZDA-IDXR296730W-2.7K-240V-WH-DA-EM-A74 X B1323 MM**	30W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
85	**MAZDA-IDXR296730W-2.7K-240V-WH-PH-A74 X B1323 MM**	30W	2700	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
86	**MAZDA-IDXR296730W-2.7K-240V-WH-PH-EM-A74 X B1323 MM**	30W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
87	**MAZDA-IDXR296730W-2.7K-240V-WH-10VDIM-A74 X B1323 MM**	30W	2700	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
88	**MAZDA-IDXR296730W-2.7K-240V-WH-10VDIM-EM-A74 X B1323 MM**	30W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
89	**MAZDA-IDXR296730W-6.5K-240V-WH-ND-A74 X B1323 MM**	30W	6500	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
90	**MAZDA-IDXR296730W-6.5K-240V-WH-ND-EM-A74 X B1323 MM**	30W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
91	**MAZDA-IDXR296730W-6.5K-240V-WH-DA-A74 X B1323 MM**	30W	6500	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
92	**MAZDA-IDXR296730W-6.5K-240V-WH-DA-EM-A74 X B1323 MM**	30W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
93	**MAZDA-IDXR296730W-6.5K-240V-WH-PH-A74 X B1323 MM**	30W	6500	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
94	**MAZDA-IDXR296730W-6.5K-240V-WH-PH-EM-A74 X B1323 MM**	30W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
95	**MAZDA-IDXR296730W-6.5K-240V-WH-10VDIM-A74 X B1323 MM**	30W	6500	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
96	**MAZDA-IDXR296730W-6.5K-240V-WH-10VDIM-EM-A74 X B1323 MM**	30W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
97	**MAZDA-IDXR296740W-3K-240V-WH-ND-A74 X B1323 MM**	40W	3000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
98	**MAZDA-IDXR296740W-3K-240V-WH-ND-EM-A74 X B1323 MM**	40W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
99	**MAZDA-IDXR296740W-3K-240V-WH-DA-A74 X B1323 MM**	40W	3000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
100	**MAZDA-IDXR296740W-3K-240V-WH-DA-EM-A74 X B1323 MM**	40W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM

DATASHEET

GENERATED ON: 15 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
101	**MAZDA-IDXR296740W-3K-240V-WH-PH-A74 X B1323 MM**	40W	3000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
102	**MAZDA-IDXR296740W-3K-240V-WH-PH-EM-A74 X B1323 MM**	40W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
103	**MAZDA-IDXR296740W-3K-240V-WH-10VDIM-A74 X B1323 MM**	40W	3000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
104	**MAZDA-IDXR296740W-3K-240V-WH-10VDIM-EM-A74 X B1323 MM**	40W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
105	**MAZDA-IDXR296740W-4K-240V-WH-ND-A74 X B1323 MM**	40W	4000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
106	**MAZDA-IDXR296740W-4K-240V-WH-ND-EM-A74 X B1323 MM**	40W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
107	**MAZDA-IDXR296740W-4K-240V-WH-DA-A74 X B1323 MM**	40W	4000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
108	**MAZDA-IDXR296740W-4K-240V-WH-DA-EM-A74 X B1323 MM**	40W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
109	**MAZDA-IDXR296740W-4K-240V-WH-PH-A74 X B1323 MM**	40W	4000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
110	**MAZDA-IDXR296740W-4K-240V-WH-PH-EM-A74 X B1323 MM**	40W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
111	**MAZDA-IDXR296740W-4K-240V-WH-10VDIM-A74 X B1323 MM**	40W	4000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
112	**MAZDA-IDXR296740W-4K-240V-WH-10VDIM-EM-A74 X B1323 MM**	40W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
113	**MAZDA-IDXR296740W-5K-240V-WH-ND-A74 X B1323 MM**	40W	5000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
114	**MAZDA-IDXR296740W-5K-240V-WH-ND-EM-A74 X B1323 MM**	40W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
115	**MAZDA-IDXR296740W-5K-240V-WH-DA-A74 X B1323 MM**	40W	5000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
116	**MAZDA-IDXR296740W-5K-240V-WH-DA-EM-A74 X B1323 MM**	40W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
117	**MAZDA-IDXR296740W-5K-240V-WH-PH-A74 X B1323 MM**	40W	5000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
118	**MAZDA-IDXR296740W-5K-240V-WH-PH-EM-A74 X B1323 MM**	40W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
119	**MAZDA-IDXR296740W-5K-240V-WH-10VDIM-A74 X B1323 MM**	40W	5000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
120	**MAZDA-IDXR296740W-5K-240V-WH-10VDIM-EM-A74 X B1323 MM**	40W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
121	**MAZDA-IDXR296740W-6K-240V-WH-ND-A74 X B1323 MM**	40W	6000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
122	**MAZDA-IDXR296740W-6K-240V-WH-ND-EM-A74 X B1323 MM**	40W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
123	**MAZDA-IDXR296740W-6K-240V-WH-DA-A74 X B1323 MM**	40W	6000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
124	**MAZDA-IDXR296740W-6K-240V-WH-DA-EM-A74 X B1323 MM**	40W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
125	**MAZDA-IDXR296740W-6K-240V-WH-PH-A74 X B1323 MM**	40W	6000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
126	**MAZDA-IDXR296740W-6K-240V-WH-PH-EM-A74 X B1323 MM**	40W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
127	**MAZDA-IDXR296740W-6K-240V-WH-10VDIM-A74 X B1323 MM**	40W	6000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM

DATASHEET

GENERATED ON: 15 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
128	MAZDA-IDXR296740W-6K-240V-WH-10VDIM-EM-A74 X B1323 MM	40W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM	
129	MAZDA-IDXR296740W-2.7K-240V-WH-ND-A74 X B1323 MM	40W	2700	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM	
130	MAZDA-IDXR296740W-2.7K-240V-WH-ND-EM-A74 X B1323 MM	40W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM	
131	MAZDA-IDXR296740W-2.7K-240V-WH-DA-A74 X B1323 MM	40W	2700	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM	
132	MAZDA-IDXR296740W-2.7K-240V-WH-DA-EM-A74 X B1323 MM	40W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM	
133	MAZDA-IDXR296740W-2.7K-240V-WH-PH-A74 X B1323 MM	40W	2700	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM	
134	MAZDA-IDXR296740W-2.7K-240V-WH-PH-EM-A74 X B1323 MM	40W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM	
135	MAZDA-IDXR296740W-2.7K-240V-WH-10VDIM-A74 X B1323 MM	40W	2700	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM	
136	MAZDA-IDXR296740W-2.7K-240V-WH-10VDIM-EM-A74 X B1323 MM	40W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM	
137	MAZDA-IDXR296740W-6.5K-240V-WH-ND-A74 X B1323 MM	40W	6500	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM	
138	MAZDA-IDXR296740W-6.5K-240V-WH-ND-EM-A74 X B1323 MM	40W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM	
139	MAZDA-IDXR296740W-6.5K-240V-WH-DA-A74 X B1323 MM	40W	6500	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM	
140	MAZDA-IDXR296740W-6.5K-240V-WH-DA-EM-A74 X B1323 MM	40W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM	
141	MAZDA-IDXR296740W-6.5K-240V-WH-PH-A74 X B1323 MM	40W	6500	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM	
142	MAZDA-IDXR296740W-6.5K-240V-WH-PH-EM-A74 X B1323 MM	40W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM	
143	MAZDA-IDXR296740W-6.5K-240V-WH-10VDIM-A74 X B1323 MM	40W	6500	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM	
144	MAZDA-IDXR296740W-6.5K-240V-WH-10VDIM-EM-A74 X B1323 MM	40W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM	
145	MAZDA-IDXR296750W-3K-240V-WH-ND-A74 X B1323 MM	50W	3000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM	
146	MAZDA-IDXR296750W-3K-240V-WH-ND-EM-A74 X B1323 MM	50W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM	
147	MAZDA-IDXR296750W-3K-240V-WH-DA-A74 X B1323 MM	50W	3000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM	
148	MAZDA-IDXR296750W-3K-240V-WH-DA-EM-A74 X B1323 MM	50W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM	
149	MAZDA-IDXR296750W-3K-240V-WH-PH-A74 X B1323 MM	50W	3000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM	
150	MAZDA-IDXR296750W-3K-240V-WH-PH-EM-A74 X B1323 MM	50W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM	
151	MAZDA-IDXR296750W-3K-240V-WH-10VDIM-A74 X B1323 MM	50W	3000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM	
152	MAZDA-IDXR296750W-3K-240V-WH-10VDIM-EM-A74 X B1323 MM	50W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM	
153	MAZDA-IDXR296750W-4K-240V-WH-ND-A74 X B1323 MM	50W	4000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM	
154	MAZDA-IDXR296750W-4K-240V-WH-ND-EM-A74 X B1323 MM	50W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM	
155	MAZDA-IDXR296750W-4K-240V-WH-DA-A74 X B1323 MM	50W	4000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM	

DATASHEET

GENERATED ON: 15 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
156	MAZDA-IDXR296750W-4K-240V-WH-DA-EM-A74 X B1323 MM	50W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
157	MAZDA-IDXR296750W-4K-240V-WH-PH-A74 X B1323 MM	50W	4000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
158	MAZDA-IDXR296750W-4K-240V-WH-PH-EM-A74 X B1323 MM	50W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
159	MAZDA-IDXR296750W-4K-240V-WH-10VDIM-A74 X B1323 MM	50W	4000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
160	MAZDA-IDXR296750W-4K-240V-WH-10VDIM-EM-A74 X B1323 MM	50W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
161	MAZDA-IDXR296750W-5K-240V-WH-ND-A74 X B1323 MM	50W	5000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
162	MAZDA-IDXR296750W-5K-240V-WH-ND-EM-A74 X B1323 MM	50W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
163	MAZDA-IDXR296750W-5K-240V-WH-DA-A74 X B1323 MM	50W	5000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
164	MAZDA-IDXR296750W-5K-240V-WH-DA-EM-A74 X B1323 MM	50W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
165	MAZDA-IDXR296750W-5K-240V-WH-PH-A74 X B1323 MM	50W	5000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
166	MAZDA-IDXR296750W-5K-240V-WH-PH-EM-A74 X B1323 MM	50W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
167	MAZDA-IDXR296750W-5K-240V-WH-10VDIM-A74 X B1323 MM	50W	5000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
168	MAZDA-IDXR296750W-5K-240V-WH-10VDIM-EM-A74 X B1323 MM	50W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
169	MAZDA-IDXR296750W-6K-240V-WH-ND-A74 X B1323 MM	50W	6000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
170	MAZDA-IDXR296750W-6K-240V-WH-ND-EM-A74 X B1323 MM	50W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
171	MAZDA-IDXR296750W-6K-240V-WH-DA-A74 X B1323 MM	50W	6000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
172	MAZDA-IDXR296750W-6K-240V-WH-DA-EM-A74 X B1323 MM	50W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
173	MAZDA-IDXR296750W-6K-240V-WH-PH-A74 X B1323 MM	50W	6000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
174	MAZDA-IDXR296750W-6K-240V-WH-PH-EM-A74 X B1323 MM	50W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
175	MAZDA-IDXR296750W-6K-240V-WH-10VDIM-A74 X B1323 MM	50W	6000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
176	MAZDA-IDXR296750W-6K-240V-WH-10VDIM-EM-A74 X B1323 MM	50W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
177	MAZDA-IDXR296750W-2.7K-240V-WH-ND-A74 X B1323 MM	50W	2700	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
178	MAZDA-IDXR296750W-2.7K-240V-WH-ND-EM-A74 X B1323 MM	50W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
179	MAZDA-IDXR296750W-2.7K-240V-WH-DA-A74 X B1323 MM	50W	2700	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
180	MAZDA-IDXR296750W-2.7K-240V-WH-DA-EM-A74 X B1323 MM	50W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
181	MAZDA-IDXR296750W-2.7K-240V-WH-PH-A74 X B1323 MM	50W	2700	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM
182	MAZDA-IDXR296750W-2.7K-240V-WH-PH-EM-A74 X B1323 MM	50W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM

DATASHEET

GENERATED ON: 15 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
183	MAZDA-IDXR296750W-2.7K-240V-WH-10VDIM-A74 X B1323 MM	50W	2700	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM	
184	MAZDA-IDXR296750W-2.7K-240V-WH-10VDIM-EM-A74 X B1323 MM	50W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM	
185	MAZDA-IDXR296750W-6.5K-240V-WH-ND-A74 X B1323 MM	50W	6500	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM	
186	MAZDA-IDXR296750W-6.5K-240V-WH-ND-EM-A74 X B1323 MM	50W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM	
187	MAZDA-IDXR296750W-6.5K-240V-WH-DA-A74 X B1323 MM	50W	6500	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM	
188	MAZDA-IDXR296750W-6.5K-240V-WH-DA-EM-A74 X B1323 MM	50W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM	
189	MAZDA-IDXR296750W-6.5K-240V-WH-PH-A74 X B1323 MM	50W	6500	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM	
190	MAZDA-IDXR296750W-6.5K-240V-WH-PH-EM-A74 X B1323 MM	50W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM	
191	MAZDA-IDXR296750W-6.5K-240V-WH-10VDIM-A74 X B1323 MM	50W	6500	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM	
192	MAZDA-IDXR296750W-6.5K-240V-WH-10VDIM-EM-A74 X B1323 MM	50W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B1323 MM	PMMA	IP67	A74 X B1323 MM	
193	MAZDA-IDXR296730W-3K-240V-WH-ND-A74 X B1623 MM	30W	3000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
194	MAZDA-IDXR296730W-3K-240V-WH-ND-EM-A74 X B1623 MM	30W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
195	MAZDA-IDXR296730W-3K-240V-WH-DA-A74 X B1623 MM	30W	3000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
196	MAZDA-IDXR296730W-3K-240V-WH-DA-EM-A74 X B1623 MM	30W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
197	MAZDA-IDXR296730W-3K-240V-WH-PH-A74 X B1623 MM	30W	3000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
198	MAZDA-IDXR296730W-3K-240V-WH-PH-EM-A74 X B1623 MM	30W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
199	MAZDA-IDXR296730W-3K-240V-WH-10VDIM-A74 X B1623 MM	30W	3000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
200	MAZDA-IDXR296730W-3K-240V-WH-10VDIM-EM-A74 X B1623 MM	30W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
201	MAZDA-IDXR296730W-4K-240V-WH-ND-A74 X B1623 MM	30W	4000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
202	MAZDA-IDXR296730W-4K-240V-WH-ND-EM-A74 X B1623 MM	30W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
203	MAZDA-IDXR296730W-4K-240V-WH-DA-A74 X B1623 MM	30W	4000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
204	MAZDA-IDXR296730W-4K-240V-WH-DA-EM-A74 X B1623 MM	30W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
205	MAZDA-IDXR296730W-4K-240V-WH-PH-A74 X B1623 MM	30W	4000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
206	MAZDA-IDXR296730W-4K-240V-WH-PH-EM-A74 X B1623 MM	30W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
207	MAZDA-IDXR296730W-4K-240V-WH-10VDIM-A74 X B1623 MM	30W	4000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
208	MAZDA-IDXR296730W-4K-240V-WH-10VDIM-EM-A74 X B1623 MM	30W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
209	MAZDA-IDXR296730W-5K-240V-WH-ND-A74 X B1623 MM	30W	5000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
210	MAZDA-IDXR296730W-5K-240V-WH-ND-EM-A74 X B1623 MM	30W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	

DATASHEET

GENERATED ON: 15 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
211	**MAZDA-IDXR296730W-5K-240V-WH-DA-A74 X B1623 MM**	30W	5000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
212	**MAZDA-IDXR296730W-5K-240V-WH-DA-EM-A74 X B1623 MM**	30W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
213	**MAZDA-IDXR296730W-5K-240V-WH-PH-A74 X B1623 MM**	30W	5000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
214	**MAZDA-IDXR296730W-5K-240V-WH-PH-EM-A74 X B1623 MM**	30W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
215	**MAZDA-IDXR296730W-5K-240V-WH-10VDIM-A74 X B1623 MM**	30W	5000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
216	**MAZDA-IDXR296730W-5K-240V-WH-10VDIM-EM-A74 X B1623 MM**	30W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
217	**MAZDA-IDXR296730W-6K-240V-WH-ND-A74 X B1623 MM**	30W	6000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
218	**MAZDA-IDXR296730W-6K-240V-WH-ND-EM-A74 X B1623 MM**	30W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
219	**MAZDA-IDXR296730W-6K-240V-WH-DA-A74 X B1623 MM**	30W	6000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
220	**MAZDA-IDXR296730W-6K-240V-WH-DA-EM-A74 X B1623 MM**	30W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
221	**MAZDA-IDXR296730W-6K-240V-WH-PH-A74 X B1623 MM**	30W	6000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
222	**MAZDA-IDXR296730W-6K-240V-WH-PH-EM-A74 X B1623 MM**	30W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
223	**MAZDA-IDXR296730W-6K-240V-WH-10VDIM-A74 X B1623 MM**	30W	6000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
224	**MAZDA-IDXR296730W-6K-240V-WH-10VDIM-EM-A74 X B1623 MM**	30W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
225	**MAZDA-IDXR296730W-2.7K-240V-WH-ND-A74 X B1623 MM**	30W	2700	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
226	**MAZDA-IDXR296730W-2.7K-240V-WH-ND-EM-A74 X B1623 MM**	30W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
227	**MAZDA-IDXR296730W-2.7K-240V-WH-DA-A74 X B1623 MM**	30W	2700	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
228	**MAZDA-IDXR296730W-2.7K-240V-WH-DA-EM-A74 X B1623 MM**	30W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
229	**MAZDA-IDXR296730W-2.7K-240V-WH-PH-A74 X B1623 MM**	30W	2700	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
230	**MAZDA-IDXR296730W-2.7K-240V-WH-PH-EM-A74 X B1623 MM**	30W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
231	**MAZDA-IDXR296730W-2.7K-240V-WH-10VDIM-A74 X B1623 MM**	30W	2700	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
232	**MAZDA-IDXR296730W-2.7K-240V-WH-10VDIM-EM-A74 X B1623 MM**	30W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
233	**MAZDA-IDXR296730W-6.5K-240V-WH-ND-A74 X B1623 MM**	30W	6500	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
234	**MAZDA-IDXR296730W-6.5K-240V-WH-ND-EM-A74 X B1623 MM**	30W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
235	**MAZDA-IDXR296730W-6.5K-240V-WH-DA-A74 X B1623 MM**	30W	6500	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
236	**MAZDA-IDXR296730W-6.5K-240V-WH-DA-EM-A74 X B1623 MM**	30W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
237	**MAZDA-IDXR296730W-6.5K-240V-WH-PH-A74 X B1623 MM**	30W	6500	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM

DATASHEET

GENERATED ON: 15 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
238	**MAZDA-IDXR296730W-6.5K-240V-WH-PH-EM-A74 X B1623 MM**	30W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
239	**MAZDA-IDXR296730W-6.5K-240V-WH-10VDIM-A74 X B1623 MM**	30W	6500	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
240	**MAZDA-IDXR296730W-6.5K-240V-WH-10VDIM-EM-A74 X B1623 MM**	30W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
241	**MAZDA-IDXR296740W-3K-240V-WH-ND-A74 X B1623 MM**	40W	3000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
242	**MAZDA-IDXR296740W-3K-240V-WH-ND-EM-A74 X B1623 MM**	40W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
243	**MAZDA-IDXR296740W-3K-240V-WH-DA-A74 X B1623 MM**	40W	3000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
244	**MAZDA-IDXR296740W-3K-240V-WH-DA-EM-A74 X B1623 MM**	40W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
245	**MAZDA-IDXR296740W-3K-240V-WH-PH-A74 X B1623 MM**	40W	3000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
246	**MAZDA-IDXR296740W-3K-240V-WH-PH-EM-A74 X B1623 MM**	40W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
247	**MAZDA-IDXR296740W-3K-240V-WH-10VDIM-A74 X B1623 MM**	40W	3000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
248	**MAZDA-IDXR296740W-3K-240V-WH-10VDIM-EM-A74 X B1623 MM**	40W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
249	**MAZDA-IDXR296740W-4K-240V-WH-ND-A74 X B1623 MM**	40W	4000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
250	**MAZDA-IDXR296740W-4K-240V-WH-ND-EM-A74 X B1623 MM**	40W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
251	**MAZDA-IDXR296740W-4K-240V-WH-DA-A74 X B1623 MM**	40W	4000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
252	**MAZDA-IDXR296740W-4K-240V-WH-DA-EM-A74 X B1623 MM**	40W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
253	**MAZDA-IDXR296740W-4K-240V-WH-PH-A74 X B1623 MM**	40W	4000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
254	**MAZDA-IDXR296740W-4K-240V-WH-PH-EM-A74 X B1623 MM**	40W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
255	**MAZDA-IDXR296740W-4K-240V-WH-10VDIM-A74 X B1623 MM**	40W	4000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
256	**MAZDA-IDXR296740W-4K-240V-WH-10VDIM-EM-A74 X B1623 MM**	40W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
257	**MAZDA-IDXR296740W-5K-240V-WH-ND-A74 X B1623 MM**	40W	5000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
258	**MAZDA-IDXR296740W-5K-240V-WH-ND-EM-A74 X B1623 MM**	40W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
259	**MAZDA-IDXR296740W-5K-240V-WH-DA-A74 X B1623 MM**	40W	5000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
260	**MAZDA-IDXR296740W-5K-240V-WH-DA-EM-A74 X B1623 MM**	40W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
261	**MAZDA-IDXR296740W-5K-240V-WH-PH-A74 X B1623 MM**	40W	5000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
262	**MAZDA-IDXR296740W-5K-240V-WH-PH-EM-A74 X B1623 MM**	40W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
263	**MAZDA-IDXR296740W-5K-240V-WH-10VDIM-A74 X B1623 MM**	40W	5000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
264	**MAZDA-IDXR296740W-5K-240V-WH-10VDIM-EM-A74 X B1623 MM**	40W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
265	**MAZDA-IDXR296740W-6K-240V-WH-ND-A74 X B1623 MM**	40W	6000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM

DATASHEET

GENERATED ON: 15 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
266	MAZDA-IDXR296740W-6K-240V-WH-ND-EM-A74 X B1623 MM	40W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
267	MAZDA-IDXR296740W-6K-240V-WH-DA-A74 X B1623 MM	40W	6000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
268	MAZDA-IDXR296740W-6K-240V-WH-DA-EM-A74 X B1623 MM	40W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
269	MAZDA-IDXR296740W-6K-240V-WH-PH-A74 X B1623 MM	40W	6000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
270	MAZDA-IDXR296740W-6K-240V-WH-PH-EM-A74 X B1623 MM	40W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
271	MAZDA-IDXR296740W-6K-240V-WH-10VDIM-A74 X B1623 MM	40W	6000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
272	MAZDA-IDXR296740W-6K-240V-WH-10VDIM-EM-A74 X B1623 MM	40W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
273	MAZDA-IDXR296740W-2.7K-240V-WH-ND-A74 X B1623 MM	40W	2700	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
274	MAZDA-IDXR296740W-2.7K-240V-WH-ND-EM-A74 X B1623 MM	40W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
275	MAZDA-IDXR296740W-2.7K-240V-WH-DA-A74 X B1623 MM	40W	2700	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
276	MAZDA-IDXR296740W-2.7K-240V-WH-DA-EM-A74 X B1623 MM	40W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
277	MAZDA-IDXR296740W-2.7K-240V-WH-PH-A74 X B1623 MM	40W	2700	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
278	MAZDA-IDXR296740W-2.7K-240V-WH-PH-EM-A74 X B1623 MM	40W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
279	MAZDA-IDXR296740W-2.7K-240V-WH-10VDIM-A74 X B1623 MM	40W	2700	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
280	MAZDA-IDXR296740W-2.7K-240V-WH-10VDIM-EM-A74 X B1623 MM	40W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
281	MAZDA-IDXR296740W-6.5K-240V-WH-ND-A74 X B1623 MM	40W	6500	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
282	MAZDA-IDXR296740W-6.5K-240V-WH-ND-EM-A74 X B1623 MM	40W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
283	MAZDA-IDXR296740W-6.5K-240V-WH-DA-A74 X B1623 MM	40W	6500	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
284	MAZDA-IDXR296740W-6.5K-240V-WH-DA-EM-A74 X B1623 MM	40W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
285	MAZDA-IDXR296740W-6.5K-240V-WH-PH-A74 X B1623 MM	40W	6500	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
286	MAZDA-IDXR296740W-6.5K-240V-WH-PH-EM-A74 X B1623 MM	40W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
287	MAZDA-IDXR296740W-6.5K-240V-WH-10VDIM-A74 X B1623 MM	40W	6500	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
288	MAZDA-IDXR296740W-6.5K-240V-WH-10VDIM-EM-A74 X B1623 MM	40W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
289	MAZDA-IDXR296750W-3K-240V-WH-ND-A74 X B1623 MM	50W	3000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
290	MAZDA-IDXR296750W-3K-240V-WH-ND-EM-A74 X B1623 MM	50W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
291	MAZDA-IDXR296750W-3K-240V-WH-DA-A74 X B1623 MM	50W	3000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
292	MAZDA-IDXR296750W-3K-240V-WH-DA-EM-A74 X B1623 MM	50W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM

DATASHEET

GENERATED ON: 15 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
293	**MAZDA-IDXR296750W-3K-240V-WH-PH-A74 X B1623 MM**	50W	3000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
294	**MAZDA-IDXR296750W-3K-240V-WH-PH-EM-A74 X B1623 MM**	50W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
295	**MAZDA-IDXR296750W-3K-240V-WH-10VDIM-A74 X B1623 MM**	50W	3000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
296	**MAZDA-IDXR296750W-3K-240V-WH-10VDIM-EM-A74 X B1623 MM**	50W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
297	**MAZDA-IDXR296750W-4K-240V-WH-ND-A74 X B1623 MM**	50W	4000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
298	**MAZDA-IDXR296750W-4K-240V-WH-ND-EM-A74 X B1623 MM**	50W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
299	**MAZDA-IDXR296750W-4K-240V-WH-DA-A74 X B1623 MM**	50W	4000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
300	**MAZDA-IDXR296750W-4K-240V-WH-DA-EM-A74 X B1623 MM**	50W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
301	**MAZDA-IDXR296750W-4K-240V-WH-PH-A74 X B1623 MM**	50W	4000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
302	**MAZDA-IDXR296750W-4K-240V-WH-PH-EM-A74 X B1623 MM**	50W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
303	**MAZDA-IDXR296750W-4K-240V-WH-10VDIM-A74 X B1623 MM**	50W	4000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
304	**MAZDA-IDXR296750W-4K-240V-WH-10VDIM-EM-A74 X B1623 MM**	50W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
305	**MAZDA-IDXR296750W-5K-240V-WH-ND-A74 X B1623 MM**	50W	5000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
306	**MAZDA-IDXR296750W-5K-240V-WH-ND-EM-A74 X B1623 MM**	50W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
307	**MAZDA-IDXR296750W-5K-240V-WH-DA-A74 X B1623 MM**	50W	5000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
308	**MAZDA-IDXR296750W-5K-240V-WH-DA-EM-A74 X B1623 MM**	50W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
309	**MAZDA-IDXR296750W-5K-240V-WH-PH-A74 X B1623 MM**	50W	5000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
310	**MAZDA-IDXR296750W-5K-240V-WH-PH-EM-A74 X B1623 MM**	50W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
311	**MAZDA-IDXR296750W-5K-240V-WH-10VDIM-A74 X B1623 MM**	50W	5000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
312	**MAZDA-IDXR296750W-5K-240V-WH-10VDIM-EM-A74 X B1623 MM**	50W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
313	**MAZDA-IDXR296750W-6K-240V-WH-ND-A74 X B1623 MM**	50W	6000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
314	**MAZDA-IDXR296750W-6K-240V-WH-ND-EM-A74 X B1623 MM**	50W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
315	**MAZDA-IDXR296750W-6K-240V-WH-DA-A74 X B1623 MM**	50W	6000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
316	**MAZDA-IDXR296750W-6K-240V-WH-DA-EM-A74 X B1623 MM**	50W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
317	**MAZDA-IDXR296750W-6K-240V-WH-PH-A74 X B1623 MM**	50W	6000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
318	**MAZDA-IDXR296750W-6K-240V-WH-PH-EM-A74 X B1623 MM**	50W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
319	**MAZDA-IDXR296750W-6K-240V-WH-10VDIM-A74 X B1623 MM**	50W	6000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM

DATASHEET

GENERATED ON: 15 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
320	MAZDA-IDXR296750W-6K-240V-WH-10VDIM-EM-A74 X B1623 MM	50W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
321	MAZDA-IDXR296750W-2.7K-240V-WH-ND-A74 X B1623 MM	50W	2700	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
322	MAZDA-IDXR296750W-2.7K-240V-WH-ND-EM-A74 X B1623 MM	50W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
323	MAZDA-IDXR296750W-2.7K-240V-WH-DA-A74 X B1623 MM	50W	2700	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
324	MAZDA-IDXR296750W-2.7K-240V-WH-DA-EM-A74 X B1623 MM	50W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
325	MAZDA-IDXR296750W-2.7K-240V-WH-PH-A74 X B1623 MM	50W	2700	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
326	MAZDA-IDXR296750W-2.7K-240V-WH-PH-EM-A74 X B1623 MM	50W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
327	MAZDA-IDXR296750W-2.7K-240V-WH-10VDIM-A74 X B1623 MM	50W	2700	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
328	MAZDA-IDXR296750W-2.7K-240V-WH-10VDIM-EM-A74 X B1623 MM	50W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
329	MAZDA-IDXR296750W-6.5K-240V-WH-ND-A74 X B1623 MM	50W	6500	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
330	MAZDA-IDXR296750W-6.5K-240V-WH-ND-EM-A74 X B1623 MM	50W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
331	MAZDA-IDXR296750W-6.5K-240V-WH-DA-A74 X B1623 MM	50W	6500	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
332	MAZDA-IDXR296750W-6.5K-240V-WH-DA-EM-A74 X B1623 MM	50W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
333	MAZDA-IDXR296750W-6.5K-240V-WH-PH-A74 X B1623 MM	50W	6500	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
334	MAZDA-IDXR296750W-6.5K-240V-WH-PH-EM-A74 X B1623 MM	50W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
335	MAZDA-IDXR296750W-6.5K-240V-WH-10VDIM-A74 X B1623 MM	50W	6500	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
336	MAZDA-IDXR296750W-6.5K-240V-WH-10VDIM-EM-A74 X B1623 MM	50W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
337	MAZDA-IDXR296760W-3K-240V-WH-ND-A74 X B1623 MM	60W	3000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
338	MAZDA-IDXR296760W-3K-240V-WH-ND-EM-A74 X B1623 MM	60W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
339	MAZDA-IDXR296760W-3K-240V-WH-DA-A74 X B1623 MM	60W	3000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
340	MAZDA-IDXR296760W-3K-240V-WH-DA-EM-A74 X B1623 MM	60W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
341	MAZDA-IDXR296760W-3K-240V-WH-PH-A74 X B1623 MM	60W	3000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
342	MAZDA-IDXR296760W-3K-240V-WH-PH-EM-A74 X B1623 MM	60W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
343	MAZDA-IDXR296760W-3K-240V-WH-10VDIM-A74 X B1623 MM	60W	3000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
344	MAZDA-IDXR296760W-3K-240V-WH-10VDIM-EM-A74 X B1623 MM	60W	3000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
345	MAZDA-IDXR296760W-4K-240V-WH-ND-A74 X B1623 MM	60W	4000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
346	MAZDA-IDXR296760W-4K-240V-WH-ND-EM-A74 X B1623 MM	60W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
347	MAZDA-IDXR296760W-4K-240V-WH-DA-A74 X B1623 MM	60W	4000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	

DATASHEET

GENERATED ON: 15 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
348	MAZDA-IDXR296760W-4K-240V-WH-DA-EM-A74 X B1623 MM	60W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
349	MAZDA-IDXR296760W-4K-240V-WH-PH-A74 X B1623 MM	60W	4000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
350	MAZDA-IDXR296760W-4K-240V-WH-PH-EM-A74 X B1623 MM	60W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
351	MAZDA-IDXR296760W-4K-240V-WH-10VDIM-A74 X B1623 MM	60W	4000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
352	MAZDA-IDXR296760W-4K-240V-WH-10VDIM-EM-A74 X B1623 MM	60W	4000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
353	MAZDA-IDXR296760W-5K-240V-WH-ND-A74 X B1623 MM	60W	5000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
354	MAZDA-IDXR296760W-5K-240V-WH-ND-EM-A74 X B1623 MM	60W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
355	MAZDA-IDXR296760W-5K-240V-WH-DA-A74 X B1623 MM	60W	5000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
356	MAZDA-IDXR296760W-5K-240V-WH-DA-EM-A74 X B1623 MM	60W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
357	MAZDA-IDXR296760W-5K-240V-WH-PH-A74 X B1623 MM	60W	5000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
358	MAZDA-IDXR296760W-5K-240V-WH-PH-EM-A74 X B1623 MM	60W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
359	MAZDA-IDXR296760W-5K-240V-WH-10VDIM-A74 X B1623 MM	60W	5000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
360	MAZDA-IDXR296760W-5K-240V-WH-10VDIM-EM-A74 X B1623 MM	60W	5000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
361	MAZDA-IDXR296760W-6K-240V-WH-ND-A74 X B1623 MM	60W	6000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
362	MAZDA-IDXR296760W-6K-240V-WH-ND-EM-A74 X B1623 MM	60W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
363	MAZDA-IDXR296760W-6K-240V-WH-DA-A74 X B1623 MM	60W	6000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
364	MAZDA-IDXR296760W-6K-240V-WH-DA-EM-A74 X B1623 MM	60W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
365	MAZDA-IDXR296760W-6K-240V-WH-PH-A74 X B1623 MM	60W	6000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
366	MAZDA-IDXR296760W-6K-240V-WH-PH-EM-A74 X B1623 MM	60W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
367	MAZDA-IDXR296760W-6K-240V-WH-10VDIM-A74 X B1623 MM	60W	6000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
368	MAZDA-IDXR296760W-6K-240V-WH-10VDIM-EM-A74 X B1623 MM	60W	6000	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
369	MAZDA-IDXR296760W-2.7K-240V-WH-ND-A74 X B1623 MM	60W	2700	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
370	MAZDA-IDXR296760W-2.7K-240V-WH-ND-EM-A74 X B1623 MM	60W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
371	MAZDA-IDXR296760W-2.7K-240V-WH-DA-A74 X B1623 MM	60W	2700	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
372	MAZDA-IDXR296760W-2.7K-240V-WH-DA-EM-A74 X B1623 MM	60W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
373	MAZDA-IDXR296760W-2.7K-240V-WH-PH-A74 X B1623 MM	60W	2700	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM
374	MAZDA-IDXR296760W-2.7K-240V-WH-PH-EM-A74 X B1623 MM	60W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
375	**MAZDA-IDXR296760W-2.7K-240V-WH-10VDIM-A74 X B1623 MM**	60W	2700	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
376	**MAZDA-IDXR296760W-2.7K-240V-WH-10VDIM-EM-A74 X B1623 MM**	60W	2700	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
377	**MAZDA-IDXR296760W-6.5K-240V-WH-ND-A74 X B1623 MM**	60W	6500	240V	WHITE	NON EMERGENCY	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
378	**MAZDA-IDXR296760W-6.5K-240V-WH-ND-EM-A74 X B1623 MM**	60W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	ON - OFF	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
379	**MAZDA-IDXR296760W-6.5K-240V-WH-DA-A74 X B1623 MM**	60W	6500	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
380	**MAZDA-IDXR296760W-6.5K-240V-WH-DA-EM-A74 X B1623 MM**	60W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	DALI DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
381	**MAZDA-IDXR296760W-6.5K-240V-WH-PH-A74 X B1623 MM**	60W	6500	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
382	**MAZDA-IDXR296760W-6.5K-240V-WH-PH-EM-A74 X B1623 MM**	60W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	PHASE CUT DIMMABLE	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
383	**MAZDA-IDXR296760W-6.5K-240V-WH-10VDIM-A74 X B1623 MM**	60W	6500	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	
384	**MAZDA-IDXR296760W-6.5K-240V-WH-10VDIM-EM-A74 X B1623 MM**	60W	6500	240V	WHITE	3 HOUR EMERGENCY BACKUP	0/1-10 V DIMMABLE DRIVER	120	A74 X B1623 MM	PMMA	IP67	A74 X B1623 MM	