



SWIFT

MAZDA Model: SIXR2326 External Wall Light

Unique Cylinder lamp adopts straightforward design with stylish appearance with high quality COB LED chip with high lumen and pure color. The AL6063 Aluminum radiator in sand blast oxidation treatment provides excellent heat dissipation and corrosion resistance. The built-in power supply with high conversion efficiency is stable and reliable. it is very suitable for star hotel, restaurant, shopping mall, villa, residence and other high-end projects. Available in surface and suspension

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
1	MAZDA-SIXR232607W-3K-240V-WH-ND-A83 X B125 MM	07W	3000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
2	MAZDA-SIXR232607W-3K-240V-WH-DA-A83 X B125 MM	07W	3000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
3	MAZDA-SIXR232607W-3K-240V-WH-PH-A83 X B125 MM	07W	3000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
4	MAZDA-SIXR232607W-3K-240V-WH-10VDIM-A83 X B125 MM	07W	3000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
5	MAZDA-SIXR232607W-4K-240V-WH-ND-A83 X B125 MM	07W	4000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
6	MAZDA-SIXR232607W-4K-240V-WH-DA-A83 X B125 MM	07W	4000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
7	MAZDA-SIXR232607W-4K-240V-WH-PH-A83 X B125 MM	07W	4000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
8	MAZDA-SIXR232607W-4K-240V-WH-10VDIM-A83 X B125 MM	07W	4000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
9	MAZDA-SIXR232607W-5K-240V-WH-ND-A83 X B125 MM	07W	5000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
10	MAZDA-SIXR232607W-5K-240V-WH-DA-A83 X B125 MM	07W	5000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
11	MAZDA-SIXR232607W-5K-240V-WH-PH-A83 X B125 MM	07W	5000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
12	MAZDA-SIXR232607W-5K-240V-WH-10VDIM-A83 X B125 MM	07W	5000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
13	MAZDA-SIXR232607W-6K-240V-WH-ND-A83 X B125 MM	07W	6000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
14	MAZDA-SIXR232607W-6K-240V-WH-DA-A83 X B125 MM	07W	6000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
15	MAZDA-SIXR232607W-6K-240V-WH-PH-A83 X B125 MM	07W	6000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
16	MAZDA-SIXR232607W-6K-240V-WH-10VDIM-A83 X B125 MM	07W	6000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	



DATASHEET

GENERATED ON: 16 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
17	MAZDA-SIXR232607W-2.7K-240V-WH-ND-A83 X B125 MM	07W	2700	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
18	MAZDA-SIXR232607W-2.7K-240V-WH-DA-A83 X B125 MM	07W	2700	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
19	MAZDA-SIXR232607W-2.7K-240V-WH-PH-A83 X B125 MM	07W	2700	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
20	MAZDA-SIXR232607W-2.7K-240V-WH-10VDIM-A83 X B125 MM	07W	2700	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
21	MAZDA-SIXR232607W-6.5K-240V-WH-ND-A83 X B125 MM	07W	6500	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
22	MAZDA-SIXR232607W-6.5K-240V-WH-DA-A83 X B125 MM	07W	6500	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
23	MAZDA-SIXR232607W-6.5K-240V-WH-PH-A83 X B125 MM	07W	6500	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
24	MAZDA-SIXR232607W-6.5K-240V-WH-10VDIM-A83 X B125 MM	07W	6500	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
25	MAZDA-SIXR232609W-3K-240V-WH-ND-A83 X B125 MM	09W	3000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
26	MAZDA-SIXR232609W-3K-240V-WH-DA-A83 X B125 MM	09W	3000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
27	MAZDA-SIXR232609W-3K-240V-WH-PH-A83 X B125 MM	09W	3000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
28	MAZDA-SIXR232609W-3K-240V-WH-10VDIM-A83 X B125 MM	09W	3000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
29	MAZDA-SIXR232609W-4K-240V-WH-ND-A83 X B125 MM	09W	4000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
30	MAZDA-SIXR232609W-4K-240V-WH-DA-A83 X B125 MM	09W	4000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
31	MAZDA-SIXR232609W-4K-240V-WH-PH-A83 X B125 MM	09W	4000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
32	MAZDA-SIXR232609W-4K-240V-WH-10VDIM-A83 X B125 MM	09W	4000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
33	MAZDA-SIXR232609W-5K-240V-WH-ND-A83 X B125 MM	09W	5000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
34	MAZDA-SIXR232609W-5K-240V-WH-DA-A83 X B125 MM	09W	5000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
35	MAZDA-SIXR232609W-5K-240V-WH-PH-A83 X B125 MM	09W	5000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
36	MAZDA-SIXR232609W-5K-240V-WH-10VDIM-A83 X B125 MM	09W	5000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
37	MAZDA-SIXR232609W-6K-240V-WH-ND-A83 X B125 MM	09W	6000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
38	MAZDA-SIXR232609W-6K-240V-WH-DA-A83 X B125 MM	09W	6000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
39	MAZDA-SIXR232609W-6K-240V-WH-PH-A83 X B125 MM	09W	6000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
40	MAZDA-SIXR232609W-6K-240V-WH-10VDIM-A83 X B125 MM	09W	6000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
41	MAZDA-SIXR232609W-2.7K-240V-WH-ND-A83 X B125 MM	09W	2700	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
42	MAZDA-SIXR232609W-2.7K-240V-WH-DA-A83 X B125 MM	09W	2700	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	



DATASHEET

GENERATED ON: 16 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
43	MAZDA-SIXR232609W-2.7K-240V-WH-PH-A83 X B125 MM	09W	2700	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
44	MAZDA-SIXR232609W-2.7K-240V-WH-10VDIM-A83 X B125 MM	09W	2700	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
45	MAZDA-SIXR232609W-6.5K-240V-WH-ND-A83 X B125 MM	09W	6500	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
46	MAZDA-SIXR232609W-6.5K-240V-WH-DA-A83 X B125 MM	09W	6500	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
47	MAZDA-SIXR232609W-6.5K-240V-WH-PH-A83 X B125 MM	09W	6500	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
48	MAZDA-SIXR232609W-6.5K-240V-WH-10VDIM-A83 X B125 MM	09W	6500	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
49	MAZDA-SIXR232615W-3K-240V-WH-ND-A83 X B125 MM	15W	3000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
50	MAZDA-SIXR232615W-3K-240V-WH-DA-A83 X B125 MM	15W	3000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
51	MAZDA-SIXR232615W-3K-240V-WH-PH-A83 X B125 MM	15W	3000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
52	MAZDA-SIXR232615W-3K-240V-WH-10VDIM-A83 X B125 MM	15W	3000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
53	MAZDA-SIXR232615W-4K-240V-WH-ND-A83 X B125 MM	15W	4000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
54	MAZDA-SIXR232615W-4K-240V-WH-DA-A83 X B125 MM	15W	4000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
55	MAZDA-SIXR232615W-4K-240V-WH-PH-A83 X B125 MM	15W	4000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
56	MAZDA-SIXR232615W-4K-240V-WH-10VDIM-A83 X B125 MM	15W	4000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
57	MAZDA-SIXR232615W-5K-240V-WH-ND-A83 X B125 MM	15W	5000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
58	MAZDA-SIXR232615W-5K-240V-WH-DA-A83 X B125 MM	15W	5000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
59	MAZDA-SIXR232615W-5K-240V-WH-PH-A83 X B125 MM	15W	5000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
60	MAZDA-SIXR232615W-5K-240V-WH-10VDIM-A83 X B125 MM	15W	5000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
61	MAZDA-SIXR232615W-6K-240V-WH-ND-A83 X B125 MM	15W	6000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
62	MAZDA-SIXR232615W-6K-240V-WH-DA-A83 X B125 MM	15W	6000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
63	MAZDA-SIXR232615W-6K-240V-WH-PH-A83 X B125 MM	15W	6000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
64	MAZDA-SIXR232615W-6K-240V-WH-10VDIM-A83 X B125 MM	15W	6000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
65	MAZDA-SIXR232615W-2.7K-240V-WH-ND-A83 X B125 MM	15W	2700	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
66	MAZDA-SIXR232615W-2.7K-240V-WH-DA-A83 X B125 MM	15W	2700	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
67	MAZDA-SIXR232615W-2.7K-240V-WH-PH-A83 X B125 MM	15W	2700	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
68	MAZDA-SIXR232615W-2.7K-240V-WH-10VDIM-A83 X B125 MM	15W	2700	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	



DATASHEET

GENERATED ON: 16 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
69	MAZDA-SIXR232615W-6.5K-240V-WH-ND-A83 X B125 MM	15W	6500	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
70	MAZDA-SIXR232615W-6.5K-240V-WH-DA-A83 X B125 MM	15W	6500	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
71	MAZDA-SIXR232615W-6.5K-240V-WH-PH-A83 X B125 MM	15W	6500	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
72	MAZDA-SIXR232615W-6.5K-240V-WH-10VDIM-A83 X B125 MM	15W	6500	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	A83 X B125 MM	DIE CAST ALUMINUM	IP65	A83 X B125 MM	
73	MAZDA-SIXR232625W-3K-240V-WH-ND-A123 X B156 MM	25W	3000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	A123 X B156 MM	DIE CAST ALUMINUM	IP65	A123 X B156 MM	
74	MAZDA-SIXR232625W-3K-240V-WH-DA-A123 X B156 MM	25W	3000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	A123 X B156 MM	DIE CAST ALUMINUM	IP65	A123 X B156 MM	
75	MAZDA-SIXR232625W-3K-240V-WH-PH-A123 X B156 MM	25W	3000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	A123 X B156 MM	DIE CAST ALUMINUM	IP65	A123 X B156 MM	
76	MAZDA-SIXR232625W-3K-240V-WH-10VDIM-A123 X B156 MM	25W	3000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	A123 X B156 MM	DIE CAST ALUMINUM	IP65	A123 X B156 MM	
77	MAZDA-SIXR232625W-4K-240V-WH-ND-A123 X B156 MM	25W	4000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	A123 X B156 MM	DIE CAST ALUMINUM	IP65	A123 X B156 MM	
78	MAZDA-SIXR232625W-4K-240V-WH-DA-A123 X B156 MM	25W	4000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	A123 X B156 MM	DIE CAST ALUMINUM	IP65	A123 X B156 MM	
79	MAZDA-SIXR232625W-4K-240V-WH-PH-A123 X B156 MM	25W	4000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	A123 X B156 MM	DIE CAST ALUMINUM	IP65	A123 X B156 MM	
80	MAZDA-SIXR232625W-4K-240V-WH-10VDIM-A123 X B156 MM	25W	4000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	A123 X B156 MM	DIE CAST ALUMINUM	IP65	A123 X B156 MM	
81	MAZDA-SIXR232625W-5K-240V-WH-ND-A123 X B156 MM	25W	5000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	A123 X B156 MM	DIE CAST ALUMINUM	IP65	A123 X B156 MM	
82	MAZDA-SIXR232625W-5K-240V-WH-DA-A123 X B156 MM	25W	5000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	A123 X B156 MM	DIE CAST ALUMINUM	IP65	A123 X B156 MM	
83	MAZDA-SIXR232625W-5K-240V-WH-PH-A123 X B156 MM	25W	5000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	A123 X B156 MM	DIE CAST ALUMINUM	IP65	A123 X B156 MM	
84	MAZDA-SIXR232625W-5K-240V-WH-10VDIM-A123 X B156 MM	25W	5000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	A123 X B156 MM	DIE CAST ALUMINUM	IP65	A123 X B156 MM	
85	MAZDA-SIXR232625W-6K-240V-WH-ND-A123 X B156 MM	25W	6000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	A123 X B156 MM	DIE CAST ALUMINUM	IP65	A123 X B156 MM	
86	MAZDA-SIXR232625W-6K-240V-WH-DA-A123 X B156 MM	25W	6000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	A123 X B156 MM	DIE CAST ALUMINUM	IP65	A123 X B156 MM	
87	MAZDA-SIXR232625W-6K-240V-WH-PH-A123 X B156 MM	25W	6000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	A123 X B156 MM	DIE CAST ALUMINUM	IP65	A123 X B156 MM	
88	MAZDA-SIXR232625W-6K-240V-WH-10VDIM-A123 X B156 MM	25W	6000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	A123 X B156 MM	DIE CAST ALUMINUM	IP65	A123 X B156 MM	
89	MAZDA-SIXR232625W-2.7K-240V-WH-ND-A123 X B156 MM	25W	2700	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	A123 X B156 MM	DIE CAST ALUMINUM	IP65	A123 X B156 MM	
90	MAZDA-SIXR232625W-2.7K-240V-WH-DA-A123 X B156 MM	25W	2700	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	A123 X B156 MM	DIE CAST ALUMINUM	IP65	A123 X B156 MM	
91	MAZDA-SIXR232625W-2.7K-240V-WH-PH-A123 X B156 MM	25W	2700	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	A123 X B156 MM	DIE CAST ALUMINUM	IP65	A123 X B156 MM	
92	MAZDA-SIXR232625W-2.7K-240V-WH-10VDIM-A123 X B156 MM	25W	2700	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	A123 X B156 MM	DIE CAST ALUMINUM	IP65	A123 X B156 MM	
93	MAZDA-SIXR232625W-6.5K-240V-WH-ND-A123 X B156 MM	25W	6500	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	A123 X B156 MM	DIE CAST ALUMINUM	IP65	A123 X B156 MM	
94	MAZDA-SIXR232625W-6.5K-240V-WH-DA-A123 X B156 MM	25W	6500	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	A123 X B156 MM	DIE CAST ALUMINUM	IP65	A123 X B156 MM	



DATASHEET

GENERATED ON: 16 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
95	MAZDA-SIXR232625W-6.5K-240V-WH-PH-A123 X B156 MM	25W	6500	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	A123 X B156 MM	DIE CAST ALUMINUM	IP65	A123 X B156 MM	
96	MAZDA-SIXR232625W-6.5K-240V-WH-10VDIM-A123 X B156 MM	25W	6500	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	A123 X B156 MM	DIE CAST ALUMINUM	IP65	A123 X B156 MM	
97	MAZDA-SIXR232635W-3K-240V-WH-ND-A160 X B183 MM	35W	3000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	A160 X B183 MM	DIE CAST ALUMINUM	IP65	A160 X B183 MM	
98	MAZDA-SIXR232635W-3K-240V-WH-DA-A160 X B183 MM	35W	3000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	A160 X B183 MM	DIE CAST ALUMINUM	IP65	A160 X B183 MM	
99	MAZDA-SIXR232635W-3K-240V-WH-PH-A160 X B183 MM	35W	3000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	A160 X B183 MM	DIE CAST ALUMINUM	IP65	A160 X B183 MM	
100	MAZDA-SIXR232635W-3K-240V-WH-10VDIM-A160 X B183 MM	35W	3000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	A160 X B183 MM	DIE CAST ALUMINUM	IP65	A160 X B183 MM	
101	MAZDA-SIXR232635W-4K-240V-WH-ND-A160 X B183 MM	35W	4000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	A160 X B183 MM	DIE CAST ALUMINUM	IP65	A160 X B183 MM	
102	MAZDA-SIXR232635W-4K-240V-WH-DA-A160 X B183 MM	35W	4000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	A160 X B183 MM	DIE CAST ALUMINUM	IP65	A160 X B183 MM	
103	MAZDA-SIXR232635W-4K-240V-WH-PH-A160 X B183 MM	35W	4000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	A160 X B183 MM	DIE CAST ALUMINUM	IP65	A160 X B183 MM	
104	MAZDA-SIXR232635W-4K-240V-WH-10VDIM-A160 X B183 MM	35W	4000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	A160 X B183 MM	DIE CAST ALUMINUM	IP65	A160 X B183 MM	
105	MAZDA-SIXR232635W-5K-240V-WH-ND-A160 X B183 MM	35W	5000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	A160 X B183 MM	DIE CAST ALUMINUM	IP65	A160 X B183 MM	
106	MAZDA-SIXR232635W-5K-240V-WH-DA-A160 X B183 MM	35W	5000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	A160 X B183 MM	DIE CAST ALUMINUM	IP65	A160 X B183 MM	
107	MAZDA-SIXR232635W-5K-240V-WH-PH-A160 X B183 MM	35W	5000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	A160 X B183 MM	DIE CAST ALUMINUM	IP65	A160 X B183 MM	
108	MAZDA-SIXR232635W-5K-240V-WH-10VDIM-A160 X B183 MM	35W	5000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	A160 X B183 MM	DIE CAST ALUMINUM	IP65	A160 X B183 MM	
109	MAZDA-SIXR232635W-6K-240V-WH-ND-A160 X B183 MM	35W	6000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	A160 X B183 MM	DIE CAST ALUMINUM	IP65	A160 X B183 MM	
110	MAZDA-SIXR232635W-6K-240V-WH-DA-A160 X B183 MM	35W	6000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	A160 X B183 MM	DIE CAST ALUMINUM	IP65	A160 X B183 MM	
111	MAZDA-SIXR232635W-6K-240V-WH-PH-A160 X B183 MM	35W	6000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	A160 X B183 MM	DIE CAST ALUMINUM	IP65	A160 X B183 MM	
112	MAZDA-SIXR232635W-6K-240V-WH-10VDIM-A160 X B183 MM	35W	6000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	A160 X B183 MM	DIE CAST ALUMINUM	IP65	A160 X B183 MM	
113	MAZDA-SIXR232635W-2.7K-240V-WH-ND-A160 X B183 MM	35W	2700	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	A160 X B183 MM	DIE CAST ALUMINUM	IP65	A160 X B183 MM	
114	MAZDA-SIXR232635W-2.7K-240V-WH-DA-A160 X B183 MM	35W	2700	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	A160 X B183 MM	DIE CAST ALUMINUM	IP65	A160 X B183 MM	
115	MAZDA-SIXR232635W-2.7K-240V-WH-PH-A160 X B183 MM	35W	2700	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	A160 X B183 MM	DIE CAST ALUMINUM	IP65	A160 X B183 MM	
116	MAZDA-SIXR232635W-2.7K-240V-WH-10VDIM-A160 X B183 MM	35W	2700	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	A160 X B183 MM	DIE CAST ALUMINUM	IP65	A160 X B183 MM	
117	MAZDA-SIXR232635W-6.5K-240V-WH-ND-A160 X B183 MM	35W	6500	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	A160 X B183 MM	DIE CAST ALUMINUM	IP65	A160 X B183 MM	
118	MAZDA-SIXR232635W-6.5K-240V-WH-DA-A160 X B183 MM	35W	6500	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	A160 X B183 MM	DIE CAST ALUMINUM	IP65	A160 X B183 MM	
119	MAZDA-SIXR232635W-6.5K-240V-WH-PH-A160 X B183 MM	35W	6500	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	A160 X B183 MM	DIE CAST ALUMINUM	IP65	A160 X B183 MM	
120	MAZDA-SIXR232635W-6.5K-240V-WH-10VDIM-A160 X B183 MM	35W	6500	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	A160 X B183 MM	DIE CAST ALUMINUM	IP65	A160 X B183 MM	



DATASHEET

GENERATED ON: 16 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
121	MAZDA-SIXR232640W-3K-240V-WH-ND-A200 X B212 MM	40W	3000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	
122	MAZDA-SIXR232640W-3K-240V-WH-DA-A200 X B212 MM	40W	3000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	
123	MAZDA-SIXR232640W-3K-240V-WH-PH-A200 X B212 MM	40W	3000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	
124	MAZDA-SIXR232640W-3K-240V-WH-10VDIM-A200 X B212 MM	40W	3000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	
125	MAZDA-SIXR232640W-4K-240V-WH-ND-A200 X B212 MM	40W	4000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	
126	MAZDA-SIXR232640W-4K-240V-WH-DA-A200 X B212 MM	40W	4000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	
127	MAZDA-SIXR232640W-4K-240V-WH-PH-A200 X B212 MM	40W	4000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	
128	MAZDA-SIXR232640W-4K-240V-WH-10VDIM-A200 X B212 MM	40W	4000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	
129	MAZDA-SIXR232640W-5K-240V-WH-ND-A200 X B212 MM	40W	5000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	
130	MAZDA-SIXR232640W-5K-240V-WH-DA-A200 X B212 MM	40W	5000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	
131	MAZDA-SIXR232640W-5K-240V-WH-PH-A200 X B212 MM	40W	5000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	
132	MAZDA-SIXR232640W-5K-240V-WH-10VDIM-A200 X B212 MM	40W	5000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	
133	MAZDA-SIXR232640W-6K-240V-WH-ND-A200 X B212 MM	40W	6000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	
134	MAZDA-SIXR232640W-6K-240V-WH-DA-A200 X B212 MM	40W	6000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	
135	MAZDA-SIXR232640W-6K-240V-WH-PH-A200 X B212 MM	40W	6000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	
136	MAZDA-SIXR232640W-6K-240V-WH-10VDIM-A200 X B212 MM	40W	6000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	
137	MAZDA-SIXR232640W-2.7K-240V-WH-ND-A200 X B212 MM	40W	2700	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	
138	MAZDA-SIXR232640W-2.7K-240V-WH-DA-A200 X B212 MM	40W	2700	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	
139	MAZDA-SIXR232640W-2.7K-240V-WH-PH-A200 X B212 MM	40W	2700	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	
140	MAZDA-SIXR232640W-2.7K-240V-WH-10VDIM-A200 X B212 MM	40W	2700	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	
141	MAZDA-SIXR232640W-6.5K-240V-WH-ND-A200 X B212 MM	40W	6500	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	
142	MAZDA-SIXR232640W-6.5K-240V-WH-DA-A200 X B212 MM	40W	6500	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	
143	MAZDA-SIXR232640W-6.5K-240V-WH-PH-A200 X B212 MM	40W	6500	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	
144	MAZDA-SIXR232640W-6.5K-240V-WH-10VDIM-A200 X B212 MM	40W	6500	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	
145	MAZDA-SIXR232645W-3K-240V-WH-ND-A200 X B212 MM	45W	3000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	
146	MAZDA-SIXR232645W-3K-240V-WH-DA-A200 X B212 MM	45W	3000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
147	MAZDA-SIXR232645W-3K-240V-WH-PH-A200 X B212 MM	45W	3000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	
148	MAZDA-SIXR232645W-3K-240V-WH-10VDIM-A200 X B212 MM	45W	3000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	
149	MAZDA-SIXR232645W-4K-240V-WH-ND-A200 X B212 MM	45W	4000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	
150	MAZDA-SIXR232645W-4K-240V-WH-DA-A200 X B212 MM	45W	4000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	
151	MAZDA-SIXR232645W-4K-240V-WH-PH-A200 X B212 MM	45W	4000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	
152	MAZDA-SIXR232645W-4K-240V-WH-10VDIM-A200 X B212 MM	45W	4000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	
153	MAZDA-SIXR232645W-5K-240V-WH-ND-A200 X B212 MM	45W	5000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	
154	MAZDA-SIXR232645W-5K-240V-WH-DA-A200 X B212 MM	45W	5000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	
155	MAZDA-SIXR232645W-5K-240V-WH-PH-A200 X B212 MM	45W	5000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	
156	MAZDA-SIXR232645W-5K-240V-WH-10VDIM-A200 X B212 MM	45W	5000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	
157	MAZDA-SIXR232645W-6K-240V-WH-ND-A200 X B212 MM	45W	6000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	
158	MAZDA-SIXR232645W-6K-240V-WH-DA-A200 X B212 MM	45W	6000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	
159	MAZDA-SIXR232645W-6K-240V-WH-PH-A200 X B212 MM	45W	6000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	
160	MAZDA-SIXR232645W-6K-240V-WH-10VDIM-A200 X B212 MM	45W	6000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	
161	MAZDA-SIXR232645W-2.7K-240V-WH-ND-A200 X B212 MM	45W	2700	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	
162	MAZDA-SIXR232645W-2.7K-240V-WH-DA-A200 X B212 MM	45W	2700	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	
163	MAZDA-SIXR232645W-2.7K-240V-WH-PH-A200 X B212 MM	45W	2700	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	
164	MAZDA-SIXR232645W-2.7K-240V-WH-10VDIM-A200 X B212 MM	45W	2700	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	
165	MAZDA-SIXR232645W-6.5K-240V-WH-ND-A200 X B212 MM	45W	6500	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	
166	MAZDA-SIXR232645W-6.5K-240V-WH-DA-A200 X B212 MM	45W	6500	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	
167	MAZDA-SIXR232645W-6.5K-240V-WH-PH-A200 X B212 MM	45W	6500	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	
168	MAZDA-SIXR232645W-6.5K-240V-WH-10VDIM-A200 X B212 MM	45W	6500	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	A200 X B212 MM	DIE CAST ALUMINUM	IP65	A200 X B212 MM	