



SMITH

MAZDA Model: SIXR2330 External Wall Light

Unique Cylinder lamp adopts straightforward design with stylish appearance with high quality COB LED chip with high lumen and pure color. The AL6063 Aluminum radiator in sand blast oxidation treatment provides excellent heat dissipation and corrosion resistance. The built-in power supply with high conversion efficiency is stable and reliable. it is very suitable for star hotel, restaurant, shopping mall, villa, residence and other high-end projects

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
1	MAZDA-SIXR233010W-3K-240V-WH-ND-A120 X B110 MM	10W	3000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
2	MAZDA-SIXR233010W-3K-240V-WH-DA-A120 X B110 MM	10W	3000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
3	MAZDA-SIXR233010W-3K-240V-WH-PH-A120 X B110 MM	10W	3000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
4	MAZDA-SIXR233010W-3K-240V-WH-10VDIM-A120 X B110 MM	10W	3000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
5	MAZDA-SIXR233010W-4K-240V-WH-ND-A120 X B110 MM	10W	4000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
6	MAZDA-SIXR233010W-4K-240V-WH-DA-A120 X B110 MM	10W	4000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
7	MAZDA-SIXR233010W-4K-240V-WH-PH-A120 X B110 MM	10W	4000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
8	MAZDA-SIXR233010W-4K-240V-WH-10VDIM-A120 X B110 MM	10W	4000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
9	MAZDA-SIXR233010W-5K-240V-WH-ND-A120 X B110 MM	10W	5000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
10	MAZDA-SIXR233010W-5K-240V-WH-DA-A120 X B110 MM	10W	5000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
11	MAZDA-SIXR233010W-5K-240V-WH-PH-A120 X B110 MM	10W	5000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
12	MAZDA-SIXR233010W-5K-240V-WH-10VDIM-A120 X B110 MM	10W	5000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
13	MAZDA-SIXR233010W-6K-240V-WH-ND-A120 X B110 MM	10W	6000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
14	MAZDA-SIXR233010W-6K-240V-WH-DA-A120 X B110 MM	10W	6000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
15	MAZDA-SIXR233010W-6K-240V-WH-PH-A120 X B110 MM	10W	6000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
16	MAZDA-SIXR233010W-6K-240V-WH-10VDIM-A120 X B110 MM	10W	6000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	



DATASHEET

GENERATED ON: 16 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
17	MAZDA-SIXR233010W-2.7K-240V-WH-ND-A120 X B110 MM	10W	2700	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
18	MAZDA-SIXR233010W-2.7K-240V-WH-DA-A120 X B110 MM	10W	2700	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
19	MAZDA-SIXR233010W-2.7K-240V-WH-PH-A120 X B110 MM	10W	2700	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
20	MAZDA-SIXR233010W-2.7K-240V-WH-10VDIM-A120 X B110 MM	10W	2700	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
21	MAZDA-SIXR233010W-6.5K-240V-WH-ND-A120 X B110 MM	10W	6500	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
22	MAZDA-SIXR233010W-6.5K-240V-WH-DA-A120 X B110 MM	10W	6500	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
23	MAZDA-SIXR233010W-6.5K-240V-WH-PH-A120 X B110 MM	10W	6500	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
24	MAZDA-SIXR233010W-6.5K-240V-WH-10VDIM-A120 X B110 MM	10W	6500	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
25	MAZDA-SIXR233015W-3K-240V-WH-ND-A120 X B110 MM	15W	3000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
26	MAZDA-SIXR233015W-3K-240V-WH-DA-A120 X B110 MM	15W	3000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
27	MAZDA-SIXR233015W-3K-240V-WH-PH-A120 X B110 MM	15W	3000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
28	MAZDA-SIXR233015W-3K-240V-WH-10VDIM-A120 X B110 MM	15W	3000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
29	MAZDA-SIXR233015W-4K-240V-WH-ND-A120 X B110 MM	15W	4000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
30	MAZDA-SIXR233015W-4K-240V-WH-DA-A120 X B110 MM	15W	4000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
31	MAZDA-SIXR233015W-4K-240V-WH-PH-A120 X B110 MM	15W	4000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
32	MAZDA-SIXR233015W-4K-240V-WH-10VDIM-A120 X B110 MM	15W	4000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
33	MAZDA-SIXR233015W-5K-240V-WH-ND-A120 X B110 MM	15W	5000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
34	MAZDA-SIXR233015W-5K-240V-WH-DA-A120 X B110 MM	15W	5000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
35	MAZDA-SIXR233015W-5K-240V-WH-PH-A120 X B110 MM	15W	5000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
36	MAZDA-SIXR233015W-5K-240V-WH-10VDIM-A120 X B110 MM	15W	5000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
37	MAZDA-SIXR233015W-6K-240V-WH-ND-A120 X B110 MM	15W	6000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
38	MAZDA-SIXR233015W-6K-240V-WH-DA-A120 X B110 MM	15W	6000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
39	MAZDA-SIXR233015W-6K-240V-WH-PH-A120 X B110 MM	15W	6000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
40	MAZDA-SIXR233015W-6K-240V-WH-10VDIM-A120 X B110 MM	15W	6000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
41	MAZDA-SIXR233015W-2.7K-240V-WH-ND-A120 X B110 MM	15W	2700	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
42	MAZDA-SIXR233015W-2.7K-240V-WH-DA-A120 X B110 MM	15W	2700	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	



DATASHEET

GENERATED ON: 16 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
43	MAZDA-SIXR233015W-2.7K-240V-WH-PH-A120 X B110 MM	15W	2700	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
44	MAZDA-SIXR233015W-2.7K-240V-WH-10VDIM-A120 X B110 MM	15W	2700	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
45	MAZDA-SIXR233015W-6.5K-240V-WH-ND-A120 X B110 MM	15W	6500	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
46	MAZDA-SIXR233015W-6.5K-240V-WH-DA-A120 X B110 MM	15W	6500	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
47	MAZDA-SIXR233015W-6.5K-240V-WH-PH-A120 X B110 MM	15W	6500	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
48	MAZDA-SIXR233015W-6.5K-240V-WH-10VDIM-A120 X B110 MM	15W	6500	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
49	MAZDA-SIXR233025W-3K-240V-WH-ND-A120 X B110 MM	25W	3000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
50	MAZDA-SIXR233025W-3K-240V-WH-DA-A120 X B110 MM	25W	3000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
51	MAZDA-SIXR233025W-3K-240V-WH-PH-A120 X B110 MM	25W	3000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
52	MAZDA-SIXR233025W-3K-240V-WH-10VDIM-A120 X B110 MM	25W	3000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
53	MAZDA-SIXR233025W-4K-240V-WH-ND-A120 X B110 MM	25W	4000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
54	MAZDA-SIXR233025W-4K-240V-WH-DA-A120 X B110 MM	25W	4000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
55	MAZDA-SIXR233025W-4K-240V-WH-PH-A120 X B110 MM	25W	4000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
56	MAZDA-SIXR233025W-4K-240V-WH-10VDIM-A120 X B110 MM	25W	4000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
57	MAZDA-SIXR233025W-5K-240V-WH-ND-A120 X B110 MM	25W	5000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
58	MAZDA-SIXR233025W-5K-240V-WH-DA-A120 X B110 MM	25W	5000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
59	MAZDA-SIXR233025W-5K-240V-WH-PH-A120 X B110 MM	25W	5000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
60	MAZDA-SIXR233025W-5K-240V-WH-10VDIM-A120 X B110 MM	25W	5000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
61	MAZDA-SIXR233025W-6K-240V-WH-ND-A120 X B110 MM	25W	6000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
62	MAZDA-SIXR233025W-6K-240V-WH-DA-A120 X B110 MM	25W	6000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
63	MAZDA-SIXR233025W-6K-240V-WH-PH-A120 X B110 MM	25W	6000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
64	MAZDA-SIXR233025W-6K-240V-WH-10VDIM-A120 X B110 MM	25W	6000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
65	MAZDA-SIXR233025W-2.7K-240V-WH-ND-A120 X B110 MM	25W	2700	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
66	MAZDA-SIXR233025W-2.7K-240V-WH-DA-A120 X B110 MM	25W	2700	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
67	MAZDA-SIXR233025W-2.7K-240V-WH-PH-A120 X B110 MM	25W	2700	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
68	MAZDA-SIXR233025W-2.7K-240V-WH-10VDIM-A120 X B110 MM	25W	2700	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	



DATASHEET

GENERATED ON: 16 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
69	MAZDA-SIXR233025W-6.5K-240V-WH-ND-A120 X B110 MM	25W	6500	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
70	MAZDA-SIXR233025W-6.5K-240V-WH-DA-A120 X B110 MM	25W	6500	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
71	MAZDA-SIXR233025W-6.5K-240V-WH-PH-A120 X B110 MM	25W	6500	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
72	MAZDA-SIXR233025W-6.5K-240V-WH-10VDIM-A120 X B110 MM	25W	6500	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
73	MAZDA-SIXR233035W-3K-240V-WH-ND-A120 X B110 MM	35W	3000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
74	MAZDA-SIXR233035W-3K-240V-WH-DA-A120 X B110 MM	35W	3000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
75	MAZDA-SIXR233035W-3K-240V-WH-PH-A120 X B110 MM	35W	3000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
76	MAZDA-SIXR233035W-3K-240V-WH-10VDIM-A120 X B110 MM	35W	3000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
77	MAZDA-SIXR233035W-4K-240V-WH-ND-A120 X B110 MM	35W	4000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
78	MAZDA-SIXR233035W-4K-240V-WH-DA-A120 X B110 MM	35W	4000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
79	MAZDA-SIXR233035W-4K-240V-WH-PH-A120 X B110 MM	35W	4000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
80	MAZDA-SIXR233035W-4K-240V-WH-10VDIM-A120 X B110 MM	35W	4000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
81	MAZDA-SIXR233035W-5K-240V-WH-ND-A120 X B110 MM	35W	5000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
82	MAZDA-SIXR233035W-5K-240V-WH-DA-A120 X B110 MM	35W	5000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
83	MAZDA-SIXR233035W-5K-240V-WH-PH-A120 X B110 MM	35W	5000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
84	MAZDA-SIXR233035W-5K-240V-WH-10VDIM-A120 X B110 MM	35W	5000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
85	MAZDA-SIXR233035W-6K-240V-WH-ND-A120 X B110 MM	35W	6000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
86	MAZDA-SIXR233035W-6K-240V-WH-DA-A120 X B110 MM	35W	6000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
87	MAZDA-SIXR233035W-6K-240V-WH-PH-A120 X B110 MM	35W	6000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
88	MAZDA-SIXR233035W-6K-240V-WH-10VDIM-A120 X B110 MM	35W	6000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
89	MAZDA-SIXR233035W-2.7K-240V-WH-ND-A120 X B110 MM	35W	2700	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
90	MAZDA-SIXR233035W-2.7K-240V-WH-DA-A120 X B110 MM	35W	2700	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
91	MAZDA-SIXR233035W-2.7K-240V-WH-PH-A120 X B110 MM	35W	2700	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
92	MAZDA-SIXR233035W-2.7K-240V-WH-10VDIM-A120 X B110 MM	35W	2700	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
93	MAZDA-SIXR233035W-6.5K-240V-WH-ND-A120 X B110 MM	35W	6500	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
94	MAZDA-SIXR233035W-6.5K-240V-WH-DA-A120 X B110 MM	35W	6500	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
95	MAZDA-SIXR233035W-6.5K-240V-WH-PH-A120 X B110 MM	35W	6500	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	
96	MAZDA-SIXR233035W-6.5K-240V-WH-10VDIM-A120 X B110 MM	35W	6500	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	24	A120 X B110 MM	DIE CAST ALUMINUM	IP65	A120 X B110 MM	