



RACON

MAZDA Model: WSXR3745 External Wall Light

Exterior wall pack IP65 and IK10 rated, in three different finish options. It is available in three outputs delivering up to 3500 lumens. With a modern and minimalist design, screw-less from front with back or side cable entry options, it is ideal for many different exterior applications.

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
1	MAZDA-WSXR374513W-3K-240V-WH-ND-A265 X B319 X C165MM	13W	3000	240V	WHITE, ANTHRACITE, BLACK	NON EMERGENCY	ON - OFF	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
2	MAZDA-WSXR374513W-3K-240V-WH-DA-A265 X B319 X C165MM	13W	3000	240V	WHITE, ANTHRACITE, BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
3	MAZDA-WSXR374513W-3K-240V-WH-PH-A265 X B319 X C165MM	13W	3000	240V	WHITE, ANTHRACITE, BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
4	MAZDA-WSXR374513W-3K-240V-WH-10VDIM-A265 X B319 X C165MM	13W	3000	240V	WHITE, ANTHRACITE, BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
5	MAZDA-WSXR374513W-4K-240V-WH-ND-A265 X B319 X C165MM	13W	4000	240V	WHITE, ANTHRACITE, BLACK	NON EMERGENCY	ON - OFF	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
6	MAZDA-WSXR374513W-4K-240V-WH-DA-A265 X B319 X C165MM	13W	4000	240V	WHITE, ANTHRACITE, BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
7	MAZDA-WSXR374513W-4K-240V-WH-PH-A265 X B319 X C165MM	13W	4000	240V	WHITE, ANTHRACITE, BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
8	MAZDA-WSXR374513W-4K-240V-WH-10VDIM-A265 X B319 X C165MM	13W	4000	240V	WHITE, ANTHRACITE, BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
9	MAZDA-WSXR374513W-5K-240V-WH-ND-A265 X B319 X C165MM	13W	5000	240V	WHITE, ANTHRACITE, BLACK	NON EMERGENCY	ON - OFF	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
10	MAZDA-WSXR374513W-5K-240V-WH-DA-A265 X B319 X C165MM	13W	5000	240V	WHITE, ANTHRACITE, BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
11	MAZDA-WSXR374513W-5K-240V-WH-PH-A265 X B319 X C165MM	13W	5000	240V	WHITE, ANTHRACITE, BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
12	MAZDA-WSXR374513W-5K-240V-WH-10VDIM-A265 X B319 X C165MM	13W	5000	240V	WHITE, ANTHRACITE, BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
13	MAZDA-WSXR374513W-6K-240V-WH-ND-A265 X B319 X C165MM	13W	6000	240V	WHITE, ANTHRACITE, BLACK	NON EMERGENCY	ON - OFF	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
14	MAZDA-WSXR374513W-6K-240V-WH-DA-A265 X B319 X C165MM	13W	6000	240V	WHITE, ANTHRACITE, BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
15	MAZDA-WSXR374513W-6K-240V-WH-PH-A265 X B319 X C165MM	13W	6000	240V	WHITE, ANTHRACITE, BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
16	MAZDA-WSXR374513W-6K-240V-WH-10VDIM-A265 X B319 X C165MM	13W	6000	240V	WHITE, ANTHRACITE, BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
17	MAZDA-WSXR374513W-2.7K-240V-WH-ND-A265 X B319 X C165MM	13W	2700	240V	WHITE, ANTHRACITE, BLACK	NON EMERGENCY	ON - OFF	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
18	MAZDA-WSXR374513W-2.7K-240V-WH-DA-A265 X B319 X C165MM	13W	2700	240V	WHITE, ANTHRACITE, BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	



DATASHEET

GENERATED ON: 16 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
19	MAZDA-WSXR374513W-2.7K-240V-WH-PH-A265 X B319 X C165MM	13W	2700	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
20	MAZDA-WSXR374513W-2.7K-240V-WH-10VDIM-A265 X B319 X C165MM	13W	2700	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
21	MAZDA-WSXR374513W-6.5K-240V-WH-ND-A265 X B319 X C165MM	13W	6500	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	ON - OFF	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
22	MAZDA-WSXR374513W-6.5K-240V-WH-DA-A265 X B319 X C165MM	13W	6500	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
23	MAZDA-WSXR374513W-6.5K-240V-WH-PH-A265 X B319 X C165MM	13W	6500	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
24	MAZDA-WSXR374513W-6.5K-240V-WH-10VDIM-A265 X B319 X C165MM	13W	6500	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
25	MAZDA-WSXR374518W-3K-240V-WH-ND-A265 X B319 X C165MM	18W	3000	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	ON - OFF	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
26	MAZDA-WSXR374518W-3K-240V-WH-DA-A265 X B319 X C165MM	18W	3000	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
27	MAZDA-WSXR374518W-3K-240V-WH-PH-A265 X B319 X C165MM	18W	3000	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
28	MAZDA-WSXR374518W-3K-240V-WH-10VDIM-A265 X B319 X C165MM	18W	3000	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
29	MAZDA-WSXR374518W-4K-240V-WH-ND-A265 X B319 X C165MM	18W	4000	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	ON - OFF	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
30	MAZDA-WSXR374518W-4K-240V-WH-DA-A265 X B319 X C165MM	18W	4000	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
31	MAZDA-WSXR374518W-4K-240V-WH-PH-A265 X B319 X C165MM	18W	4000	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
32	MAZDA-WSXR374518W-4K-240V-WH-10VDIM-A265 X B319 X C165MM	18W	4000	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
33	MAZDA-WSXR374518W-5K-240V-WH-ND-A265 X B319 X C165MM	18W	5000	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	ON - OFF	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
34	MAZDA-WSXR374518W-5K-240V-WH-DA-A265 X B319 X C165MM	18W	5000	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
35	MAZDA-WSXR374518W-5K-240V-WH-PH-A265 X B319 X C165MM	18W	5000	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
36	MAZDA-WSXR374518W-5K-240V-WH-10VDIM-A265 X B319 X C165MM	18W	5000	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
37	MAZDA-WSXR374518W-6K-240V-WH-ND-A265 X B319 X C165MM	18W	6000	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	ON - OFF	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
38	MAZDA-WSXR374518W-6K-240V-WH-DA-A265 X B319 X C165MM	18W	6000	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
39	MAZDA-WSXR374518W-6K-240V-WH-PH-A265 X B319 X C165MM	18W	6000	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
40	MAZDA-WSXR374518W-6K-240V-WH-10VDIM-A265 X B319 X C165MM	18W	6000	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
41	MAZDA-WSXR374518W-2.7K-240V-WH-ND-A265 X B319 X C165MM	18W	2700	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	ON - OFF	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
42	MAZDA-WSXR374518W-2.7K-240V-WH-DA-A265 X B319 X C165MM	18W	2700	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
43	MAZDA-WSXR374518W-2.7K-240V-WH-PH-A265 X B319 X C165MM	18W	2700	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
44	MAZDA-WSXR374518W-2.7K-240V-WH-10VDIM-A265 X B319 X C165MM	18W	2700	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
45	MAZDA-WSXR374518W-6.5K-240V-WH-ND-A265 X B319 X C165MM	18W	6500	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	ON - OFF	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
46	MAZDA-WSXR374518W-6.5K-240V-WH-DA-A265 X B319 X C165MM	18W	6500	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
47	MAZDA-WSXR374518W-6.5K-240V-WH-PH-A265 X B319 X C165MM	18W	6500	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
48	MAZDA-WSXR374518W-6.5K-240V-WH-10VDIM-A265 X B319 X C165MM	18W	6500	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
49	MAZDA-WSXR374528W-3K-240V-WH-ND-A265 X B319 X C165MM	28W	3000	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	ON - OFF	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
50	MAZDA-WSXR374528W-3K-240V-WH-DA-A265 X B319 X C165MM	28W	3000	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
51	MAZDA-WSXR374528W-3K-240V-WH-PH-A265 X B319 X C165MM	28W	3000	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
52	MAZDA-WSXR374528W-3K-240V-WH-10VDIM-A265 X B319 X C165MM	28W	3000	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
53	MAZDA-WSXR374528W-4K-240V-WH-ND-A265 X B319 X C165MM	28W	4000	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	ON - OFF	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
54	MAZDA-WSXR374528W-4K-240V-WH-DA-A265 X B319 X C165MM	28W	4000	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
55	MAZDA-WSXR374528W-4K-240V-WH-PH-A265 X B319 X C165MM	28W	4000	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
56	MAZDA-WSXR374528W-4K-240V-WH-10VDIM-A265 X B319 X C165MM	28W	4000	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
57	MAZDA-WSXR374528W-5K-240V-WH-ND-A265 X B319 X C165MM	28W	5000	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	ON - OFF	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
58	MAZDA-WSXR374528W-5K-240V-WH-DA-A265 X B319 X C165MM	28W	5000	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
59	MAZDA-WSXR374528W-5K-240V-WH-PH-A265 X B319 X C165MM	28W	5000	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
60	MAZDA-WSXR374528W-5K-240V-WH-10VDIM-A265 X B319 X C165MM	28W	5000	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
61	MAZDA-WSXR374528W-6K-240V-WH-ND-A265 X B319 X C165MM	28W	6000	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	ON - OFF	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
62	MAZDA-WSXR374528W-6K-240V-WH-DA-A265 X B319 X C165MM	28W	6000	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
63	MAZDA-WSXR374528W-6K-240V-WH-PH-A265 X B319 X C165MM	28W	6000	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
64	MAZDA-WSXR374528W-6K-240V-WH-10VDIM-A265 X B319 X C165MM	28W	6000	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
65	MAZDA-WSXR374528W-2.7K-240V-WH-ND-A265 X B319 X C165MM	28W	2700	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	ON - OFF	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
66	MAZDA-WSXR374528W-2.7K-240V-WH-DA-A265 X B319 X C165MM	28W	2700	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
67	MAZDA-WSXR374528W-2.7K-240V-WH-PH-A265 X B319 X C165MM	28W	2700	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
68	MAZDA-WSXR374528W-2.7K-240V-WH-10VDIM-A265 X B319 X C165MM	28W	2700	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
69	MAZDA-WSXR374528W-6.5K-240V-WH-ND-A265 X B319 X C165MM	28W	6500	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	ON - OFF	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
70	MAZDA-WSXR374528W-6.5K-240V-WH-DA-A265 X B319 X C165MM	28W	6500	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
71	MAZDA-WSXR374528W-6.5K-240V-WH-PH-A265 X B319 X C165MM	28W	6500	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	
72	MAZDA-WSXR374528W-6.5K-240V-WH-10VDIM-A265 X B319 X C165MM	28W	6500	240V	WHITE,ANTHRACITE, BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A265 X B319 X C165MM	DIE CAST ALUMINUM	IP65	A265 X B319 X C165MM	