



QUARTER

MAZDA Model: WSXR3875 External Wall Light

A great looking outdoor light fitting, excellent for lighting your building, Ideal for use along walkways, pavements or either side of a doorway and with its opal diffuser, this fitting is perfect installed at any height without risk of glare.

Versatile in nature this fitting is ideal for use on with the wall or ceiling with impact-resistant synthetic covers made of polycarbonate. Available in a choice of three fabulous colour finishes, white, Black, or silver grey

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
1	MAZDA-WSXR387524W-3K-AC277-WH-ND-A330 X B175 MM	24W	3000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	ON - OFF	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
2	MAZDA-WSXR387524W-3K-AC277-WH-DA-A330 X B175 MM	24W	3000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
3	MAZDA-WSXR387524W-3K-AC277-WH-PH-A330 X B175 MM	24W	3000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
4	MAZDA-WSXR387524W-3K-AC277-WH-10VDIM-A330 X B175 MM	24W	3000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
5	MAZDA-WSXR387524W-4K-AC277-WH-ND-A330 X B175 MM	24W	4000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	ON - OFF	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
6	MAZDA-WSXR387524W-4K-AC277-WH-DA-A330 X B175 MM	24W	4000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
7	MAZDA-WSXR387524W-4K-AC277-WH-PH-A330 X B175 MM	24W	4000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
8	MAZDA-WSXR387524W-4K-AC277-WH-10VDIM-A330 X B175 MM	24W	4000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
9	MAZDA-WSXR387524W-5K-AC277-WH-ND-A330 X B175 MM	24W	5000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	ON - OFF	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
10	MAZDA-WSXR387524W-5K-AC277-WH-DA-A330 X B175 MM	24W	5000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
11	MAZDA-WSXR387524W-5K-AC277-WH-PH-A330 X B175 MM	24W	5000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
12	MAZDA-WSXR387524W-5K-AC277-WH-10VDIM-A330 X B175 MM	24W	5000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
13	MAZDA-WSXR387524W-6K-AC277-WH-ND-A330 X B175 MM	24W	6000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	ON - OFF	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	



DATASHEET

GENERATED ON: 16 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
14	MAZDA-WSXR387524W-6K-AC277-WH-DA-A330 X B175 MM	24W	6000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
15	MAZDA-WSXR387524W-6K-AC277-WH-PH-A330 X B175 MM	24W	6000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
16	MAZDA-WSXR387524W-6K-AC277-WH-10VDIM-A330 X B175 MM	24W	6000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
17	MAZDA-WSXR387524W-2.7K-AC277-WH-ND-A330 X B175 MM	24W	2700	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	ON - OFF	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
18	MAZDA-WSXR387524W-2.7K-AC277-WH-DA-A330 X B175 MM	24W	2700	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
19	MAZDA-WSXR387524W-2.7K-AC277-WH-PH-A330 X B175 MM	24W	2700	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
20	MAZDA-WSXR387524W-2.7K-AC277-WH-10VDIM-A330 X B175 MM	24W	2700	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
21	MAZDA-WSXR387524W-6.5K-AC277-WH-ND-A330 X B175 MM	24W	6500	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	ON - OFF	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
22	MAZDA-WSXR387524W-6.5K-AC277-WH-DA-A330 X B175 MM	24W	6500	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
23	MAZDA-WSXR387524W-6.5K-AC277-WH-PH-A330 X B175 MM	24W	6500	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
24	MAZDA-WSXR387524W-6.5K-AC277-WH-10VDIM-A330 X B175 MM	24W	6500	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
25	MAZDA-WSXR387532W-3K-AC277-WH-ND-A330 X B175 MM	32W	3000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	ON - OFF	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
26	MAZDA-WSXR387532W-3K-AC277-WH-DA-A330 X B175 MM	32W	3000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
27	MAZDA-WSXR387532W-3K-AC277-WH-PH-A330 X B175 MM	32W	3000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
28	MAZDA-WSXR387532W-3K-AC277-WH-10VDIM-A330 X B175 MM	32W	3000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
29	MAZDA-WSXR387532W-4K-AC277-WH-ND-A330 X B175 MM	32W	4000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	ON - OFF	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
30	MAZDA-WSXR387532W-4K-AC277-WH-DA-A330 X B175 MM	32W	4000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
31	MAZDA-WSXR387532W-4K-AC277-WH-PH-A330 X B175 MM	32W	4000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
32	MAZDA-WSXR387532W-4K-AC277-WH-10VDIM-A330 X B175 MM	32W	4000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
33	MAZDA-WSXR387532W-5K-AC277-WH-ND-A330 X B175 MM	32W	5000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	ON - OFF	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
34	MAZDA-WSXR387532W-5K-AC277-WH-DA-A330 X B175 MM	32W	5000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	



DATASHEET

GENERATED ON: 16 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
35	MAZDA-WSXR387532W-5K-AC277-WH-PH-A330 X B175 MM	32W	5000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
36	MAZDA-WSXR387532W-5K-AC277-WH-10VDIM-A330 X B175 MM	32W	5000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
37	MAZDA-WSXR387532W-6K-AC277-WH-ND-A330 X B175 MM	32W	6000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	ON - OFF	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
38	MAZDA-WSXR387532W-6K-AC277-WH-DA-A330 X B175 MM	32W	6000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
39	MAZDA-WSXR387532W-6K-AC277-WH-PH-A330 X B175 MM	32W	6000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
40	MAZDA-WSXR387532W-6K-AC277-WH-10VDIM-A330 X B175 MM	32W	6000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
41	MAZDA-WSXR387532W-2.7K-AC277-WH-ND-A330 X B175 MM	32W	2700	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	ON - OFF	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
42	MAZDA-WSXR387532W-2.7K-AC277-WH-DA-A330 X B175 MM	32W	2700	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
43	MAZDA-WSXR387532W-2.7K-AC277-WH-PH-A330 X B175 MM	32W	2700	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
44	MAZDA-WSXR387532W-2.7K-AC277-WH-10VDIM-A330 X B175 MM	32W	2700	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
45	MAZDA-WSXR387532W-6.5K-AC277-WH-ND-A330 X B175 MM	32W	6500	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	ON - OFF	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
46	MAZDA-WSXR387532W-6.5K-AC277-WH-DA-A330 X B175 MM	32W	6500	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
47	MAZDA-WSXR387532W-6.5K-AC277-WH-PH-A330 X B175 MM	32W	6500	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
48	MAZDA-WSXR387532W-6.5K-AC277-WH-10VDIM-A330 X B175 MM	32W	6500	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
49	MAZDA-WSXR387540W-3K-AC277-WH-ND-A330 X B175 MM	40W	3000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	ON - OFF	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
50	MAZDA-WSXR387540W-3K-AC277-WH-DA-A330 X B175 MM	40W	3000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
51	MAZDA-WSXR387540W-3K-AC277-WH-PH-A330 X B175 MM	40W	3000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
52	MAZDA-WSXR387540W-3K-AC277-WH-10VDIM-A330 X B175 MM	40W	3000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
53	MAZDA-WSXR387540W-4K-AC277-WH-ND-A330 X B175 MM	40W	4000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	ON - OFF	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
54	MAZDA-WSXR387540W-4K-AC277-WH-DA-A330 X B175 MM	40W	4000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
55	MAZDA-WSXR387540W-4K-AC277-WH-PH-A330 X B175 MM	40W	4000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	



DATASHEET

GENERATED ON: 16 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
56	MAZDA-WSXR387540W-4K-AC277-WH-10VDIM-A330 X B175 MM	40W	4000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
57	MAZDA-WSXR387540W-5K-AC277-WH-ND-A330 X B175 MM	40W	5000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	ON - OFF	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
58	MAZDA-WSXR387540W-5K-AC277-WH-DA-A330 X B175 MM	40W	5000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
59	MAZDA-WSXR387540W-5K-AC277-WH-PH-A330 X B175 MM	40W	5000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
60	MAZDA-WSXR387540W-5K-AC277-WH-10VDIM-A330 X B175 MM	40W	5000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
61	MAZDA-WSXR387540W-6K-AC277-WH-ND-A330 X B175 MM	40W	6000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	ON - OFF	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
62	MAZDA-WSXR387540W-6K-AC277-WH-DA-A330 X B175 MM	40W	6000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
63	MAZDA-WSXR387540W-6K-AC277-WH-PH-A330 X B175 MM	40W	6000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
64	MAZDA-WSXR387540W-6K-AC277-WH-10VDIM-A330 X B175 MM	40W	6000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
65	MAZDA-WSXR387540W-2.7K-AC277-WH-ND-A330 X B175 MM	40W	2700	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	ON - OFF	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
66	MAZDA-WSXR387540W-2.7K-AC277-WH-DA-A330 X B175 MM	40W	2700	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
67	MAZDA-WSXR387540W-2.7K-AC277-WH-PH-A330 X B175 MM	40W	2700	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
68	MAZDA-WSXR387540W-2.7K-AC277-WH-10VDIM-A330 X B175 MM	40W	2700	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
69	MAZDA-WSXR387540W-6.5K-AC277-WH-ND-A330 X B175 MM	40W	6500	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	ON - OFF	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
70	MAZDA-WSXR387540W-6.5K-AC277-WH-DA-A330 X B175 MM	40W	6500	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
71	MAZDA-WSXR387540W-6.5K-AC277-WH-PH-A330 X B175 MM	40W	6500	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
72	MAZDA-WSXR387540W-6.5K-AC277-WH-10VDIM-A330 X B175 MM	40W	6500	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
73	MAZDA-WSXR387548W-3K-AC277-WH-ND-A330 X B175 MM	48W	3000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	ON - OFF	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
74	MAZDA-WSXR387548W-3K-AC277-WH-DA-A330 X B175 MM	48W	3000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
75	MAZDA-WSXR387548W-3K-AC277-WH-PH-A330 X B175 MM	48W	3000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
76	MAZDA-WSXR387548W-3K-AC277-WH-10VDIM-A330 X B175 MM	48W	3000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	



DATASHEET

GENERATED ON: 16 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
77	MAZDA-WSXR387548W-4K-AC277-WH-ND-A330 X B175 MM	48W	4000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	ON - OFF	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
78	MAZDA-WSXR387548W-4K-AC277-WH-DA-A330 X B175 MM	48W	4000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
79	MAZDA-WSXR387548W-4K-AC277-WH-PH-A330 X B175 MM	48W	4000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
80	MAZDA-WSXR387548W-4K-AC277-WH-10VDIM-A330 X B175 MM	48W	4000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
81	MAZDA-WSXR387548W-5K-AC277-WH-ND-A330 X B175 MM	48W	5000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	ON - OFF	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
82	MAZDA-WSXR387548W-5K-AC277-WH-DA-A330 X B175 MM	48W	5000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
83	MAZDA-WSXR387548W-5K-AC277-WH-PH-A330 X B175 MM	48W	5000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
84	MAZDA-WSXR387548W-5K-AC277-WH-10VDIM-A330 X B175 MM	48W	5000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
85	MAZDA-WSXR387548W-6K-AC277-WH-ND-A330 X B175 MM	48W	6000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	ON - OFF	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
86	MAZDA-WSXR387548W-6K-AC277-WH-DA-A330 X B175 MM	48W	6000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
87	MAZDA-WSXR387548W-6K-AC277-WH-PH-A330 X B175 MM	48W	6000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
88	MAZDA-WSXR387548W-6K-AC277-WH-10VDIM-A330 X B175 MM	48W	6000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
89	MAZDA-WSXR387548W-2.7K-AC277-WH-ND-A330 X B175 MM	48W	2700	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	ON - OFF	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
90	MAZDA-WSXR387548W-2.7K-AC277-WH-DA-A330 X B175 MM	48W	2700	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
91	MAZDA-WSXR387548W-2.7K-AC277-WH-PH-A330 X B175 MM	48W	2700	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
92	MAZDA-WSXR387548W-2.7K-AC277-WH-10VDIM-A330 X B175 MM	48W	2700	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
93	MAZDA-WSXR387548W-6.5K-AC277-WH-ND-A330 X B175 MM	48W	6500	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	ON - OFF	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
94	MAZDA-WSXR387548W-6.5K-AC277-WH-DA-A330 X B175 MM	48W	6500	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
95	MAZDA-WSXR387548W-6.5K-AC277-WH-PH-A330 X B175 MM	48W	6500	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
96	MAZDA-WSXR387548W-6.5K-AC277-WH-10VDIM-A330 X B175 MM	48W	6500	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
97	MAZDA-WSXR387564W-3K-AC277-WH-ND-A330 X B175 MM	64W	3000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	ON - OFF	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	



DATASHEET

GENERATED ON: 16 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
98	MAZDA-WSXR387564W-3K-AC277-WH-DA-A330 X B175 MM	64W	3000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
99	MAZDA-WSXR387564W-3K-AC277-WH-PH-A330 X B175 MM	64W	3000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
100	MAZDA-WSXR387564W-3K-AC277-WH-10VDIM-A330 X B175 MM	64W	3000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
101	MAZDA-WSXR387564W-4K-AC277-WH-ND-A330 X B175 MM	64W	4000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	ON - OFF	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
102	MAZDA-WSXR387564W-4K-AC277-WH-DA-A330 X B175 MM	64W	4000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
103	MAZDA-WSXR387564W-4K-AC277-WH-PH-A330 X B175 MM	64W	4000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
104	MAZDA-WSXR387564W-4K-AC277-WH-10VDIM-A330 X B175 MM	64W	4000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
105	MAZDA-WSXR387564W-5K-AC277-WH-ND-A330 X B175 MM	64W	5000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	ON - OFF	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
106	MAZDA-WSXR387564W-5K-AC277-WH-DA-A330 X B175 MM	64W	5000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
107	MAZDA-WSXR387564W-5K-AC277-WH-PH-A330 X B175 MM	64W	5000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
108	MAZDA-WSXR387564W-5K-AC277-WH-10VDIM-A330 X B175 MM	64W	5000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
109	MAZDA-WSXR387564W-6K-AC277-WH-ND-A330 X B175 MM	64W	6000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	ON - OFF	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
110	MAZDA-WSXR387564W-6K-AC277-WH-DA-A330 X B175 MM	64W	6000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
111	MAZDA-WSXR387564W-6K-AC277-WH-PH-A330 X B175 MM	64W	6000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
112	MAZDA-WSXR387564W-6K-AC277-WH-10VDIM-A330 X B175 MM	64W	6000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
113	MAZDA-WSXR387564W-2.7K-AC277-WH-ND-A330 X B175 MM	64W	2700	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	ON - OFF	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
114	MAZDA-WSXR387564W-2.7K-AC277-WH-DA-A330 X B175 MM	64W	2700	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
115	MAZDA-WSXR387564W-2.7K-AC277-WH-PH-A330 X B175 MM	64W	2700	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
116	MAZDA-WSXR387564W-2.7K-AC277-WH-10VDIM-A330 X B175 MM	64W	2700	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
117	MAZDA-WSXR387564W-6.5K-AC277-WH-ND-A330 X B175 MM	64W	6500	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	ON - OFF	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
118	MAZDA-WSXR387564W-6.5K-AC277-WH-DA-A330 X B175 MM	64W	6500	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	



DATASHEET

GENERATED ON: 16 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
119	MAZDA-WSXR387564W-6.5K-AC277-WH-PH-A330 X B175 MM	64W	6500	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
120	MAZDA-WSXR387564W-6.5K-AC277-WH-10VDIM-A330 X B175 MM	64W	6500	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
121	MAZDA-WSXR387580W-3K-AC277-WH-ND-A330 X B175 MM	80W	3000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	ON - OFF	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
122	MAZDA-WSXR387580W-3K-AC277-WH-DA-A330 X B175 MM	80W	3000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
123	MAZDA-WSXR387580W-3K-AC277-WH-PH-A330 X B175 MM	80W	3000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
124	MAZDA-WSXR387580W-3K-AC277-WH-10VDIM-A330 X B175 MM	80W	3000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
125	MAZDA-WSXR387580W-4K-AC277-WH-ND-A330 X B175 MM	80W	4000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	ON - OFF	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
126	MAZDA-WSXR387580W-4K-AC277-WH-DA-A330 X B175 MM	80W	4000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
127	MAZDA-WSXR387580W-4K-AC277-WH-PH-A330 X B175 MM	80W	4000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
128	MAZDA-WSXR387580W-4K-AC277-WH-10VDIM-A330 X B175 MM	80W	4000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
129	MAZDA-WSXR387580W-5K-AC277-WH-ND-A330 X B175 MM	80W	5000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	ON - OFF	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
130	MAZDA-WSXR387580W-5K-AC277-WH-DA-A330 X B175 MM	80W	5000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
131	MAZDA-WSXR387580W-5K-AC277-WH-PH-A330 X B175 MM	80W	5000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
132	MAZDA-WSXR387580W-5K-AC277-WH-10VDIM-A330 X B175 MM	80W	5000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
133	MAZDA-WSXR387580W-6K-AC277-WH-ND-A330 X B175 MM	80W	6000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	ON - OFF	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
134	MAZDA-WSXR387580W-6K-AC277-WH-DA-A330 X B175 MM	80W	6000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
135	MAZDA-WSXR387580W-6K-AC277-WH-PH-A330 X B175 MM	80W	6000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
136	MAZDA-WSXR387580W-6K-AC277-WH-10VDIM-A330 X B175 MM	80W	6000	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
137	MAZDA-WSXR387580W-2.7K-AC277-WH-ND-A330 X B175 MM	80W	2700	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	ON - OFF	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
138	MAZDA-WSXR387580W-2.7K-AC277-WH-DA-A330 X B175 MM	80W	2700	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
139	MAZDA-WSXR387580W-2.7K-AC277-WH-PH-A330 X B175 MM	80W	2700	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
140	MAZDA-WSXR387580W-2.7K-AC277-WH-10VDIM-A330 X B175 MM	80W	2700	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
141	MAZDA-WSXR387580W-6.5K-AC277-WH-ND-A330 X B175 MM	80W	6500	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	ON - OFF	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
142	MAZDA-WSXR387580W-6.5K-AC277-WH-DA-A330 X B175 MM	80W	6500	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
143	MAZDA-WSXR387580W-6.5K-AC277-WH-PH-A330 X B175 MM	80W	6500	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	
144	MAZDA-WSXR387580W-6.5K-AC277-WH-10VDIM-A330 X B175 MM	80W	6500	277VAC	WHITE, BLACK, BROWN & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A330 X B175 MM	DIE CAST ALUMINUM	IP65	A330 X B175 MM	