



PUZZLE

MAZDA Model: WXR3435 External Wall Light

LED Bulkhead with easy installation ,this light adopts die-cast aluminum body and 94-v0 fire-rated PC cover ,color changeable function make this bulkhead can change color temperature from warm white to cool white., size 300mmX100mm, this bulkhead ideal Applications that require continuous light good to provide high bright lighting to stairway, lobby, reception, corridors etc.

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
1	MAZDA-WXR343518W-3K-240V-BL-ND-A300 X B100 MM	18W	3000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	ON - OFF	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
2	MAZDA-WXR343518W-3K-240V-BL-DA-A300 X B100 MM	18W	3000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
3	MAZDA-WXR343518W-3K-240V-BL-PH-A300 X B100 MM	18W	3000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
4	MAZDA-WXR343518W-3K-240V-BL-10VDIM-A300 X B100 MM	18W	3000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
5	MAZDA-WXR343518W-4K-240V-BL-ND-A300 X B100 MM	18W	4000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	ON - OFF	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
6	MAZDA-WXR343518W-4K-240V-BL-DA-A300 X B100 MM	18W	4000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
7	MAZDA-WXR343518W-4K-240V-BL-PH-A300 X B100 MM	18W	4000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
8	MAZDA-WXR343518W-4K-240V-BL-10VDIM-A300 X B100 MM	18W	4000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
9	MAZDA-WXR343518W-5K-240V-BL-ND-A300 X B100 MM	18W	5000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	ON - OFF	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
10	MAZDA-WXR343518W-5K-240V-BL-DA-A300 X B100 MM	18W	5000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	



DATASHEET

GENERATED ON: 16 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
11	MAZDA-WXR343518W-5K-240V-BL-PH-A300 X B100 MM	18W	5000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
12	MAZDA-WXR343518W-5K-240V-BL-10VDIM-A300 X B100 MM	18W	5000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
13	MAZDA-WXR343518W-6K-240V-BL-ND-A300 X B100 MM	18W	6000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	ON - OFF	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
14	MAZDA-WXR343518W-6K-240V-BL-DA-A300 X B100 MM	18W	6000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
15	MAZDA-WXR343518W-6K-240V-BL-PH-A300 X B100 MM	18W	6000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
16	MAZDA-WXR343518W-6K-240V-BL-10VDIM-A300 X B100 MM	18W	6000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
17	MAZDA-WXR343518W-2.7K-240V-BL-ND-A300 X B100 MM	18W	2700	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	ON - OFF	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
18	MAZDA-WXR343518W-2.7K-240V-BL-DA-A300 X B100 MM	18W	2700	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
19	MAZDA-WXR343518W-2.7K-240V-BL-PH-A300 X B100 MM	18W	2700	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
20	MAZDA-WXR343518W-2.7K-240V-BL-10VDIM-A300 X B100 MM	18W	2700	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
21	MAZDA-WXR343518W-6.5K-240V-BL-ND-A300 X B100 MM	18W	6500	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	ON - OFF	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
22	MAZDA-WXR343518W-6.5K-240V-BL-DA-A300 X B100 MM	18W	6500	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
23	MAZDA-WXR343518W-6.5K-240V-BL-PH-A300 X B100 MM	18W	6500	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
24	MAZDA-WXR343518W-6.5K-240V-BL-10VDIM-A300 X B100 MM	18W	6500	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
25	MAZDA-WXR343524W-3K-240V-BL-ND-A300 X B100 MM	24W	3000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	ON - OFF	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
26	MAZDA-WXR343524W-3K-240V-BL-DA-A300 X B100 MM	24W	3000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	



DATASHEET

GENERATED ON: 16 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
27	MAZDA-WXR343524W-3K-240V-BL-PH-A300 X B100 MM	24W	3000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
28	MAZDA-WXR343524W-3K-240V-BL-10VDIM-A300 X B100 MM	24W	3000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
29	MAZDA-WXR343524W-4K-240V-BL-ND-A300 X B100 MM	24W	4000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	ON - OFF	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
30	MAZDA-WXR343524W-4K-240V-BL-DA-A300 X B100 MM	24W	4000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
31	MAZDA-WXR343524W-4K-240V-BL-PH-A300 X B100 MM	24W	4000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
32	MAZDA-WXR343524W-4K-240V-BL-10VDIM-A300 X B100 MM	24W	4000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
33	MAZDA-WXR343524W-5K-240V-BL-ND-A300 X B100 MM	24W	5000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	ON - OFF	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
34	MAZDA-WXR343524W-5K-240V-BL-DA-A300 X B100 MM	24W	5000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
35	MAZDA-WXR343524W-5K-240V-BL-PH-A300 X B100 MM	24W	5000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
36	MAZDA-WXR343524W-5K-240V-BL-10VDIM-A300 X B100 MM	24W	5000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
37	MAZDA-WXR343524W-6K-240V-BL-ND-A300 X B100 MM	24W	6000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	ON - OFF	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
38	MAZDA-WXR343524W-6K-240V-BL-DA-A300 X B100 MM	24W	6000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
39	MAZDA-WXR343524W-6K-240V-BL-PH-A300 X B100 MM	24W	6000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
40	MAZDA-WXR343524W-6K-240V-BL-10VDIM-A300 X B100 MM	24W	6000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
41	MAZDA-WXR343524W-2.7K-240V-BL-ND-A300 X B100 MM	24W	2700	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	ON - OFF	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
42	MAZDA-WXR343524W-2.7K-240V-BL-DA-A300 X B100 MM	24W	2700	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	



DATASHEET

GENERATED ON: 16 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
43	MAZDA-WXR343524W-2.7K-240V-BL-PH-A300 X B100 MM	24W	2700	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
44	MAZDA-WXR343524W-2.7K-240V-BL-10VDIM-A300 X B100 MM	24W	2700	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
45	MAZDA-WXR343524W-6.5K-240V-BL-ND-A300 X B100 MM	24W	6500	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	ON - OFF	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
46	MAZDA-WXR343524W-6.5K-240V-BL-DA-A300 X B100 MM	24W	6500	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
47	MAZDA-WXR343524W-6.5K-240V-BL-PH-A300 X B100 MM	24W	6500	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
48	MAZDA-WXR343524W-6.5K-240V-BL-10VDIM-A300 X B100 MM	24W	6500	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
49	MAZDA-WXR343536W-3K-240V-BL-ND-A300 X B100 MM	36W	3000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	ON - OFF	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
50	MAZDA-WXR343536W-3K-240V-BL-DA-A300 X B100 MM	36W	3000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
51	MAZDA-WXR343536W-3K-240V-BL-PH-A300 X B100 MM	36W	3000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
52	MAZDA-WXR343536W-3K-240V-BL-10VDIM-A300 X B100 MM	36W	3000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
53	MAZDA-WXR343536W-4K-240V-BL-ND-A300 X B100 MM	36W	4000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	ON - OFF	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
54	MAZDA-WXR343536W-4K-240V-BL-DA-A300 X B100 MM	36W	4000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
55	MAZDA-WXR343536W-4K-240V-BL-PH-A300 X B100 MM	36W	4000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
56	MAZDA-WXR343536W-4K-240V-BL-10VDIM-A300 X B100 MM	36W	4000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
57	MAZDA-WXR343536W-5K-240V-BL-ND-A300 X B100 MM	36W	5000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	ON - OFF	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
58	MAZDA-WXR343536W-5K-240V-BL-DA-A300 X B100 MM	36W	5000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	



DATASHEET

GENERATED ON: 16 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
59	MAZDA-WXR343536W-5K-240V-BL-PH-A300 X B100 MM	36W	5000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
60	MAZDA-WXR343536W-5K-240V-BL-10VDIM-A300 X B100 MM	36W	5000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
61	MAZDA-WXR343536W-6K-240V-BL-ND-A300 X B100 MM	36W	6000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	ON - OFF	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
62	MAZDA-WXR343536W-6K-240V-BL-DA-A300 X B100 MM	36W	6000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
63	MAZDA-WXR343536W-6K-240V-BL-PH-A300 X B100 MM	36W	6000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
64	MAZDA-WXR343536W-6K-240V-BL-10VDIM-A300 X B100 MM	36W	6000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
65	MAZDA-WXR343536W-2.7K-240V-BL-ND-A300 X B100 MM	36W	2700	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	ON - OFF	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
66	MAZDA-WXR343536W-2.7K-240V-BL-DA-A300 X B100 MM	36W	2700	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
67	MAZDA-WXR343536W-2.7K-240V-BL-PH-A300 X B100 MM	36W	2700	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
68	MAZDA-WXR343536W-2.7K-240V-BL-10VDIM-A300 X B100 MM	36W	2700	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
69	MAZDA-WXR343536W-6.5K-240V-BL-ND-A300 X B100 MM	36W	6500	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	ON - OFF	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
70	MAZDA-WXR343536W-6.5K-240V-BL-DA-A300 X B100 MM	36W	6500	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
71	MAZDA-WXR343536W-6.5K-240V-BL-PH-A300 X B100 MM	36W	6500	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
72	MAZDA-WXR343536W-6.5K-240V-BL-10VDIM-A300 X B100 MM	36W	6500	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
73	MAZDA-WXR343536W-3K-240V-BL-ND-A300 X B100 MM	36W	3000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	ON - OFF	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
74	MAZDA-WXR343536W-3K-240V-BL-DA-A300 X B100 MM	36W	3000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	



DATASHEET

GENERATED ON: 16 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
75	MAZDA-WXR343536W-3K-240V-BL-PH-A300 X B100 MM	36W	3000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
76	MAZDA-WXR343536W-3K-240V-BL-10VDIM-A300 X B100 MM	36W	3000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
77	MAZDA-WXR343536W-4K-240V-BL-ND-A300 X B100 MM	36W	4000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	ON - OFF	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
78	MAZDA-WXR343536W-4K-240V-BL-DA-A300 X B100 MM	36W	4000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
79	MAZDA-WXR343536W-4K-240V-BL-PH-A300 X B100 MM	36W	4000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
80	MAZDA-WXR343536W-4K-240V-BL-10VDIM-A300 X B100 MM	36W	4000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
81	MAZDA-WXR343536W-5K-240V-BL-ND-A300 X B100 MM	36W	5000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	ON - OFF	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
82	MAZDA-WXR343536W-5K-240V-BL-DA-A300 X B100 MM	36W	5000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
83	MAZDA-WXR343536W-5K-240V-BL-PH-A300 X B100 MM	36W	5000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
84	MAZDA-WXR343536W-5K-240V-BL-10VDIM-A300 X B100 MM	36W	5000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
85	MAZDA-WXR343536W-6K-240V-BL-ND-A300 X B100 MM	36W	6000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	ON - OFF	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
86	MAZDA-WXR343536W-6K-240V-BL-DA-A300 X B100 MM	36W	6000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
87	MAZDA-WXR343536W-6K-240V-BL-PH-A300 X B100 MM	36W	6000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
88	MAZDA-WXR343536W-6K-240V-BL-10VDIM-A300 X B100 MM	36W	6000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
89	MAZDA-WXR343536W-2.7K-240V-BL-ND-A300 X B100 MM	36W	2700	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	ON - OFF	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
90	MAZDA-WXR343536W-2.7K-240V-BL-DA-A300 X B100 MM	36W	2700	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
91	MAZDA-WXR343536W-2.7K-240V-BL-PH-A300 X B100 MM	36W	2700	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
92	MAZDA-WXR343536W-2.7K-240V-BL-10VDIM-A300 X B100 MM	36W	2700	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
93	MAZDA-WXR343536W-6.5K-240V-BL-ND-A300 X B100 MM	36W	6500	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	ON - OFF	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
94	MAZDA-WXR343536W-6.5K-240V-BL-DA-A300 X B100 MM	36W	6500	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
95	MAZDA-WXR343536W-6.5K-240V-BL-PH-A300 X B100 MM	36W	6500	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	
96	MAZDA-WXR343536W-6.5K-240V-BL-10VDIM-A300 X B100 MM	36W	6500	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A300 X B100 MM	DIE CAST ALUMINUM	IP65	A300 X B100 MM	