



PLAZO

MAZDA Model: WXR3431 External Wall Light

This elegant light fixture is crafted from high-quality hardware aluminum and translucent acrylic, combining durability with modern style. Suitable for living rooms, bedrooms, dining areas, and studies, it features a polished and ground finish for a refined look. The acrylic lampshade emits a soft, non-dazzling glow, creating a warm and comfortable ambiance, while the sturdy aluminum body ensures long-lasting performance and resistance to deformation.

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
1	MAZDA-WXR343120W-3K-240V-WH-ND-A350 X B350 MM	20W	3000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A350 X B350 MM	ALUMINIUM	IP54	A350 X B350 MM	
2	MAZDA-WXR343120W-3K-240V-WH-DA-A350 X B350 MM	20W	3000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A350 X B350 MM	ALUMINIUM	IP54	A350 X B350 MM	
3	MAZDA-WXR343120W-3K-240V-WH-PH-A350 X B350 MM	20W	3000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A350 X B350 MM	ALUMINIUM	IP54	A350 X B350 MM	
4	MAZDA-WXR343120W-3K-240V-WH-10VDIM-A350 X B350 MM	20W	3000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A350 X B350 MM	ALUMINIUM	IP54	A350 X B350 MM	
5	MAZDA-WXR343120W-4K-240V-WH-ND-A350 X B350 MM	20W	4000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A350 X B350 MM	ALUMINIUM	IP54	A350 X B350 MM	
6	MAZDA-WXR343120W-4K-240V-WH-DA-A350 X B350 MM	20W	4000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A350 X B350 MM	ALUMINIUM	IP54	A350 X B350 MM	
7	MAZDA-WXR343120W-4K-240V-WH-PH-A350 X B350 MM	20W	4000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A350 X B350 MM	ALUMINIUM	IP54	A350 X B350 MM	
8	MAZDA-WXR343120W-4K-240V-WH-10VDIM-A350 X B350 MM	20W	4000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A350 X B350 MM	ALUMINIUM	IP54	A350 X B350 MM	
9	MAZDA-WXR343120W-5K-240V-WH-ND-A350 X B350 MM	20W	5000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A350 X B350 MM	ALUMINIUM	IP54	A350 X B350 MM	
10	MAZDA-WXR343120W-5K-240V-WH-DA-A350 X B350 MM	20W	5000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A350 X B350 MM	ALUMINIUM	IP54	A350 X B350 MM	
11	MAZDA-WXR343120W-5K-240V-WH-PH-A350 X B350 MM	20W	5000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A350 X B350 MM	ALUMINIUM	IP54	A350 X B350 MM	
12	MAZDA-WXR343120W-5K-240V-WH-10VDIM-A350 X B350 MM	20W	5000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A350 X B350 MM	ALUMINIUM	IP54	A350 X B350 MM	
13	MAZDA-WXR343120W-6K-240V-WH-ND-A350 X B350 MM	20W	6000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A350 X B350 MM	ALUMINIUM	IP54	A350 X B350 MM	
14	MAZDA-WXR343120W-6K-240V-WH-DA-A350 X B350 MM	20W	6000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A350 X B350 MM	ALUMINIUM	IP54	A350 X B350 MM	
15	MAZDA-WXR343120W-6K-240V-WH-PH-A350 X B350 MM	20W	6000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A350 X B350 MM	ALUMINIUM	IP54	A350 X B350 MM	
16	MAZDA-WXR343120W-6K-240V-WH-10VDIM-A350 X B350 MM	20W	6000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A350 X B350 MM	ALUMINIUM	IP54	A350 X B350 MM	
17	MAZDA-WXR343120W-2.7K-240V-WH-ND-A350 X B350 MM	20W	2700	240V	WHITE	NON EMERGENCY	ON - OFF	120	A350 X B350 MM	ALUMINIUM	IP54	A350 X B350 MM	



DATASHEET

GENERATED ON: 16 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
18	MAZDA-WXR343120W-2.7K-240V-WH-DA-A350 X B350 MM	20W	2700	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A350 X B350 MM	ALUMINIUM	IP54	A350 X B350 MM	
19	MAZDA-WXR343120W-2.7K-240V-WH-PH-A350 X B350 MM	20W	2700	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A350 X B350 MM	ALUMINIUM	IP54	A350 X B350 MM	
20	MAZDA-WXR343120W-2.7K-240V-WH-10VDIM-A350 X B350 MM	20W	2700	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A350 X B350 MM	ALUMINIUM	IP54	A350 X B350 MM	
21	MAZDA-WXR343120W-6.5K-240V-WH-ND-A350 X B350 MM	20W	6500	240V	WHITE	NON EMERGENCY	ON - OFF	120	A350 X B350 MM	ALUMINIUM	IP54	A350 X B350 MM	
22	MAZDA-WXR343120W-6.5K-240V-WH-DA-A350 X B350 MM	20W	6500	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A350 X B350 MM	ALUMINIUM	IP54	A350 X B350 MM	
23	MAZDA-WXR343120W-6.5K-240V-WH-PH-A350 X B350 MM	20W	6500	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A350 X B350 MM	ALUMINIUM	IP54	A350 X B350 MM	
24	MAZDA-WXR343120W-6.5K-240V-WH-10VDIM-A350 X B350 MM	20W	6500	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A350 X B350 MM	ALUMINIUM	IP54	A350 X B350 MM	
25	MAZDA-WXR343136W-3K-240V-WH-ND-A500 X B500 MM	36W	3000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A500 X B500 MM	ALUMINIUM	IP54	A500 X B500 MM	
26	MAZDA-WXR343136W-3K-240V-WH-DA-A500 X B500 MM	36W	3000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A500 X B500 MM	ALUMINIUM	IP54	A500 X B500 MM	
27	MAZDA-WXR343136W-3K-240V-WH-PH-A500 X B500 MM	36W	3000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A500 X B500 MM	ALUMINIUM	IP54	A500 X B500 MM	
28	MAZDA-WXR343136W-3K-240V-WH-10VDIM-A500 X B500 MM	36W	3000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A500 X B500 MM	ALUMINIUM	IP54	A500 X B500 MM	
29	MAZDA-WXR343136W-4K-240V-WH-ND-A500 X B500 MM	36W	4000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A500 X B500 MM	ALUMINIUM	IP54	A500 X B500 MM	
30	MAZDA-WXR343136W-4K-240V-WH-DA-A500 X B500 MM	36W	4000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A500 X B500 MM	ALUMINIUM	IP54	A500 X B500 MM	
31	MAZDA-WXR343136W-4K-240V-WH-PH-A500 X B500 MM	36W	4000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A500 X B500 MM	ALUMINIUM	IP54	A500 X B500 MM	
32	MAZDA-WXR343136W-4K-240V-WH-10VDIM-A500 X B500 MM	36W	4000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A500 X B500 MM	ALUMINIUM	IP54	A500 X B500 MM	
33	MAZDA-WXR343136W-5K-240V-WH-ND-A500 X B500 MM	36W	5000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A500 X B500 MM	ALUMINIUM	IP54	A500 X B500 MM	
34	MAZDA-WXR343136W-5K-240V-WH-DA-A500 X B500 MM	36W	5000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A500 X B500 MM	ALUMINIUM	IP54	A500 X B500 MM	
35	MAZDA-WXR343136W-5K-240V-WH-PH-A500 X B500 MM	36W	5000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A500 X B500 MM	ALUMINIUM	IP54	A500 X B500 MM	
36	MAZDA-WXR343136W-5K-240V-WH-10VDIM-A500 X B500 MM	36W	5000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A500 X B500 MM	ALUMINIUM	IP54	A500 X B500 MM	
37	MAZDA-WXR343136W-6K-240V-WH-ND-A500 X B500 MM	36W	6000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A500 X B500 MM	ALUMINIUM	IP54	A500 X B500 MM	
38	MAZDA-WXR343136W-6K-240V-WH-DA-A500 X B500 MM	36W	6000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A500 X B500 MM	ALUMINIUM	IP54	A500 X B500 MM	
39	MAZDA-WXR343136W-6K-240V-WH-PH-A500 X B500 MM	36W	6000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A500 X B500 MM	ALUMINIUM	IP54	A500 X B500 MM	
40	MAZDA-WXR343136W-6K-240V-WH-10VDIM-A500 X B500 MM	36W	6000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A500 X B500 MM	ALUMINIUM	IP54	A500 X B500 MM	
41	MAZDA-WXR343136W-2.7K-240V-WH-ND-A500 X B500 MM	36W	2700	240V	WHITE	NON EMERGENCY	ON - OFF	120	A500 X B500 MM	ALUMINIUM	IP54	A500 X B500 MM	
42	MAZDA-WXR343136W-2.7K-240V-WH-DA-A500 X B500 MM	36W	2700	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A500 X B500 MM	ALUMINIUM	IP54	A500 X B500 MM	
43	MAZDA-WXR343136W-2.7K-240V-WH-PH-A500 X B500 MM	36W	2700	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A500 X B500 MM	ALUMINIUM	IP54	A500 X B500 MM	
44	MAZDA-WXR343136W-2.7K-240V-WH-10VDIM-A500 X B500 MM	36W	2700	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A500 X B500 MM	ALUMINIUM	IP54	A500 X B500 MM	
45	MAZDA-WXR343136W-6.5K-240V-WH-ND-A500 X B500 MM	36W	6500	240V	WHITE	NON EMERGENCY	ON - OFF	120	A500 X B500 MM	ALUMINIUM	IP54	A500 X B500 MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
46	MAZDA-WXR343136W-6.5K-240V-WH-DA-A500 X B500 MM	36W	6500	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A500 X B500 MM	ALUMINIUM	IP54	A500 X B500 MM	
47	MAZDA-WXR343136W-6.5K-240V-WH-PH-A500 X B500 MM	36W	6500	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A500 X B500 MM	ALUMINIUM	IP54	A500 X B500 MM	
48	MAZDA-WXR343136W-6.5K-240V-WH-10VDIM-A500 X B500 MM	36W	6500	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A500 X B500 MM	ALUMINIUM	IP54	A500 X B500 MM	
49	MAZDA-WXR343148W-3K-240V-WH-ND-A600 X B600 MM	48W	3000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A600 X B600 MM	ALUMINIUM	IP54	A600 X B600 MM	
50	MAZDA-WXR343148W-3K-240V-WH-DA-A600 X B600 MM	48W	3000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A600 X B600 MM	ALUMINIUM	IP54	A600 X B600 MM	
51	MAZDA-WXR343148W-3K-240V-WH-PH-A600 X B600 MM	48W	3000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A600 X B600 MM	ALUMINIUM	IP54	A600 X B600 MM	
52	MAZDA-WXR343148W-3K-240V-WH-10VDIM-A600 X B600 MM	48W	3000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A600 X B600 MM	ALUMINIUM	IP54	A600 X B600 MM	
53	MAZDA-WXR343148W-4K-240V-WH-ND-A600 X B600 MM	48W	4000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A600 X B600 MM	ALUMINIUM	IP54	A600 X B600 MM	
54	MAZDA-WXR343148W-4K-240V-WH-DA-A600 X B600 MM	48W	4000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A600 X B600 MM	ALUMINIUM	IP54	A600 X B600 MM	
55	MAZDA-WXR343148W-4K-240V-WH-PH-A600 X B600 MM	48W	4000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A600 X B600 MM	ALUMINIUM	IP54	A600 X B600 MM	
56	MAZDA-WXR343148W-4K-240V-WH-10VDIM-A600 X B600 MM	48W	4000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A600 X B600 MM	ALUMINIUM	IP54	A600 X B600 MM	
57	MAZDA-WXR343148W-5K-240V-WH-ND-A600 X B600 MM	48W	5000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A600 X B600 MM	ALUMINIUM	IP54	A600 X B600 MM	
58	MAZDA-WXR343148W-5K-240V-WH-DA-A600 X B600 MM	48W	5000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A600 X B600 MM	ALUMINIUM	IP54	A600 X B600 MM	
59	MAZDA-WXR343148W-5K-240V-WH-PH-A600 X B600 MM	48W	5000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A600 X B600 MM	ALUMINIUM	IP54	A600 X B600 MM	
60	MAZDA-WXR343148W-5K-240V-WH-10VDIM-A600 X B600 MM	48W	5000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A600 X B600 MM	ALUMINIUM	IP54	A600 X B600 MM	
61	MAZDA-WXR343148W-6K-240V-WH-ND-A600 X B600 MM	48W	6000	240V	WHITE	NON EMERGENCY	ON - OFF	120	A600 X B600 MM	ALUMINIUM	IP54	A600 X B600 MM	
62	MAZDA-WXR343148W-6K-240V-WH-DA-A600 X B600 MM	48W	6000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A600 X B600 MM	ALUMINIUM	IP54	A600 X B600 MM	
63	MAZDA-WXR343148W-6K-240V-WH-PH-A600 X B600 MM	48W	6000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A600 X B600 MM	ALUMINIUM	IP54	A600 X B600 MM	
64	MAZDA-WXR343148W-6K-240V-WH-10VDIM-A600 X B600 MM	48W	6000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A600 X B600 MM	ALUMINIUM	IP54	A600 X B600 MM	
65	MAZDA-WXR343148W-2.7K-240V-WH-ND-A600 X B600 MM	48W	2700	240V	WHITE	NON EMERGENCY	ON - OFF	120	A600 X B600 MM	ALUMINIUM	IP54	A600 X B600 MM	
66	MAZDA-WXR343148W-2.7K-240V-WH-DA-A600 X B600 MM	48W	2700	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A600 X B600 MM	ALUMINIUM	IP54	A600 X B600 MM	
67	MAZDA-WXR343148W-2.7K-240V-WH-PH-A600 X B600 MM	48W	2700	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A600 X B600 MM	ALUMINIUM	IP54	A600 X B600 MM	
68	MAZDA-WXR343148W-2.7K-240V-WH-10VDIM-A600 X B600 MM	48W	2700	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A600 X B600 MM	ALUMINIUM	IP54	A600 X B600 MM	
69	MAZDA-WXR343148W-6.5K-240V-WH-ND-A600 X B600 MM	48W	6500	240V	WHITE	NON EMERGENCY	ON - OFF	120	A600 X B600 MM	ALUMINIUM	IP54	A600 X B600 MM	
70	MAZDA-WXR343148W-6.5K-240V-WH-DA-A600 X B600 MM	48W	6500	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A600 X B600 MM	ALUMINIUM	IP54	A600 X B600 MM	
71	MAZDA-WXR343148W-6.5K-240V-WH-PH-A600 X B600 MM	48W	6500	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	120	A600 X B600 MM	ALUMINIUM	IP54	A600 X B600 MM	
72	MAZDA-WXR343148W-6.5K-240V-WH-10VDIM-A600 X B600 MM	48W	6500	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A600 X B600 MM	ALUMINIUM	IP54	A600 X B600 MM	