



GEM

MAZDA Model: WSXR3911 External Wall Light

The GEM wall-mounted lighting fixture boasts an elegant, modern design with precision-engineered wall washer capabilities. It offers flexible illumination as either up-light or down-light. The glass diffuser, flush with the body, enhances the lighting effect of the high-efficiency LED, providing a refined and effective illumination. Constructed from durable aluminum and available in three colors, the fixture features a glass flush with the frame, ensuring Class II insulation and an IP65 rating for weather resistance. Perfect for both residential and commercial applications, the GEM fixture combines style and functionality seamlessly.

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angle	Dimension	Material	IP	Dimensions	Price
1	MAZDA-WSXR39111X6W-3K-240V-BL-ND-A108 X B43.5 X C66 MM	1X6W	3000	240V	BLACK,WHITE & GREY	NON EMERGENCY	ON - OFF	38	A108 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A108 X B43.5 X C66 MM	
2	MAZDA-WSXR39111X6W-3K-240V-BL-DA-A108 X B43.5 X C66 MM	1X6W	3000	240V	BLACK,WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	38	A108 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A108 X B43.5 X C66 MM	
3	MAZDA-WSXR39111X6W-3K-240V-BL-PH-A108 X B43.5 X C66 MM	1X6W	3000	240V	BLACK,WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	38	A108 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A108 X B43.5 X C66 MM	
4	MAZDA-WSXR39111X6W-3K-240V-BL-10VDIM-A108 X B43.5 X C66 MM	1X6W	3000	240V	BLACK,WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	38	A108 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A108 X B43.5 X C66 MM	
5	MAZDA-WSXR39111X6W-4K-240V-BL-ND-A108 X B43.5 X C66 MM	1X6W	4000	240V	BLACK,WHITE & GREY	NON EMERGENCY	ON - OFF	38	A108 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A108 X B43.5 X C66 MM	
6	MAZDA-WSXR39111X6W-4K-240V-BL-DA-A108 X B43.5 X C66 MM	1X6W	4000	240V	BLACK,WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	38	A108 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A108 X B43.5 X C66 MM	
7	MAZDA-WSXR39111X6W-4K-240V-BL-PH-A108 X B43.5 X C66 MM	1X6W	4000	240V	BLACK,WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	38	A108 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A108 X B43.5 X C66 MM	
8	MAZDA-WSXR39111X6W-4K-240V-BL-10VDIM-A108 X B43.5 X C66 MM	1X6W	4000	240V	BLACK,WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	38	A108 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A108 X B43.5 X C66 MM	
9	MAZDA-WSXR39111X6W-5K-240V-BL-ND-A108 X B43.5 X C66 MM	1X6W	5000	240V	BLACK,WHITE & GREY	NON EMERGENCY	ON - OFF	38	A108 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A108 X B43.5 X C66 MM	
10	MAZDA-WSXR39111X6W-5K-240V-BL-DA-A108 X B43.5 X C66 MM	1X6W	5000	240V	BLACK,WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	38	A108 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A108 X B43.5 X C66 MM	
11	MAZDA-WSXR39111X6W-5K-240V-BL-PH-A108 X B43.5 X C66 MM	1X6W	5000	240V	BLACK,WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	38	A108 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A108 X B43.5 X C66 MM	
12	MAZDA-WSXR39111X6W-5K-240V-BL-10VDIM-A108 X B43.5 X C66 MM	1X6W	5000	240V	BLACK,WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	38	A108 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A108 X B43.5 X C66 MM	
13	MAZDA-WSXR39111X6W-6K-240V-BL-ND-A108 X B43.5 X C66 MM	1X6W	6000	240V	BLACK,WHITE & GREY	NON EMERGENCY	ON - OFF	38	A108 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A108 X B43.5 X C66 MM	
14	MAZDA-WSXR39111X6W-6K-240V-BL-DA-A108 X B43.5 X C66 MM	1X6W	6000	240V	BLACK,WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	38	A108 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A108 X B43.5 X C66 MM	
15	MAZDA-WSXR39111X6W-6K-240V-BL-PH-A108 X B43.5 X C66 MM	1X6W	6000	240V	BLACK,WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	38	A108 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A108 X B43.5 X C66 MM	
16	MAZDA-WSXR39111X6W-6K-240V-BL-10VDIM-A108 X B43.5 X C66 MM	1X6W	6000	240V	BLACK,WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	38	A108 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A108 X B43.5 X C66 MM	
17	MAZDA-WSXR39111X6W-6.5K-240V-BL-ND-A108 X B43.5 X C66 MM	1X6W	6500	240V	BLACK,WHITE & GREY	NON EMERGENCY	ON - OFF	38	A108 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A108 X B43.5 X C66 MM	
18	MAZDA-WSXR39111X6W-6.5K-240V-BL-DA-A108 X B43.5 X C66 MM	1X6W	6500	240V	BLACK,WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	38	A108 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A108 X B43.5 X C66 MM	
19	MAZDA-WSXR39111X6W-6.5K-240V-BL-PH-A108 X B43.5 X C66 MM	1X6W	6500	240V	BLACK,WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	38	A108 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A108 X B43.5 X C66 MM	
20	MAZDA-WSXR39111X6W-6.5K-240V-BL-10VDIM-A108 X B43.5 X C66 MM	1X6W	6500	240V	BLACK,WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	38	A108 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A108 X B43.5 X C66 MM	



DATASHEET

GENERATED ON: 16 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
21	MAZDA-WSXR39111X6W-2.7K-240V-BL-ND-A108 X B43.5 X C66 MM	1X6W	2700	240V	BLACK,WHITE & GREY	NON EMERGENCY	ON - OFF	38	A108 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A108 X B43.5 X C66 MM	
22	MAZDA-WSXR39111X6W-2.7K-240V-BL-DA-A108 X B43.5 X C66 MM	1X6W	2700	240V	BLACK,WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	38	A108 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A108 X B43.5 X C66 MM	
23	MAZDA-WSXR39111X6W-2.7K-240V-BL-PH-A108 X B43.5 X C66 MM	1X6W	2700	240V	BLACK,WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	38	A108 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A108 X B43.5 X C66 MM	
24	MAZDA-WSXR39111X6W-2.7K-240V-BL-10VDIM-A108 X B43.5 X C66 MM	1X6W	2700	240V	BLACK,WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	38	A108 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A108 X B43.5 X C66 MM	
25	MAZDA-WSXR39111X12W-3K-240V-BL-ND-A148 X B43.5 X C66 MM	1X12W	3000	240V	BLACK,WHITE & GREY	NON EMERGENCY	ON - OFF	38	A148 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A148 X B43.5 X C66 MM	
26	MAZDA-WSXR39111X12W-3K-240V-BL-DA-A148 X B43.5 X C66 MM	1X12W	3000	240V	BLACK,WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	38	A148 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A148 X B43.5 X C66 MM	
27	MAZDA-WSXR39111X12W-3K-240V-BL-PH-A148 X B43.5 X C66 MM	1X12W	3000	240V	BLACK,WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	38	A148 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A148 X B43.5 X C66 MM	
28	MAZDA-WSXR39111X12W-3K-240V-BL-10VDIM-A148 X B43.5 X C66 MM	1X12W	3000	240V	BLACK,WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	38	A148 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A148 X B43.5 X C66 MM	
29	MAZDA-WSXR39111X12W-4K-240V-BL-ND-A148 X B43.5 X C66 MM	1X12W	4000	240V	BLACK,WHITE & GREY	NON EMERGENCY	ON - OFF	38	A148 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A148 X B43.5 X C66 MM	
30	MAZDA-WSXR39111X12W-4K-240V-BL-DA-A148 X B43.5 X C66 MM	1X12W	4000	240V	BLACK,WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	38	A148 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A148 X B43.5 X C66 MM	
31	MAZDA-WSXR39111X12W-4K-240V-BL-PH-A148 X B43.5 X C66 MM	1X12W	4000	240V	BLACK,WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	38	A148 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A148 X B43.5 X C66 MM	
32	MAZDA-WSXR39111X12W-4K-240V-BL-10VDIM-A148 X B43.5 X C66 MM	1X12W	4000	240V	BLACK,WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	38	A148 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A148 X B43.5 X C66 MM	
33	MAZDA-WSXR39111X12W-5K-240V-BL-ND-A148 X B43.5 X C66 MM	1X12W	5000	240V	BLACK,WHITE & GREY	NON EMERGENCY	ON - OFF	38	A148 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A148 X B43.5 X C66 MM	
34	MAZDA-WSXR39111X12W-5K-240V-BL-DA-A148 X B43.5 X C66 MM	1X12W	5000	240V	BLACK,WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	38	A148 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A148 X B43.5 X C66 MM	
35	MAZDA-WSXR39111X12W-5K-240V-BL-PH-A148 X B43.5 X C66 MM	1X12W	5000	240V	BLACK,WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	38	A148 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A148 X B43.5 X C66 MM	
36	MAZDA-WSXR39111X12W-5K-240V-BL-10VDIM-A148 X B43.5 X C66 MM	1X12W	5000	240V	BLACK,WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	38	A148 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A148 X B43.5 X C66 MM	
37	MAZDA-WSXR39111X12W-6K-240V-BL-ND-A148 X B43.5 X C66 MM	1X12W	6000	240V	BLACK,WHITE & GREY	NON EMERGENCY	ON - OFF	38	A148 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A148 X B43.5 X C66 MM	
38	MAZDA-WSXR39111X12W-6K-240V-BL-DA-A148 X B43.5 X C66 MM	1X12W	6000	240V	BLACK,WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	38	A148 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A148 X B43.5 X C66 MM	
39	MAZDA-WSXR39111X12W-6K-240V-BL-PH-A148 X B43.5 X C66 MM	1X12W	6000	240V	BLACK,WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	38	A148 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A148 X B43.5 X C66 MM	
40	MAZDA-WSXR39111X12W-6K-240V-BL-10VDIM-A148 X B43.5 X C66 MM	1X12W	6000	240V	BLACK,WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	38	A148 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A148 X B43.5 X C66 MM	
41	MAZDA-WSXR39111X12W-6.5K-240V-BL-ND-A148 X B43.5 X C66 MM	1X12W	6500	240V	BLACK,WHITE & GREY	NON EMERGENCY	ON - OFF	38	A148 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A148 X B43.5 X C66 MM	
42	MAZDA-WSXR39111X12W-6.5K-240V-BL-DA-A148 X B43.5 X C66 MM	1X12W	6500	240V	BLACK,WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	38	A148 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A148 X B43.5 X C66 MM	
43	MAZDA-WSXR39111X12W-6.5K-240V-BL-PH-A148 X B43.5 X C66 MM	1X12W	6500	240V	BLACK,WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	38	A148 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A148 X B43.5 X C66 MM	
44	MAZDA-WSXR39111X12W-6.5K-240V-BL-10VDIM-A148 X B43.5 X C66 MM	1X12W	6500	240V	BLACK,WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	38	A148 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A148 X B43.5 X C66 MM	
45	MAZDA-WSXR39111X12W-2.7K-240V-BL-ND-A148 X B43.5 X C66 MM	1X12W	2700	240V	BLACK,WHITE & GREY	NON EMERGENCY	ON - OFF	38	A148 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A148 X B43.5 X C66 MM	
46	MAZDA-WSXR39111X12W-2.7K-240V-BL-DA-A148 X B43.5 X C66 MM	1X12W	2700	240V	BLACK,WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	38	A148 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A148 X B43.5 X C66 MM	
47	MAZDA-WSXR39111X12W-2.7K-240V-BL-PH-A148 X B43.5 X C66 MM	1X12W	2700	240V	BLACK,WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	38	A148 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A148 X B43.5 X C66 MM	
48	MAZDA-WSXR39111X12W-2.7K-240V-BL-10VDIM-A148 X B43.5 X C66 MM	1X12W	2700	240V	BLACK,WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	38	A148 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A148 X B43.5 X C66 MM	
49	MAZDA-WSXR39111X24W-3K-240V-BL-ND-A283 X B43.5 X C66 MM	1X24W	3000	240V	BLACK,WHITE & GREY	NON EMERGENCY	ON - OFF	38	A283 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A283 X B43.5 X C66 MM	



DATASHEET

GENERATED ON: 16 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
50	MAZDA-WSXR39111X24W-3K-240V-BL-DA-A283 X B43.5 X C66 MM	1X24W	3000	240V	BLACK,WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	38	A283 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A283 X B43.5 X C66 MM	
51	MAZDA-WSXR39111X24W-3K-240V-BL-PH-A283 X B43.5 X C66 MM	1X24W	3000	240V	BLACK,WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	38	A283 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A283 X B43.5 X C66 MM	
52	MAZDA-WSXR39111X24W-3K-240V-BL-10VDIM-A283 X B43.5 X C66 MM	1X24W	3000	240V	BLACK,WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	38	A283 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A283 X B43.5 X C66 MM	
53	MAZDA-WSXR39111X24W-4K-240V-BL-ND-A283 X B43.5 X C66 MM	1X24W	4000	240V	BLACK,WHITE & GREY	NON EMERGENCY	ON - OFF	38	A283 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A283 X B43.5 X C66 MM	
54	MAZDA-WSXR39111X24W-4K-240V-BL-DA-A283 X B43.5 X C66 MM	1X24W	4000	240V	BLACK,WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	38	A283 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A283 X B43.5 X C66 MM	
55	MAZDA-WSXR39111X24W-4K-240V-BL-PH-A283 X B43.5 X C66 MM	1X24W	4000	240V	BLACK,WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	38	A283 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A283 X B43.5 X C66 MM	
56	MAZDA-WSXR39111X24W-4K-240V-BL-10VDIM-A283 X B43.5 X C66 MM	1X24W	4000	240V	BLACK,WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	38	A283 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A283 X B43.5 X C66 MM	
57	MAZDA-WSXR39111X24W-5K-240V-BL-ND-A283 X B43.5 X C66 MM	1X24W	5000	240V	BLACK,WHITE & GREY	NON EMERGENCY	ON - OFF	38	A283 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A283 X B43.5 X C66 MM	
58	MAZDA-WSXR39111X24W-5K-240V-BL-DA-A283 X B43.5 X C66 MM	1X24W	5000	240V	BLACK,WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	38	A283 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A283 X B43.5 X C66 MM	
59	MAZDA-WSXR39111X24W-5K-240V-BL-PH-A283 X B43.5 X C66 MM	1X24W	5000	240V	BLACK,WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	38	A283 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A283 X B43.5 X C66 MM	
60	MAZDA-WSXR39111X24W-5K-240V-BL-10VDIM-A283 X B43.5 X C66 MM	1X24W	5000	240V	BLACK,WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	38	A283 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A283 X B43.5 X C66 MM	
61	MAZDA-WSXR39111X24W-6K-240V-BL-ND-A283 X B43.5 X C66 MM	1X24W	6000	240V	BLACK,WHITE & GREY	NON EMERGENCY	ON - OFF	38	A283 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A283 X B43.5 X C66 MM	
62	MAZDA-WSXR39111X24W-6K-240V-BL-DA-A283 X B43.5 X C66 MM	1X24W	6000	240V	BLACK,WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	38	A283 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A283 X B43.5 X C66 MM	
63	MAZDA-WSXR39111X24W-6K-240V-BL-PH-A283 X B43.5 X C66 MM	1X24W	6000	240V	BLACK,WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	38	A283 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A283 X B43.5 X C66 MM	
64	MAZDA-WSXR39111X24W-6K-240V-BL-10VDIM-A283 X B43.5 X C66 MM	1X24W	6000	240V	BLACK,WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	38	A283 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A283 X B43.5 X C66 MM	
65	MAZDA-WSXR39111X24W-6.5K-240V-BL-ND-A283 X B43.5 X C66 MM	1X24W	6500	240V	BLACK,WHITE & GREY	NON EMERGENCY	ON - OFF	38	A283 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A283 X B43.5 X C66 MM	
66	MAZDA-WSXR39111X24W-6.5K-240V-BL-DA-A283 X B43.5 X C66 MM	1X24W	6500	240V	BLACK,WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	38	A283 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A283 X B43.5 X C66 MM	
67	MAZDA-WSXR39111X24W-6.5K-240V-BL-PH-A283 X B43.5 X C66 MM	1X24W	6500	240V	BLACK,WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	38	A283 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A283 X B43.5 X C66 MM	
68	MAZDA-WSXR39111X24W-6.5K-240V-BL-10VDIM-A283 X B43.5 X C66 MM	1X24W	6500	240V	BLACK,WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	38	A283 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A283 X B43.5 X C66 MM	
69	MAZDA-WSXR39111X24W-2.7K-240V-BL-ND-A283 X B43.5 X C66 MM	1X24W	2700	240V	BLACK,WHITE & GREY	NON EMERGENCY	ON - OFF	38	A283 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A283 X B43.5 X C66 MM	
70	MAZDA-WSXR39111X24W-2.7K-240V-BL-DA-A283 X B43.5 X C66 MM	1X24W	2700	240V	BLACK,WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	38	A283 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A283 X B43.5 X C66 MM	
71	MAZDA-WSXR39111X24W-2.7K-240V-BL-PH-A283 X B43.5 X C66 MM	1X24W	2700	240V	BLACK,WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	38	A283 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A283 X B43.5 X C66 MM	
72	MAZDA-WSXR39111X24W-2.7K-240V-BL-10VDIM-A283 X B43.5 X C66 MM	1X24W	2700	240V	BLACK,WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	38	A283 X B43.5 X C66 MM	DIE CAST ALUMINUM	IP65	A283 X B43.5 X C66 MM	
73	MAZDA-WSXR39112X6W-3K-240V-BL-ND-A300 X B50 X C85 MM	2X6W	3000	240V	BLACK,WHITE & GREY	NON EMERGENCY	ON - OFF	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	
74	MAZDA-WSXR39112X6W-3K-240V-BL-DA-A300 X B50 X C85 MM	2X6W	3000	240V	BLACK,WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	
75	MAZDA-WSXR39112X6W-3K-240V-BL-PH-A300 X B50 X C85 MM	2X6W	3000	240V	BLACK,WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	
76	MAZDA-WSXR39112X6W-3K-240V-BL-10VDIM-A300 X B50 X C85 MM	2X6W	3000	240V	BLACK,WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	
77	MAZDA-WSXR39112X6W-4K-240V-BL-ND-A300 X B50 X C85 MM	2X6W	4000	240V	BLACK,WHITE & GREY	NON EMERGENCY	ON - OFF	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	
78	MAZDA-WSXR39112X6W-4K-240V-BL-DA-A300 X B50 X C85 MM	2X6W	4000	240V	BLACK,WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	



DATASHEET

GENERATED ON: 16 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
79	MAZDA-WSXR39112X6W-4K-240V-BL-PH-A300 X B50 X C85 MM	2X6W	4000	240V	BLACK,WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	
80	MAZDA-WSXR39112X6W-4K-240V-BL-10VDIM-A300 X B50 X C85 MM	2X6W	4000	240V	BLACK,WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	
81	MAZDA-WSXR39112X6W-5K-240V-BL-ND-A300 X B50 X C85 MM	2X6W	5000	240V	BLACK,WHITE & GREY	NON EMERGENCY	ON - OFF	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	
82	MAZDA-WSXR39112X6W-5K-240V-BL-DA-A300 X B50 X C85 MM	2X6W	5000	240V	BLACK,WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	
83	MAZDA-WSXR39112X6W-5K-240V-BL-PH-A300 X B50 X C85 MM	2X6W	5000	240V	BLACK,WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	
84	MAZDA-WSXR39112X6W-5K-240V-BL-10VDIM-A300 X B50 X C85 MM	2X6W	5000	240V	BLACK,WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	
85	MAZDA-WSXR39112X6W-6K-240V-BL-ND-A300 X B50 X C85 MM	2X6W	6000	240V	BLACK,WHITE & GREY	NON EMERGENCY	ON - OFF	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	
86	MAZDA-WSXR39112X6W-6K-240V-BL-DA-A300 X B50 X C85 MM	2X6W	6000	240V	BLACK,WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	
87	MAZDA-WSXR39112X6W-6K-240V-BL-PH-A300 X B50 X C85 MM	2X6W	6000	240V	BLACK,WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	
88	MAZDA-WSXR39112X6W-6K-240V-BL-10VDIM-A300 X B50 X C85 MM	2X6W	6000	240V	BLACK,WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	
89	MAZDA-WSXR39112X6W-6.5K-240V-BL-ND-A300 X B50 X C85 MM	2X6W	6500	240V	BLACK,WHITE & GREY	NON EMERGENCY	ON - OFF	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	
90	MAZDA-WSXR39112X6W-6.5K-240V-BL-DA-A300 X B50 X C85 MM	2X6W	6500	240V	BLACK,WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	
91	MAZDA-WSXR39112X6W-6.5K-240V-BL-PH-A300 X B50 X C85 MM	2X6W	6500	240V	BLACK,WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	
92	MAZDA-WSXR39112X6W-6.5K-240V-BL-10VDIM-A300 X B50 X C85 MM	2X6W	6500	240V	BLACK,WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	
93	MAZDA-WSXR39112X6W-2.7K-240V-BL-ND-A300 X B50 X C85 MM	2X6W	2700	240V	BLACK,WHITE & GREY	NON EMERGENCY	ON - OFF	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	
94	MAZDA-WSXR39112X6W-2.7K-240V-BL-DA-A300 X B50 X C85 MM	2X6W	2700	240V	BLACK,WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	
95	MAZDA-WSXR39112X6W-2.7K-240V-BL-PH-A300 X B50 X C85 MM	2X6W	2700	240V	BLACK,WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	
96	MAZDA-WSXR39112X6W-2.7K-240V-BL-10VDIM-A300 X B50 X C85 MM	2X6W	2700	240V	BLACK,WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	
97	MAZDA-WSXR39112X24W-3K-240V-BL-ND-A300 X B50 X C85 MM	2X24W	3000	240V	BLACK,WHITE & GREY	NON EMERGENCY	ON - OFF	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	
98	MAZDA-WSXR39112X24W-3K-240V-BL-DA-A300 X B50 X C85 MM	2X24W	3000	240V	BLACK,WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	
99	MAZDA-WSXR39112X24W-3K-240V-BL-PH-A300 X B50 X C85 MM	2X24W	3000	240V	BLACK,WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	
100	MAZDA-WSXR39112X24W-3K-240V-BL-10VDIM-A300 X B50 X C85 MM	2X24W	3000	240V	BLACK,WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	
101	MAZDA-WSXR39112X24W-4K-240V-BL-ND-A300 X B50 X C85 MM	2X24W	4000	240V	BLACK,WHITE & GREY	NON EMERGENCY	ON - OFF	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	
102	MAZDA-WSXR39112X24W-4K-240V-BL-DA-A300 X B50 X C85 MM	2X24W	4000	240V	BLACK,WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	
103	MAZDA-WSXR39112X24W-4K-240V-BL-PH-A300 X B50 X C85 MM	2X24W	4000	240V	BLACK,WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	
104	MAZDA-WSXR39112X24W-4K-240V-BL-10VDIM-A300 X B50 X C85 MM	2X24W	4000	240V	BLACK,WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	
105	MAZDA-WSXR39112X24W-5K-240V-BL-ND-A300 X B50 X C85 MM	2X24W	5000	240V	BLACK,WHITE & GREY	NON EMERGENCY	ON - OFF	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	
106	MAZDA-WSXR39112X24W-5K-240V-BL-DA-A300 X B50 X C85 MM	2X24W	5000	240V	BLACK,WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	
107	MAZDA-WSXR39112X24W-5K-240V-BL-PH-A300 X B50 X C85 MM	2X24W	5000	240V	BLACK,WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	
108	MAZDA-WSXR39112X24W-5K-240V-BL-10VDIM-A300 X B50 X C85 MM	2X24W	5000	240V	BLACK,WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	
109	MAZDA-WSXR39112X24W-6K-240V-BL-ND-A300 X B50 X C85 MM	2X24W	6000	240V	BLACK,WHITE & GREY	NON EMERGENCY	ON - OFF	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
110	MAZDA-WSXR39112X24W-6K-240V-BL-DA-A300 X B50 X C85 MM	2X24W	6000	240V	BLACK,WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	
111	MAZDA-WSXR39112X24W-6K-240V-BL-PH-A300 X B50 X C85 MM	2X24W	6000	240V	BLACK,WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	
112	MAZDA-WSXR39112X24W-6K-240V-BL-10VDIM-A300 X B50 X C85 MM	2X24W	6000	240V	BLACK,WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	
113	MAZDA-WSXR39112X24W-6.5K-240V-BL-ND-A300 X B50 X C85 MM	2X24W	6500	240V	BLACK,WHITE & GREY	NON EMERGENCY	ON - OFF	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	
114	MAZDA-WSXR39112X24W-6.5K-240V-BL-DA-A300 X B50 X C85 MM	2X24W	6500	240V	BLACK,WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	
115	MAZDA-WSXR39112X24W-6.5K-240V-BL-PH-A300 X B50 X C85 MM	2X24W	6500	240V	BLACK,WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	
116	MAZDA-WSXR39112X24W-6.5K-240V-BL-10VDIM-A300 X B50 X C85 MM	2X24W	6500	240V	BLACK,WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	
117	MAZDA-WSXR39112X24W-2.7K-240V-BL-ND-A300 X B50 X C85 MM	2X24W	2700	240V	BLACK,WHITE & GREY	NON EMERGENCY	ON - OFF	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	
118	MAZDA-WSXR39112X24W-2.7K-240V-BL-DA-A300 X B50 X C85 MM	2X24W	2700	240V	BLACK,WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	
119	MAZDA-WSXR39112X24W-2.7K-240V-BL-PH-A300 X B50 X C85 MM	2X24W	2700	240V	BLACK,WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	
120	MAZDA-WSXR39112X24W-2.7K-240V-BL-10VDIM-A300 X B50 X C85 MM	2X24W	2700	240V	BLACK,WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	38	A300 X B50 X C85 MM	DIE CAST ALUMINUM	IP65	A300 X B50 X C85 MM	