



GEA

MAZDA Model: **WSXR3742** External Wall Light

LED Fixture for illuminating common or outdoor areas near homes, is suitable for indoor and outdoor areas, with ceiling or wall installation where more intense and diffused lighting is required. It is particularly suited for lighting stairs, building entrance areas, corridors in shopping malls, shops, hotels & restaurants. Possibility of customizing it by changing the type of light source. The wide range of Mazda LED light sources with LED and CFL sources or even to transform it into emergency lighting

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
1	MAZDA-WSXR374215W-3K-240V-WH-ND-A170 X B170 X C55 MM	15W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	120	A170 X B170 X C55 MM	DIE CAST ALUMINUM	IP20	A170 X B170 X C55 MM	
2	MAZDA-WSXR374215W-3K-240V-WH-DA-A170 X B170 X C55 MM	15W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A170 X B170 X C55 MM	DIE CAST ALUMINUM	IP20	A170 X B170 X C55 MM	
3	MAZDA-WSXR374215W-3K-240V-WH-PH-A170 X B170 X C55 MM	15W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A170 X B170 X C55 MM	DIE CAST ALUMINUM	IP20	A170 X B170 X C55 MM	
4	MAZDA-WSXR374215W-3K-240V-WH-10VDIM-A170 X B170 X C55 MM	15W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A170 X B170 X C55 MM	DIE CAST ALUMINUM	IP20	A170 X B170 X C55 MM	
5	MAZDA-WSXR374215W-4K-240V-WH-ND-A170 X B170 X C55 MM	15W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	120	A170 X B170 X C55 MM	DIE CAST ALUMINUM	IP20	A170 X B170 X C55 MM	
6	MAZDA-WSXR374215W-4K-240V-WH-DA-A170 X B170 X C55 MM	15W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A170 X B170 X C55 MM	DIE CAST ALUMINUM	IP20	A170 X B170 X C55 MM	
7	MAZDA-WSXR374215W-4K-240V-WH-PH-A170 X B170 X C55 MM	15W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A170 X B170 X C55 MM	DIE CAST ALUMINUM	IP20	A170 X B170 X C55 MM	
8	MAZDA-WSXR374215W-4K-240V-WH-10VDIM-A170 X B170 X C55 MM	15W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A170 X B170 X C55 MM	DIE CAST ALUMINUM	IP20	A170 X B170 X C55 MM	
9	MAZDA-WSXR374215W-5K-240V-WH-ND-A170 X B170 X C55 MM	15W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	120	A170 X B170 X C55 MM	DIE CAST ALUMINUM	IP20	A170 X B170 X C55 MM	
10	MAZDA-WSXR374215W-5K-240V-WH-DA-A170 X B170 X C55 MM	15W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A170 X B170 X C55 MM	DIE CAST ALUMINUM	IP20	A170 X B170 X C55 MM	
11	MAZDA-WSXR374215W-5K-240V-WH-PH-A170 X B170 X C55 MM	15W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A170 X B170 X C55 MM	DIE CAST ALUMINUM	IP20	A170 X B170 X C55 MM	
12	MAZDA-WSXR374215W-5K-240V-WH-10VDIM-A170 X B170 X C55 MM	15W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A170 X B170 X C55 MM	DIE CAST ALUMINUM	IP20	A170 X B170 X C55 MM	
13	MAZDA-WSXR374215W-6K-240V-WH-ND-A170 X B170 X C55 MM	15W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	120	A170 X B170 X C55 MM	DIE CAST ALUMINUM	IP20	A170 X B170 X C55 MM	
14	MAZDA-WSXR374215W-6K-240V-WH-DA-A170 X B170 X C55 MM	15W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A170 X B170 X C55 MM	DIE CAST ALUMINUM	IP20	A170 X B170 X C55 MM	
15	MAZDA-WSXR374215W-6K-240V-WH-PH-A170 X B170 X C55 MM	15W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A170 X B170 X C55 MM	DIE CAST ALUMINUM	IP20	A170 X B170 X C55 MM	
16	MAZDA-WSXR374215W-6K-240V-WH-10VDIM-A170 X B170 X C55 MM	15W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A170 X B170 X C55 MM	DIE CAST ALUMINUM	IP20	A170 X B170 X C55 MM	
17	MAZDA-WSXR374215W-2.7K-240V-WH-ND-A170 X B170 X C55 MM	15W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	120	A170 X B170 X C55 MM	DIE CAST ALUMINUM	IP20	A170 X B170 X C55 MM	



DATASHEET

GENERATED ON: 16 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
18	MAZDA-WSXR374215W-2.7K-240V-WH-DA-A170 X B170 X C55 MM	15W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A170 X B170 X C55 MM	DIE CAST ALUMINUM	IP20	A170 X B170 X C55 MM	
19	MAZDA-WSXR374215W-2.7K-240V-WH-PH-A170 X B170 X C55 MM	15W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A170 X B170 X C55 MM	DIE CAST ALUMINUM	IP20	A170 X B170 X C55 MM	
20	MAZDA-WSXR374215W-2.7K-240V-WH-10VDIM-A170 X B170 X C55 MM	15W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A170 X B170 X C55 MM	DIE CAST ALUMINUM	IP20	A170 X B170 X C55 MM	
21	MAZDA-WSXR374215W-6.5K-240V-WH-ND-A170 X B170 X C55 MM	15W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	120	A170 X B170 X C55 MM	DIE CAST ALUMINUM	IP20	A170 X B170 X C55 MM	
22	MAZDA-WSXR374215W-6.5K-240V-WH-DA-A170 X B170 X C55 MM	15W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A170 X B170 X C55 MM	DIE CAST ALUMINUM	IP20	A170 X B170 X C55 MM	
23	MAZDA-WSXR374215W-6.5K-240V-WH-PH-A170 X B170 X C55 MM	15W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A170 X B170 X C55 MM	DIE CAST ALUMINUM	IP20	A170 X B170 X C55 MM	
24	MAZDA-WSXR374215W-6.5K-240V-WH-10VDIM-A170 X B170 X C55 MM	15W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A170 X B170 X C55 MM	DIE CAST ALUMINUM	IP20	A170 X B170 X C55 MM	
25	MAZDA-WSXR374220W-3K-240V-WH-ND-A220 X B220 X C55 MM	20W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	120	A220 X B220 X C55 MM	DIE CAST ALUMINUM	IP20	A220 X B220 X C55 MM	
26	MAZDA-WSXR374220W-3K-240V-WH-DA-A220 X B220 X C55 MM	20W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A220 X B220 X C55 MM	DIE CAST ALUMINUM	IP20	A220 X B220 X C55 MM	
27	MAZDA-WSXR374220W-3K-240V-WH-PH-A220 X B220 X C55 MM	20W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A220 X B220 X C55 MM	DIE CAST ALUMINUM	IP20	A220 X B220 X C55 MM	
28	MAZDA-WSXR374220W-3K-240V-WH-10VDIM-A220 X B220 X C55 MM	20W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A220 X B220 X C55 MM	DIE CAST ALUMINUM	IP20	A220 X B220 X C55 MM	
29	MAZDA-WSXR374220W-4K-240V-WH-ND-A220 X B220 X C55 MM	20W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	120	A220 X B220 X C55 MM	DIE CAST ALUMINUM	IP20	A220 X B220 X C55 MM	
30	MAZDA-WSXR374220W-4K-240V-WH-DA-A220 X B220 X C55 MM	20W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A220 X B220 X C55 MM	DIE CAST ALUMINUM	IP20	A220 X B220 X C55 MM	
31	MAZDA-WSXR374220W-4K-240V-WH-PH-A220 X B220 X C55 MM	20W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A220 X B220 X C55 MM	DIE CAST ALUMINUM	IP20	A220 X B220 X C55 MM	
32	MAZDA-WSXR374220W-4K-240V-WH-10VDIM-A220 X B220 X C55 MM	20W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A220 X B220 X C55 MM	DIE CAST ALUMINUM	IP20	A220 X B220 X C55 MM	
33	MAZDA-WSXR374220W-5K-240V-WH-ND-A220 X B220 X C55 MM	20W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	120	A220 X B220 X C55 MM	DIE CAST ALUMINUM	IP20	A220 X B220 X C55 MM	
34	MAZDA-WSXR374220W-5K-240V-WH-DA-A220 X B220 X C55 MM	20W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A220 X B220 X C55 MM	DIE CAST ALUMINUM	IP20	A220 X B220 X C55 MM	
35	MAZDA-WSXR374220W-5K-240V-WH-PH-A220 X B220 X C55 MM	20W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A220 X B220 X C55 MM	DIE CAST ALUMINUM	IP20	A220 X B220 X C55 MM	
36	MAZDA-WSXR374220W-5K-240V-WH-10VDIM-A220 X B220 X C55 MM	20W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A220 X B220 X C55 MM	DIE CAST ALUMINUM	IP20	A220 X B220 X C55 MM	
37	MAZDA-WSXR374220W-6K-240V-WH-ND-A220 X B220 X C55 MM	20W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	120	A220 X B220 X C55 MM	DIE CAST ALUMINUM	IP20	A220 X B220 X C55 MM	
38	MAZDA-WSXR374220W-6K-240V-WH-DA-A220 X B220 X C55 MM	20W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A220 X B220 X C55 MM	DIE CAST ALUMINUM	IP20	A220 X B220 X C55 MM	
39	MAZDA-WSXR374220W-6K-240V-WH-PH-A220 X B220 X C55 MM	20W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A220 X B220 X C55 MM	DIE CAST ALUMINUM	IP20	A220 X B220 X C55 MM	
40	MAZDA-WSXR374220W-6K-240V-WH-10VDIM-A220 X B220 X C55 MM	20W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A220 X B220 X C55 MM	DIE CAST ALUMINUM	IP20	A220 X B220 X C55 MM	
41	MAZDA-WSXR374220W-2.7K-240V-WH-ND-A220 X B220 X C55 MM	20W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	120	A220 X B220 X C55 MM	DIE CAST ALUMINUM	IP20	A220 X B220 X C55 MM	
42	MAZDA-WSXR374220W-2.7K-240V-WH-DA-A220 X B220 X C55 MM	20W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A220 X B220 X C55 MM	DIE CAST ALUMINUM	IP20	A220 X B220 X C55 MM	
43	MAZDA-WSXR374220W-2.7K-240V-WH-PH-A220 X B220 X C55 MM	20W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A220 X B220 X C55 MM	DIE CAST ALUMINUM	IP20	A220 X B220 X C55 MM	
44	MAZDA-WSXR374220W-2.7K-240V-WH-10VDIM-A220 X B220 X C55 MM	20W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A220 X B220 X C55 MM	DIE CAST ALUMINUM	IP20	A220 X B220 X C55 MM	
45	MAZDA-WSXR374220W-6.5K-240V-WH-ND-A220 X B220 X C55 MM	20W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	120	A220 X B220 X C55 MM	DIE CAST ALUMINUM	IP20	A220 X B220 X C55 MM	



DATASHEET

GENERATED ON: 16 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
46	MAZDA-WSXR374220W-6.5K-240V-WH-DA-A220 X B220 X C55 MM	20W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A220 X B220 X C55 MM	DIE CAST ALUMINUM	IP20	A220 X B220 X C55 MM	
47	MAZDA-WSXR374220W-6.5K-240V-WH-PH-A220 X B220 X C55 MM	20W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A220 X B220 X C55 MM	DIE CAST ALUMINUM	IP20	A220 X B220 X C55 MM	
48	MAZDA-WSXR374220W-6.5K-240V-WH-10VDIM-A220 X B220 X C55 MM	20W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A220 X B220 X C55 MM	DIE CAST ALUMINUM	IP20	A220 X B220 X C55 MM	
49	MAZDA-WSXR374230W-3K-240V-WH-ND-A300 X B300 X C55 MM	30W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	120	A300 X B300 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B300 X C55 MM	
50	MAZDA-WSXR374230W-3K-240V-WH-DA-A300 X B300 X C55 MM	30W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A300 X B300 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B300 X C55 MM	
51	MAZDA-WSXR374230W-3K-240V-WH-PH-A300 X B300 X C55 MM	30W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A300 X B300 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B300 X C55 MM	
52	MAZDA-WSXR374230W-3K-240V-WH-10VDIM-A300 X B300 X C55 MM	30W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A300 X B300 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B300 X C55 MM	
53	MAZDA-WSXR374230W-4K-240V-WH-ND-A300 X B300 X C55 MM	30W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	120	A300 X B300 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B300 X C55 MM	
54	MAZDA-WSXR374230W-4K-240V-WH-DA-A300 X B300 X C55 MM	30W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A300 X B300 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B300 X C55 MM	
55	MAZDA-WSXR374230W-4K-240V-WH-PH-A300 X B300 X C55 MM	30W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A300 X B300 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B300 X C55 MM	
56	MAZDA-WSXR374230W-4K-240V-WH-10VDIM-A300 X B300 X C55 MM	30W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A300 X B300 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B300 X C55 MM	
57	MAZDA-WSXR374230W-5K-240V-WH-ND-A300 X B300 X C55 MM	30W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	120	A300 X B300 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B300 X C55 MM	
58	MAZDA-WSXR374230W-5K-240V-WH-DA-A300 X B300 X C55 MM	30W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A300 X B300 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B300 X C55 MM	
59	MAZDA-WSXR374230W-5K-240V-WH-PH-A300 X B300 X C55 MM	30W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A300 X B300 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B300 X C55 MM	
60	MAZDA-WSXR374230W-5K-240V-WH-10VDIM-A300 X B300 X C55 MM	30W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A300 X B300 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B300 X C55 MM	
61	MAZDA-WSXR374230W-6K-240V-WH-ND-A300 X B300 X C55 MM	30W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	120	A300 X B300 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B300 X C55 MM	
62	MAZDA-WSXR374230W-6K-240V-WH-DA-A300 X B300 X C55 MM	30W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A300 X B300 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B300 X C55 MM	
63	MAZDA-WSXR374230W-6K-240V-WH-PH-A300 X B300 X C55 MM	30W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A300 X B300 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B300 X C55 MM	
64	MAZDA-WSXR374230W-6K-240V-WH-10VDIM-A300 X B300 X C55 MM	30W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A300 X B300 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B300 X C55 MM	
65	MAZDA-WSXR374230W-2.7K-240V-WH-ND-A300 X B300 X C55 MM	30W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	120	A300 X B300 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B300 X C55 MM	
66	MAZDA-WSXR374230W-2.7K-240V-WH-DA-A300 X B300 X C55 MM	30W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A300 X B300 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B300 X C55 MM	
67	MAZDA-WSXR374230W-2.7K-240V-WH-PH-A300 X B300 X C55 MM	30W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A300 X B300 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B300 X C55 MM	
68	MAZDA-WSXR374230W-2.7K-240V-WH-10VDIM-A300 X B300 X C55 MM	30W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A300 X B300 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B300 X C55 MM	
69	MAZDA-WSXR374230W-6.5K-240V-WH-ND-A300 X B300 X C55 MM	30W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	120	A300 X B300 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B300 X C55 MM	
70	MAZDA-WSXR374230W-6.5K-240V-WH-DA-A300 X B300 X C55 MM	30W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A300 X B300 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B300 X C55 MM	
71	MAZDA-WSXR374230W-6.5K-240V-WH-PH-A300 X B300 X C55 MM	30W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A300 X B300 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B300 X C55 MM	
72	MAZDA-WSXR374230W-6.5K-240V-WH-10VDIM-A300 X B300 X C55 MM	30W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A300 X B300 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B300 X C55 MM	
73	MAZDA-WSXR374250W-3K-240V-WH-ND-A400 X B400 X C55 MM	50W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	120	A400 X B400 X C55 MM	DIE CAST ALUMINUM	IP20	A400 X B400 X C55 MM	



DATASHEET

GENERATED ON: 16 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
74	MAZDA-WSXR374250W-3K-240V-WH-DA-A400 X B400 X C55 MM	50W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A400 X B400 X C55 MM	DIE CAST ALUMINUM	IP20	A400 X B400 X C55 MM	
75	MAZDA-WSXR374250W-3K-240V-WH-PH-A400 X B400 X C55 MM	50W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A400 X B400 X C55 MM	DIE CAST ALUMINUM	IP20	A400 X B400 X C55 MM	
76	MAZDA-WSXR374250W-3K-240V-WH-10VDIM-A400 X B400 X C55 MM	50W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A400 X B400 X C55 MM	DIE CAST ALUMINUM	IP20	A400 X B400 X C55 MM	
77	MAZDA-WSXR374250W-4K-240V-WH-ND-A400 X B400 X C55 MM	50W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	120	A400 X B400 X C55 MM	DIE CAST ALUMINUM	IP20	A400 X B400 X C55 MM	
78	MAZDA-WSXR374250W-4K-240V-WH-DA-A400 X B400 X C55 MM	50W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A400 X B400 X C55 MM	DIE CAST ALUMINUM	IP20	A400 X B400 X C55 MM	
79	MAZDA-WSXR374250W-4K-240V-WH-PH-A400 X B400 X C55 MM	50W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A400 X B400 X C55 MM	DIE CAST ALUMINUM	IP20	A400 X B400 X C55 MM	
80	MAZDA-WSXR374250W-4K-240V-WH-10VDIM-A400 X B400 X C55 MM	50W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A400 X B400 X C55 MM	DIE CAST ALUMINUM	IP20	A400 X B400 X C55 MM	
81	MAZDA-WSXR374250W-5K-240V-WH-ND-A400 X B400 X C55 MM	50W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	120	A400 X B400 X C55 MM	DIE CAST ALUMINUM	IP20	A400 X B400 X C55 MM	
82	MAZDA-WSXR374250W-5K-240V-WH-DA-A400 X B400 X C55 MM	50W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A400 X B400 X C55 MM	DIE CAST ALUMINUM	IP20	A400 X B400 X C55 MM	
83	MAZDA-WSXR374250W-5K-240V-WH-PH-A400 X B400 X C55 MM	50W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A400 X B400 X C55 MM	DIE CAST ALUMINUM	IP20	A400 X B400 X C55 MM	
84	MAZDA-WSXR374250W-5K-240V-WH-10VDIM-A400 X B400 X C55 MM	50W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A400 X B400 X C55 MM	DIE CAST ALUMINUM	IP20	A400 X B400 X C55 MM	
85	MAZDA-WSXR374250W-6K-240V-WH-ND-A400 X B400 X C55 MM	50W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	120	A400 X B400 X C55 MM	DIE CAST ALUMINUM	IP20	A400 X B400 X C55 MM	
86	MAZDA-WSXR374250W-6K-240V-WH-DA-A400 X B400 X C55 MM	50W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A400 X B400 X C55 MM	DIE CAST ALUMINUM	IP20	A400 X B400 X C55 MM	
87	MAZDA-WSXR374250W-6K-240V-WH-PH-A400 X B400 X C55 MM	50W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A400 X B400 X C55 MM	DIE CAST ALUMINUM	IP20	A400 X B400 X C55 MM	
88	MAZDA-WSXR374250W-6K-240V-WH-10VDIM-A400 X B400 X C55 MM	50W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A400 X B400 X C55 MM	DIE CAST ALUMINUM	IP20	A400 X B400 X C55 MM	
89	MAZDA-WSXR374250W-2.7K-240V-WH-ND-A400 X B400 X C55 MM	50W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	120	A400 X B400 X C55 MM	DIE CAST ALUMINUM	IP20	A400 X B400 X C55 MM	
90	MAZDA-WSXR374250W-2.7K-240V-WH-DA-A400 X B400 X C55 MM	50W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A400 X B400 X C55 MM	DIE CAST ALUMINUM	IP20	A400 X B400 X C55 MM	
91	MAZDA-WSXR374250W-2.7K-240V-WH-PH-A400 X B400 X C55 MM	50W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A400 X B400 X C55 MM	DIE CAST ALUMINUM	IP20	A400 X B400 X C55 MM	
92	MAZDA-WSXR374250W-2.7K-240V-WH-10VDIM-A400 X B400 X C55 MM	50W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A400 X B400 X C55 MM	DIE CAST ALUMINUM	IP20	A400 X B400 X C55 MM	
93	MAZDA-WSXR374250W-6.5K-240V-WH-ND-A400 X B400 X C55 MM	50W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	120	A400 X B400 X C55 MM	DIE CAST ALUMINUM	IP20	A400 X B400 X C55 MM	
94	MAZDA-WSXR374250W-6.5K-240V-WH-DA-A400 X B400 X C55 MM	50W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A400 X B400 X C55 MM	DIE CAST ALUMINUM	IP20	A400 X B400 X C55 MM	
95	MAZDA-WSXR374250W-6.5K-240V-WH-PH-A400 X B400 X C55 MM	50W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A400 X B400 X C55 MM	DIE CAST ALUMINUM	IP20	A400 X B400 X C55 MM	
96	MAZDA-WSXR374250W-6.5K-240V-WH-10VDIM-A400 X B400 X C55 MM	50W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A400 X B400 X C55 MM	DIE CAST ALUMINUM	IP20	A400 X B400 X C55 MM	
97	MAZDA-WSXR374260W-3K-240V-WH-ND-A300 X B600 X C55 MM	60W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	120	A300 X B600 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B600 X C55 MM	
98	MAZDA-WSXR374260W-3K-240V-WH-DA-A300 X B600 X C55 MM	60W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A300 X B600 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B600 X C55 MM	
99	MAZDA-WSXR374260W-3K-240V-WH-PH-A300 X B600 X C55 MM	60W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A300 X B600 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B600 X C55 MM	
100	MAZDA-WSXR374260W-3K-240V-WH-10VDIM-A300 X B600 X C55 MM	60W	3000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A300 X B600 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B600 X C55 MM	
101	MAZDA-WSXR374260W-4K-240V-WH-ND-A300 X B600 X C55 MM	60W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	120	A300 X B600 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B600 X C55 MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
102	MAZDA-WSXR374260W-4K-240V-WH-DA-A300 X B600 X C55 MM	60W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A300 X B600 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B600 X C55 MM	
103	MAZDA-WSXR374260W-4K-240V-WH-PH-A300 X B600 X C55 MM	60W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A300 X B600 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B600 X C55 MM	
104	MAZDA-WSXR374260W-4K-240V-WH-10VDIM-A300 X B600 X C55 MM	60W	4000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A300 X B600 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B600 X C55 MM	
105	MAZDA-WSXR374260W-5K-240V-WH-ND-A300 X B600 X C55 MM	60W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	120	A300 X B600 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B600 X C55 MM	
106	MAZDA-WSXR374260W-5K-240V-WH-DA-A300 X B600 X C55 MM	60W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A300 X B600 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B600 X C55 MM	
107	MAZDA-WSXR374260W-5K-240V-WH-PH-A300 X B600 X C55 MM	60W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A300 X B600 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B600 X C55 MM	
108	MAZDA-WSXR374260W-5K-240V-WH-10VDIM-A300 X B600 X C55 MM	60W	5000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A300 X B600 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B600 X C55 MM	
109	MAZDA-WSXR374260W-6K-240V-WH-ND-A300 X B600 X C55 MM	60W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	120	A300 X B600 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B600 X C55 MM	
110	MAZDA-WSXR374260W-6K-240V-WH-DA-A300 X B600 X C55 MM	60W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A300 X B600 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B600 X C55 MM	
111	MAZDA-WSXR374260W-6K-240V-WH-PH-A300 X B600 X C55 MM	60W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A300 X B600 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B600 X C55 MM	
112	MAZDA-WSXR374260W-6K-240V-WH-10VDIM-A300 X B600 X C55 MM	60W	6000	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A300 X B600 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B600 X C55 MM	
113	MAZDA-WSXR374260W-2.7K-240V-WH-ND-A300 X B600 X C55 MM	60W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	120	A300 X B600 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B600 X C55 MM	
114	MAZDA-WSXR374260W-2.7K-240V-WH-DA-A300 X B600 X C55 MM	60W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A300 X B600 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B600 X C55 MM	
115	MAZDA-WSXR374260W-2.7K-240V-WH-PH-A300 X B600 X C55 MM	60W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A300 X B600 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B600 X C55 MM	
116	MAZDA-WSXR374260W-2.7K-240V-WH-10VDIM-A300 X B600 X C55 MM	60W	2700	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A300 X B600 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B600 X C55 MM	
117	MAZDA-WSXR374260W-6.5K-240V-WH-ND-A300 X B600 X C55 MM	60W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	ON - OFF	120	A300 X B600 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B600 X C55 MM	
118	MAZDA-WSXR374260W-6.5K-240V-WH-DA-A300 X B600 X C55 MM	60W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A300 X B600 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B600 X C55 MM	
119	MAZDA-WSXR374260W-6.5K-240V-WH-PH-A300 X B600 X C55 MM	60W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A300 X B600 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B600 X C55 MM	
120	MAZDA-WSXR374260W-6.5K-240V-WH-10VDIM-A300 X B600 X C55 MM	60W	6500	240V	WHITE, BLACK & DARK-GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A300 X B600 X C55 MM	DIE CAST ALUMINUM	IP20	A300 X B600 X C55 MM	