



ELA

MAZDA Model: WXR3310 External Wall Light

Decorative Ceiling LED light with this 3-CCT surface mounted luminaires, you can match the light to your mood. It is designed for general lighting applications in office, supermarket, shop, school, hotel, etc

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
1	MAZDA-WXR331015W-6K-240V-WH-10VDIM-A300 X B80 MM	15W	6000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
2	MAZDA-WXR331015W-6K-240V-WH-PH-A300 X B80 MM	15W	6000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
3	MAZDA-WXR331015W-6K-240V-WH-DA-A300 X B80 MM	15W	6000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
4	MAZDA-WXR331015W-6K-240V-WH-ND-A300 X B80 MM	15W	6000	240V	WHITE	NON EMERGENCY	ON - OFF	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
5	MAZDA-WXR331015W-5K-240V-WH-10VDIM-A300 X B80 MM	15W	5000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
6	MAZDA-WXR331015W-5K-240V-WH-PH-A300 X B80 MM	15W	5000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
7	MAZDA-WXR331015W-5K-240V-WH-DA-A300 X B80 MM	15W	5000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
8	MAZDA-WXR331015W-5K-240V-WH-ND-A300 X B80 MM	15W	5000	240V	WHITE	NON EMERGENCY	ON - OFF	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
9	MAZDA-WXR331015W-4K-240V-WH-10VDIM-A300 X B80 MM	15W	4000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
10	MAZDA-WXR331015W-4K-240V-WH-PH-A300 X B80 MM	15W	4000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
11	MAZDA-WXR331015W-4K-240V-WH-DA-A300 X B80 MM	15W	4000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
12	MAZDA-WXR331015W-4K-240V-WH-ND-A300 X B80 MM	15W	4000	240V	WHITE	NON EMERGENCY	ON - OFF	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
13	MAZDA-WXR331015W-3K-240V-WH-10VDIM-A300 X B80 MM	15W	3000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
14	MAZDA-WXR331015W-3K-240V-WH-PH-A300 X B80 MM	15W	3000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
15	MAZDA-WXR331015W-3K-240V-WH-DA-A300 X B80 MM	15W	3000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
16	MAZDA-WXR331015W-3K-240V-WH-ND-A300 X B80 MM	15W	3000	240V	WHITE	NON EMERGENCY	ON - OFF	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
17	MAZDA-WXR331015W-2.7K-240V-WH-10VDIM-A300 X B80 MM	15W	2700	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	



DATASHEET

GENERATED ON: 16 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angle	Dimension	Material	IP	Dimensions	Price
18	MAZDA-WXR331015W-2.7K-240V-WH-PH-A300 X B80 MM	15W	2700	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
19	MAZDA-WXR331015W-2.7K-240V-WH-DA-A300 X B80 MM	15W	2700	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
20	MAZDA-WXR331015W-2.7K-240V-WH-ND-A300 X B80 MM	15W	2700	240V	WHITE	NON EMERGENCY	ON - OFF	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
21	MAZDA-WXR331015W-6.5K-240V-WH-10VDIM-A300 X B80 MM	15W	6500	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
22	MAZDA-WXR331015W-6.5K-240V-WH-PH-A300 X B80 MM	15W	6500	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
23	MAZDA-WXR331015W-6.5K-240V-WH-DA-A300 X B80 MM	15W	6500	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
24	MAZDA-WXR331015W-6.5K-240V-WH-ND-A300 X B80 MM	15W	6500	240V	WHITE	NON EMERGENCY	ON - OFF	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
25	MAZDA-WXR331018W-6K-240V-WH-10VDIM-A300 X B80 MM	18W	6000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
26	MAZDA-WXR331018W-6K-240V-WH-PH-A300 X B80 MM	18W	6000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
27	MAZDA-WXR331018W-6K-240V-WH-DA-A300 X B80 MM	18W	6000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
28	MAZDA-WXR331018W-6K-240V-WH-ND-A300 X B80 MM	18W	6000	240V	WHITE	NON EMERGENCY	ON - OFF	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
29	MAZDA-WXR331018W-5K-240V-WH-10VDIM-A300 X B80 MM	18W	5000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
30	MAZDA-WXR331018W-5K-240V-WH-PH-A300 X B80 MM	18W	5000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
31	MAZDA-WXR331018W-5K-240V-WH-DA-A300 X B80 MM	18W	5000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
32	MAZDA-WXR331018W-5K-240V-WH-ND-A300 X B80 MM	18W	5000	240V	WHITE	NON EMERGENCY	ON - OFF	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
33	MAZDA-WXR331018W-4K-240V-WH-10VDIM-A300 X B80 MM	18W	4000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
34	MAZDA-WXR331018W-4K-240V-WH-PH-A300 X B80 MM	18W	4000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
35	MAZDA-WXR331018W-4K-240V-WH-DA-A300 X B80 MM	18W	4000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
36	MAZDA-WXR331018W-4K-240V-WH-ND-A300 X B80 MM	18W	4000	240V	WHITE	NON EMERGENCY	ON - OFF	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
37	MAZDA-WXR331018W-3K-240V-WH-10VDIM-A300 X B80 MM	18W	3000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
38	MAZDA-WXR331018W-3K-240V-WH-PH-A300 X B80 MM	18W	3000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
39	MAZDA-WXR331018W-3K-240V-WH-DA-A300 X B80 MM	18W	3000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
40	MAZDA-WXR331018W-3K-240V-WH-ND-A300 X B80 MM	18W	3000	240V	WHITE	NON EMERGENCY	ON - OFF	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
41	MAZDA-WXR331018W-2.7K-240V-WH-10VDIM-A300 X B80 MM	18W	2700	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
42	MAZDA-WXR331018W-2.7K-240V-WH-PH-A300 X B80 MM	18W	2700	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
43	MAZDA-WXR331018W-2.7K-240V-WH-DA-A300 X B80 MM	18W	2700	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
44	MAZDA-WXR331018W-2.7K-240V-WH-ND-A300 X B80 MM	18W	2700	240V	WHITE	NON EMERGENCY	ON - OFF	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
45	MAZDA-WXR331018W-6.5K-240V-WH-10VDIM-A300 X B80 MM	18W	6500	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	



DATASHEET

GENERATED ON: 16 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
46	MAZDA-WXR331018W-6.5K-240V-WH-PH-A300 X B80 MM	18W	6500	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
47	MAZDA-WXR331018W-6.5K-240V-WH-DA-A300 X B80 MM	18W	6500	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
48	MAZDA-WXR331018W-6.5K-240V-WH-ND-A300 X B80 MM	18W	6500	240V	WHITE	NON EMERGENCY	ON - OFF	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
49	MAZDA-WXR331020W-6K-240V-WH-10VDIM-A300 X B80 MM	20W	6000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
50	MAZDA-WXR331020W-6K-240V-WH-PH-A300 X B80 MM	20W	6000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
51	MAZDA-WXR331020W-6K-240V-WH-DA-A300 X B80 MM	20W	6000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
52	MAZDA-WXR331020W-6K-240V-WH-ND-A300 X B80 MM	20W	6000	240V	WHITE	NON EMERGENCY	ON - OFF	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
53	MAZDA-WXR331020W-5K-240V-WH-10VDIM-A300 X B80 MM	20W	5000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
54	MAZDA-WXR331020W-5K-240V-WH-PH-A300 X B80 MM	20W	5000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
55	MAZDA-WXR331020W-5K-240V-WH-DA-A300 X B80 MM	20W	5000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
56	MAZDA-WXR331020W-5K-240V-WH-ND-A300 X B80 MM	20W	5000	240V	WHITE	NON EMERGENCY	ON - OFF	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
57	MAZDA-WXR331020W-4K-240V-WH-10VDIM-A300 X B80 MM	20W	4000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
58	MAZDA-WXR331020W-4K-240V-WH-PH-A300 X B80 MM	20W	4000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
59	MAZDA-WXR331020W-4K-240V-WH-DA-A300 X B80 MM	20W	4000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
60	MAZDA-WXR331020W-4K-240V-WH-ND-A300 X B80 MM	20W	4000	240V	WHITE	NON EMERGENCY	ON - OFF	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
61	MAZDA-WXR331020W-3K-240V-WH-10VDIM-A300 X B80 MM	20W	3000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
62	MAZDA-WXR331020W-3K-240V-WH-PH-A300 X B80 MM	20W	3000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
63	MAZDA-WXR331020W-3K-240V-WH-DA-A300 X B80 MM	20W	3000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
64	MAZDA-WXR331020W-3K-240V-WH-ND-A300 X B80 MM	20W	3000	240V	WHITE	NON EMERGENCY	ON - OFF	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
65	MAZDA-WXR331020W-2.7K-240V-WH-10VDIM-A300 X B80 MM	20W	2700	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
66	MAZDA-WXR331020W-2.7K-240V-WH-PH-A300 X B80 MM	20W	2700	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
67	MAZDA-WXR331020W-2.7K-240V-WH-DA-A300 X B80 MM	20W	2700	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
68	MAZDA-WXR331020W-2.7K-240V-WH-ND-A300 X B80 MM	20W	2700	240V	WHITE	NON EMERGENCY	ON - OFF	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
69	MAZDA-WXR331020W-6.5K-240V-WH-10VDIM-A300 X B80 MM	20W	6500	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
70	MAZDA-WXR331020W-6.5K-240V-WH-PH-A300 X B80 MM	20W	6500	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
71	MAZDA-WXR331020W-6.5K-240V-WH-DA-A300 X B80 MM	20W	6500	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
72	MAZDA-WXR331020W-6.5K-240V-WH-ND-A300 X B80 MM	20W	6500	240V	WHITE	NON EMERGENCY	ON - OFF	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
73	MAZDA-WXR331025W-6K-240V-WH-10VDIM-A300 X B80 MM	25W	6000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	



DATASHEET

GENERATED ON: 16 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
74	MAZDA-WXR331025W-6K-240V-WH-PH-A300 X B80 MM	25W	6000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
75	MAZDA-WXR331025W-6K-240V-WH-DA-A300 X B80 MM	25W	6000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
76	MAZDA-WXR331025W-6K-240V-WH-ND-A300 X B80 MM	25W	6000	240V	WHITE	NON EMERGENCY	ON - OFF	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
77	MAZDA-WXR331025W-5K-240V-WH-10VDIM-A300 X B80 MM	25W	5000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
78	MAZDA-WXR331025W-5K-240V-WH-PH-A300 X B80 MM	25W	5000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
79	MAZDA-WXR331025W-5K-240V-WH-DA-A300 X B80 MM	25W	5000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
80	MAZDA-WXR331025W-5K-240V-WH-ND-A300 X B80 MM	25W	5000	240V	WHITE	NON EMERGENCY	ON - OFF	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
81	MAZDA-WXR331025W-4K-240V-WH-10VDIM-A300 X B80 MM	25W	4000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
82	MAZDA-WXR331025W-4K-240V-WH-PH-A300 X B80 MM	25W	4000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
83	MAZDA-WXR331025W-4K-240V-WH-DA-A300 X B80 MM	25W	4000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
84	MAZDA-WXR331025W-4K-240V-WH-ND-A300 X B80 MM	25W	4000	240V	WHITE	NON EMERGENCY	ON - OFF	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
85	MAZDA-WXR331025W-3K-240V-WH-10VDIM-A300 X B80 MM	25W	3000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
86	MAZDA-WXR331025W-3K-240V-WH-PH-A300 X B80 MM	25W	3000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
87	MAZDA-WXR331025W-3K-240V-WH-DA-A300 X B80 MM	25W	3000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
88	MAZDA-WXR331025W-3K-240V-WH-ND-A300 X B80 MM	25W	3000	240V	WHITE	NON EMERGENCY	ON - OFF	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
89	MAZDA-WXR331025W-2.7K-240V-WH-10VDIM-A300 X B80 MM	25W	2700	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
90	MAZDA-WXR331025W-2.7K-240V-WH-PH-A300 X B80 MM	25W	2700	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
91	MAZDA-WXR331025W-2.7K-240V-WH-DA-A300 X B80 MM	25W	2700	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
92	MAZDA-WXR331025W-2.7K-240V-WH-ND-A300 X B80 MM	25W	2700	240V	WHITE	NON EMERGENCY	ON - OFF	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
93	MAZDA-WXR331025W-6.5K-240V-WH-10VDIM-A300 X B80 MM	25W	6500	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
94	MAZDA-WXR331025W-6.5K-240V-WH-PH-A300 X B80 MM	25W	6500	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
95	MAZDA-WXR331025W-6.5K-240V-WH-DA-A300 X B80 MM	25W	6500	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
96	MAZDA-WXR331025W-6.5K-240V-WH-ND-A300 X B80 MM	25W	6500	240V	WHITE	NON EMERGENCY	ON - OFF	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
97	MAZDA-WXR331030W-6K-240V-WH-10VDIM-A300 X B80 MM	30W	6000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
98	MAZDA-WXR331030W-6K-240V-WH-PH-A300 X B80 MM	30W	6000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
99	MAZDA-WXR331030W-6K-240V-WH-DA-A300 X B80 MM	30W	6000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
100	MAZDA-WXR331030W-6K-240V-WH-ND-A300 X B80 MM	30W	6000	240V	WHITE	NON EMERGENCY	ON - OFF	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
101	MAZDA-WXR331030W-5K-240V-WH-10VDIM-A300 X B80 MM	30W	5000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	



DATASHEET

GENERATED ON: 16 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
102	MAZDA-WXR331030W-5K-240V-WH-PH-A300 X B80 MM	30W	5000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
103	MAZDA-WXR331030W-5K-240V-WH-DA-A300 X B80 MM	30W	5000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
104	MAZDA-WXR331030W-5K-240V-WH-ND-A300 X B80 MM	30W	5000	240V	WHITE	NON EMERGENCY	ON - OFF	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
105	MAZDA-WXR331030W-4K-240V-WH-10VDIM-A300 X B80 MM	30W	4000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
106	MAZDA-WXR331030W-4K-240V-WH-PH-A300 X B80 MM	30W	4000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
107	MAZDA-WXR331030W-4K-240V-WH-DA-A300 X B80 MM	30W	4000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
108	MAZDA-WXR331030W-4K-240V-WH-ND-A300 X B80 MM	30W	4000	240V	WHITE	NON EMERGENCY	ON - OFF	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
109	MAZDA-WXR331030W-3K-240V-WH-10VDIM-A300 X B80 MM	30W	3000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
110	MAZDA-WXR331030W-3K-240V-WH-PH-A300 X B80 MM	30W	3000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
111	MAZDA-WXR331030W-3K-240V-WH-DA-A300 X B80 MM	30W	3000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
112	MAZDA-WXR331030W-3K-240V-WH-ND-A300 X B80 MM	30W	3000	240V	WHITE	NON EMERGENCY	ON - OFF	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
113	MAZDA-WXR331030W-2.7K-240V-WH-10VDIM-A300 X B80 MM	30W	2700	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
114	MAZDA-WXR331030W-2.7K-240V-WH-PH-A300 X B80 MM	30W	2700	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
115	MAZDA-WXR331030W-2.7K-240V-WH-DA-A300 X B80 MM	30W	2700	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
116	MAZDA-WXR331030W-2.7K-240V-WH-ND-A300 X B80 MM	30W	2700	240V	WHITE	NON EMERGENCY	ON - OFF	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
117	MAZDA-WXR331030W-6.5K-240V-WH-10VDIM-A300 X B80 MM	30W	6500	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
118	MAZDA-WXR331030W-6.5K-240V-WH-PH-A300 X B80 MM	30W	6500	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
119	MAZDA-WXR331030W-6.5K-240V-WH-DA-A300 X B80 MM	30W	6500	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
120	MAZDA-WXR331030W-6.5K-240V-WH-ND-A300 X B80 MM	30W	6500	240V	WHITE	NON EMERGENCY	ON - OFF	90	A300 X B80 MM	CHROME STEEL	IP20	A300 X B80 MM	
121	MAZDA-WXR331040W-6K-240V-WH-10VDIM-A400 X B105 MM	40W	6000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	
122	MAZDA-WXR331040W-6K-240V-WH-PH-A400 X B105 MM	40W	6000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	
123	MAZDA-WXR331040W-6K-240V-WH-DA-A400 X B105 MM	40W	6000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	
124	MAZDA-WXR331040W-6K-240V-WH-ND-A400 X B105 MM	40W	6000	240V	WHITE	NON EMERGENCY	ON - OFF	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	
125	MAZDA-WXR331040W-5K-240V-WH-10VDIM-A400 X B105 MM	40W	5000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	
126	MAZDA-WXR331040W-5K-240V-WH-PH-A400 X B105 MM	40W	5000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	
127	MAZDA-WXR331040W-5K-240V-WH-DA-A400 X B105 MM	40W	5000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	
128	MAZDA-WXR331040W-5K-240V-WH-ND-A400 X B105 MM	40W	5000	240V	WHITE	NON EMERGENCY	ON - OFF	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	
129	MAZDA-WXR331040W-4K-240V-WH-10VDIM-A400 X B105 MM	40W	4000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	



DATASHEET

GENERATED ON: 16 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
130	MAZDA-WXR331040W-4K-240V-WH-PH-A400 X B105 MM	40W	4000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	
131	MAZDA-WXR331040W-4K-240V-WH-DA-A400 X B105 MM	40W	4000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	
132	MAZDA-WXR331040W-4K-240V-WH-ND-A400 X B105 MM	40W	4000	240V	WHITE	NON EMERGENCY	ON - OFF	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	
133	MAZDA-WXR331040W-3K-240V-WH-10VDIM-A400 X B105 MM	40W	3000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	
134	MAZDA-WXR331040W-3K-240V-WH-PH-A400 X B105 MM	40W	3000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	
135	MAZDA-WXR331040W-3K-240V-WH-DA-A400 X B105 MM	40W	3000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	
136	MAZDA-WXR331040W-3K-240V-WH-ND-A400 X B105 MM	40W	3000	240V	WHITE	NON EMERGENCY	ON - OFF	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	
137	MAZDA-WXR331040W-2.7K-240V-WH-10VDIM-A400 X B105 MM	40W	2700	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	
138	MAZDA-WXR331040W-2.7K-240V-WH-PH-A400 X B105 MM	40W	2700	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	
139	MAZDA-WXR331040W-2.7K-240V-WH-DA-A400 X B105 MM	40W	2700	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	
140	MAZDA-WXR331040W-2.7K-240V-WH-ND-A400 X B105 MM	40W	2700	240V	WHITE	NON EMERGENCY	ON - OFF	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	
141	MAZDA-WXR331040W-6.5K-240V-WH-10VDIM-A400 X B105 MM	40W	6500	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	
142	MAZDA-WXR331040W-6.5K-240V-WH-PH-A400 X B105 MM	40W	6500	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	
143	MAZDA-WXR331040W-6.5K-240V-WH-DA-A400 X B105 MM	40W	6500	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	
144	MAZDA-WXR331040W-6.5K-240V-WH-ND-A400 X B105 MM	40W	6500	240V	WHITE	NON EMERGENCY	ON - OFF	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	
145	MAZDA-WXR331050W-6K-240V-WH-10VDIM-A400 X B105 MM	50W	6000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	
146	MAZDA-WXR331050W-6K-240V-WH-PH-A400 X B105 MM	50W	6000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	
147	MAZDA-WXR331050W-6K-240V-WH-DA-A400 X B105 MM	50W	6000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	
148	MAZDA-WXR331050W-6K-240V-WH-ND-A400 X B105 MM	50W	6000	240V	WHITE	NON EMERGENCY	ON - OFF	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	
149	MAZDA-WXR331050W-5K-240V-WH-10VDIM-A400 X B105 MM	50W	5000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	
150	MAZDA-WXR331050W-5K-240V-WH-PH-A400 X B105 MM	50W	5000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	
151	MAZDA-WXR331050W-5K-240V-WH-DA-A400 X B105 MM	50W	5000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	
152	MAZDA-WXR331050W-5K-240V-WH-ND-A400 X B105 MM	50W	5000	240V	WHITE	NON EMERGENCY	ON - OFF	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	
153	MAZDA-WXR331050W-4K-240V-WH-10VDIM-A400 X B105 MM	50W	4000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	
154	MAZDA-WXR331050W-4K-240V-WH-PH-A400 X B105 MM	50W	4000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	
155	MAZDA-WXR331050W-4K-240V-WH-DA-A400 X B105 MM	50W	4000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	
156	MAZDA-WXR331050W-4K-240V-WH-ND-A400 X B105 MM	50W	4000	240V	WHITE	NON EMERGENCY	ON - OFF	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	
157	MAZDA-WXR331050W-3K-240V-WH-10VDIM-A400 X B105 MM	50W	3000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
158	MAZDA-WXR331050W-3K-240V-WH-PH-A400 X B105 MM	50W	3000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	
159	MAZDA-WXR331050W-3K-240V-WH-DA-A400 X B105 MM	50W	3000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	
160	MAZDA-WXR331050W-3K-240V-WH-ND-A400 X B105 MM	50W	3000	240V	WHITE	NON EMERGENCY	ON - OFF	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	
161	MAZDA-WXR331050W-2.7K-240V-WH-10VDIM-A400 X B105 MM	50W	2700	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	
162	MAZDA-WXR331050W-2.7K-240V-WH-PH-A400 X B105 MM	50W	2700	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	
163	MAZDA-WXR331050W-2.7K-240V-WH-DA-A400 X B105 MM	50W	2700	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	
164	MAZDA-WXR331050W-2.7K-240V-WH-ND-A400 X B105 MM	50W	2700	240V	WHITE	NON EMERGENCY	ON - OFF	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	
165	MAZDA-WXR331050W-6.5K-240V-WH-10VDIM-A400 X B105 MM	50W	6500	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	
166	MAZDA-WXR331050W-6.5K-240V-WH-PH-A400 X B105 MM	50W	6500	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	
167	MAZDA-WXR331050W-6.5K-240V-WH-DA-A400 X B105 MM	50W	6500	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	
168	MAZDA-WXR331050W-6.5K-240V-WH-ND-A400 X B105 MM	50W	6500	240V	WHITE	NON EMERGENCY	ON - OFF	90	A400 X B105 MM	CHROME STEEL	IP20	A400 X B105 MM	