



DORY

MAZDA Model: WSXR3758 External Wall Light

Dory highly efficient LED system provides excellent result in luminous flux, light brightness, light uniformity and light pleasantness. Available in up or up and down light option. Dory LED wall light looks fabulous at the entrance to any modern home, with its light that can optionally be used either side of a door way for a beautiful framing effect.

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
1	MAZDA-WSXR37582X7W-3K-240V-WH-10VDIM-A86 X B200 MM	2X7W	3000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
2	MAZDA-WSXR37582X7W-3K-240V-WH-PH-A86 X B200 MM	2X7W	3000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
3	MAZDA-WSXR37582X7W-3K-240V-WH-DA-A86 X B200 MM	2X7W	3000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
4	MAZDA-WSXR37582X7W-3K-240V-WH-ND-A86 X B200 MM	2X7W	3000	240V	WHITE	NON EMERGENCY	ON - OFF	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
5	MAZDA-WSXR37582X7W-4K-240V-WH-10VDIM-A86 X B200 MM	2X7W	4000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
6	MAZDA-WSXR37582X7W-4K-240V-WH-PH-A86 X B200 MM	2X7W	4000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
7	MAZDA-WSXR37582X7W-4K-240V-WH-DA-A86 X B200 MM	2X7W	4000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
8	MAZDA-WSXR37582X7W-4K-240V-WH-ND-A86 X B200 MM	2X7W	4000	240V	WHITE	NON EMERGENCY	ON - OFF	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
9	MAZDA-WSXR37582X7W-5K-240V-WH-10VDIM-A86 X B200 MM	2X7W	5000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
10	MAZDA-WSXR37582X7W-5K-240V-WH-PH-A86 X B200 MM	2X7W	5000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
11	MAZDA-WSXR37582X7W-5K-240V-WH-DA-A86 X B200 MM	2X7W	5000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
12	MAZDA-WSXR37582X7W-5K-240V-WH-ND-A86 X B200 MM	2X7W	5000	240V	WHITE	NON EMERGENCY	ON - OFF	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
13	MAZDA-WSXR37582X7W-6K-240V-WH-10VDIM-A86 X B200 MM	2X7W	6000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
14	MAZDA-WSXR37582X7W-6K-240V-WH-PH-A86 X B200 MM	2X7W	6000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
15	MAZDA-WSXR37582X7W-6K-240V-WH-DA-A86 X B200 MM	2X7W	6000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
16	MAZDA-WSXR37582X7W-6K-240V-WH-ND-A86 X B200 MM	2X7W	6000	240V	WHITE	NON EMERGENCY	ON - OFF	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
17	MAZDA-WSXR37582X7W-2.7K-240V-WH-10VDIM-A86 X B200 MM	2X7W	2700	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	



DATASHEET

GENERATED ON: 16 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
18	MAZDA-WSXR37582X7W-2.7K-240V-WH-PH-A86 X B200 MM	2X7W	2700	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
19	MAZDA-WSXR37582X7W-2.7K-240V-WH-DA-A86 X B200 MM	2X7W	2700	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
20	MAZDA-WSXR37582X7W-2.7K-240V-WH-ND-A86 X B200 MM	2X7W	2700	240V	WHITE	NON EMERGENCY	ON - OFF	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
21	MAZDA-WSXR37582X7W-6.5K-240V-WH-10VDIM-A86 X B200 MM	2X7W	6500	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
22	MAZDA-WSXR37582X7W-6.5K-240V-WH-PH-A86 X B200 MM	2X7W	6500	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
23	MAZDA-WSXR37582X7W-6.5K-240V-WH-DA-A86 X B200 MM	2X7W	6500	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
24	MAZDA-WSXR37582X7W-6.5K-240V-WH-ND-A86 X B200 MM	2X7W	6500	240V	WHITE	NON EMERGENCY	ON - OFF	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
25	MAZDA-WSXR37582X9W-3K-240V-WH-10VDIM-A86 X B200 MM	2X9W	3000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
26	MAZDA-WSXR37582X9W-3K-240V-WH-PH-A86 X B200 MM	2X9W	3000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
27	MAZDA-WSXR37582X9W-3K-240V-WH-DA-A86 X B200 MM	2X9W	3000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
28	MAZDA-WSXR37582X9W-3K-240V-WH-ND-A86 X B200 MM	2X9W	3000	240V	WHITE	NON EMERGENCY	ON - OFF	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
29	MAZDA-WSXR37582X9W-4K-240V-WH-10VDIM-A86 X B200 MM	2X9W	4000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
30	MAZDA-WSXR37582X9W-4K-240V-WH-PH-A86 X B200 MM	2X9W	4000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
31	MAZDA-WSXR37582X9W-4K-240V-WH-DA-A86 X B200 MM	2X9W	4000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
32	MAZDA-WSXR37582X9W-4K-240V-WH-ND-A86 X B200 MM	2X9W	4000	240V	WHITE	NON EMERGENCY	ON - OFF	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
33	MAZDA-WSXR37582X9W-5K-240V-WH-10VDIM-A86 X B200 MM	2X9W	5000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
34	MAZDA-WSXR37582X9W-5K-240V-WH-PH-A86 X B200 MM	2X9W	5000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
35	MAZDA-WSXR37582X9W-5K-240V-WH-DA-A86 X B200 MM	2X9W	5000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
36	MAZDA-WSXR37582X9W-5K-240V-WH-ND-A86 X B200 MM	2X9W	5000	240V	WHITE	NON EMERGENCY	ON - OFF	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
37	MAZDA-WSXR37582X9W-6K-240V-WH-10VDIM-A86 X B200 MM	2X9W	6000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
38	MAZDA-WSXR37582X9W-6K-240V-WH-PH-A86 X B200 MM	2X9W	6000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
39	MAZDA-WSXR37582X9W-6K-240V-WH-DA-A86 X B200 MM	2X9W	6000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
40	MAZDA-WSXR37582X9W-6K-240V-WH-ND-A86 X B200 MM	2X9W	6000	240V	WHITE	NON EMERGENCY	ON - OFF	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
41	MAZDA-WSXR37582X9W-2.7K-240V-WH-10VDIM-A86 X B200 MM	2X9W	2700	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
42	MAZDA-WSXR37582X9W-2.7K-240V-WH-PH-A86 X B200 MM	2X9W	2700	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
43	MAZDA-WSXR37582X9W-2.7K-240V-WH-DA-A86 X B200 MM	2X9W	2700	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
44	MAZDA-WSXR37582X9W-2.7K-240V-WH-ND-A86 X B200 MM	2X9W	2700	240V	WHITE	NON EMERGENCY	ON - OFF	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
45	MAZDA-WSXR37582X9W-6.5K-240V-WH-10VDIM-A86 X B200 MM	2X9W	6500	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
46	MAZDA-WSXR37582X9W-6.5K-240V-WH-PH-A86 X B200 MM	2X9W	6500	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angle	Dimension	Material	IP	Dimensions	Price
47	MAZDA-WSXR37582X9W-6.5K-240V-WH-DA-A86 X B200 MM	2X9W	6500	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
48	MAZDA-WSXR37582X9W-6.5K-240V-WH-ND-A86 X B200 MM	2X9W	6500	240V	WHITE	NON EMERGENCY	ON - OFF	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
49	MAZDA-WSXR37582X12W-3K-240V-WH-10VDIM-A86 X B200 MM	2X12W	3000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
50	MAZDA-WSXR37582X12W-3K-240V-WH-PH-A86 X B200 MM	2X12W	3000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
51	MAZDA-WSXR37582X12W-3K-240V-WH-DA-A86 X B200 MM	2X12W	3000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
52	MAZDA-WSXR37582X12W-3K-240V-WH-ND-A86 X B200 MM	2X12W	3000	240V	WHITE	NON EMERGENCY	ON - OFF	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
53	MAZDA-WSXR37582X12W-4K-240V-WH-10VDIM-A86 X B200 MM	2X12W	4000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
54	MAZDA-WSXR37582X12W-4K-240V-WH-PH-A86 X B200 MM	2X12W	4000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
55	MAZDA-WSXR37582X12W-4K-240V-WH-DA-A86 X B200 MM	2X12W	4000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
56	MAZDA-WSXR37582X12W-4K-240V-WH-ND-A86 X B200 MM	2X12W	4000	240V	WHITE	NON EMERGENCY	ON - OFF	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
57	MAZDA-WSXR37582X12W-5K-240V-WH-10VDIM-A86 X B200 MM	2X12W	5000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
58	MAZDA-WSXR37582X12W-5K-240V-WH-PH-A86 X B200 MM	2X12W	5000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
59	MAZDA-WSXR37582X12W-5K-240V-WH-DA-A86 X B200 MM	2X12W	5000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
60	MAZDA-WSXR37582X12W-5K-240V-WH-ND-A86 X B200 MM	2X12W	5000	240V	WHITE	NON EMERGENCY	ON - OFF	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
61	MAZDA-WSXR37582X12W-6K-240V-WH-10VDIM-A86 X B200 MM	2X12W	6000	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
62	MAZDA-WSXR37582X12W-6K-240V-WH-PH-A86 X B200 MM	2X12W	6000	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
63	MAZDA-WSXR37582X12W-6K-240V-WH-DA-A86 X B200 MM	2X12W	6000	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
64	MAZDA-WSXR37582X12W-6K-240V-WH-ND-A86 X B200 MM	2X12W	6000	240V	WHITE	NON EMERGENCY	ON - OFF	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
65	MAZDA-WSXR37582X12W-2.7K-240V-WH-10VDIM-A86 X B200 MM	2X12W	2700	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
66	MAZDA-WSXR37582X12W-2.7K-240V-WH-PH-A86 X B200 MM	2X12W	2700	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
67	MAZDA-WSXR37582X12W-2.7K-240V-WH-DA-A86 X B200 MM	2X12W	2700	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
68	MAZDA-WSXR37582X12W-2.7K-240V-WH-ND-A86 X B200 MM	2X12W	2700	240V	WHITE	NON EMERGENCY	ON - OFF	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
69	MAZDA-WSXR37582X12W-6.5K-240V-WH-10VDIM-A86 X B200 MM	2X12W	6500	240V	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
70	MAZDA-WSXR37582X12W-6.5K-240V-WH-PH-A86 X B200 MM	2X12W	6500	240V	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
71	MAZDA-WSXR37582X12W-6.5K-240V-WH-DA-A86 X B200 MM	2X12W	6500	240V	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	
72	MAZDA-WSXR37582X12W-6.5K-240V-WH-ND-A86 X B200 MM	2X12W	6500	240V	WHITE	NON EMERGENCY	ON - OFF	10	A86 X B200 MM	DIE CAST ALUMINUM	IP66	A86 X B200 MM	