



DIAMOND

MAZDA Model: WXR3775 External Wall Light

LED Fixture for illuminating common or outdoor areas near homes, is suitable for indoor and outdoor areas, with ceiling or wall installation where more intense and diffused lighting is required.

It is particularly suited for lighting stairs, building entrance areas, corridors in shopping malls, shops, hotels & restaurants. Possibility of customizing it by changing the type of light source.

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
1	MAZDA-WXR377508W-3K-240V-BL-10VDIM-A280 X B160 X 130MM	08W	3000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
2	MAZDA-WXR377508W-3K-240V-BL-PH-A280 X B160 X 130MM	08W	3000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
3	MAZDA-WXR377508W-3K-240V-BL-DA-A280 X B160 X 130MM	08W	3000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
4	MAZDA-WXR377508W-3K-240V-BL-ND-A280 X B160 X 130MM	08W	3000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	ON - OFF	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
5	MAZDA-WXR377508W-4K-240V-BL-10VDIM-A280 X B160 X 130MM	08W	4000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
6	MAZDA-WXR377508W-4K-240V-BL-PH-A280 X B160 X 130MM	08W	4000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
7	MAZDA-WXR377508W-4K-240V-BL-DA-A280 X B160 X 130MM	08W	4000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
8	MAZDA-WXR377508W-4K-240V-BL-ND-A280 X B160 X 130MM	08W	4000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	ON - OFF	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
9	MAZDA-WXR377508W-5K-240V-BL-10VDIM-A280 X B160 X 130MM	08W	5000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
10	MAZDA-WXR377508W-5K-240V-BL-PH-A280 X B160 X 130MM	08W	5000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	



DATASHEET

GENERATED ON: 16 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
11	MAZDA-WXR377508W-5K-240V-BL-DA-A280 X B160 X 130MM	08W	5000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
12	MAZDA-WXR377508W-5K-240V-BL-ND-A280 X B160 X 130MM	08W	5000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	ON - OFF	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
13	MAZDA-WXR377508W-6K-240V-BL-10VDIM-A280 X B160 X 130MM	08W	6000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
14	MAZDA-WXR377508W-6K-240V-BL-PH-A280 X B160 X 130MM	08W	6000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
15	MAZDA-WXR377508W-6K-240V-BL-DA-A280 X B160 X 130MM	08W	6000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
16	MAZDA-WXR377508W-6K-240V-BL-ND-A280 X B160 X 130MM	08W	6000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	ON - OFF	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
17	MAZDA-WXR377508W-6.5K-240V-BL-10VDIM-A280 X B160 X 130MM	08W	6500	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
18	MAZDA-WXR377508W-6.5K-240V-BL-PH-A280 X B160 X 130MM	08W	6500	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
19	MAZDA-WXR377508W-6.5K-240V-BL-DA-A280 X B160 X 130MM	08W	6500	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
20	MAZDA-WXR377508W-6.5K-240V-BL-ND-A280 X B160 X 130MM	08W	6500	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	ON - OFF	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
21	MAZDA-WXR377508W-2.7K-240V-BL-10VDIM-A280 X B160 X 130MM	08W	2700	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
22	MAZDA-WXR377508W-2.7K-240V-BL-PH-A280 X B160 X 130MM	08W	2700	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
23	MAZDA-WXR377508W-2.7K-240V-BL-DA-A280 X B160 X 130MM	08W	2700	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
24	MAZDA-WXR377508W-2.7K-240V-BL-ND-A280 X B160 X 130MM	08W	2700	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	ON - OFF	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
25	MAZDA-WXR377524W-3K-240V-BL-10VDIM-A280 X B160 X 130MM	24W	3000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
26	MAZDA-WXR377524W-3K-240V-BL-PH-A280 X B160 X 130MM	24W	3000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	



DATASHEET

GENERATED ON: 16 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
27	MAZDA-WXR377524W-3K-240V-BL-DA-A280 X B160 X 130MM	24W	3000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
28	MAZDA-WXR377524W-3K-240V-BL-ND-A280 X B160 X 130MM	24W	3000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	ON - OFF	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
29	MAZDA-WXR377524W-4K-240V-BL-10VDIM-A280 X B160 X 130MM	24W	4000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
30	MAZDA-WXR377524W-4K-240V-BL-PH-A280 X B160 X 130MM	24W	4000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
31	MAZDA-WXR377524W-4K-240V-BL-DA-A280 X B160 X 130MM	24W	4000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
32	MAZDA-WXR377524W-4K-240V-BL-ND-A280 X B160 X 130MM	24W	4000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	ON - OFF	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
33	MAZDA-WXR377524W-5K-240V-BL-10VDIM-A280 X B160 X 130MM	24W	5000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
34	MAZDA-WXR377524W-5K-240V-BL-PH-A280 X B160 X 130MM	24W	5000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
35	MAZDA-WXR377524W-5K-240V-BL-DA-A280 X B160 X 130MM	24W	5000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
36	MAZDA-WXR377524W-5K-240V-BL-ND-A280 X B160 X 130MM	24W	5000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	ON - OFF	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
37	MAZDA-WXR377524W-6K-240V-BL-10VDIM-A280 X B160 X 130MM	24W	6000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
38	MAZDA-WXR377524W-6K-240V-BL-PH-A280 X B160 X 130MM	24W	6000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
39	MAZDA-WXR377524W-6K-240V-BL-DA-A280 X B160 X 130MM	24W	6000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
40	MAZDA-WXR377524W-6K-240V-BL-ND-A280 X B160 X 130MM	24W	6000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	ON - OFF	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
41	MAZDA-WXR377524W-6.5K-240V-BL-10VDIM-A280 X B160 X 130MM	24W	6500	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
42	MAZDA-WXR377524W-6.5K-240V-BL-PH-A280 X B160 X 130MM	24W	6500	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	



DATASHEET

GENERATED ON: 16 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
43	MAZDA-WXR377524W-6.5K-240V-BL-DA-A280 X B160 X 130MM	24W	6500	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
44	MAZDA-WXR377524W-6.5K-240V-BL-ND-A280 X B160 X 130MM	24W	6500	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	ON - OFF	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
45	MAZDA-WXR377524W-2.7K-240V-BL-10VDIM-A280 X B160 X 130MM	24W	2700	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
46	MAZDA-WXR377524W-2.7K-240V-BL-PH-A280 X B160 X 130MM	24W	2700	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
47	MAZDA-WXR377524W-2.7K-240V-BL-DA-A280 X B160 X 130MM	24W	2700	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
48	MAZDA-WXR377524W-2.7K-240V-BL-ND-A280 X B160 X 130MM	24W	2700	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	ON - OFF	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
49	MAZDA-WXR377530W-3K-240V-BL-10VDIM-A280 X B160 X 130MM	30W	3000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
50	MAZDA-WXR377530W-3K-240V-BL-PH-A280 X B160 X 130MM	30W	3000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
51	MAZDA-WXR377530W-3K-240V-BL-DA-A280 X B160 X 130MM	30W	3000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
52	MAZDA-WXR377530W-3K-240V-BL-ND-A280 X B160 X 130MM	30W	3000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	ON - OFF	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
53	MAZDA-WXR377530W-4K-240V-BL-10VDIM-A280 X B160 X 130MM	30W	4000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
54	MAZDA-WXR377530W-4K-240V-BL-PH-A280 X B160 X 130MM	30W	4000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
55	MAZDA-WXR377530W-4K-240V-BL-DA-A280 X B160 X 130MM	30W	4000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
56	MAZDA-WXR377530W-4K-240V-BL-ND-A280 X B160 X 130MM	30W	4000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	ON - OFF	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
57	MAZDA-WXR377530W-5K-240V-BL-10VDIM-A280 X B160 X 130MM	30W	5000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
58	MAZDA-WXR377530W-5K-240V-BL-PH-A280 X B160 X 130MM	30W	5000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
59	MAZDA-WXR377530W-5K-240V-BL-DA-A280 X B160 X 130MM	30W	5000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
60	MAZDA-WXR377530W-5K-240V-BL-ND-A280 X B160 X 130MM	30W	5000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	ON - OFF	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
61	MAZDA-WXR377530W-6K-240V-BL-10VDIM-A280 X B160 X 130MM	30W	6000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
62	MAZDA-WXR377530W-6K-240V-BL-PH-A280 X B160 X 130MM	30W	6000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
63	MAZDA-WXR377530W-6K-240V-BL-DA-A280 X B160 X 130MM	30W	6000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
64	MAZDA-WXR377530W-6K-240V-BL-ND-A280 X B160 X 130MM	30W	6000	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	ON - OFF	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
65	MAZDA-WXR377530W-6.5K-240V-BL-10VDIM-A280 X B160 X 130MM	30W	6500	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
66	MAZDA-WXR377530W-6.5K-240V-BL-PH-A280 X B160 X 130MM	30W	6500	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
67	MAZDA-WXR377530W-6.5K-240V-BL-DA-A280 X B160 X 130MM	30W	6500	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
68	MAZDA-WXR377530W-6.5K-240V-BL-ND-A280 X B160 X 130MM	30W	6500	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	ON - OFF	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
69	MAZDA-WXR377530W-2.7K-240V-BL-10VDIM-A280 X B160 X 130MM	30W	2700	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
70	MAZDA-WXR377530W-2.7K-240V-BL-PH-A280 X B160 X 130MM	30W	2700	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
71	MAZDA-WXR377530W-2.7K-240V-BL-DA-A280 X B160 X 130MM	30W	2700	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	
72	MAZDA-WXR377530W-2.7K-240V-BL-ND-A280 X B160 X 130MM	30W	2700	240V	BLACK, WHITE & DARK GREY	NON EMERGENCY	ON - OFF	90	A280 X B160 X 130MM	DIE CAST ALUMINUM	IP65	A280 X B160 X 130MM	