




BRITE

MAZDA Model: SIXR2011 External Wall Light

Unique Cylinder lamp adopts straightforward design with stylish appearance with high quality COB LED chip with high lumen and pure color. The AL6063 Aluminum radiator in sand blast oxidation treatment provides excellent heat dissipation and corrosion resistance. The built-in power supply with high conversion efficiency is stable and reliable. It is very suitable for star hotel, restaurant, shopping mall, villa, residence and other high-end projects.

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
1	MAZDA-SIXR201107W-3K-240V-WH-10VDIM-MM 001B X 07A	07W	3000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	MM 001B X 07A	DIE CAST ALUMINUM	IP65	MM 001B X 07A	
2	MAZDA-SIXR201107W-3K-240V-WH-PH-MM 001B X 07A	07W	3000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	MM 001B X 07A	DIE CAST ALUMINUM	IP65	MM 001B X 07A	
3	MAZDA-SIXR201107W-3K-240V-WH-DA-MM 001B X 07A	07W	3000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	MM 001B X 07A	DIE CAST ALUMINUM	IP65	MM 001B X 07A	
4	MAZDA-SIXR201107W-3K-240V-WH-ND-MM 001B X 07A	07W	3000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	MM 001B X 07A	DIE CAST ALUMINUM	IP65	MM 001B X 07A	
5	MAZDA-SIXR201107W-4K-240V-WH-10VDIM-MM 001B X 07A	07W	4000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	MM 001B X 07A	DIE CAST ALUMINUM	IP65	MM 001B X 07A	
6	MAZDA-SIXR201107W-4K-240V-WH-PH-MM 001B X 07A	07W	4000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	MM 001B X 07A	DIE CAST ALUMINUM	IP65	MM 001B X 07A	
7	MAZDA-SIXR201107W-4K-240V-WH-DA-MM 001B X 07A	07W	4000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	MM 001B X 07A	DIE CAST ALUMINUM	IP65	MM 001B X 07A	
8	MAZDA-SIXR201107W-4K-240V-WH-ND-MM 001B X 07A	07W	4000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	MM 001B X 07A	DIE CAST ALUMINUM	IP65	MM 001B X 07A	
9	MAZDA-SIXR201107W-5K-240V-WH-10VDIM-MM 001B X 07A	07W	5000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	MM 001B X 07A	DIE CAST ALUMINUM	IP65	MM 001B X 07A	
10	MAZDA-SIXR201107W-5K-240V-WH-PH-MM 001B X 07A	07W	5000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	MM 001B X 07A	DIE CAST ALUMINUM	IP65	MM 001B X 07A	
11	MAZDA-SIXR201107W-5K-240V-WH-DA-MM 001B X 07A	07W	5000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	MM 001B X 07A	DIE CAST ALUMINUM	IP65	MM 001B X 07A	
12	MAZDA-SIXR201107W-5K-240V-WH-ND-MM 001B X 07A	07W	5000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	MM 001B X 07A	DIE CAST ALUMINUM	IP65	MM 001B X 07A	
13	MAZDA-SIXR201107W-6K-240V-WH-10VDIM-MM 001B X 07A	07W	6000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	MM 001B X 07A	DIE CAST ALUMINUM	IP65	MM 001B X 07A	
14	MAZDA-SIXR201107W-6K-240V-WH-PH-MM 001B X 07A	07W	6000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	MM 001B X 07A	DIE CAST ALUMINUM	IP65	MM 001B X 07A	
15	MAZDA-SIXR201107W-6K-240V-WH-DA-MM 001B X 07A	07W	6000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	MM 001B X 07A	DIE CAST ALUMINUM	IP65	MM 001B X 07A	
16	MAZDA-SIXR201107W-6K-240V-WH-ND-MM 001B X 07A	07W	6000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	MM 001B X 07A	DIE CAST ALUMINUM	IP65	MM 001B X 07A	



DATASHEET

GENERATED ON: 17 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
17	MAZDA-SIXR201107W-2.7K-240V-WH-10VDIM-MM 001B X 07A	07W	2700	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	MM 001B X 07A	DIE CAST ALUMINUM	IP65	MM 001B X 07A	
18	MAZDA-SIXR201107W-2.7K-240V-WH-PH-MM 001B X 07A	07W	2700	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	MM 001B X 07A	DIE CAST ALUMINUM	IP65	MM 001B X 07A	
19	MAZDA-SIXR201107W-2.7K-240V-WH-DA-MM 001B X 07A	07W	2700	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	MM 001B X 07A	DIE CAST ALUMINUM	IP65	MM 001B X 07A	
20	MAZDA-SIXR201107W-2.7K-240V-WH-ND-MM 001B X 07A	07W	2700	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	MM 001B X 07A	DIE CAST ALUMINUM	IP65	MM 001B X 07A	
21	MAZDA-SIXR201107W-6.5K-240V-WH-10VDIM-MM 001B X 07A	07W	6500	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	MM 001B X 07A	DIE CAST ALUMINUM	IP65	MM 001B X 07A	
22	MAZDA-SIXR201107W-6.5K-240V-WH-PH-MM 001B X 07A	07W	6500	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	MM 001B X 07A	DIE CAST ALUMINUM	IP65	MM 001B X 07A	
23	MAZDA-SIXR201107W-6.5K-240V-WH-DA-MM 001B X 07A	07W	6500	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	MM 001B X 07A	DIE CAST ALUMINUM	IP65	MM 001B X 07A	
24	MAZDA-SIXR201107W-6.5K-240V-WH-ND-MM 001B X 07A	07W	6500	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	MM 001B X 07A	DIE CAST ALUMINUM	IP65	MM 001B X 07A	
25	MAZDA-SIXR201112W-3K-240V-WH-10VDIM-MM 021B X 09A	12W	3000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	
26	MAZDA-SIXR201112W-3K-240V-WH-PH-MM 021B X 09A	12W	3000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	
27	MAZDA-SIXR201112W-3K-240V-WH-DA-MM 021B X 09A	12W	3000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	
28	MAZDA-SIXR201112W-3K-240V-WH-ND-MM 021B X 09A	12W	3000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	
29	MAZDA-SIXR201112W-4K-240V-WH-10VDIM-MM 021B X 09A	12W	4000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	
30	MAZDA-SIXR201112W-4K-240V-WH-PH-MM 021B X 09A	12W	4000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	
31	MAZDA-SIXR201112W-4K-240V-WH-DA-MM 021B X 09A	12W	4000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	
32	MAZDA-SIXR201112W-4K-240V-WH-ND-MM 021B X 09A	12W	4000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	
33	MAZDA-SIXR201112W-5K-240V-WH-10VDIM-MM 021B X 09A	12W	5000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	
34	MAZDA-SIXR201112W-5K-240V-WH-PH-MM 021B X 09A	12W	5000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	
35	MAZDA-SIXR201112W-5K-240V-WH-DA-MM 021B X 09A	12W	5000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	
36	MAZDA-SIXR201112W-5K-240V-WH-ND-MM 021B X 09A	12W	5000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	
37	MAZDA-SIXR201112W-6K-240V-WH-10VDIM-MM 021B X 09A	12W	6000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	
38	MAZDA-SIXR201112W-6K-240V-WH-PH-MM 021B X 09A	12W	6000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	
39	MAZDA-SIXR201112W-6K-240V-WH-DA-MM 021B X 09A	12W	6000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	
40	MAZDA-SIXR201112W-6K-240V-WH-ND-MM 021B X 09A	12W	6000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	
41	MAZDA-SIXR201112W-2.7K-240V-WH-10VDIM-MM 021B X 09A	12W	2700	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	
42	MAZDA-SIXR201112W-2.7K-240V-WH-PH-MM 021B X 09A	12W	2700	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	



DATASHEET

GENERATED ON: 17 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
43	MAZDA-SIXR201112W-2.7K-240V-WH-DA-MM 021B X 09A	12W	2700	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	
44	MAZDA-SIXR201112W-2.7K-240V-WH-ND-MM 021B X 09A	12W	2700	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	
45	MAZDA-SIXR201112W-6.5K-240V-WH-10VDIM-MM 021B X 09A	12W	6500	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	
46	MAZDA-SIXR201112W-6.5K-240V-WH-PH-MM 021B X 09A	12W	6500	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	
47	MAZDA-SIXR201112W-6.5K-240V-WH-DA-MM 021B X 09A	12W	6500	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	
48	MAZDA-SIXR201112W-6.5K-240V-WH-ND-MM 021B X 09A	12W	6500	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	
49	MAZDA-SIXR201115W-3K-240V-WH-10VDIM-MM 021B X 09A	15W	3000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	
50	MAZDA-SIXR201115W-3K-240V-WH-PH-MM 021B X 09A	15W	3000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	
51	MAZDA-SIXR201115W-3K-240V-WH-DA-MM 021B X 09A	15W	3000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	
52	MAZDA-SIXR201115W-3K-240V-WH-ND-MM 021B X 09A	15W	3000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	
53	MAZDA-SIXR201115W-4K-240V-WH-10VDIM-MM 021B X 09A	15W	4000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	
54	MAZDA-SIXR201115W-4K-240V-WH-PH-MM 021B X 09A	15W	4000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	
55	MAZDA-SIXR201115W-4K-240V-WH-DA-MM 021B X 09A	15W	4000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	
56	MAZDA-SIXR201115W-4K-240V-WH-ND-MM 021B X 09A	15W	4000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	
57	MAZDA-SIXR201115W-5K-240V-WH-10VDIM-MM 021B X 09A	15W	5000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	
58	MAZDA-SIXR201115W-5K-240V-WH-PH-MM 021B X 09A	15W	5000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	
59	MAZDA-SIXR201115W-5K-240V-WH-DA-MM 021B X 09A	15W	5000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	
60	MAZDA-SIXR201115W-5K-240V-WH-ND-MM 021B X 09A	15W	5000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	
61	MAZDA-SIXR201115W-6K-240V-WH-10VDIM-MM 021B X 09A	15W	6000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	
62	MAZDA-SIXR201115W-6K-240V-WH-PH-MM 021B X 09A	15W	6000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	
63	MAZDA-SIXR201115W-6K-240V-WH-DA-MM 021B X 09A	15W	6000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	
64	MAZDA-SIXR201115W-6K-240V-WH-ND-MM 021B X 09A	15W	6000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	
65	MAZDA-SIXR201115W-2.7K-240V-WH-10VDIM-MM 021B X 09A	15W	2700	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	
66	MAZDA-SIXR201115W-2.7K-240V-WH-PH-MM 021B X 09A	15W	2700	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	
67	MAZDA-SIXR201115W-2.7K-240V-WH-DA-MM 021B X 09A	15W	2700	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	
68	MAZDA-SIXR201115W-2.7K-240V-WH-ND-MM 021B X 09A	15W	2700	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	



DATASHEET

GENERATED ON: 17 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
69	MAZDA-SIXR201115W-6.5K-240V-WH-10VDIM-MM 021B X 09A	15W	6500	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	
70	MAZDA-SIXR201115W-6.5K-240V-WH-PH-MM 021B X 09A	15W	6500	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	
71	MAZDA-SIXR201115W-6.5K-240V-WH-DA-MM 021B X 09A	15W	6500	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	
72	MAZDA-SIXR201115W-6.5K-240V-WH-ND-MM 021B X 09A	15W	6500	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	MM 021B X 09A	DIE CAST ALUMINUM	IP65	MM 021B X 09A	
73	MAZDA-SIXR201118W-3K-240V-WH-10VDIM-MM 531B X 501A	18W	3000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	
74	MAZDA-SIXR201118W-3K-240V-WH-PH-MM 531B X 501A	18W	3000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	
75	MAZDA-SIXR201118W-3K-240V-WH-DA-MM 531B X 501A	18W	3000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	
76	MAZDA-SIXR201118W-3K-240V-WH-ND-MM 531B X 501A	18W	3000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	
77	MAZDA-SIXR201118W-4K-240V-WH-10VDIM-MM 531B X 501A	18W	4000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	
78	MAZDA-SIXR201118W-4K-240V-WH-PH-MM 531B X 501A	18W	4000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	
79	MAZDA-SIXR201118W-4K-240V-WH-DA-MM 531B X 501A	18W	4000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	
80	MAZDA-SIXR201118W-4K-240V-WH-ND-MM 531B X 501A	18W	4000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	
81	MAZDA-SIXR201118W-5K-240V-WH-10VDIM-MM 531B X 501A	18W	5000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	
82	MAZDA-SIXR201118W-5K-240V-WH-PH-MM 531B X 501A	18W	5000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	
83	MAZDA-SIXR201118W-5K-240V-WH-DA-MM 531B X 501A	18W	5000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	
84	MAZDA-SIXR201118W-5K-240V-WH-ND-MM 531B X 501A	18W	5000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	
85	MAZDA-SIXR201118W-6K-240V-WH-10VDIM-MM 531B X 501A	18W	6000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	
86	MAZDA-SIXR201118W-6K-240V-WH-PH-MM 531B X 501A	18W	6000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	
87	MAZDA-SIXR201118W-6K-240V-WH-DA-MM 531B X 501A	18W	6000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	
88	MAZDA-SIXR201118W-6K-240V-WH-ND-MM 531B X 501A	18W	6000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	
89	MAZDA-SIXR201118W-2.7K-240V-WH-10VDIM-MM 531B X 501A	18W	2700	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	
90	MAZDA-SIXR201118W-2.7K-240V-WH-PH-MM 531B X 501A	18W	2700	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	
91	MAZDA-SIXR201118W-2.7K-240V-WH-DA-MM 531B X 501A	18W	2700	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	
92	MAZDA-SIXR201118W-2.7K-240V-WH-ND-MM 531B X 501A	18W	2700	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	
93	MAZDA-SIXR201118W-6.5K-240V-WH-10VDIM-MM 531B X 501A	18W	6500	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	
94	MAZDA-SIXR201118W-6.5K-240V-WH-PH-MM 531B X 501A	18W	6500	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
95	MAZDA-SIXR201118W-6.5K-240V-WH-DA-MM 531B X 501A	18W	6500	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	
96	MAZDA-SIXR201118W-6.5K-240V-WH-ND-MM 531B X 501A	18W	6500	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	
97	MAZDA-SIXR201120W-3K-240V-WH-10VDIM-MM 531B X 501A	20W	3000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	
98	MAZDA-SIXR201120W-3K-240V-WH-PH-MM 531B X 501A	20W	3000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	
99	MAZDA-SIXR201120W-3K-240V-WH-DA-MM 531B X 501A	20W	3000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	
100	MAZDA-SIXR201120W-3K-240V-WH-ND-MM 531B X 501A	20W	3000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	
101	MAZDA-SIXR201120W-4K-240V-WH-10VDIM-MM 531B X 501A	20W	4000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	
102	MAZDA-SIXR201120W-4K-240V-WH-PH-MM 531B X 501A	20W	4000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	
103	MAZDA-SIXR201120W-4K-240V-WH-DA-MM 531B X 501A	20W	4000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	
104	MAZDA-SIXR201120W-4K-240V-WH-ND-MM 531B X 501A	20W	4000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	
105	MAZDA-SIXR201120W-5K-240V-WH-10VDIM-MM 531B X 501A	20W	5000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	
106	MAZDA-SIXR201120W-5K-240V-WH-PH-MM 531B X 501A	20W	5000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	
107	MAZDA-SIXR201120W-5K-240V-WH-DA-MM 531B X 501A	20W	5000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	
108	MAZDA-SIXR201120W-5K-240V-WH-ND-MM 531B X 501A	20W	5000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	
109	MAZDA-SIXR201120W-6K-240V-WH-10VDIM-MM 531B X 501A	20W	6000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	
110	MAZDA-SIXR201120W-6K-240V-WH-PH-MM 531B X 501A	20W	6000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	
111	MAZDA-SIXR201120W-6K-240V-WH-DA-MM 531B X 501A	20W	6000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	
112	MAZDA-SIXR201120W-6K-240V-WH-ND-MM 531B X 501A	20W	6000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	
113	MAZDA-SIXR201120W-2.7K-240V-WH-10VDIM-MM 531B X 501A	20W	2700	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	
114	MAZDA-SIXR201120W-2.7K-240V-WH-PH-MM 531B X 501A	20W	2700	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	
115	MAZDA-SIXR201120W-2.7K-240V-WH-DA-MM 531B X 501A	20W	2700	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	
116	MAZDA-SIXR201120W-2.7K-240V-WH-ND-MM 531B X 501A	20W	2700	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	
117	MAZDA-SIXR201120W-6.5K-240V-WH-10VDIM-MM 531B X 501A	20W	6500	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	
118	MAZDA-SIXR201120W-6.5K-240V-WH-PH-MM 531B X 501A	20W	6500	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	
119	MAZDA-SIXR201120W-6.5K-240V-WH-DA-MM 531B X 501A	20W	6500	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	
120	MAZDA-SIXR201120W-6.5K-240V-WH-ND-MM 531B X 501A	20W	6500	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	20	MM 531B X 501A	DIE CAST ALUMINUM	IP65	MM 531B X 501A	