



ABRA

MAZDA Model: WSXR3780 External Wall Light

Wall pack lights, otherwise known as exterior building lights are special kinds of lights designed to be mounted on the outside part of commercial building walls. This Wall packs are designed with high intensity lamp heads that are energy efficient, durable and with low level of light pollution. Among the benefits of this light is its ability to illuminate specific areas outside the building.

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
1	MAZDA-WSXR378010W-3K-240-BL-10VDIM-A250 X B110 X C85MM	10W	3000	240	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	
2	MAZDA-WSXR378010W-3K-240-BL-PH-A250 X B110 X C85MM	10W	3000	240	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	
3	MAZDA-WSXR378010W-3K-240-BL-DA-A250 X B110 X C85MM	10W	3000	240	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	
4	MAZDA-WSXR378010W-3K-240-BL-ND-A250 X B110 X C85MM	10W	3000	240	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	
5	MAZDA-WSXR378010W-4K-240-BL-10VDIM-A250 X B110 X C85MM	10W	4000	240	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	
6	MAZDA-WSXR378010W-4K-240-BL-PH-A250 X B110 X C85MM	10W	4000	240	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	
7	MAZDA-WSXR378010W-4K-240-BL-DA-A250 X B110 X C85MM	10W	4000	240	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	
8	MAZDA-WSXR378010W-4K-240-BL-ND-A250 X B110 X C85MM	10W	4000	240	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	
9	MAZDA-WSXR378010W-5K-240-BL-10VDIM-A250 X B110 X C85MM	10W	5000	240	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	
10	MAZDA-WSXR378010W-5K-240-BL-PH-A250 X B110 X C85MM	10W	5000	240	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	
11	MAZDA-WSXR378010W-5K-240-BL-DA-A250 X B110 X C85MM	10W	5000	240	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	
12	MAZDA-WSXR378010W-5K-240-BL-ND-A250 X B110 X C85MM	10W	5000	240	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	



DATASHEET

GENERATED ON: 17 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
13	MAZDA-WSXR378010W-6K-240-BL-10VDIM-A250 X B110 X C85MM	10W	6000	240	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	
14	MAZDA-WSXR378010W-6K-240-BL-PH-A250 X B110 X C85MM	10W	6000	240	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	
15	MAZDA-WSXR378010W-6K-240-BL-DA-A250 X B110 X C85MM	10W	6000	240	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	
16	MAZDA-WSXR378010W-6K-240-BL-ND-A250 X B110 X C85MM	10W	6000	240	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	
17	MAZDA-WSXR378010W-2.7K-240-BL-10VDIM-A250 X B110 X C85MM	10W	2700	240	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	
18	MAZDA-WSXR378010W-2.7K-240-BL-PH-A250 X B110 X C85MM	10W	2700	240	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	
19	MAZDA-WSXR378010W-2.7K-240-BL-DA-A250 X B110 X C85MM	10W	2700	240	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	
20	MAZDA-WSXR378010W-2.7K-240-BL-ND-A250 X B110 X C85MM	10W	2700	240	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	
21	MAZDA-WSXR378010W-6.5K-240-BL-10VDIM-A250 X B110 X C85MM	10W	6500	240	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	
22	MAZDA-WSXR378010W-6.5K-240-BL-PH-A250 X B110 X C85MM	10W	6500	240	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	
23	MAZDA-WSXR378010W-6.5K-240-BL-DA-A250 X B110 X C85MM	10W	6500	240	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	
24	MAZDA-WSXR378010W-6.5K-240-BL-ND-A250 X B110 X C85MM	10W	6500	240	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	
25	MAZDA-WSXR378015W-3K-240-BL-10VDIM-A250 X B110 X C85MM	15W	3000	240	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	
26	MAZDA-WSXR378015W-3K-240-BL-PH-A250 X B110 X C85MM	15W	3000	240	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	
27	MAZDA-WSXR378015W-3K-240-BL-DA-A250 X B110 X C85MM	15W	3000	240	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	
28	MAZDA-WSXR378015W-3K-240-BL-ND-A250 X B110 X C85MM	15W	3000	240	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	
29	MAZDA-WSXR378015W-4K-240-BL-10VDIM-A250 X B110 X C85MM	15W	4000	240	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	
30	MAZDA-WSXR378015W-4K-240-BL-PH-A250 X B110 X C85MM	15W	4000	240	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	
31	MAZDA-WSXR378015W-4K-240-BL-DA-A250 X B110 X C85MM	15W	4000	240	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	
32	MAZDA-WSXR378015W-4K-240-BL-ND-A250 X B110 X C85MM	15W	4000	240	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
33	MAZDA-WSXR378015W-5K-240-BL-10VDIM-A250 X B110 X C85MM	15W	5000	240	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	
34	MAZDA-WSXR378015W-5K-240-BL-PH-A250 X B110 X C85MM	15W	5000	240	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	
35	MAZDA-WSXR378015W-5K-240-BL-DA-A250 X B110 X C85MM	15W	5000	240	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	
36	MAZDA-WSXR378015W-5K-240-BL-ND-A250 X B110 X C85MM	15W	5000	240	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	
37	MAZDA-WSXR378015W-6K-240-BL-10VDIM-A250 X B110 X C85MM	15W	6000	240	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	
38	MAZDA-WSXR378015W-6K-240-BL-PH-A250 X B110 X C85MM	15W	6000	240	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	
39	MAZDA-WSXR378015W-6K-240-BL-DA-A250 X B110 X C85MM	15W	6000	240	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	
40	MAZDA-WSXR378015W-6K-240-BL-ND-A250 X B110 X C85MM	15W	6000	240	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	
41	MAZDA-WSXR378015W-2.7K-240-BL-10VDIM-A250 X B110 X C85MM	15W	2700	240	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	
42	MAZDA-WSXR378015W-2.7K-240-BL-PH-A250 X B110 X C85MM	15W	2700	240	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	
43	MAZDA-WSXR378015W-2.7K-240-BL-DA-A250 X B110 X C85MM	15W	2700	240	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	
44	MAZDA-WSXR378015W-2.7K-240-BL-ND-A250 X B110 X C85MM	15W	2700	240	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	
45	MAZDA-WSXR378015W-6.5K-240-BL-10VDIM-A250 X B110 X C85MM	15W	6500	240	BLACK, WHITE & GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	
46	MAZDA-WSXR378015W-6.5K-240-BL-PH-A250 X B110 X C85MM	15W	6500	240	BLACK, WHITE & GREY	NON EMERGENCY	PHASE CUT DIMMABLE	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	
47	MAZDA-WSXR378015W-6.5K-240-BL-DA-A250 X B110 X C85MM	15W	6500	240	BLACK, WHITE & GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	
48	MAZDA-WSXR378015W-6.5K-240-BL-ND-A250 X B110 X C85MM	15W	6500	240	BLACK, WHITE & GREY	NON EMERGENCY	ON - OFF	120	A250 X B110 X C85MM	DIE CAST ALUMINUM	IP65	A250 X B110 X C85MM	