



WARRIOR

MAZDA Model: BLXR3368 Bollard Light

Warrior Bollard Light adopts high-quality aluminum shell, spray paint baking surface treatment technology, and has the characteristics of not easy to rust, waterproof and sunscreen. The item has the classic design of a bollard light, available with little differences in the top shape to satisfy the details lovers. The light source is an LED high efficiency system, which ensures high performances while saving energy. Keen bollard have features like easy installation, very low maintenance needs and full safety for electrical systems and people with ingress protection degree is IP66.

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
1	MAZDA-BLXR336812W-3K-240V-BR-10VDIM-A160 X B1109 MM	12W	3000	240V	BROWN & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
2	MAZDA-BLXR336812W-3K-240V-BR-PH-A160 X B1109 MM	12W	3000	240V	BROWN & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
3	MAZDA-BLXR336812W-3K-240V-BR-DA-A160 X B1109 MM	12W	3000	240V	BROWN & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
4	MAZDA-BLXR336812W-3K-240V-BR-ND-A160 X B1109 MM	12W	3000	240V	BROWN & BLACK	NON EMERGENCY	ON - OFF	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
5	MAZDA-BLXR336812W-4K-240V-BR-10VDIM-A160 X B1109 MM	12W	4000	240V	BROWN & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
6	MAZDA-BLXR336812W-4K-240V-BR-PH-A160 X B1109 MM	12W	4000	240V	BROWN & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
7	MAZDA-BLXR336812W-4K-240V-BR-DA-A160 X B1109 MM	12W	4000	240V	BROWN & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
8	MAZDA-BLXR336812W-4K-240V-BR-ND-A160 X B1109 MM	12W	4000	240V	BROWN & BLACK	NON EMERGENCY	ON - OFF	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
9	MAZDA-BLXR336812W-5K-240V-BR-10VDIM-A160 X B1109 MM	12W	5000	240V	BROWN & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
10	MAZDA-BLXR336812W-5K-240V-BR-PH-A160 X B1109 MM	12W	5000	240V	BROWN & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
11	MAZDA-BLXR336812W-5K-240V-BR-DA-A160 X B1109 MM	12W	5000	240V	BROWN & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
12	MAZDA-BLXR336812W-5K-240V-BR-ND-A160 X B1109 MM	12W	5000	240V	BROWN & BLACK	NON EMERGENCY	ON - OFF	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
13	MAZDA-BLXR336812W-6K-240V-BR-10VDIM-A160 X B1109 MM	12W	6000	240V	BROWN & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
14	MAZDA-BLXR336812W-6K-240V-BR-PH-A160 X B1109 MM	12W	6000	240V	BROWN & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
15	MAZDA-BLXR336812W-6K-240V-BR-DA-A160 X B1109 MM	12W	6000	240V	BROWN & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
16	MAZDA-BLXR336812W-6K-240V-BR-ND-A160 X B1109 MM	12W	6000	240V	BROWN & BLACK	NON EMERGENCY	ON - OFF	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	



DATASHEET

GENERATED ON: 24 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
17	MAZDA-BLXR336812W-2.7K-240V-BR-10VDIM-A160 X B1109 MM	12W	2700	240V	BROWN & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
18	MAZDA-BLXR336812W-2.7K-240V-BR-PH-A160 X B1109 MM	12W	2700	240V	BROWN & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
19	MAZDA-BLXR336812W-2.7K-240V-BR-DA-A160 X B1109 MM	12W	2700	240V	BROWN & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
20	MAZDA-BLXR336812W-2.7K-240V-BR-ND-A160 X B1109 MM	12W	2700	240V	BROWN & BLACK	NON EMERGENCY	ON - OFF	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
21	MAZDA-BLXR336812W-6.5K-240V-BR-10VDIM-A160 X B1109 MM	12W	6500	240V	BROWN & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
22	MAZDA-BLXR336812W-6.5K-240V-BR-PH-A160 X B1109 MM	12W	6500	240V	BROWN & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
23	MAZDA-BLXR336812W-6.5K-240V-BR-DA-A160 X B1109 MM	12W	6500	240V	BROWN & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
24	MAZDA-BLXR336812W-6.5K-240V-BR-ND-A160 X B1109 MM	12W	6500	240V	BROWN & BLACK	NON EMERGENCY	ON - OFF	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
25	MAZDA-BLXR336815W-3K-240V-BR-10VDIM-A160 X B1109 MM	15W	3000	240V	BROWN & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
26	MAZDA-BLXR336815W-3K-240V-BR-PH-A160 X B1109 MM	15W	3000	240V	BROWN & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
27	MAZDA-BLXR336815W-3K-240V-BR-DA-A160 X B1109 MM	15W	3000	240V	BROWN & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
28	MAZDA-BLXR336815W-3K-240V-BR-ND-A160 X B1109 MM	15W	3000	240V	BROWN & BLACK	NON EMERGENCY	ON - OFF	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
29	MAZDA-BLXR336815W-4K-240V-BR-10VDIM-A160 X B1109 MM	15W	4000	240V	BROWN & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
30	MAZDA-BLXR336815W-4K-240V-BR-PH-A160 X B1109 MM	15W	4000	240V	BROWN & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
31	MAZDA-BLXR336815W-4K-240V-BR-DA-A160 X B1109 MM	15W	4000	240V	BROWN & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
32	MAZDA-BLXR336815W-4K-240V-BR-ND-A160 X B1109 MM	15W	4000	240V	BROWN & BLACK	NON EMERGENCY	ON - OFF	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
33	MAZDA-BLXR336815W-5K-240V-BR-10VDIM-A160 X B1109 MM	15W	5000	240V	BROWN & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
34	MAZDA-BLXR336815W-5K-240V-BR-PH-A160 X B1109 MM	15W	5000	240V	BROWN & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
35	MAZDA-BLXR336815W-5K-240V-BR-DA-A160 X B1109 MM	15W	5000	240V	BROWN & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
36	MAZDA-BLXR336815W-5K-240V-BR-ND-A160 X B1109 MM	15W	5000	240V	BROWN & BLACK	NON EMERGENCY	ON - OFF	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
37	MAZDA-BLXR336815W-6K-240V-BR-10VDIM-A160 X B1109 MM	15W	6000	240V	BROWN & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
38	MAZDA-BLXR336815W-6K-240V-BR-PH-A160 X B1109 MM	15W	6000	240V	BROWN & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
39	MAZDA-BLXR336815W-6K-240V-BR-DA-A160 X B1109 MM	15W	6000	240V	BROWN & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
40	MAZDA-BLXR336815W-6K-240V-BR-ND-A160 X B1109 MM	15W	6000	240V	BROWN & BLACK	NON EMERGENCY	ON - OFF	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
41	MAZDA-BLXR336815W-2.7K-240V-BR-10VDIM-A160 X B1109 MM	15W	2700	240V	BROWN & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
42	MAZDA-BLXR336815W-2.7K-240V-BR-PH-A160 X B1109 MM	15W	2700	240V	BROWN & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	



DATASHEET

GENERATED ON: 24 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
43	MAZDA-BLXR336815W-2.7K-240V-BR-DA-A160 X B1109 MM	15W	2700	240V	BROWN & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
44	MAZDA-BLXR336815W-2.7K-240V-BR-ND-A160 X B1109 MM	15W	2700	240V	BROWN & BLACK	NON EMERGENCY	ON - OFF	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
45	MAZDA-BLXR336815W-6.5K-240V-BR-10VDIM-A160 X B1109 MM	15W	6500	240V	BROWN & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
46	MAZDA-BLXR336815W-6.5K-240V-BR-PH-A160 X B1109 MM	15W	6500	240V	BROWN & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
47	MAZDA-BLXR336815W-6.5K-240V-BR-DA-A160 X B1109 MM	15W	6500	240V	BROWN & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
48	MAZDA-BLXR336815W-6.5K-240V-BR-ND-A160 X B1109 MM	15W	6500	240V	BROWN & BLACK	NON EMERGENCY	ON - OFF	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
49	MAZDA-BLXR336820W-3K-240V-BR-10VDIM-A160 X B1109 MM	20W	3000	240V	BROWN & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
50	MAZDA-BLXR336820W-3K-240V-BR-PH-A160 X B1109 MM	20W	3000	240V	BROWN & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
51	MAZDA-BLXR336820W-3K-240V-BR-DA-A160 X B1109 MM	20W	3000	240V	BROWN & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
52	MAZDA-BLXR336820W-3K-240V-BR-ND-A160 X B1109 MM	20W	3000	240V	BROWN & BLACK	NON EMERGENCY	ON - OFF	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
53	MAZDA-BLXR336820W-4K-240V-BR-10VDIM-A160 X B1109 MM	20W	4000	240V	BROWN & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
54	MAZDA-BLXR336820W-4K-240V-BR-PH-A160 X B1109 MM	20W	4000	240V	BROWN & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
55	MAZDA-BLXR336820W-4K-240V-BR-DA-A160 X B1109 MM	20W	4000	240V	BROWN & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
56	MAZDA-BLXR336820W-4K-240V-BR-ND-A160 X B1109 MM	20W	4000	240V	BROWN & BLACK	NON EMERGENCY	ON - OFF	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
57	MAZDA-BLXR336820W-5K-240V-BR-10VDIM-A160 X B1109 MM	20W	5000	240V	BROWN & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
58	MAZDA-BLXR336820W-5K-240V-BR-PH-A160 X B1109 MM	20W	5000	240V	BROWN & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
59	MAZDA-BLXR336820W-5K-240V-BR-DA-A160 X B1109 MM	20W	5000	240V	BROWN & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
60	MAZDA-BLXR336820W-5K-240V-BR-ND-A160 X B1109 MM	20W	5000	240V	BROWN & BLACK	NON EMERGENCY	ON - OFF	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
61	MAZDA-BLXR336820W-6K-240V-BR-10VDIM-A160 X B1109 MM	20W	6000	240V	BROWN & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
62	MAZDA-BLXR336820W-6K-240V-BR-PH-A160 X B1109 MM	20W	6000	240V	BROWN & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
63	MAZDA-BLXR336820W-6K-240V-BR-DA-A160 X B1109 MM	20W	6000	240V	BROWN & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
64	MAZDA-BLXR336820W-6K-240V-BR-ND-A160 X B1109 MM	20W	6000	240V	BROWN & BLACK	NON EMERGENCY	ON - OFF	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
65	MAZDA-BLXR336820W-2.7K-240V-BR-10VDIM-A160 X B1109 MM	20W	2700	240V	BROWN & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
66	MAZDA-BLXR336820W-2.7K-240V-BR-PH-A160 X B1109 MM	20W	2700	240V	BROWN & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
67	MAZDA-BLXR336820W-2.7K-240V-BR-DA-A160 X B1109 MM	20W	2700	240V	BROWN & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
68	MAZDA-BLXR336820W-2.7K-240V-BR-ND-A160 X B1109 MM	20W	2700	240V	BROWN & BLACK	NON EMERGENCY	ON - OFF	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	



DATASHEET

GENERATED ON: 24 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
69	MAZDA-BLXR336820W-6.5K-240V-BR-10VDIM-A160 X B1109 MM	20W	6500	240V	BROWN & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
70	MAZDA-BLXR336820W-6.5K-240V-BR-PH-A160 X B1109 MM	20W	6500	240V	BROWN & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
71	MAZDA-BLXR336820W-6.5K-240V-BR-DA-A160 X B1109 MM	20W	6500	240V	BROWN & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
72	MAZDA-BLXR336820W-6.5K-240V-BR-ND-A160 X B1109 MM	20W	6500	240V	BROWN & BLACK	NON EMERGENCY	ON - OFF	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
73	MAZDA-BLXR336822W-3K-240V-BR-10VDIM-A160 X B1109 MM	22W	3000	240V	BROWN & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
74	MAZDA-BLXR336822W-3K-240V-BR-PH-A160 X B1109 MM	22W	3000	240V	BROWN & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
75	MAZDA-BLXR336822W-3K-240V-BR-DA-A160 X B1109 MM	22W	3000	240V	BROWN & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
76	MAZDA-BLXR336822W-3K-240V-BR-ND-A160 X B1109 MM	22W	3000	240V	BROWN & BLACK	NON EMERGENCY	ON - OFF	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
77	MAZDA-BLXR336822W-4K-240V-BR-10VDIM-A160 X B1109 MM	22W	4000	240V	BROWN & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
78	MAZDA-BLXR336822W-4K-240V-BR-PH-A160 X B1109 MM	22W	4000	240V	BROWN & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
79	MAZDA-BLXR336822W-4K-240V-BR-DA-A160 X B1109 MM	22W	4000	240V	BROWN & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
80	MAZDA-BLXR336822W-4K-240V-BR-ND-A160 X B1109 MM	22W	4000	240V	BROWN & BLACK	NON EMERGENCY	ON - OFF	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
81	MAZDA-BLXR336822W-5K-240V-BR-10VDIM-A160 X B1109 MM	22W	5000	240V	BROWN & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
82	MAZDA-BLXR336822W-5K-240V-BR-PH-A160 X B1109 MM	22W	5000	240V	BROWN & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
83	MAZDA-BLXR336822W-5K-240V-BR-DA-A160 X B1109 MM	22W	5000	240V	BROWN & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
84	MAZDA-BLXR336822W-5K-240V-BR-ND-A160 X B1109 MM	22W	5000	240V	BROWN & BLACK	NON EMERGENCY	ON - OFF	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
85	MAZDA-BLXR336822W-6K-240V-BR-10VDIM-A160 X B1109 MM	22W	6000	240V	BROWN & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
86	MAZDA-BLXR336822W-6K-240V-BR-PH-A160 X B1109 MM	22W	6000	240V	BROWN & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
87	MAZDA-BLXR336822W-6K-240V-BR-DA-A160 X B1109 MM	22W	6000	240V	BROWN & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
88	MAZDA-BLXR336822W-6K-240V-BR-ND-A160 X B1109 MM	22W	6000	240V	BROWN & BLACK	NON EMERGENCY	ON - OFF	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
89	MAZDA-BLXR336822W-2.7K-240V-BR-10VDIM-A160 X B1109 MM	22W	2700	240V	BROWN & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
90	MAZDA-BLXR336822W-2.7K-240V-BR-PH-A160 X B1109 MM	22W	2700	240V	BROWN & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
91	MAZDA-BLXR336822W-2.7K-240V-BR-DA-A160 X B1109 MM	22W	2700	240V	BROWN & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
92	MAZDA-BLXR336822W-2.7K-240V-BR-ND-A160 X B1109 MM	22W	2700	240V	BROWN & BLACK	NON EMERGENCY	ON - OFF	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
93	MAZDA-BLXR336822W-6.5K-240V-BR-10VDIM-A160 X B1109 MM	22W	6500	240V	BROWN & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
94	MAZDA-BLXR336822W-6.5K-240V-BR-PH-A160 X B1109 MM	22W	6500	240V	BROWN & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
95	MAZDA-BLXR336822W-6.5K-240V-BR-DA-A160 X B1109 MM	22W	6500	240V	BROWN & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
96	MAZDA-BLXR336822W-6.5K-240V-BR-ND-A160 X B1109 MM	22W	6500	240V	BROWN & BLACK	NON EMERGENCY	ON - OFF	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
97	MAZDA-BLXR336825W-3K-240V-BR-10VDIM-A160 X B1109 MM	25W	3000	240V	BROWN & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
98	MAZDA-BLXR336825W-3K-240V-BR-PH-A160 X B1109 MM	25W	3000	240V	BROWN & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
99	MAZDA-BLXR336825W-3K-240V-BR-DA-A160 X B1109 MM	25W	3000	240V	BROWN & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
100	MAZDA-BLXR336825W-3K-240V-BR-ND-A160 X B1109 MM	25W	3000	240V	BROWN & BLACK	NON EMERGENCY	ON - OFF	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
101	MAZDA-BLXR336825W-4K-240V-BR-10VDIM-A160 X B1109 MM	25W	4000	240V	BROWN & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
102	MAZDA-BLXR336825W-4K-240V-BR-PH-A160 X B1109 MM	25W	4000	240V	BROWN & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
103	MAZDA-BLXR336825W-4K-240V-BR-DA-A160 X B1109 MM	25W	4000	240V	BROWN & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
104	MAZDA-BLXR336825W-4K-240V-BR-ND-A160 X B1109 MM	25W	4000	240V	BROWN & BLACK	NON EMERGENCY	ON - OFF	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
105	MAZDA-BLXR336825W-5K-240V-BR-10VDIM-A160 X B1109 MM	25W	5000	240V	BROWN & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
106	MAZDA-BLXR336825W-5K-240V-BR-PH-A160 X B1109 MM	25W	5000	240V	BROWN & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
107	MAZDA-BLXR336825W-5K-240V-BR-DA-A160 X B1109 MM	25W	5000	240V	BROWN & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
108	MAZDA-BLXR336825W-5K-240V-BR-ND-A160 X B1109 MM	25W	5000	240V	BROWN & BLACK	NON EMERGENCY	ON - OFF	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
109	MAZDA-BLXR336825W-6K-240V-BR-10VDIM-A160 X B1109 MM	25W	6000	240V	BROWN & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
110	MAZDA-BLXR336825W-6K-240V-BR-PH-A160 X B1109 MM	25W	6000	240V	BROWN & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
111	MAZDA-BLXR336825W-6K-240V-BR-DA-A160 X B1109 MM	25W	6000	240V	BROWN & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
112	MAZDA-BLXR336825W-6K-240V-BR-ND-A160 X B1109 MM	25W	6000	240V	BROWN & BLACK	NON EMERGENCY	ON - OFF	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
113	MAZDA-BLXR336825W-2.7K-240V-BR-10VDIM-A160 X B1109 MM	25W	2700	240V	BROWN & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
114	MAZDA-BLXR336825W-2.7K-240V-BR-PH-A160 X B1109 MM	25W	2700	240V	BROWN & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
115	MAZDA-BLXR336825W-2.7K-240V-BR-DA-A160 X B1109 MM	25W	2700	240V	BROWN & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
116	MAZDA-BLXR336825W-2.7K-240V-BR-ND-A160 X B1109 MM	25W	2700	240V	BROWN & BLACK	NON EMERGENCY	ON - OFF	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
117	MAZDA-BLXR336825W-6.5K-240V-BR-10VDIM-A160 X B1109 MM	25W	6500	240V	BROWN & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
118	MAZDA-BLXR336825W-6.5K-240V-BR-PH-A160 X B1109 MM	25W	6500	240V	BROWN & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
119	MAZDA-BLXR336825W-6.5K-240V-BR-DA-A160 X B1109 MM	25W	6500	240V	BROWN & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	
120	MAZDA-BLXR336825W-6.5K-240V-BR-ND-A160 X B1109 MM	25W	6500	240V	BROWN & BLACK	NON EMERGENCY	ON - OFF	360	A160 X B1109 MM	DIE CAST ALUMINUM	IP66	A160 X B1109 MM	