



TITAN

MAZDA Model: BLXR365515-H8 Bollard Light

Titan Bollard Light is a great design choice for gardens, walkways and around the buildings, available with little differences in the top shape to satisfy the details lovers. The light source is an LED high efficiency system, which ensures high performances while saving energy. All the items have features like easy installation, very low maintenance needs and full safety for electrical systems and people

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
1	MAZDA-BLXR365515-H815W-3K-240V-WH-10VDIM-A150 X B150 X C800 MM	15W	3000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	
2	MAZDA-BLXR365515-H815W-3K-240V-WH-PH-A150 X B150 X C800 MM	15W	3000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	
3	MAZDA-BLXR365515-H815W-3K-240V-WH-DA-A150 X B150 X C800 MM	15W	3000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	
4	MAZDA-BLXR365515-H815W-3K-240V-WH-ND-A150 X B150 X C800 MM	15W	3000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	
5	MAZDA-BLXR365515-H815W-4K-240V-WH-10VDIM-A150 X B150 X C800 MM	15W	4000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	
6	MAZDA-BLXR365515-H815W-4K-240V-WH-PH-A150 X B150 X C800 MM	15W	4000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	
7	MAZDA-BLXR365515-H815W-4K-240V-WH-DA-A150 X B150 X C800 MM	15W	4000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	
8	MAZDA-BLXR365515-H815W-4K-240V-WH-ND-A150 X B150 X C800 MM	15W	4000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	
9	MAZDA-BLXR365515-H815W-5K-240V-WH-10VDIM-A150 X B150 X C800 MM	15W	5000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	
10	MAZDA-BLXR365515-H815W-5K-240V-WH-PH-A150 X B150 X C800 MM	15W	5000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	
11	MAZDA-BLXR365515-H815W-5K-240V-WH-DA-A150 X B150 X C800 MM	15W	5000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	
12	MAZDA-BLXR365515-H815W-5K-240V-WH-ND-A150 X B150 X C800 MM	15W	5000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	
13	MAZDA-BLXR365515-H815W-6K-240V-WH-10VDIM-A150 X B150 X C800 MM	15W	6000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	
14	MAZDA-BLXR365515-H815W-6K-240V-WH-PH-A150 X B150 X C800 MM	15W	6000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	
15	MAZDA-BLXR365515-H815W-6K-240V-WH-DA-A150 X B150 X C800 MM	15W	6000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	
16	MAZDA-BLXR365515-H815W-6K-240V-WH-ND-A150 X B150 X C800 MM	15W	6000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	
17	MAZDA-BLXR365515-H815W-2.7K-240V-WH-10VDIM-A150 X B150 X C800 MM	15W	2700	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	



DATASHEET

GENERATED ON: 23 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
18	MAZDA-BLXR365515-H815W-2.7K-240V-WH-PH-A150 X B150 X C800 MM	15W	2700	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	
19	MAZDA-BLXR365515-H815W-2.7K-240V-WH-DA-A150 X B150 X C800 MM	15W	2700	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	
20	MAZDA-BLXR365515-H815W-2.7K-240V-WH-ND-A150 X B150 X C800 MM	15W	2700	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	
21	MAZDA-BLXR365515-H815W-6.5K-240V-WH-10VDIM-A150 X B150 X C800 MM	15W	6500	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	
22	MAZDA-BLXR365515-H815W-6.5K-240V-WH-PH-A150 X B150 X C800 MM	15W	6500	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	
23	MAZDA-BLXR365515-H815W-6.5K-240V-WH-DA-A150 X B150 X C800 MM	15W	6500	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	
24	MAZDA-BLXR365515-H815W-6.5K-240V-WH-ND-A150 X B150 X C800 MM	15W	6500	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	
25	MAZDA-BLXR365515-H815W-3K-240V-WH-10VDIM-A150 X B150 X C1000 MM	15W	3000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
26	MAZDA-BLXR365515-H815W-3K-240V-WH-PH-A150 X B150 X C1000 MM	15W	3000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
27	MAZDA-BLXR365515-H815W-3K-240V-WH-DA-A150 X B150 X C1000 MM	15W	3000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
28	MAZDA-BLXR365515-H815W-3K-240V-WH-ND-A150 X B150 X C1000 MM	15W	3000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
29	MAZDA-BLXR365515-H815W-4K-240V-WH-10VDIM-A150 X B150 X C1000 MM	15W	4000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
30	MAZDA-BLXR365515-H815W-4K-240V-WH-PH-A150 X B150 X C1000 MM	15W	4000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
31	MAZDA-BLXR365515-H815W-4K-240V-WH-DA-A150 X B150 X C1000 MM	15W	4000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
32	MAZDA-BLXR365515-H815W-4K-240V-WH-ND-A150 X B150 X C1000 MM	15W	4000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
33	MAZDA-BLXR365515-H815W-5K-240V-WH-10VDIM-A150 X B150 X C1000 MM	15W	5000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
34	MAZDA-BLXR365515-H815W-5K-240V-WH-PH-A150 X B150 X C1000 MM	15W	5000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
35	MAZDA-BLXR365515-H815W-5K-240V-WH-DA-A150 X B150 X C1000 MM	15W	5000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
36	MAZDA-BLXR365515-H815W-5K-240V-WH-ND-A150 X B150 X C1000 MM	15W	5000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
37	MAZDA-BLXR365515-H815W-6K-240V-WH-10VDIM-A150 X B150 X C1000 MM	15W	6000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
38	MAZDA-BLXR365515-H815W-6K-240V-WH-PH-A150 X B150 X C1000 MM	15W	6000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
39	MAZDA-BLXR365515-H815W-6K-240V-WH-DA-A150 X B150 X C1000 MM	15W	6000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
40	MAZDA-BLXR365515-H815W-6K-240V-WH-ND-A150 X B150 X C1000 MM	15W	6000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
41	MAZDA-BLXR365515-H815W-2.7K-240V-WH-10VDIM-A150 X B150 X C1000 MM	15W	2700	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
42	MAZDA-BLXR365515-H815W-2.7K-240V-WH-PH-A150 X B150 X C1000 MM	15W	2700	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
43	MAZDA-BLXR365515-H815W-2.7K-240V-WH-DA-A150 X B150 X C1000 MM	15W	2700	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
44	MAZDA-BLXR365515-H815W-2.7K-240V-WH-ND-A150 X B150 X C1000 MM	15W	2700	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
45	MAZDA-BLXR365515-H815W-6.5K-240V-WH-10VDIM-A150 X B150 X C1000 MM	15W	6500	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
46	MAZDA-BLXR365515-H815W-6.5K-240V-WH-PH-A150 X B150 X C1000 MM	15W	6500	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	



DATASHEET

GENERATED ON: 23 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
47	MAZDA-BLXR365515-H815W-6.5K-240V-WH-DA-A150 X B150 X C1000 MM	15W	6500	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
48	MAZDA-BLXR365515-H815W-6.5K-240V-WH-ND-A150 X B150 X C1000 MM	15W	6500	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
49	MAZDA-BLXR365515-H820W-3K-240V-WH-10VDIM-A150 X B150 X C1000 MM	20W	3000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
50	MAZDA-BLXR365515-H820W-3K-240V-WH-PH-A150 X B150 X C1000 MM	20W	3000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
51	MAZDA-BLXR365515-H820W-3K-240V-WH-DA-A150 X B150 X C1000 MM	20W	3000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
52	MAZDA-BLXR365515-H820W-3K-240V-WH-ND-A150 X B150 X C1000 MM	20W	3000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
53	MAZDA-BLXR365515-H820W-4K-240V-WH-10VDIM-A150 X B150 X C1000 MM	20W	4000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
54	MAZDA-BLXR365515-H820W-4K-240V-WH-PH-A150 X B150 X C1000 MM	20W	4000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
55	MAZDA-BLXR365515-H820W-4K-240V-WH-DA-A150 X B150 X C1000 MM	20W	4000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
56	MAZDA-BLXR365515-H820W-4K-240V-WH-ND-A150 X B150 X C1000 MM	20W	4000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
57	MAZDA-BLXR365515-H820W-5K-240V-WH-10VDIM-A150 X B150 X C1000 MM	20W	5000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
58	MAZDA-BLXR365515-H820W-5K-240V-WH-PH-A150 X B150 X C1000 MM	20W	5000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
59	MAZDA-BLXR365515-H820W-5K-240V-WH-DA-A150 X B150 X C1000 MM	20W	5000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
60	MAZDA-BLXR365515-H820W-5K-240V-WH-ND-A150 X B150 X C1000 MM	20W	5000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
61	MAZDA-BLXR365515-H820W-6K-240V-WH-10VDIM-A150 X B150 X C1000 MM	20W	6000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
62	MAZDA-BLXR365515-H820W-6K-240V-WH-PH-A150 X B150 X C1000 MM	20W	6000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
63	MAZDA-BLXR365515-H820W-6K-240V-WH-DA-A150 X B150 X C1000 MM	20W	6000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
64	MAZDA-BLXR365515-H820W-6K-240V-WH-ND-A150 X B150 X C1000 MM	20W	6000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
65	MAZDA-BLXR365515-H820W-2.7K-240V-WH-10VDIM-A150 X B150 X C1000 MM	20W	2700	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
66	MAZDA-BLXR365515-H820W-2.7K-240V-WH-PH-A150 X B150 X C1000 MM	20W	2700	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
67	MAZDA-BLXR365515-H820W-2.7K-240V-WH-DA-A150 X B150 X C1000 MM	20W	2700	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
68	MAZDA-BLXR365515-H820W-2.7K-240V-WH-ND-A150 X B150 X C1000 MM	20W	2700	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
69	MAZDA-BLXR365515-H820W-6.5K-240V-WH-10VDIM-A150 X B150 X C1000 MM	20W	6500	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
70	MAZDA-BLXR365515-H820W-6.5K-240V-WH-PH-A150 X B150 X C1000 MM	20W	6500	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
71	MAZDA-BLXR365515-H820W-6.5K-240V-WH-DA-A150 X B150 X C1000 MM	20W	6500	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
72	MAZDA-BLXR365515-H820W-6.5K-240V-WH-ND-A150 X B150 X C1000 MM	20W	6500	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
73	MAZDA-BLXR365515-H820W-3K-240V-WH-10VDIM-A150 X B150 X C800 MM	20W	3000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	
74	MAZDA-BLXR365515-H820W-3K-240V-WH-PH-A150 X B150 X C800 MM	20W	3000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	
75	MAZDA-BLXR365515-H820W-3K-240V-WH-DA-A150 X B150 X C800 MM	20W	3000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	



DATASHEET

GENERATED ON: 23 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
76	MAZDA-BLXR365515-H820W-3K-240V-WH-ND-A150 X B150 X C800 MM	20W	3000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	
77	MAZDA-BLXR365515-H820W-4K-240V-WH-10VDIM-A150 X B150 X C800 MM	20W	4000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	
78	MAZDA-BLXR365515-H820W-4K-240V-WH-PH-A150 X B150 X C800 MM	20W	4000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	
79	MAZDA-BLXR365515-H820W-4K-240V-WH-DA-A150 X B150 X C800 MM	20W	4000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	
80	MAZDA-BLXR365515-H820W-4K-240V-WH-ND-A150 X B150 X C800 MM	20W	4000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	
81	MAZDA-BLXR365515-H820W-5K-240V-WH-10VDIM-A150 X B150 X C800 MM	20W	5000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	
82	MAZDA-BLXR365515-H820W-5K-240V-WH-PH-A150 X B150 X C800 MM	20W	5000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	
83	MAZDA-BLXR365515-H820W-5K-240V-WH-DA-A150 X B150 X C800 MM	20W	5000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	
84	MAZDA-BLXR365515-H820W-5K-240V-WH-ND-A150 X B150 X C800 MM	20W	5000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	
85	MAZDA-BLXR365515-H820W-6K-240V-WH-10VDIM-A150 X B150 X C800 MM	20W	6000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	
86	MAZDA-BLXR365515-H820W-6K-240V-WH-PH-A150 X B150 X C800 MM	20W	6000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	
87	MAZDA-BLXR365515-H820W-6K-240V-WH-DA-A150 X B150 X C800 MM	20W	6000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	
88	MAZDA-BLXR365515-H820W-6K-240V-WH-ND-A150 X B150 X C800 MM	20W	6000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	
89	MAZDA-BLXR365515-H820W-2.7K-240V-WH-10VDIM-A150 X B150 X C800 MM	20W	2700	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	
90	MAZDA-BLXR365515-H820W-2.7K-240V-WH-PH-A150 X B150 X C800 MM	20W	2700	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	
91	MAZDA-BLXR365515-H820W-2.7K-240V-WH-DA-A150 X B150 X C800 MM	20W	2700	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	
92	MAZDA-BLXR365515-H820W-2.7K-240V-WH-ND-A150 X B150 X C800 MM	20W	2700	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	
93	MAZDA-BLXR365515-H820W-6.5K-240V-WH-10VDIM-A150 X B150 X C800 MM	20W	6500	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	
94	MAZDA-BLXR365515-H820W-6.5K-240V-WH-PH-A150 X B150 X C800 MM	20W	6500	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	
95	MAZDA-BLXR365515-H820W-6.5K-240V-WH-DA-A150 X B150 X C800 MM	20W	6500	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	
96	MAZDA-BLXR365515-H820W-6.5K-240V-WH-ND-A150 X B150 X C800 MM	20W	6500	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360	A150 X B150 X C800 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C800 MM	
97	MAZDA-BLXR365515-H820W-3K-240V-WH-10VDIM-A150 X B150 X C1000 MM	20W	3000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
98	MAZDA-BLXR365515-H820W-3K-240V-WH-PH-A150 X B150 X C1000 MM	20W	3000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
99	MAZDA-BLXR365515-H820W-3K-240V-WH-DA-A150 X B150 X C1000 MM	20W	3000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
100	MAZDA-BLXR365515-H820W-3K-240V-WH-ND-A150 X B150 X C1000 MM	20W	3000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
101	MAZDA-BLXR365515-H820W-4K-240V-WH-10VDIM-A150 X B150 X C1000 MM	20W	4000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
102	MAZDA-BLXR365515-H820W-4K-240V-WH-PH-A150 X B150 X C1000 MM	20W	4000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
103	MAZDA-BLXR365515-H820W-4K-240V-WH-DA-A150 X B150 X C1000 MM	20W	4000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
104	MAZDA-BLXR365515-H820W-4K-240V-WH-ND-A150 X B150 X C1000 MM	20W	4000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
105	MAZDA-BLXR365515-H820W-5K-240V-WH-10VDIM-A150 X B150 X C1000 MM	20W	5000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
106	MAZDA-BLXR365515-H820W-5K-240V-WH-PH-A150 X B150 X C1000 MM	20W	5000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
107	MAZDA-BLXR365515-H820W-5K-240V-WH-DA-A150 X B150 X C1000 MM	20W	5000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
108	MAZDA-BLXR365515-H820W-5K-240V-WH-ND-A150 X B150 X C1000 MM	20W	5000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
109	MAZDA-BLXR365515-H820W-6K-240V-WH-10VDIM-A150 X B150 X C1000 MM	20W	6000	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
110	MAZDA-BLXR365515-H820W-6K-240V-WH-PH-A150 X B150 X C1000 MM	20W	6000	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
111	MAZDA-BLXR365515-H820W-6K-240V-WH-DA-A150 X B150 X C1000 MM	20W	6000	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
112	MAZDA-BLXR365515-H820W-6K-240V-WH-ND-A150 X B150 X C1000 MM	20W	6000	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
113	MAZDA-BLXR365515-H820W-2.7K-240V-WH-10VDIM-A150 X B150 X C1000 MM	20W	2700	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
114	MAZDA-BLXR365515-H820W-2.7K-240V-WH-PH-A150 X B150 X C1000 MM	20W	2700	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
115	MAZDA-BLXR365515-H820W-2.7K-240V-WH-DA-A150 X B150 X C1000 MM	20W	2700	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
116	MAZDA-BLXR365515-H820W-2.7K-240V-WH-ND-A150 X B150 X C1000 MM	20W	2700	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
117	MAZDA-BLXR365515-H820W-6.5K-240V-WH-10VDIM-A150 X B150 X C1000 MM	20W	6500	240V	WHITE & BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
118	MAZDA-BLXR365515-H820W-6.5K-240V-WH-PH-A150 X B150 X C1000 MM	20W	6500	240V	WHITE & BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
119	MAZDA-BLXR365515-H820W-6.5K-240V-WH-DA-A150 X B150 X C1000 MM	20W	6500	240V	WHITE & BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	
120	MAZDA-BLXR365515-H820W-6.5K-240V-WH-ND-A150 X B150 X C1000 MM	20W	6500	240V	WHITE & BLACK	NON EMERGENCY	ON - OFF	360	A150 X B150 X C1000 MM	DIE CAST ALUMINUM	IP66	A150 X B150 X C1000 MM	