

MILD

MAZDA Model: BLXR336015-H Bollard Light

The MILD LED bollard lighting features a high-quality shell with a spray-painted, baked finish, ensuring durability and resistance to rust, water, and UV rays. Its design allows for independent selection of lamp body color, light source type, and power, making it highly adaptable to various settings. This versatility ensures an optimal lighting effect and enhances visual appeal in a wide range of environments

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
1	MAZDA-BLXR336015-H15W-3K-240V-GR-10VDIM-A100 X B50 X C450MM	15W	3000	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A100 X B50 X C450MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C450MM	
2	MAZDA-BLXR336015-H15W-3K-240V-GR-PH-A100 X B50 X C450MM	15W	3000	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	PHASE CUT DIMMABLE	90	A100 X B50 X C450MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C450MM	
3	MAZDA-BLXR336015-H15W-3K-240V-GR-DA-A100 X B50 X C450MM	15W	3000	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A100 X B50 X C450MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C450MM	
4	MAZDA-BLXR336015-H15W-3K-240V-GR-ND-A100 X B50 X C450MM	15W	3000	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	ON - OFF	90	A100 X B50 X C450MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C450MM	
5	MAZDA-BLXR336015-H15W-4K-240V-GR-10VDIM-A100 X B50 X C450MM	15W	4000	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A100 X B50 X C450MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C450MM	
6	MAZDA-BLXR336015-H15W-4K-240V-GR-PH-A100 X B50 X C450MM	15W	4000	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	PHASE CUT DIMMABLE	90	A100 X B50 X C450MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C450MM	
7	MAZDA-BLXR336015-H15W-4K-240V-GR-DA-A100 X B50 X C450MM	15W	4000	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A100 X B50 X C450MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C450MM	
8	MAZDA-BLXR336015-H15W-4K-240V-GR-ND-A100 X B50 X C450MM	15W	4000	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	ON - OFF	90	A100 X B50 X C450MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C450MM	
9	MAZDA-BLXR336015-H15W-5K-240V-GR-10VDIM-A100 X B50 X C450MM	15W	5000	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A100 X B50 X C450MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C450MM	
10	MAZDA-BLXR336015-H15W-5K-240V-GR-PH-A100 X B50 X C450MM	15W	5000	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	PHASE CUT DIMMABLE	90	A100 X B50 X C450MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C450MM	



DATASHEET

GENERATED ON: 23 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
11	MAZDA-BLXR336015-H15W-5K-240V-GR-DA-A100 X B50 X C450MM	15W	5000	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A100 X B50 X C450MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C450MM	
12	MAZDA-BLXR336015-H15W-5K-240V-GR-ND-A100 X B50 X C450MM	15W	5000	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	ON - OFF	90	A100 X B50 X C450MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C450MM	
13	MAZDA-BLXR336015-H15W-6K-240V-GR-10VDIM-A100 X B50 X C450MM	15W	6000	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A100 X B50 X C450MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C450MM	
14	MAZDA-BLXR336015-H15W-6K-240V-GR-PH-A100 X B50 X C450MM	15W	6000	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	PHASE CUT DIMMABLE	90	A100 X B50 X C450MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C450MM	
15	MAZDA-BLXR336015-H15W-6K-240V-GR-DA-A100 X B50 X C450MM	15W	6000	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A100 X B50 X C450MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C450MM	
16	MAZDA-BLXR336015-H15W-6K-240V-GR-ND-A100 X B50 X C450MM	15W	6000	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	ON - OFF	90	A100 X B50 X C450MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C450MM	
17	MAZDA-BLXR336015-H15W-2.7K-240V-GR-10VDIM-A100 X B50 X C450MM	15W	2700	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A100 X B50 X C450MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C450MM	
18	MAZDA-BLXR336015-H15W-2.7K-240V-GR-PH-A100 X B50 X C450MM	15W	2700	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	PHASE CUT DIMMABLE	90	A100 X B50 X C450MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C450MM	
19	MAZDA-BLXR336015-H15W-2.7K-240V-GR-DA-A100 X B50 X C450MM	15W	2700	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A100 X B50 X C450MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C450MM	
20	MAZDA-BLXR336015-H15W-2.7K-240V-GR-ND-A100 X B50 X C450MM	15W	2700	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	ON - OFF	90	A100 X B50 X C450MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C450MM	
21	MAZDA-BLXR336015-H15W-6.5K-240V-GR-10VDIM-A100 X B50 X C450MM	15W	6500	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A100 X B50 X C450MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C450MM	
22	MAZDA-BLXR336015-H15W-6.5K-240V-GR-PH-A100 X B50 X C450MM	15W	6500	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	PHASE CUT DIMMABLE	90	A100 X B50 X C450MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C450MM	
23	MAZDA-BLXR336015-H15W-6.5K-240V-GR-DA-A100 X B50 X C450MM	15W	6500	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A100 X B50 X C450MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C450MM	
24	MAZDA-BLXR336015-H15W-6.5K-240V-GR-ND-A100 X B50 X C450MM	15W	6500	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	ON - OFF	90	A100 X B50 X C450MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C450MM	
25	MAZDA-BLXR336015-H24W-3K-240V-GR-10VDIM-A100 X B50 X C600MM	24W	3000	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A100 X B50 X C600MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C600MM	
26	MAZDA-BLXR336015-H24W-3K-240V-GR-PH-A100 X B50 X C600MM	24W	3000	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	PHASE CUT DIMMABLE	90	A100 X B50 X C600MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C600MM	
27	MAZDA-BLXR336015-H24W-3K-240V-GR-DA-A100 X B50 X C600MM	24W	3000	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A100 X B50 X C600MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C600MM	



DATASHEET

GENERATED ON: 23 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
28	MAZDA-BLXR336015-H24W-3K-240V-GR-ND-A100 X B50 X C600MM	24W	3000	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	ON - OFF	90	A100 X B50 X C600MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C600MM	
29	MAZDA-BLXR336015-H24W-4K-240V-GR-10VDIM-A100 X B50 X C600MM	24W	4000	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A100 X B50 X C600MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C600MM	
30	MAZDA-BLXR336015-H24W-4K-240V-GR-PH-A100 X B50 X C600MM	24W	4000	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	PHASE CUT DIMMABLE	90	A100 X B50 X C600MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C600MM	
31	MAZDA-BLXR336015-H24W-4K-240V-GR-DA-A100 X B50 X C600MM	24W	4000	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A100 X B50 X C600MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C600MM	
32	MAZDA-BLXR336015-H24W-4K-240V-GR-ND-A100 X B50 X C600MM	24W	4000	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	ON - OFF	90	A100 X B50 X C600MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C600MM	
33	MAZDA-BLXR336015-H24W-5K-240V-GR-10VDIM-A100 X B50 X C600MM	24W	5000	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A100 X B50 X C600MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C600MM	
34	MAZDA-BLXR336015-H24W-5K-240V-GR-PH-A100 X B50 X C600MM	24W	5000	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	PHASE CUT DIMMABLE	90	A100 X B50 X C600MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C600MM	
35	MAZDA-BLXR336015-H24W-5K-240V-GR-DA-A100 X B50 X C600MM	24W	5000	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A100 X B50 X C600MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C600MM	
36	MAZDA-BLXR336015-H24W-5K-240V-GR-ND-A100 X B50 X C600MM	24W	5000	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	ON - OFF	90	A100 X B50 X C600MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C600MM	
37	MAZDA-BLXR336015-H24W-6K-240V-GR-10VDIM-A100 X B50 X C600MM	24W	6000	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A100 X B50 X C600MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C600MM	
38	MAZDA-BLXR336015-H24W-6K-240V-GR-PH-A100 X B50 X C600MM	24W	6000	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	PHASE CUT DIMMABLE	90	A100 X B50 X C600MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C600MM	
39	MAZDA-BLXR336015-H24W-6K-240V-GR-DA-A100 X B50 X C600MM	24W	6000	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A100 X B50 X C600MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C600MM	
40	MAZDA-BLXR336015-H24W-6K-240V-GR-ND-A100 X B50 X C600MM	24W	6000	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	ON - OFF	90	A100 X B50 X C600MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C600MM	
41	MAZDA-BLXR336015-H24W-2.7K-240V-GR-10VDIM-A100 X B50 X C600MM	24W	2700	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A100 X B50 X C600MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C600MM	
42	MAZDA-BLXR336015-H24W-2.7K-240V-GR-PH-A100 X B50 X C600MM	24W	2700	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	PHASE CUT DIMMABLE	90	A100 X B50 X C600MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C600MM	
43	MAZDA-BLXR336015-H24W-2.7K-240V-GR-DA-A100 X B50 X C600MM	24W	2700	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A100 X B50 X C600MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C600MM	
44	MAZDA-BLXR336015-H24W-2.7K-240V-GR-ND-A100 X B50 X C600MM	24W	2700	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	ON - OFF	90	A100 X B50 X C600MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C600MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
45	MAZDA-BLXR336015-H24W-6.5K-240V-GR-10VDIM-A100 X B50 X C600MM	24W	6500	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	90	A100 X B50 X C600MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C600MM	
46	MAZDA-BLXR336015-H24W-6.5K-240V-GR-PH-A100 X B50 X C600MM	24W	6500	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	PHASE CUT DIMMABLE	90	A100 X B50 X C600MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C600MM	
47	MAZDA-BLXR336015-H24W-6.5K-240V-GR-DA-A100 X B50 X C600MM	24W	6500	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	DALI DIMMABLE DRIVER	90	A100 X B50 X C600MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C600MM	
48	MAZDA-BLXR336015-H24W-6.5K-240V-GR-ND-A100 X B50 X C600MM	24W	6500	240V	GREY / DARK GREY / BLACK RAL7021	NON EMERGENCY	ON - OFF	90	A100 X B50 X C600MM	DIE CAST ALUMINUM	IP66	A100 X B50 X C600MM	