
DATASHEET

GENERATED ON: 12 Nov 2026 | SYS.REF: MAZDA-LED



VALIR SQ

MAZDA Model: UPXR6589 Inground Light

Valir Luminaire for floor/ground and ceiling installation, fixed, single adjustable versions for different applications,
lighting head can be mechanically adjusted without opening the luminaire, high level of flexibility in terms of lighting
control,very low glare rating with the deep recessed lighting head, die-cast aluminum body, 316L SS outer trim, 5mm
thick tempered glass, very low thermal build-up at the diffuser end, integrated driver, optional versions available with
frosted diffuser and 24Vdc models. Highly resitance in marine environment

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
1	**MAZDA-UPXR658912W-3K-240V-BL-10VDIM-A220 X B185 X C220 MM**	12W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
2	**MAZDA-UPXR658912W-3K-240V-BL-PH-A220 X B185 X C220 MM**	12W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
3	**MAZDA-UPXR658912W-3K-240V-BL-DA-A220 X B185 X C220 MM**	12W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
4	**MAZDA-UPXR658912W-3K-240V-BL-ND-A220 X B185 X C220 MM**	12W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
5	**MAZDA-UPXR658912W-4K-240V-BL-10VDIM-A220 X B185 X C220 MM**	12W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
6	**MAZDA-UPXR658912W-4K-240V-BL-PH-A220 X B185 X C220 MM**	12W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
7	**MAZDA-UPXR658912W-4K-240V-BL-DA-A220 X B185 X C220 MM**	12W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
8	**MAZDA-UPXR658912W-4K-240V-BL-ND-A220 X B185 X C220 MM**	12W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
9	**MAZDA-UPXR658912W-5K-240V-BL-10VDIM-A220 X B185 X C220 MM**	12W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
10	**MAZDA-UPXR658912W-5K-240V-BL-PH-A220 X B185 X C220 MM**	12W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
11	**MAZDA-UPXR658912W-5K-240V-BL-DA-A220 X B185 X C220 MM**	12W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	

DATASHEET

GENERATED ON: 12 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
12	**MAZDA-UPXR658912W-5K-240V-BL-ND-A220 X B185 X C220 MM**	12W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
13	**MAZDA-UPXR658912W-6K-240V-BL-10VDIM-A220 X B185 X C220 MM**	12W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
14	**MAZDA-UPXR658912W-6K-240V-BL-PH-A220 X B185 X C220 MM**	12W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
15	**MAZDA-UPXR658912W-6K-240V-BL-DA-A220 X B185 X C220 MM**	12W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
16	**MAZDA-UPXR658912W-6K-240V-BL-ND-A220 X B185 X C220 MM**	12W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
17	**MAZDA-UPXR658912W-2.7K-240V-BL-10VDIM-A220 X B185 X C220 MM**	12W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
18	**MAZDA-UPXR658912W-2.7K-240V-BL-PH-A220 X B185 X C220 MM**	12W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
19	**MAZDA-UPXR658912W-2.7K-240V-BL-DA-A220 X B185 X C220 MM**	12W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
20	**MAZDA-UPXR658912W-2.7K-240V-BL-ND-A220 X B185 X C220 MM**	12W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
21	**MAZDA-UPXR658912W-6.5K-240V-BL-10VDIM-A220 X B185 X C220 MM**	12W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
22	**MAZDA-UPXR658912W-6.5K-240V-BL-PH-A220 X B185 X C220 MM**	12W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
23	**MAZDA-UPXR658912W-6.5K-240V-BL-DA-A220 X B185 X C220 MM**	12W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
24	**MAZDA-UPXR658912W-6.5K-240V-BL-ND-A220 X B185 X C220 MM**	12W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
25	**MAZDA-UPXR658918W-3K-240V-BL-10VDIM-A220 X B185 X C220 MM**	18W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
26	**MAZDA-UPXR658918W-3K-240V-BL-PH-A220 X B185 X C220 MM**	18W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
27	**MAZDA-UPXR658918W-3K-240V-BL-DA-A220 X B185 X C220 MM**	18W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
28	**MAZDA-UPXR658918W-3K-240V-BL-ND-A220 X B185 X C220 MM**	18W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	

DATASHEET

GENERATED ON: 12 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
29	**MAZDA-UPXR658918W-4K-240V-BL-10VDIM-A220 X B185 X C220 MM**	18W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
30	**MAZDA-UPXR658918W-4K-240V-BL-PH-A220 X B185 X C220 MM**	18W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
31	**MAZDA-UPXR658918W-4K-240V-BL-DA-A220 X B185 X C220 MM**	18W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
32	**MAZDA-UPXR658918W-4K-240V-BL-ND-A220 X B185 X C220 MM**	18W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
33	**MAZDA-UPXR658918W-5K-240V-BL-10VDIM-A220 X B185 X C220 MM**	18W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
34	**MAZDA-UPXR658918W-5K-240V-BL-PH-A220 X B185 X C220 MM**	18W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
35	**MAZDA-UPXR658918W-5K-240V-BL-DA-A220 X B185 X C220 MM**	18W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
36	**MAZDA-UPXR658918W-5K-240V-BL-ND-A220 X B185 X C220 MM**	18W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
37	**MAZDA-UPXR658918W-6K-240V-BL-10VDIM-A220 X B185 X C220 MM**	18W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
38	**MAZDA-UPXR658918W-6K-240V-BL-PH-A220 X B185 X C220 MM**	18W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
39	**MAZDA-UPXR658918W-6K-240V-BL-DA-A220 X B185 X C220 MM**	18W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
40	**MAZDA-UPXR658918W-6K-240V-BL-ND-A220 X B185 X C220 MM**	18W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
41	**MAZDA-UPXR658918W-2.7K-240V-BL-10VDIM-A220 X B185 X C220 MM**	18W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
42	**MAZDA-UPXR658918W-2.7K-240V-BL-PH-A220 X B185 X C220 MM**	18W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
43	**MAZDA-UPXR658918W-2.7K-240V-BL-DA-A220 X B185 X C220 MM**	18W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
44	**MAZDA-UPXR658918W-2.7K-240V-BL-ND-A220 X B185 X C220 MM**	18W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
45	**MAZDA-UPXR658918W-6.5K-240V-BL-10VDIM-A220 X B185 X C220 MM**	18W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	

DATASHEET

GENERATED ON: 12 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
46	**MAZDA-UPXR658918W-6.5K-240V-BL-PH-A220 X B185 X C220 MM**	18W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
47	**MAZDA-UPXR658918W-6.5K-240V-BL-DA-A220 X B185 X C220 MM**	18W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
48	**MAZDA-UPXR658918W-6.5K-240V-BL-ND-A220 X B185 X C220 MM**	18W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
49	**MAZDA-UPXR658924W-3K-240V-BL-10VDIM-A220 X B185 X C220 MM**	24W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
50	**MAZDA-UPXR658924W-3K-240V-BL-PH-A220 X B185 X C220 MM**	24W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
51	**MAZDA-UPXR658924W-3K-240V-BL-DA-A220 X B185 X C220 MM**	24W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
52	**MAZDA-UPXR658924W-3K-240V-BL-ND-A220 X B185 X C220 MM**	24W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
53	**MAZDA-UPXR658924W-4K-240V-BL-10VDIM-A220 X B185 X C220 MM**	24W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
54	**MAZDA-UPXR658924W-4K-240V-BL-PH-A220 X B185 X C220 MM**	24W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
55	**MAZDA-UPXR658924W-4K-240V-BL-DA-A220 X B185 X C220 MM**	24W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
56	**MAZDA-UPXR658924W-4K-240V-BL-ND-A220 X B185 X C220 MM**	24W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
57	**MAZDA-UPXR658924W-5K-240V-BL-10VDIM-A220 X B185 X C220 MM**	24W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
58	**MAZDA-UPXR658924W-5K-240V-BL-PH-A220 X B185 X C220 MM**	24W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
59	**MAZDA-UPXR658924W-5K-240V-BL-DA-A220 X B185 X C220 MM**	24W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
60	**MAZDA-UPXR658924W-5K-240V-BL-ND-A220 X B185 X C220 MM**	24W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
61	**MAZDA-UPXR658924W-6K-240V-BL-10VDIM-A220 X B185 X C220 MM**	24W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
62	**MAZDA-UPXR658924W-6K-240V-BL-PH-A220 X B185 X C220 MM**	24W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	

DATASHEET

GENERATED ON: 12 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
63	**MAZDA-UPXR658924W-6K-240V-BL-DA-A220 X B185 X C220 MM**	24W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
64	**MAZDA-UPXR658924W-6K-240V-BL-ND-A220 X B185 X C220 MM**	24W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
65	**MAZDA-UPXR658924W-2.7K-240V-BL-10VDIM-A220 X B185 X C220 MM**	24W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
66	**MAZDA-UPXR658924W-2.7K-240V-BL-PH-A220 X B185 X C220 MM**	24W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
67	**MAZDA-UPXR658924W-2.7K-240V-BL-DA-A220 X B185 X C220 MM**	24W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
68	**MAZDA-UPXR658924W-2.7K-240V-BL-ND-A220 X B185 X C220 MM**	24W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
69	**MAZDA-UPXR658924W-6.5K-240V-BL-10VDIM-A220 X B185 X C220 MM**	24W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
70	**MAZDA-UPXR658924W-6.5K-240V-BL-PH-A220 X B185 X C220 MM**	24W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
71	**MAZDA-UPXR658924W-6.5K-240V-BL-DA-A220 X B185 X C220 MM**	24W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
72	**MAZDA-UPXR658924W-6.5K-240V-BL-ND-A220 X B185 X C220 MM**	24W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
73	**MAZDA-UPXR658930W-3K-240V-BL-10VDIM-A220 X B185 X C220 MM**	30W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
74	**MAZDA-UPXR658930W-3K-240V-BL-PH-A220 X B185 X C220 MM**	30W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
75	**MAZDA-UPXR658930W-3K-240V-BL-DA-A220 X B185 X C220 MM**	30W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
76	**MAZDA-UPXR658930W-3K-240V-BL-ND-A220 X B185 X C220 MM**	30W	3000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
77	**MAZDA-UPXR658930W-4K-240V-BL-10VDIM-A220 X B185 X C220 MM**	30W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
78	**MAZDA-UPXR658930W-4K-240V-BL-PH-A220 X B185 X C220 MM**	30W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
79	**MAZDA-UPXR658930W-4K-240V-BL-DA-A220 X B185 X C220 MM**	30W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
80	**MAZDA-UPXR658930W-4K-240V-BL-ND-A220 X B185 X C220 MM**	30W	4000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
81	**MAZDA-UPXR658930W-5K-240V-BL-10VDIM-A220 X B185 X C220 MM**	30W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
82	**MAZDA-UPXR658930W-5K-240V-BL-PH-A220 X B185 X C220 MM**	30W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
83	**MAZDA-UPXR658930W-5K-240V-BL-DA-A220 X B185 X C220 MM**	30W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
84	**MAZDA-UPXR658930W-5K-240V-BL-ND-A220 X B185 X C220 MM**	30W	5000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
85	**MAZDA-UPXR658930W-6K-240V-BL-10VDIM-A220 X B185 X C220 MM**	30W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
86	**MAZDA-UPXR658930W-6K-240V-BL-PH-A220 X B185 X C220 MM**	30W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
87	**MAZDA-UPXR658930W-6K-240V-BL-DA-A220 X B185 X C220 MM**	30W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
88	**MAZDA-UPXR658930W-6K-240V-BL-ND-A220 X B185 X C220 MM**	30W	6000	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
89	**MAZDA-UPXR658930W-2.7K-240V-BL-10VDIM-A220 X B185 X C220 MM**	30W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
90	**MAZDA-UPXR658930W-2.7K-240V-BL-PH-A220 X B185 X C220 MM**	30W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
91	**MAZDA-UPXR658930W-2.7K-240V-BL-DA-A220 X B185 X C220 MM**	30W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
92	**MAZDA-UPXR658930W-2.7K-240V-BL-ND-A220 X B185 X C220 MM**	30W	2700	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
93	**MAZDA-UPXR658930W-6.5K-240V-BL-10VDIM-A220 X B185 X C220 MM**	30W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
94	**MAZDA-UPXR658930W-6.5K-240V-BL-PH-A220 X B185 X C220 MM**	30W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
95	**MAZDA-UPXR658930W-6.5K-240V-BL-DA-A220 X B185 X C220 MM**	30W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	
96	**MAZDA-UPXR658930W-6.5K-240V-BL-ND-A220 X B185 X C220 MM**	30W	6500	240V	BLACK, LIGHT GREY, STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A220 X B185 X C220 MM	DIE CAST ALUMINUM	IP67	A220 X B185 X C220 MM	