



RENNES II

MAZDA Model: UPXR6590 Inground Light

Rennes II In-ground lights are ideally suited for accenting architectural features, facades, sculptures, to highlight trees, foliage and other outdoor garden landscapes. Stainless steel finishes top ring, Aluminium die cast body and clear tough tempered glass. These fixtures can be used around decks, patio areas, pathways or driveways creating a durable and permanent outdoor lighting solution with a modern look. This particular inground light has an adjustable beam direction and impact resistance: IK10 with ingress protection IP67

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
1	MAZDA-UPXR659010W-3K-240V-BL-10VDIM-A97 X B143 X C74 MM	10W	3000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	
2	MAZDA-UPXR659010W-3K-240V-BL-PH-A97 X B143 X C74 MM	10W	3000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	
3	MAZDA-UPXR659010W-3K-240V-BL-DA-A97 X B143 X C74 MM	10W	3000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	
4	MAZDA-UPXR659010W-3K-240V-BL-ND-A97 X B143 X C74 MM	10W	3000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	ON - OFF	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	
5	MAZDA-UPXR659010W-4K-240V-BL-10VDIM-A97 X B143 X C74 MM	10W	4000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	
6	MAZDA-UPXR659010W-4K-240V-BL-PH-A97 X B143 X C74 MM	10W	4000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	
7	MAZDA-UPXR659010W-4K-240V-BL-DA-A97 X B143 X C74 MM	10W	4000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	
8	MAZDA-UPXR659010W-4K-240V-BL-ND-A97 X B143 X C74 MM	10W	4000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	ON - OFF	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	
9	MAZDA-UPXR659010W-5K-240V-BL-10VDIM-A97 X B143 X C74 MM	10W	5000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	
10	MAZDA-UPXR659010W-5K-240V-BL-PH-A97 X B143 X C74 MM	10W	5000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	



DATASHEET

GENERATED ON: 27 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
11	MAZDA-UPXR659010W-5K-240V-BL-DA-A97 X B143 X C74 MM	10W	5000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	
12	MAZDA-UPXR659010W-5K-240V-BL-ND-A97 X B143 X C74 MM	10W	5000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	ON - OFF	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	
13	MAZDA-UPXR659010W-6K-240V-BL-10VDIM-A97 X B143 X C74 MM	10W	6000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	
14	MAZDA-UPXR659010W-6K-240V-BL-PH-A97 X B143 X C74 MM	10W	6000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	
15	MAZDA-UPXR659010W-6K-240V-BL-DA-A97 X B143 X C74 MM	10W	6000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	
16	MAZDA-UPXR659010W-6K-240V-BL-ND-A97 X B143 X C74 MM	10W	6000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	ON - OFF	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	
17	MAZDA-UPXR659010W-2.7K-240V-BL-10VDIM-A97 X B143 X C74 MM	10W	2700	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	
18	MAZDA-UPXR659010W-2.7K-240V-BL-PH-A97 X B143 X C74 MM	10W	2700	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	
19	MAZDA-UPXR659010W-2.7K-240V-BL-DA-A97 X B143 X C74 MM	10W	2700	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	
20	MAZDA-UPXR659010W-2.7K-240V-BL-ND-A97 X B143 X C74 MM	10W	2700	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	ON - OFF	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	
21	MAZDA-UPXR659010W-6.5K-240V-BL-10VDIM-A97 X B143 X C74 MM	10W	6500	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	
22	MAZDA-UPXR659010W-6.5K-240V-BL-PH-A97 X B143 X C74 MM	10W	6500	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	
23	MAZDA-UPXR659010W-6.5K-240V-BL-DA-A97 X B143 X C74 MM	10W	6500	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	
24	MAZDA-UPXR659010W-6.5K-240V-BL-ND-A97 X B143 X C74 MM	10W	6500	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	ON - OFF	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	
25	MAZDA-UPXR659006W-3K-240V-BL-10VDIM-A97 X B143 X C74 MM	06W	3000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	
26	MAZDA-UPXR659006W-3K-240V-BL-PH-A97 X B143 X C74 MM	06W	3000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	
27	MAZDA-UPXR659006W-3K-240V-BL-DA-A97 X B143 X C74 MM	06W	3000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	



DATASHEET

GENERATED ON: 27 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
28	MAZDA-UPXR659006W-3K-240V-BL-ND-A97 X B143 X C74 MM	06W	3000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	ON - OFF	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	
29	MAZDA-UPXR659006W-4K-240V-BL-10VDIM-A97 X B143 X C74 MM	06W	4000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	
30	MAZDA-UPXR659006W-4K-240V-BL-PH-A97 X B143 X C74 MM	06W	4000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	
31	MAZDA-UPXR659006W-4K-240V-BL-DA-A97 X B143 X C74 MM	06W	4000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	
32	MAZDA-UPXR659006W-4K-240V-BL-ND-A97 X B143 X C74 MM	06W	4000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	ON - OFF	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	
33	MAZDA-UPXR659006W-5K-240V-BL-10VDIM-A97 X B143 X C74 MM	06W	5000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	
34	MAZDA-UPXR659006W-5K-240V-BL-PH-A97 X B143 X C74 MM	06W	5000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	
35	MAZDA-UPXR659006W-5K-240V-BL-DA-A97 X B143 X C74 MM	06W	5000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	
36	MAZDA-UPXR659006W-5K-240V-BL-ND-A97 X B143 X C74 MM	06W	5000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	ON - OFF	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	
37	MAZDA-UPXR659006W-6K-240V-BL-10VDIM-A97 X B143 X C74 MM	06W	6000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	
38	MAZDA-UPXR659006W-6K-240V-BL-PH-A97 X B143 X C74 MM	06W	6000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	
39	MAZDA-UPXR659006W-6K-240V-BL-DA-A97 X B143 X C74 MM	06W	6000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	
40	MAZDA-UPXR659006W-6K-240V-BL-ND-A97 X B143 X C74 MM	06W	6000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	ON - OFF	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	
41	MAZDA-UPXR659006W-2.7K-240V-BL-10VDIM-A97 X B143 X C74 MM	06W	2700	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	
42	MAZDA-UPXR659006W-2.7K-240V-BL-PH-A97 X B143 X C74 MM	06W	2700	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	
43	MAZDA-UPXR659006W-2.7K-240V-BL-DA-A97 X B143 X C74 MM	06W	2700	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	
44	MAZDA-UPXR659006W-2.7K-240V-BL-ND-A97 X B143 X C74 MM	06W	2700	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	ON - OFF	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
45	MAZDA-UPXR659006W-6.5K-240V-BL-10VDIM-A97 X B143 X C74 MM	06W	6500	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	
46	MAZDA-UPXR659006W-6.5K-240V-BL-PH-A97 X B143 X C74 MM	06W	6500	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	
47	MAZDA-UPXR659006W-6.5K-240V-BL-DA-A97 X B143 X C74 MM	06W	6500	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	
48	MAZDA-UPXR659006W-6.5K-240V-BL-ND-A97 X B143 X C74 MM	06W	6500	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	ON - OFF	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM	