DATASHEET

GENERATED ON: 12 Nov 2026 | SYS.REF: MAZDA-LED



RENNES II

MAZDA Model: UPXR6590 Inground Light

Rennes II In-ground lights are ideally suited for accenting architectural features, facades, sculptures, to highlight trees, foliage and other outdoor garden landscapes. Stainless steel finishes top ring, Aluminium die cast body and clear tough tempered glass These fixtures can be used around decks, patio areas, pathways or driveways creating a durable and permanent outdoor lighting solution with a modern look. This particular inground light has an adjustable beam direction and impact resistance: IK10 with ingress protection IP67

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
1	MAZDA-UPXR659010W-3K-240V-BL-10VDIM-A97 X B143 X C74 MM	10W	3000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM
2	MAZDA-UPXR659010W-3K-240V-BL-PH-A97 X B143 X C74 MM	10W	3000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM
3	MAZDA-UPXR659010W-3K-240V-BL-DA-A97 X B143 X C74 MM	10W	3000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM
4	MAZDA-UPXR659010W-3K-240V-BL-ND-A97 X B143 X C74 MM	10W	3000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	ON - OFF	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM
5	MAZDA-UPXR659010W-4K-240V-BL-10VDIM-A97 X B143 X C74 MM	10W	4000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM
6	MAZDA-UPXR659010W-4K-240V-BL-PH-A97 X B143 X C74 MM	10W	4000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM
7	MAZDA-UPXR659010W-4K-240V-BL-DA-A97 X B143 X C74 MM	10W	4000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM
8	MAZDA-UPXR659010W-4K-240V-BL-ND-A97 X B143 X C74 MM	10W	4000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	ON - OFF	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM
9	MAZDA-UPXR659010W-5K-240V-BL-10VDIM-A97 X B143 X C74 MM	10W	5000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM
10	MAZDA-UPXR659010W-5K-240V-BL-PH-A97 X B143 X C74 MM	10W	5000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM

DATASHEET

GENERATED ON: 12 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
11	**MAZDA-UPXR659010W-5K-240V-BL-DA-A97 X B143 X C74 MM**	10W	5000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM
12	**MAZDA-UPXR659010W-5K-240V-BL-ND-A97 X B143 X C74 MM**	10W	5000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	ON - OFF	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM
13	**MAZDA-UPXR659010W-6K-240V-BL-10VDIM-A97 X B143 X C74 MM**	10W	6000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM
14	**MAZDA-UPXR659010W-6K-240V-BL-PH-A97 X B143 X C74 MM**	10W	6000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM
15	**MAZDA-UPXR659010W-6K-240V-BL-DA-A97 X B143 X C74 MM**	10W	6000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM
16	**MAZDA-UPXR659010W-6K-240V-BL-ND-A97 X B143 X C74 MM**	10W	6000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	ON - OFF	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM
17	**MAZDA-UPXR659010W-2.7K-240V-BL-10VDIM-A97 X B143 X C74 MM**	10W	2700	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM
18	**MAZDA-UPXR659010W-2.7K-240V-BL-PH-A97 X B143 X C74 MM**	10W	2700	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM
19	**MAZDA-UPXR659010W-2.7K-240V-BL-DA-A97 X B143 X C74 MM**	10W	2700	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM
20	**MAZDA-UPXR659010W-2.7K-240V-BL-ND-A97 X B143 X C74 MM**	10W	2700	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	ON - OFF	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM
21	**MAZDA-UPXR659010W-6.5K-240V-BL-10VDIM-A97 X B143 X C74 MM**	10W	6500	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM
22	**MAZDA-UPXR659010W-6.5K-240V-BL-PH-A97 X B143 X C74 MM**	10W	6500	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM
23	**MAZDA-UPXR659010W-6.5K-240V-BL-DA-A97 X B143 X C74 MM**	10W	6500	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM
24	**MAZDA-UPXR659010W-6.5K-240V-BL-ND-A97 X B143 X C74 MM**	10W	6500	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	ON - OFF	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM
25	**MAZDA-UPXR659006W-3K-240V-BL-10VDIM-A97 X B143 X C74 MM**	06W	3000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM
26	**MAZDA-UPXR659006W-3K-240V-BL-PH-A97 X B143 X C74 MM**	06W	3000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM
27	**MAZDA-UPXR659006W-3K-240V-BL-DA-A97 X B143 X C74 MM**	06W	3000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM

DATASHEET

GENERATED ON: 12 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
28	**MAZDA-UPXR659006W-3K-240V-BL-ND-A97 X B143 X C74 MM**	06W	3000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	ON - OFF	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM
29	**MAZDA-UPXR659006W-4K-240V-BL-10VDIM-A97 X B143 X C74 MM**	06W	4000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM
30	**MAZDA-UPXR659006W-4K-240V-BL-PH-A97 X B143 X C74 MM**	06W	4000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM
31	**MAZDA-UPXR659006W-4K-240V-BL-DA-A97 X B143 X C74 MM**	06W	4000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM
32	**MAZDA-UPXR659006W-4K-240V-BL-ND-A97 X B143 X C74 MM**	06W	4000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	ON - OFF	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM
33	**MAZDA-UPXR659006W-5K-240V-BL-10VDIM-A97 X B143 X C74 MM**	06W	5000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM
34	**MAZDA-UPXR659006W-5K-240V-BL-PH-A97 X B143 X C74 MM**	06W	5000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM
35	**MAZDA-UPXR659006W-5K-240V-BL-DA-A97 X B143 X C74 MM**	06W	5000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM
36	**MAZDA-UPXR659006W-5K-240V-BL-ND-A97 X B143 X C74 MM**	06W	5000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	ON - OFF	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM
37	**MAZDA-UPXR659006W-6K-240V-BL-10VDIM-A97 X B143 X C74 MM**	06W	6000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM
38	**MAZDA-UPXR659006W-6K-240V-BL-PH-A97 X B143 X C74 MM**	06W	6000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM
39	**MAZDA-UPXR659006W-6K-240V-BL-DA-A97 X B143 X C74 MM**	06W	6000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM
40	**MAZDA-UPXR659006W-6K-240V-BL-ND-A97 X B143 X C74 MM**	06W	6000	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	ON - OFF	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM
41	**MAZDA-UPXR659006W-2.7K-240V-BL-10VDIM-A97 X B143 X C74 MM**	06W	2700	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM
42	**MAZDA-UPXR659006W-2.7K-240V-BL-PH-A97 X B143 X C74 MM**	06W	2700	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM
43	**MAZDA-UPXR659006W-2.7K-240V-BL-DA-A97 X B143 X C74 MM**	06W	2700	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM
44	**MAZDA-UPXR659006W-2.7K-240V-BL-ND-A97 X B143 X C74 MM**	06W	2700	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	ON - OFF	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
45	**MAZDA-UPXR659006W-6.5K-240V-BL-10VDIM-A97 X B143 X C74 MM**	06W	6500	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM
46	**MAZDA-UPXR659006W-6.5K-240V-BL-PH-A97 X B143 X C74 MM**	06W	6500	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM
47	**MAZDA-UPXR659006W-6.5K-240V-BL-DA-A97 X B143 X C74 MM**	06W	6500	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM
48	**MAZDA-UPXR659006W-6.5K-240V-BL-ND-A97 X B143 X C74 MM**	06W	6500	240V	BLACK, STAINLESS STEEL, DARK GREY	NON EMERGENCY	ON - OFF	15	A97 X B143 X C74 MM	DIE CAST ALUMINUM	IP67	A97 X B143 X C74 MM