



PEPPER

MAZDA Model: UPXR6577 Inground Light

The Walk over unbreakable recessed luminaire is designed for accent lighting on architectural features, green area, facade and pedestrian zones. The luminaire is supplied with a 1m cable. The fixture has a Stainless steel finish top cover, Aluminium die-cast body and clear tough tempered glass. It is a durable and permanent outdoor lighting solution with a modern look.

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
1	MAZDA-UPXR657705W-3K-240V-BL-10VDIM-A339XB88XC34MM	05W	3000	240V	BLACK, LIGHT GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
2	MAZDA-UPXR657705W-3K-240V-BL-PH-A339XB88XC34MM	05W	3000	240V	BLACK, LIGHT GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
3	MAZDA-UPXR657705W-3K-240V-BL-DA-A339XB88XC34MM	05W	3000	240V	BLACK, LIGHT GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
4	MAZDA-UPXR657705W-3K-240V-BL-ND-A339XB88XC34MM	05W	3000	240V	BLACK, LIGHT GREY	NON EMERGENCY	ON - OFF	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
5	MAZDA-UPXR657705W-4K-240V-BL-10VDIM-A339XB88XC34MM	05W	4000	240V	BLACK, LIGHT GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
6	MAZDA-UPXR657705W-4K-240V-BL-PH-A339XB88XC34MM	05W	4000	240V	BLACK, LIGHT GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
7	MAZDA-UPXR657705W-4K-240V-BL-DA-A339XB88XC34MM	05W	4000	240V	BLACK, LIGHT GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
8	MAZDA-UPXR657705W-4K-240V-BL-ND-A339XB88XC34MM	05W	4000	240V	BLACK, LIGHT GREY	NON EMERGENCY	ON - OFF	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
9	MAZDA-UPXR657705W-5K-240V-BL-10VDIM-A339XB88XC34MM	05W	5000	240V	BLACK, LIGHT GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
10	MAZDA-UPXR657705W-5K-240V-BL-PH-A339XB88XC34MM	05W	5000	240V	BLACK, LIGHT GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
11	MAZDA-UPXR657705W-5K-240V-BL-DA-A339XB88XC34MM	05W	5000	240V	BLACK, LIGHT GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
12	MAZDA-UPXR657705W-5K-240V-BL-ND-A339XB88XC34MM	05W	5000	240V	BLACK, LIGHT GREY	NON EMERGENCY	ON - OFF	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
13	MAZDA-UPXR657705W-6K-240V-BL-10VDIM-A339XB88XC34MM	05W	6000	240V	BLACK, LIGHT GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
14	MAZDA-UPXR657705W-6K-240V-BL-PH-A339XB88XC34MM	05W	6000	240V	BLACK, LIGHT GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
15	MAZDA-UPXR657705W-6K-240V-BL-DA-A339XB88XC34MM	05W	6000	240V	BLACK, LIGHT GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
16	MAZDA-UPXR657705W-6K-240V-BL-ND-A339XB88XC34MM	05W	6000	240V	BLACK, LIGHT GREY	NON EMERGENCY	ON - OFF	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
17	MAZDA-UPXR657705W-2.7K-240V-BL-10VDIM-A339XB88XC34MM	05W	2700	240V	BLACK, LIGHT GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
18	MAZDA-UPXR657705W-2.7K-240V-BL-PH-A339XB88XC34MM	05W	2700	240V	BLACK, LIGHT GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	



DATASHEET

GENERATED ON: 28 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
19	MAZDA-UPXR657705W-2.7K-240V-BL-DA-A339XB88XC34MM	05W	2700	240V	BLACK, LIGHT GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
20	MAZDA-UPXR657705W-2.7K-240V-BL-ND-A339XB88XC34MM	05W	2700	240V	BLACK, LIGHT GREY	NON EMERGENCY	ON - OFF	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
21	MAZDA-UPXR657705W-6.5K-240V-BL-10VDIM-A339XB88XC34MM	05W	6500	240V	BLACK, LIGHT GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
22	MAZDA-UPXR657705W-6.5K-240V-BL-PH-A339XB88XC34MM	05W	6500	240V	BLACK, LIGHT GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
23	MAZDA-UPXR657705W-6.5K-240V-BL-DA-A339XB88XC34MM	05W	6500	240V	BLACK, LIGHT GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
24	MAZDA-UPXR657705W-6.5K-240V-BL-ND-A339XB88XC34MM	05W	6500	240V	BLACK, LIGHT GREY	NON EMERGENCY	ON - OFF	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
25	MAZDA-UPXR657708W-3K-240V-BL-10VDIM-A339XB88XC34MM	08W	3000	240V	BLACK, LIGHT GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
26	MAZDA-UPXR657708W-3K-240V-BL-PH-A339XB88XC34MM	08W	3000	240V	BLACK, LIGHT GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
27	MAZDA-UPXR657708W-3K-240V-BL-DA-A339XB88XC34MM	08W	3000	240V	BLACK, LIGHT GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
28	MAZDA-UPXR657708W-3K-240V-BL-ND-A339XB88XC34MM	08W	3000	240V	BLACK, LIGHT GREY	NON EMERGENCY	ON - OFF	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
29	MAZDA-UPXR657708W-4K-240V-BL-10VDIM-A339XB88XC34MM	08W	4000	240V	BLACK, LIGHT GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
30	MAZDA-UPXR657708W-4K-240V-BL-PH-A339XB88XC34MM	08W	4000	240V	BLACK, LIGHT GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
31	MAZDA-UPXR657708W-4K-240V-BL-DA-A339XB88XC34MM	08W	4000	240V	BLACK, LIGHT GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
32	MAZDA-UPXR657708W-4K-240V-BL-ND-A339XB88XC34MM	08W	4000	240V	BLACK, LIGHT GREY	NON EMERGENCY	ON - OFF	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
33	MAZDA-UPXR657708W-5K-240V-BL-10VDIM-A339XB88XC34MM	08W	5000	240V	BLACK, LIGHT GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
34	MAZDA-UPXR657708W-5K-240V-BL-PH-A339XB88XC34MM	08W	5000	240V	BLACK, LIGHT GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
35	MAZDA-UPXR657708W-5K-240V-BL-DA-A339XB88XC34MM	08W	5000	240V	BLACK, LIGHT GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
36	MAZDA-UPXR657708W-5K-240V-BL-ND-A339XB88XC34MM	08W	5000	240V	BLACK, LIGHT GREY	NON EMERGENCY	ON - OFF	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
37	MAZDA-UPXR657708W-6K-240V-BL-10VDIM-A339XB88XC34MM	08W	6000	240V	BLACK, LIGHT GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
38	MAZDA-UPXR657708W-6K-240V-BL-PH-A339XB88XC34MM	08W	6000	240V	BLACK, LIGHT GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
39	MAZDA-UPXR657708W-6K-240V-BL-DA-A339XB88XC34MM	08W	6000	240V	BLACK, LIGHT GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
40	MAZDA-UPXR657708W-6K-240V-BL-ND-A339XB88XC34MM	08W	6000	240V	BLACK, LIGHT GREY	NON EMERGENCY	ON - OFF	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
41	MAZDA-UPXR657708W-2.7K-240V-BL-10VDIM-A339XB88XC34MM	08W	2700	240V	BLACK, LIGHT GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
42	MAZDA-UPXR657708W-2.7K-240V-BL-PH-A339XB88XC34MM	08W	2700	240V	BLACK, LIGHT GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
43	MAZDA-UPXR657708W-2.7K-240V-BL-DA-A339XB88XC34MM	08W	2700	240V	BLACK, LIGHT GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
44	MAZDA-UPXR657708W-2.7K-240V-BL-ND-A339XB88XC34MM	08W	2700	240V	BLACK, LIGHT GREY	NON EMERGENCY	ON - OFF	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
45	MAZDA-UPXR657708W-6.5K-240V-BL-10VDIM-A339XB88XC34MM	08W	6500	240V	BLACK, LIGHT GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
46	MAZDA-UPXR657708W-6.5K-240V-BL-PH-A339XB88XC34MM	08W	6500	240V	BLACK, LIGHT GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	



DATASHEET

GENERATED ON: 28 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
47	MAZDA-UPXR657708W-6.5K-240V-BL-DA-A339XB88XC34MM	08W	6500	240V	BLACK, LIGHT GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
48	MAZDA-UPXR657708W-6.5K-240V-BL-ND-A339XB88XC34MM	08W	6500	240V	BLACK, LIGHT GREY	NON EMERGENCY	ON - OFF	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
49	MAZDA-UPXR657710W-3K-240V-BL-10VDIM-A339XB88XC34MM	10W	3000	240V	BLACK, LIGHT GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
50	MAZDA-UPXR657710W-3K-240V-BL-PH-A339XB88XC34MM	10W	3000	240V	BLACK, LIGHT GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
51	MAZDA-UPXR657710W-3K-240V-BL-DA-A339XB88XC34MM	10W	3000	240V	BLACK, LIGHT GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
52	MAZDA-UPXR657710W-3K-240V-BL-ND-A339XB88XC34MM	10W	3000	240V	BLACK, LIGHT GREY	NON EMERGENCY	ON - OFF	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
53	MAZDA-UPXR657710W-4K-240V-BL-10VDIM-A339XB88XC34MM	10W	4000	240V	BLACK, LIGHT GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
54	MAZDA-UPXR657710W-4K-240V-BL-PH-A339XB88XC34MM	10W	4000	240V	BLACK, LIGHT GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
55	MAZDA-UPXR657710W-4K-240V-BL-DA-A339XB88XC34MM	10W	4000	240V	BLACK, LIGHT GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
56	MAZDA-UPXR657710W-4K-240V-BL-ND-A339XB88XC34MM	10W	4000	240V	BLACK, LIGHT GREY	NON EMERGENCY	ON - OFF	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
57	MAZDA-UPXR657710W-5K-240V-BL-10VDIM-A339XB88XC34MM	10W	5000	240V	BLACK, LIGHT GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
58	MAZDA-UPXR657710W-5K-240V-BL-PH-A339XB88XC34MM	10W	5000	240V	BLACK, LIGHT GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
59	MAZDA-UPXR657710W-5K-240V-BL-DA-A339XB88XC34MM	10W	5000	240V	BLACK, LIGHT GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
60	MAZDA-UPXR657710W-5K-240V-BL-ND-A339XB88XC34MM	10W	5000	240V	BLACK, LIGHT GREY	NON EMERGENCY	ON - OFF	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
61	MAZDA-UPXR657710W-6K-240V-BL-10VDIM-A339XB88XC34MM	10W	6000	240V	BLACK, LIGHT GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
62	MAZDA-UPXR657710W-6K-240V-BL-PH-A339XB88XC34MM	10W	6000	240V	BLACK, LIGHT GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
63	MAZDA-UPXR657710W-6K-240V-BL-DA-A339XB88XC34MM	10W	6000	240V	BLACK, LIGHT GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
64	MAZDA-UPXR657710W-6K-240V-BL-ND-A339XB88XC34MM	10W	6000	240V	BLACK, LIGHT GREY	NON EMERGENCY	ON - OFF	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
65	MAZDA-UPXR657710W-2.7K-240V-BL-10VDIM-A339XB88XC34MM	10W	2700	240V	BLACK, LIGHT GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
66	MAZDA-UPXR657710W-2.7K-240V-BL-PH-A339XB88XC34MM	10W	2700	240V	BLACK, LIGHT GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
67	MAZDA-UPXR657710W-2.7K-240V-BL-DA-A339XB88XC34MM	10W	2700	240V	BLACK, LIGHT GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
68	MAZDA-UPXR657710W-2.7K-240V-BL-ND-A339XB88XC34MM	10W	2700	240V	BLACK, LIGHT GREY	NON EMERGENCY	ON - OFF	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
69	MAZDA-UPXR657710W-6.5K-240V-BL-10VDIM-A339XB88XC34MM	10W	6500	240V	BLACK, LIGHT GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
70	MAZDA-UPXR657710W-6.5K-240V-BL-PH-A339XB88XC34MM	10W	6500	240V	BLACK, LIGHT GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
71	MAZDA-UPXR657710W-6.5K-240V-BL-DA-A339XB88XC34MM	10W	6500	240V	BLACK, LIGHT GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
72	MAZDA-UPXR657710W-6.5K-240V-BL-ND-A339XB88XC34MM	10W	6500	240V	BLACK, LIGHT GREY	NON EMERGENCY	ON - OFF	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
73	MAZDA-UPXR657715W-3K-240V-BL-10VDIM-A339XB88XC34MM	15W	3000	240V	BLACK, LIGHT GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
74	MAZDA-UPXR657715W-3K-240V-BL-PH-A339XB88XC34MM	15W	3000	240V	BLACK, LIGHT GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	



DATASHEET

GENERATED ON: 28 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
75	MAZDA-UPXR657715W-3K-240V-BL-DA-A339XB88XC34MM	15W	3000	240V	BLACK, LIGHT GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
76	MAZDA-UPXR657715W-3K-240V-BL-ND-A339XB88XC34MM	15W	3000	240V	BLACK, LIGHT GREY	NON EMERGENCY	ON - OFF	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
77	MAZDA-UPXR657715W-4K-240V-BL-10VDIM-A339XB88XC34MM	15W	4000	240V	BLACK, LIGHT GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
78	MAZDA-UPXR657715W-4K-240V-BL-PH-A339XB88XC34MM	15W	4000	240V	BLACK, LIGHT GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
79	MAZDA-UPXR657715W-4K-240V-BL-DA-A339XB88XC34MM	15W	4000	240V	BLACK, LIGHT GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
80	MAZDA-UPXR657715W-4K-240V-BL-ND-A339XB88XC34MM	15W	4000	240V	BLACK, LIGHT GREY	NON EMERGENCY	ON - OFF	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
81	MAZDA-UPXR657715W-5K-240V-BL-10VDIM-A339XB88XC34MM	15W	5000	240V	BLACK, LIGHT GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
82	MAZDA-UPXR657715W-5K-240V-BL-PH-A339XB88XC34MM	15W	5000	240V	BLACK, LIGHT GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
83	MAZDA-UPXR657715W-5K-240V-BL-DA-A339XB88XC34MM	15W	5000	240V	BLACK, LIGHT GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
84	MAZDA-UPXR657715W-5K-240V-BL-ND-A339XB88XC34MM	15W	5000	240V	BLACK, LIGHT GREY	NON EMERGENCY	ON - OFF	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
85	MAZDA-UPXR657715W-6K-240V-BL-10VDIM-A339XB88XC34MM	15W	6000	240V	BLACK, LIGHT GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
86	MAZDA-UPXR657715W-6K-240V-BL-PH-A339XB88XC34MM	15W	6000	240V	BLACK, LIGHT GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
87	MAZDA-UPXR657715W-6K-240V-BL-DA-A339XB88XC34MM	15W	6000	240V	BLACK, LIGHT GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
88	MAZDA-UPXR657715W-6K-240V-BL-ND-A339XB88XC34MM	15W	6000	240V	BLACK, LIGHT GREY	NON EMERGENCY	ON - OFF	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
89	MAZDA-UPXR657715W-2.7K-240V-BL-10VDIM-A339XB88XC34MM	15W	2700	240V	BLACK, LIGHT GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
90	MAZDA-UPXR657715W-2.7K-240V-BL-PH-A339XB88XC34MM	15W	2700	240V	BLACK, LIGHT GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
91	MAZDA-UPXR657715W-2.7K-240V-BL-DA-A339XB88XC34MM	15W	2700	240V	BLACK, LIGHT GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
92	MAZDA-UPXR657715W-2.7K-240V-BL-ND-A339XB88XC34MM	15W	2700	240V	BLACK, LIGHT GREY	NON EMERGENCY	ON - OFF	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
93	MAZDA-UPXR657715W-6.5K-240V-BL-10VDIM-A339XB88XC34MM	15W	6500	240V	BLACK, LIGHT GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
94	MAZDA-UPXR657715W-6.5K-240V-BL-PH-A339XB88XC34MM	15W	6500	240V	BLACK, LIGHT GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
95	MAZDA-UPXR657715W-6.5K-240V-BL-DA-A339XB88XC34MM	15W	6500	240V	BLACK, LIGHT GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
96	MAZDA-UPXR657715W-6.5K-240V-BL-ND-A339XB88XC34MM	15W	6500	240V	BLACK, LIGHT GREY	NON EMERGENCY	ON - OFF	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
97	MAZDA-UPXR657720W-3K-240V-BL-10VDIM-A339XB88XC34MM	20W	3000	240V	BLACK, LIGHT GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
98	MAZDA-UPXR657720W-3K-240V-BL-PH-A339XB88XC34MM	20W	3000	240V	BLACK, LIGHT GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
99	MAZDA-UPXR657720W-3K-240V-BL-DA-A339XB88XC34MM	20W	3000	240V	BLACK, LIGHT GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
100	MAZDA-UPXR657720W-3K-240V-BL-ND-A339XB88XC34MM	20W	3000	240V	BLACK, LIGHT GREY	NON EMERGENCY	ON - OFF	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
101	MAZDA-UPXR657720W-4K-240V-BL-10VDIM-A339XB88XC34MM	20W	4000	240V	BLACK, LIGHT GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
102	MAZDA-UPXR657720W-4K-240V-BL-PH-A339XB88XC34MM	20W	4000	240V	BLACK, LIGHT GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	



DATASHEET

GENERATED ON: 28 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
103	MAZDA-UPXR657720W-4K-240V-BL-DA-A339XB88XC34MM	20W	4000	240V	BLACK, LIGHT GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
104	MAZDA-UPXR657720W-4K-240V-BL-ND-A339XB88XC34MM	20W	4000	240V	BLACK, LIGHT GREY	NON EMERGENCY	ON - OFF	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
105	MAZDA-UPXR657720W-5K-240V-BL-10VDIM-A339XB88XC34MM	20W	5000	240V	BLACK, LIGHT GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
106	MAZDA-UPXR657720W-5K-240V-BL-PH-A339XB88XC34MM	20W	5000	240V	BLACK, LIGHT GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
107	MAZDA-UPXR657720W-5K-240V-BL-DA-A339XB88XC34MM	20W	5000	240V	BLACK, LIGHT GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
108	MAZDA-UPXR657720W-5K-240V-BL-ND-A339XB88XC34MM	20W	5000	240V	BLACK, LIGHT GREY	NON EMERGENCY	ON - OFF	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
109	MAZDA-UPXR657720W-6K-240V-BL-10VDIM-A339XB88XC34MM	20W	6000	240V	BLACK, LIGHT GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
110	MAZDA-UPXR657720W-6K-240V-BL-PH-A339XB88XC34MM	20W	6000	240V	BLACK, LIGHT GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
111	MAZDA-UPXR657720W-6K-240V-BL-DA-A339XB88XC34MM	20W	6000	240V	BLACK, LIGHT GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
112	MAZDA-UPXR657720W-6K-240V-BL-ND-A339XB88XC34MM	20W	6000	240V	BLACK, LIGHT GREY	NON EMERGENCY	ON - OFF	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
113	MAZDA-UPXR657720W-2.7K-240V-BL-10VDIM-A339XB88XC34MM	20W	2700	240V	BLACK, LIGHT GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
114	MAZDA-UPXR657720W-2.7K-240V-BL-PH-A339XB88XC34MM	20W	2700	240V	BLACK, LIGHT GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
115	MAZDA-UPXR657720W-2.7K-240V-BL-DA-A339XB88XC34MM	20W	2700	240V	BLACK, LIGHT GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
116	MAZDA-UPXR657720W-2.7K-240V-BL-ND-A339XB88XC34MM	20W	2700	240V	BLACK, LIGHT GREY	NON EMERGENCY	ON - OFF	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
117	MAZDA-UPXR657720W-6.5K-240V-BL-10VDIM-A339XB88XC34MM	20W	6500	240V	BLACK, LIGHT GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
118	MAZDA-UPXR657720W-6.5K-240V-BL-PH-A339XB88XC34MM	20W	6500	240V	BLACK, LIGHT GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
119	MAZDA-UPXR657720W-6.5K-240V-BL-DA-A339XB88XC34MM	20W	6500	240V	BLACK, LIGHT GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
120	MAZDA-UPXR657720W-6.5K-240V-BL-ND-A339XB88XC34MM	20W	6500	240V	BLACK, LIGHT GREY	NON EMERGENCY	ON - OFF	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
121	MAZDA-UPXR657730W-3K-240V-BL-10VDIM-A339XB88XC34MM	30W	3000	240V	BLACK, LIGHT GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
122	MAZDA-UPXR657730W-3K-240V-BL-PH-A339XB88XC34MM	30W	3000	240V	BLACK, LIGHT GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
123	MAZDA-UPXR657730W-3K-240V-BL-DA-A339XB88XC34MM	30W	3000	240V	BLACK, LIGHT GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
124	MAZDA-UPXR657730W-3K-240V-BL-ND-A339XB88XC34MM	30W	3000	240V	BLACK, LIGHT GREY	NON EMERGENCY	ON - OFF	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
125	MAZDA-UPXR657730W-4K-240V-BL-10VDIM-A339XB88XC34MM	30W	4000	240V	BLACK, LIGHT GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
126	MAZDA-UPXR657730W-4K-240V-BL-PH-A339XB88XC34MM	30W	4000	240V	BLACK, LIGHT GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
127	MAZDA-UPXR657730W-4K-240V-BL-DA-A339XB88XC34MM	30W	4000	240V	BLACK, LIGHT GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
128	MAZDA-UPXR657730W-4K-240V-BL-ND-A339XB88XC34MM	30W	4000	240V	BLACK, LIGHT GREY	NON EMERGENCY	ON - OFF	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
129	MAZDA-UPXR657730W-5K-240V-BL-10VDIM-A339XB88XC34MM	30W	5000	240V	BLACK, LIGHT GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
130	MAZDA-UPXR657730W-5K-240V-BL-PH-A339XB88XC34MM	30W	5000	240V	BLACK, LIGHT GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	



DATASHEET

GENERATED ON: 28 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
131	MAZDA-UPXR657730W-5K-240V-BL-DA-A339XB88XC34MM	30W	5000	240V	BLACK, LIGHT GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
132	MAZDA-UPXR657730W-5K-240V-BL-ND-A339XB88XC34MM	30W	5000	240V	BLACK, LIGHT GREY	NON EMERGENCY	ON - OFF	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
133	MAZDA-UPXR657730W-6K-240V-BL-10VDIM-A339XB88XC34MM	30W	6000	240V	BLACK, LIGHT GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
134	MAZDA-UPXR657730W-6K-240V-BL-PH-A339XB88XC34MM	30W	6000	240V	BLACK, LIGHT GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
135	MAZDA-UPXR657730W-6K-240V-BL-DA-A339XB88XC34MM	30W	6000	240V	BLACK, LIGHT GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
136	MAZDA-UPXR657730W-6K-240V-BL-ND-A339XB88XC34MM	30W	6000	240V	BLACK, LIGHT GREY	NON EMERGENCY	ON - OFF	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
137	MAZDA-UPXR657730W-2.7K-240V-BL-10VDIM-A339XB88XC34MM	30W	2700	240V	BLACK, LIGHT GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
138	MAZDA-UPXR657730W-2.7K-240V-BL-PH-A339XB88XC34MM	30W	2700	240V	BLACK, LIGHT GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
139	MAZDA-UPXR657730W-2.7K-240V-BL-DA-A339XB88XC34MM	30W	2700	240V	BLACK, LIGHT GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
140	MAZDA-UPXR657730W-2.7K-240V-BL-ND-A339XB88XC34MM	30W	2700	240V	BLACK, LIGHT GREY	NON EMERGENCY	ON - OFF	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
141	MAZDA-UPXR657730W-6.5K-240V-BL-10VDIM-A339XB88XC34MM	30W	6500	240V	BLACK, LIGHT GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
142	MAZDA-UPXR657730W-6.5K-240V-BL-PH-A339XB88XC34MM	30W	6500	240V	BLACK, LIGHT GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
143	MAZDA-UPXR657730W-6.5K-240V-BL-DA-A339XB88XC34MM	30W	6500	240V	BLACK, LIGHT GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
144	MAZDA-UPXR657730W-6.5K-240V-BL-ND-A339XB88XC34MM	30W	6500	240V	BLACK, LIGHT GREY	NON EMERGENCY	ON - OFF	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
145	MAZDA-UPXR657740W-3K-240V-BL-10VDIM-A339XB88XC34MM	40W	3000	240V	BLACK, LIGHT GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
146	MAZDA-UPXR657740W-3K-240V-BL-PH-A339XB88XC34MM	40W	3000	240V	BLACK, LIGHT GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
147	MAZDA-UPXR657740W-3K-240V-BL-DA-A339XB88XC34MM	40W	3000	240V	BLACK, LIGHT GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
148	MAZDA-UPXR657740W-3K-240V-BL-ND-A339XB88XC34MM	40W	3000	240V	BLACK, LIGHT GREY	NON EMERGENCY	ON - OFF	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
149	MAZDA-UPXR657740W-4K-240V-BL-10VDIM-A339XB88XC34MM	40W	4000	240V	BLACK, LIGHT GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
150	MAZDA-UPXR657740W-4K-240V-BL-PH-A339XB88XC34MM	40W	4000	240V	BLACK, LIGHT GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
151	MAZDA-UPXR657740W-4K-240V-BL-DA-A339XB88XC34MM	40W	4000	240V	BLACK, LIGHT GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
152	MAZDA-UPXR657740W-4K-240V-BL-ND-A339XB88XC34MM	40W	4000	240V	BLACK, LIGHT GREY	NON EMERGENCY	ON - OFF	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
153	MAZDA-UPXR657740W-5K-240V-BL-10VDIM-A339XB88XC34MM	40W	5000	240V	BLACK, LIGHT GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
154	MAZDA-UPXR657740W-5K-240V-BL-PH-A339XB88XC34MM	40W	5000	240V	BLACK, LIGHT GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
155	MAZDA-UPXR657740W-5K-240V-BL-DA-A339XB88XC34MM	40W	5000	240V	BLACK, LIGHT GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
156	MAZDA-UPXR657740W-5K-240V-BL-ND-A339XB88XC34MM	40W	5000	240V	BLACK, LIGHT GREY	NON EMERGENCY	ON - OFF	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
157	MAZDA-UPXR657740W-6K-240V-BL-10VDIM-A339XB88XC34MM	40W	6000	240V	BLACK, LIGHT GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
158	MAZDA-UPXR657740W-6K-240V-BL-PH-A339XB88XC34MM	40W	6000	240V	BLACK, LIGHT GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
159	MAZDA-UPXR657740W-6K-240V-BL-DA-A339XB88XC34MM	40W	6000	240V	BLACK, LIGHT GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
160	MAZDA-UPXR657740W-6K-240V-BL-ND-A339XB88XC34MM	40W	6000	240V	BLACK, LIGHT GREY	NON EMERGENCY	ON - OFF	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
161	MAZDA-UPXR657740W-2.7K-240V-BL-10VDIM-A339XB88XC34MM	40W	2700	240V	BLACK, LIGHT GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
162	MAZDA-UPXR657740W-2.7K-240V-BL-PH-A339XB88XC34MM	40W	2700	240V	BLACK, LIGHT GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
163	MAZDA-UPXR657740W-2.7K-240V-BL-DA-A339XB88XC34MM	40W	2700	240V	BLACK, LIGHT GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
164	MAZDA-UPXR657740W-2.7K-240V-BL-ND-A339XB88XC34MM	40W	2700	240V	BLACK, LIGHT GREY	NON EMERGENCY	ON - OFF	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
165	MAZDA-UPXR657740W-6.5K-240V-BL-10VDIM-A339XB88XC34MM	40W	6500	240V	BLACK, LIGHT GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
166	MAZDA-UPXR657740W-6.5K-240V-BL-PH-A339XB88XC34MM	40W	6500	240V	BLACK, LIGHT GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
167	MAZDA-UPXR657740W-6.5K-240V-BL-DA-A339XB88XC34MM	40W	6500	240V	BLACK, LIGHT GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	
168	MAZDA-UPXR657740W-6.5K-240V-BL-ND-A339XB88XC34MM	40W	6500	240V	BLACK, LIGHT GREY	NON EMERGENCY	ON - OFF	15	A339XB88XC34MM	DIE CAST ALUMINUM	IP67	A339XB88XC34MM	