# DATASHEET

GENERATED ON: 12 Nov 2026 | SYS.REF: MAZDA-LED



## PEPPER

**MAZDA Model: UPXR6577 Inground Light**

The Walk over unbreakable recessed luminaire is designed for accent lighting on architectural features, green area, facade and pedestrian zones. The luminaire is supplied with a 1m cable. The fixture has a Stainless steel finish top cover, Aluminium die-cast body and clear tough tempered glass. It is a durable and permanent outdoor lighting solution with a modern look.

## ALL AVAILABLE VARIANTS

| # | Code | WATT | CCT | Voltage | Body Color | Emergency Backup | Control | Beam Angel | Dimension | Material | IP | Dimensions | Price |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | MAZDA-UPXR657705W-3K-240V-BL-10VDIM-A339XB88XC34MM | 05W | 3000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | 0/1-10 V DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 2 | MAZDA-UPXR657705W-3K-240V-BL-PH-A339XB88XC34MM | 05W | 3000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | PHASE CUT DIMMABLE | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 3 | MAZDA-UPXR657705W-3K-240V-BL-DA-A339XB88XC34MM | 05W | 3000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | DALI DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 4 | MAZDA-UPXR657705W-3K-240V-BL-ND-A339XB88XC34MM | 05W | 3000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | ON - OFF | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 5 | MAZDA-UPXR657705W-4K-240V-BL-10VDIM-A339XB88XC34MM | 05W | 4000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | 0/1-10 V DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 6 | MAZDA-UPXR657705W-4K-240V-BL-PH-A339XB88XC34MM | 05W | 4000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | PHASE CUT DIMMABLE | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 7 | MAZDA-UPXR657705W-4K-240V-BL-DA-A339XB88XC34MM | 05W | 4000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | DALI DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 8 | MAZDA-UPXR657705W-4K-240V-BL-ND-A339XB88XC34MM | 05W | 4000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | ON - OFF | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 9 | MAZDA-UPXR657705W-5K-240V-BL-10VDIM-A339XB88XC34MM | 05W | 5000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | 0/1-10 V DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 10 | MAZDA-UPXR657705W-5K-240V-BL-PH-A339XB88XC34MM | 05W | 5000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | PHASE CUT DIMMABLE | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 11 | MAZDA-UPXR657705W-5K-240V-BL-DA-A339XB88XC34MM | 05W | 5000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | DALI DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 12 | MAZDA-UPXR657705W-5K-240V-BL-ND-A339XB88XC34MM | 05W | 5000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | ON - OFF | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 13 | MAZDA-UPXR657705W-6K-240V-BL-10VDIM-A339XB88XC34MM | 05W | 6000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | 0/1-10 V DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 14 | MAZDA-UPXR657705W-6K-240V-BL-PH-A339XB88XC34MM | 05W | 6000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | PHASE CUT DIMMABLE | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 15 | MAZDA-UPXR657705W-6K-240V-BL-DA-A339XB88XC34MM | 05W | 6000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | DALI DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 16 | MAZDA-UPXR657705W-6K-240V-BL-ND-A339XB88XC34MM | 05W | 6000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | ON - OFF | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 17 | MAZDA-UPXR657705W-2.7K-240V-BL-10VDIM-A339XB88XC34MM | 05W | 2700 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | 0/1-10 V DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 18 | MAZDA-UPXR657705W-2.7K-240V-BL-PH-A339XB88XC34MM | 05W | 2700 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | PHASE CUT DIMMABLE | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |

# DATASHEET

GENERATED ON: 12 Nov 2026 | SYS.REF: MAZDA-LED

| # | Code | WATT | CCT | Voltage | Body Color | Emergency Backup | Control | Beam Angel | Dimension | Material | IP | Dimensions | Price |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 19 | MAZDA-UPXR657705W-2.7K-240V-BL-DA-A339XB88XC34MM | 05W | 2700 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | DALI DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 20 | MAZDA-UPXR657705W-2.7K-240V-BL-ND-A339XB88XC34MM | 05W | 2700 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | ON - OFF | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 21 | MAZDA-UPXR657705W-6.5K-240V-BL-10VDIM-A339XB88XC34MM | 05W | 6500 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | 0/1-10 V DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 22 | MAZDA-UPXR657705W-6.5K-240V-BL-PH-A339XB88XC34MM | 05W | 6500 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | PHASE CUT DIMMABLE | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 23 | MAZDA-UPXR657705W-6.5K-240V-BL-DA-A339XB88XC34MM | 05W | 6500 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | DALI DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 24 | MAZDA-UPXR657705W-6.5K-240V-BL-ND-A339XB88XC34MM | 05W | 6500 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | ON - OFF | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 25 | MAZDA-UPXR657708W-3K-240V-BL-10VDIM-A339XB88XC34MM | 08W | 3000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | 0/1-10 V DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 26 | MAZDA-UPXR657708W-3K-240V-BL-PH-A339XB88XC34MM | 08W | 3000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | PHASE CUT DIMMABLE | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 27 | MAZDA-UPXR657708W-3K-240V-BL-DA-A339XB88XC34MM | 08W | 3000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | DALI DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 28 | MAZDA-UPXR657708W-3K-240V-BL-ND-A339XB88XC34MM | 08W | 3000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | ON - OFF | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 29 | MAZDA-UPXR657708W-4K-240V-BL-10VDIM-A339XB88XC34MM | 08W | 4000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | 0/1-10 V DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 30 | MAZDA-UPXR657708W-4K-240V-BL-PH-A339XB88XC34MM | 08W | 4000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | PHASE CUT DIMMABLE | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 31 | MAZDA-UPXR657708W-4K-240V-BL-DA-A339XB88XC34MM | 08W | 4000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | DALI DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 32 | MAZDA-UPXR657708W-4K-240V-BL-ND-A339XB88XC34MM | 08W | 4000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | ON - OFF | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 33 | MAZDA-UPXR657708W-5K-240V-BL-10VDIM-A339XB88XC34MM | 08W | 5000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | 0/1-10 V DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 34 | MAZDA-UPXR657708W-5K-240V-BL-PH-A339XB88XC34MM | 08W | 5000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | PHASE CUT DIMMABLE | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 35 | MAZDA-UPXR657708W-5K-240V-BL-DA-A339XB88XC34MM | 08W | 5000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | DALI DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 36 | MAZDA-UPXR657708W-5K-240V-BL-ND-A339XB88XC34MM | 08W | 5000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | ON - OFF | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 37 | MAZDA-UPXR657708W-6K-240V-BL-10VDIM-A339XB88XC34MM | 08W | 6000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | 0/1-10 V DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 38 | MAZDA-UPXR657708W-6K-240V-BL-PH-A339XB88XC34MM | 08W | 6000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | PHASE CUT DIMMABLE | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 39 | MAZDA-UPXR657708W-6K-240V-BL-DA-A339XB88XC34MM | 08W | 6000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | DALI DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 40 | MAZDA-UPXR657708W-6K-240V-BL-ND-A339XB88XC34MM | 08W | 6000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | ON - OFF | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 41 | MAZDA-UPXR657708W-2.7K-240V-BL-10VDIM-A339XB88XC34MM | 08W | 2700 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | 0/1-10 V DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 42 | MAZDA-UPXR657708W-2.7K-240V-BL-PH-A339XB88XC34MM | 08W | 2700 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | PHASE CUT DIMMABLE | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 43 | MAZDA-UPXR657708W-2.7K-240V-BL-DA-A339XB88XC34MM | 08W | 2700 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | DALI DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 44 | MAZDA-UPXR657708W-2.7K-240V-BL-ND-A339XB88XC34MM | 08W | 2700 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | ON - OFF | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 45 | MAZDA-UPXR657708W-6.5K-240V-BL-10VDIM-A339XB88XC34MM | 08W | 6500 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | 0/1-10 V DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 46 | MAZDA-UPXR657708W-6.5K-240V-BL-PH-A339XB88XC34MM | 08W | 6500 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | PHASE CUT DIMMABLE | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |

# DATASHEET

GENERATED ON: 12 Nov 2026 | SYS.REF: MAZDA-LED

| # | Code | WATT | CCT | Voltage | Body Color | Emergency Backup | Control | Beam Angel | Dimension | Material | IP | Dimensions | Price |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 47 | **MAZDA-UPXR657708W-6.5K-240V-BL-DA-A339XB88XC34MM** | 08W | 6500 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | DALI DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 48 | **MAZDA-UPXR657708W-6.5K-240V-BL-ND-A339XB88XC34MM** | 08W | 6500 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | ON - OFF | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 49 | **MAZDA-UPXR657710W-3K-240V-BL-10VDIM-A339XB88XC34MM** | 10W | 3000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | 0/1-10 V DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 50 | **MAZDA-UPXR657710W-3K-240V-BL-PH-A339XB88XC34MM** | 10W | 3000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | PHASE CUT DIMMABLE | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 51 | **MAZDA-UPXR657710W-3K-240V-BL-DA-A339XB88XC34MM** | 10W | 3000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | DALI DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 52 | **MAZDA-UPXR657710W-3K-240V-BL-ND-A339XB88XC34MM** | 10W | 3000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | ON - OFF | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 53 | **MAZDA-UPXR657710W-4K-240V-BL-10VDIM-A339XB88XC34MM** | 10W | 4000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | 0/1-10 V DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 54 | **MAZDA-UPXR657710W-4K-240V-BL-PH-A339XB88XC34MM** | 10W | 4000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | PHASE CUT DIMMABLE | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 55 | **MAZDA-UPXR657710W-4K-240V-BL-DA-A339XB88XC34MM** | 10W | 4000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | DALI DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 56 | **MAZDA-UPXR657710W-4K-240V-BL-ND-A339XB88XC34MM** | 10W | 4000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | ON - OFF | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 57 | **MAZDA-UPXR657710W-5K-240V-BL-10VDIM-A339XB88XC34MM** | 10W | 5000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | 0/1-10 V DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 58 | **MAZDA-UPXR657710W-5K-240V-BL-PH-A339XB88XC34MM** | 10W | 5000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | PHASE CUT DIMMABLE | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 59 | **MAZDA-UPXR657710W-5K-240V-BL-DA-A339XB88XC34MM** | 10W | 5000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | DALI DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 60 | **MAZDA-UPXR657710W-5K-240V-BL-ND-A339XB88XC34MM** | 10W | 5000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | ON - OFF | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 61 | **MAZDA-UPXR657710W-6K-240V-BL-10VDIM-A339XB88XC34MM** | 10W | 6000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | 0/1-10 V DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 62 | **MAZDA-UPXR657710W-6K-240V-BL-PH-A339XB88XC34MM** | 10W | 6000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | PHASE CUT DIMMABLE | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 63 | **MAZDA-UPXR657710W-6K-240V-BL-DA-A339XB88XC34MM** | 10W | 6000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | DALI DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 64 | **MAZDA-UPXR657710W-6K-240V-BL-ND-A339XB88XC34MM** | 10W | 6000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | ON - OFF | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 65 | **MAZDA-UPXR657710W-2.7K-240V-BL-10VDIM-A339XB88XC34MM** | 10W | 2700 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | 0/1-10 V DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 66 | **MAZDA-UPXR657710W-2.7K-240V-BL-PH-A339XB88XC34MM** | 10W | 2700 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | PHASE CUT DIMMABLE | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 67 | **MAZDA-UPXR657710W-2.7K-240V-BL-DA-A339XB88XC34MM** | 10W | 2700 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | DALI DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 68 | **MAZDA-UPXR657710W-2.7K-240V-BL-ND-A339XB88XC34MM** | 10W | 2700 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | ON - OFF | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 69 | **MAZDA-UPXR657710W-6.5K-240V-BL-10VDIM-A339XB88XC34MM** | 10W | 6500 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | 0/1-10 V DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 70 | **MAZDA-UPXR657710W-6.5K-240V-BL-PH-A339XB88XC34MM** | 10W | 6500 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | PHASE CUT DIMMABLE | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 71 | **MAZDA-UPXR657710W-6.5K-240V-BL-DA-A339XB88XC34MM** | 10W | 6500 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | DALI DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 72 | **MAZDA-UPXR657710W-6.5K-240V-BL-ND-A339XB88XC34MM** | 10W | 6500 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | ON - OFF | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 73 | **MAZDA-UPXR657715W-3K-240V-BL-10VDIM-A339XB88XC34MM** | 15W | 3000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | 0/1-10 V DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 74 | **MAZDA-UPXR657715W-3K-240V-BL-PH-A339XB88XC34MM** | 15W | 3000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | PHASE CUT DIMMABLE | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |

# DATASHEET

GENERATED ON: 12 Nov 2026 | SYS.REF: MAZDA-LED

| # | Code | WATT | CCT | Voltage | Body Color | Emergency Backup | Control | Beam Angel | Dimension | Material | IP | Dimensions | Price |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 75 | MAZDA-UPXR657715W-3K-240V-BL-DA-A339XB88XC34MM | 15W | 3000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | DALI DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 76 | MAZDA-UPXR657715W-3K-240V-BL-ND-A339XB88XC34MM | 15W | 3000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | ON - OFF | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 77 | MAZDA-UPXR657715W-4K-240V-BL-10VDIM-A339XB88XC34MM | 15W | 4000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | 0/1-10 V DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 78 | MAZDA-UPXR657715W-4K-240V-BL-PH-A339XB88XC34MM | 15W | 4000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | PHASE CUT DIMMABLE | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 79 | MAZDA-UPXR657715W-4K-240V-BL-DA-A339XB88XC34MM | 15W | 4000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | DALI DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 80 | MAZDA-UPXR657715W-4K-240V-BL-ND-A339XB88XC34MM | 15W | 4000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | ON - OFF | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 81 | MAZDA-UPXR657715W-5K-240V-BL-10VDIM-A339XB88XC34MM | 15W | 5000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | 0/1-10 V DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 82 | MAZDA-UPXR657715W-5K-240V-BL-PH-A339XB88XC34MM | 15W | 5000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | PHASE CUT DIMMABLE | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 83 | MAZDA-UPXR657715W-5K-240V-BL-DA-A339XB88XC34MM | 15W | 5000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | DALI DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 84 | MAZDA-UPXR657715W-5K-240V-BL-ND-A339XB88XC34MM | 15W | 5000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | ON - OFF | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 85 | MAZDA-UPXR657715W-6K-240V-BL-10VDIM-A339XB88XC34MM | 15W | 6000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | 0/1-10 V DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 86 | MAZDA-UPXR657715W-6K-240V-BL-PH-A339XB88XC34MM | 15W | 6000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | PHASE CUT DIMMABLE | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 87 | MAZDA-UPXR657715W-6K-240V-BL-DA-A339XB88XC34MM | 15W | 6000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | DALI DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 88 | MAZDA-UPXR657715W-6K-240V-BL-ND-A339XB88XC34MM | 15W | 6000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | ON - OFF | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 89 | MAZDA-UPXR657715W-2.7K-240V-BL-10VDIM-A339XB88XC34MM | 15W | 2700 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | 0/1-10 V DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 90 | MAZDA-UPXR657715W-2.7K-240V-BL-PH-A339XB88XC34MM | 15W | 2700 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | PHASE CUT DIMMABLE | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 91 | MAZDA-UPXR657715W-2.7K-240V-BL-DA-A339XB88XC34MM | 15W | 2700 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | DALI DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 92 | MAZDA-UPXR657715W-2.7K-240V-BL-ND-A339XB88XC34MM | 15W | 2700 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | ON - OFF | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 93 | MAZDA-UPXR657715W-6.5K-240V-BL-10VDIM-A339XB88XC34MM | 15W | 6500 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | 0/1-10 V DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 94 | MAZDA-UPXR657715W-6.5K-240V-BL-PH-A339XB88XC34MM | 15W | 6500 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | PHASE CUT DIMMABLE | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 95 | MAZDA-UPXR657715W-6.5K-240V-BL-DA-A339XB88XC34MM | 15W | 6500 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | DALI DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 96 | MAZDA-UPXR657715W-6.5K-240V-BL-ND-A339XB88XC34MM | 15W | 6500 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | ON - OFF | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 97 | MAZDA-UPXR657720W-3K-240V-BL-10VDIM-A339XB88XC34MM | 20W | 3000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | 0/1-10 V DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 98 | MAZDA-UPXR657720W-3K-240V-BL-PH-A339XB88XC34MM | 20W | 3000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | PHASE CUT DIMMABLE | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 99 | MAZDA-UPXR657720W-3K-240V-BL-DA-A339XB88XC34MM | 20W | 3000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | DALI DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 100 | MAZDA-UPXR657720W-3K-240V-BL-ND-A339XB88XC34MM | 20W | 3000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | ON - OFF | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 101 | MAZDA-UPXR657720W-4K-240V-BL-10VDIM-A339XB88XC34MM | 20W | 4000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | 0/1-10 V DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 102 | MAZDA-UPXR657720W-4K-240V-BL-PH-A339XB88XC34MM | 20W | 4000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | PHASE CUT DIMMABLE | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |

# DATASHEET

GENERATED ON: 12 Nov 2026 | SYS.REF: MAZDA-LED

| # | Code | WATT | CCT | Voltage | Body Color | Emergency Backup | Control | Beam Angel | Dimension | Material | IP | Dimensions | Price |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 103 | **MAZDA-UPXR657720W-4K-240V-BL-DA-A339XB88XC34MM** | 20W | 4000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | DALI DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 104 | **MAZDA-UPXR657720W-4K-240V-BL-ND-A339XB88XC34MM** | 20W | 4000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | ON - OFF | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 105 | **MAZDA-UPXR657720W-5K-240V-BL-10VDIM-A339XB88XC34MM** | 20W | 5000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | 0/1-10 V DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 106 | **MAZDA-UPXR657720W-5K-240V-BL-PH-A339XB88XC34MM** | 20W | 5000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | PHASE CUT DIMMABLE | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 107 | **MAZDA-UPXR657720W-5K-240V-BL-DA-A339XB88XC34MM** | 20W | 5000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | DALI DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 108 | **MAZDA-UPXR657720W-5K-240V-BL-ND-A339XB88XC34MM** | 20W | 5000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | ON - OFF | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 109 | **MAZDA-UPXR657720W-6K-240V-BL-10VDIM-A339XB88XC34MM** | 20W | 6000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | 0/1-10 V DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 110 | **MAZDA-UPXR657720W-6K-240V-BL-PH-A339XB88XC34MM** | 20W | 6000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | PHASE CUT DIMMABLE | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 111 | **MAZDA-UPXR657720W-6K-240V-BL-DA-A339XB88XC34MM** | 20W | 6000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | DALI DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 112 | **MAZDA-UPXR657720W-6K-240V-BL-ND-A339XB88XC34MM** | 20W | 6000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | ON - OFF | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 113 | **MAZDA-UPXR657720W-2.7K-240V-BL-10VDIM-A339XB88XC34MM** | 20W | 2700 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | 0/1-10 V DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 114 | **MAZDA-UPXR657720W-2.7K-240V-BL-PH-A339XB88XC34MM** | 20W | 2700 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | PHASE CUT DIMMABLE | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 115 | **MAZDA-UPXR657720W-2.7K-240V-BL-DA-A339XB88XC34MM** | 20W | 2700 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | DALI DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 116 | **MAZDA-UPXR657720W-2.7K-240V-BL-ND-A339XB88XC34MM** | 20W | 2700 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | ON - OFF | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 117 | **MAZDA-UPXR657720W-6.5K-240V-BL-10VDIM-A339XB88XC34MM** | 20W | 6500 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | 0/1-10 V DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 118 | **MAZDA-UPXR657720W-6.5K-240V-BL-PH-A339XB88XC34MM** | 20W | 6500 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | PHASE CUT DIMMABLE | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 119 | **MAZDA-UPXR657720W-6.5K-240V-BL-DA-A339XB88XC34MM** | 20W | 6500 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | DALI DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 120 | **MAZDA-UPXR657720W-6.5K-240V-BL-ND-A339XB88XC34MM** | 20W | 6500 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | ON - OFF | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 121 | **MAZDA-UPXR657730W-3K-240V-BL-10VDIM-A339XB88XC34MM** | 30W | 3000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | 0/1-10 V DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 122 | **MAZDA-UPXR657730W-3K-240V-BL-PH-A339XB88XC34MM** | 30W | 3000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | PHASE CUT DIMMABLE | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 123 | **MAZDA-UPXR657730W-3K-240V-BL-DA-A339XB88XC34MM** | 30W | 3000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | DALI DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 124 | **MAZDA-UPXR657730W-3K-240V-BL-ND-A339XB88XC34MM** | 30W | 3000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | ON - OFF | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 125 | **MAZDA-UPXR657730W-4K-240V-BL-10VDIM-A339XB88XC34MM** | 30W | 4000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | 0/1-10 V DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 126 | **MAZDA-UPXR657730W-4K-240V-BL-PH-A339XB88XC34MM** | 30W | 4000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | PHASE CUT DIMMABLE | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 127 | **MAZDA-UPXR657730W-4K-240V-BL-DA-A339XB88XC34MM** | 30W | 4000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | DALI DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 128 | **MAZDA-UPXR657730W-4K-240V-BL-ND-A339XB88XC34MM** | 30W | 4000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | ON - OFF | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 129 | **MAZDA-UPXR657730W-5K-240V-BL-10VDIM-A339XB88XC34MM** | 30W | 5000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | 0/1-10 V DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 130 | **MAZDA-UPXR657730W-5K-240V-BL-PH-A339XB88XC34MM** | 30W | 5000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | PHASE CUT DIMMABLE | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |

# DATASHEET

GENERATED ON: 12 Nov 2026 | SYS.REF: MAZDA-LED

| # | Code | WATT | CCT | Voltage | Body Color | Emergency Backup | Control | Beam Angel | Dimension | Material | IP | Dimensions | Price |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 131 | MAZDA-UPXR657730W-5K-240V-BL-DA-A339XB88XC34MM | 30W | 5000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | DALI DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 132 | MAZDA-UPXR657730W-5K-240V-BL-ND-A339XB88XC34MM | 30W | 5000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | ON - OFF | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 133 | MAZDA-UPXR657730W-6K-240V-BL-10VDIM-A339XB88XC34MM | 30W | 6000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | 0/1-10 V DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 134 | MAZDA-UPXR657730W-6K-240V-BL-PH-A339XB88XC34MM | 30W | 6000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | PHASE CUT DIMMABLE | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 135 | MAZDA-UPXR657730W-6K-240V-BL-DA-A339XB88XC34MM | 30W | 6000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | DALI DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 136 | MAZDA-UPXR657730W-6K-240V-BL-ND-A339XB88XC34MM | 30W | 6000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | ON - OFF | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 137 | MAZDA-UPXR657730W-2.7K-240V-BL-10VDIM-A339XB88XC34MM | 30W | 2700 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | 0/1-10 V DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 138 | MAZDA-UPXR657730W-2.7K-240V-BL-PH-A339XB88XC34MM | 30W | 2700 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | PHASE CUT DIMMABLE | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 139 | MAZDA-UPXR657730W-2.7K-240V-BL-DA-A339XB88XC34MM | 30W | 2700 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | DALI DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 140 | MAZDA-UPXR657730W-2.7K-240V-BL-ND-A339XB88XC34MM | 30W | 2700 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | ON - OFF | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 141 | MAZDA-UPXR657730W-6.5K-240V-BL-10VDIM-A339XB88XC34MM | 30W | 6500 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | 0/1-10 V DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 142 | MAZDA-UPXR657730W-6.5K-240V-BL-PH-A339XB88XC34MM | 30W | 6500 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | PHASE CUT DIMMABLE | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 143 | MAZDA-UPXR657730W-6.5K-240V-BL-DA-A339XB88XC34MM | 30W | 6500 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | DALI DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 144 | MAZDA-UPXR657730W-6.5K-240V-BL-ND-A339XB88XC34MM | 30W | 6500 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | ON - OFF | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 145 | MAZDA-UPXR657740W-3K-240V-BL-10VDIM-A339XB88XC34MM | 40W | 3000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | 0/1-10 V DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 146 | MAZDA-UPXR657740W-3K-240V-BL-PH-A339XB88XC34MM | 40W | 3000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | PHASE CUT DIMMABLE | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 147 | MAZDA-UPXR657740W-3K-240V-BL-DA-A339XB88XC34MM | 40W | 3000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | DALI DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 148 | MAZDA-UPXR657740W-3K-240V-BL-ND-A339XB88XC34MM | 40W | 3000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | ON - OFF | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 149 | MAZDA-UPXR657740W-4K-240V-BL-10VDIM-A339XB88XC34MM | 40W | 4000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | 0/1-10 V DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 150 | MAZDA-UPXR657740W-4K-240V-BL-PH-A339XB88XC34MM | 40W | 4000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | PHASE CUT DIMMABLE | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 151 | MAZDA-UPXR657740W-4K-240V-BL-DA-A339XB88XC34MM | 40W | 4000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | DALI DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 152 | MAZDA-UPXR657740W-4K-240V-BL-ND-A339XB88XC34MM | 40W | 4000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | ON - OFF | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 153 | MAZDA-UPXR657740W-5K-240V-BL-10VDIM-A339XB88XC34MM | 40W | 5000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | 0/1-10 V DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 154 | MAZDA-UPXR657740W-5K-240V-BL-PH-A339XB88XC34MM | 40W | 5000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | PHASE CUT DIMMABLE | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 155 | MAZDA-UPXR657740W-5K-240V-BL-DA-A339XB88XC34MM | 40W | 5000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | DALI DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 156 | MAZDA-UPXR657740W-5K-240V-BL-ND-A339XB88XC34MM | 40W | 5000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | ON - OFF | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 157 | MAZDA-UPXR657740W-6K-240V-BL-10VDIM-A339XB88XC34MM | 40W | 6000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | 0/1-10 V DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 158 | MAZDA-UPXR657740W-6K-240V-BL-PH-A339XB88XC34MM | 40W | 6000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | PHASE CUT DIMMABLE | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |

| # | Code | WATT | CCT | Voltage | Body Color | Emergency Backup | Control | Beam Angel | Dimension | Material | IP | Dimensions | Price |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 159 | **MAZDA-UPXR657740W-6K-240V-BL-DA-A339XB88XC34MM** | 40W | 6000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | DALI DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 160 | **MAZDA-UPXR657740W-6K-240V-BL-ND-A339XB88XC34MM** | 40W | 6000 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | ON - OFF | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 161 | **MAZDA-UPXR657740W-2.7K-240V-BL-10VDIM-A339XB88XC34MM** | 40W | 2700 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | 0/1-10 V DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 162 | **MAZDA-UPXR657740W-2.7K-240V-BL-PH-A339XB88XC34MM** | 40W | 2700 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | PHASE CUT DIMMABLE | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 163 | **MAZDA-UPXR657740W-2.7K-240V-BL-DA-A339XB88XC34MM** | 40W | 2700 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | DALI DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 164 | **MAZDA-UPXR657740W-2.7K-240V-BL-ND-A339XB88XC34MM** | 40W | 2700 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | ON - OFF | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 165 | **MAZDA-UPXR657740W-6.5K-240V-BL-10VDIM-A339XB88XC34MM** | 40W | 6500 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | 0/1-10 V DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 166 | **MAZDA-UPXR657740W-6.5K-240V-BL-PH-A339XB88XC34MM** | 40W | 6500 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | PHASE CUT DIMMABLE | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 167 | **MAZDA-UPXR657740W-6.5K-240V-BL-DA-A339XB88XC34MM** | 40W | 6500 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | DALI DIMMABLE DRIVER | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |
| 168 | **MAZDA-UPXR657740W-6.5K-240V-BL-ND-A339XB88XC34MM** | 40W | 6500 | 240V | BLACK, LIGHT GREY | NON EMERGENCY | ON - OFF | 15 | A339XB88XC34MM | DIE CAST ALUMINUM | IP67 | A339XB88XC34MM | |