



LYLIA

MAZDA Model: UPXR6565 Inground Light

Compact drive-over and walk over inground recessed LED luminaire designed for illuminating building facades, green areas, parks and outdoor facilities. With the use of high-power LEDs, the in-ground light range provides high luminosity at a low power consumption. Adapting a double insulation method, all in-ground lights have an IP67 ranking featuring thick tempered glass. Designed to last in extremely harsh environments

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
1	MAZDA-UPXR656505W-3K-240V-BL-10VDIM-A95 X B118 X C85 MM	05W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
2	MAZDA-UPXR656505W-3K-240V-BL-PH-A95 X B118 X C85 MM	05W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
3	MAZDA-UPXR656505W-3K-240V-BL-DA-A95 X B118 X C85 MM	05W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
4	MAZDA-UPXR656505W-3K-240V-BL-ND-A95 X B118 X C85 MM	05W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
5	MAZDA-UPXR656505W-4K-240V-BL-10VDIM-A95 X B118 X C85 MM	05W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
6	MAZDA-UPXR656505W-4K-240V-BL-PH-A95 X B118 X C85 MM	05W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
7	MAZDA-UPXR656505W-4K-240V-BL-DA-A95 X B118 X C85 MM	05W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
8	MAZDA-UPXR656505W-4K-240V-BL-ND-A95 X B118 X C85 MM	05W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
9	MAZDA-UPXR656505W-5K-240V-BL-10VDIM-A95 X B118 X C85 MM	05W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
10	MAZDA-UPXR656505W-5K-240V-BL-PH-A95 X B118 X C85 MM	05W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
11	MAZDA-UPXR656505W-5K-240V-BL-DA-A95 X B118 X C85 MM	05W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
12	MAZDA-UPXR656505W-5K-240V-BL-ND-A95 X B118 X C85 MM	05W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
13	MAZDA-UPXR656505W-6K-240V-BL-10VDIM-A95 X B118 X C85 MM	05W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	



DATASHEET

GENERATED ON: 29 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
14	MAZDA-UPXR656505W-6K-240V-BL-PH-A95 X B118 X C85 MM	05W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
15	MAZDA-UPXR656505W-6K-240V-BL-DA-A95 X B118 X C85 MM	05W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
16	MAZDA-UPXR656505W-6K-240V-BL-ND-A95 X B118 X C85 MM	05W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
17	MAZDA-UPXR656505W-2.7K-240V-BL-10VDIM-A95 X B118 X C85 MM	05W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
18	MAZDA-UPXR656505W-2.7K-240V-BL-PH-A95 X B118 X C85 MM	05W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
19	MAZDA-UPXR656505W-2.7K-240V-BL-DA-A95 X B118 X C85 MM	05W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
20	MAZDA-UPXR656505W-2.7K-240V-BL-ND-A95 X B118 X C85 MM	05W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
21	MAZDA-UPXR656505W-6.5K-240V-BL-10VDIM-A95 X B118 X C85 MM	05W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
22	MAZDA-UPXR656505W-6.5K-240V-BL-PH-A95 X B118 X C85 MM	05W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
23	MAZDA-UPXR656505W-6.5K-240V-BL-DA-A95 X B118 X C85 MM	05W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
24	MAZDA-UPXR656505W-6.5K-240V-BL-ND-A95 X B118 X C85 MM	05W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
25	MAZDA-UPXR656508W-3K-240V-BL-10VDIM-A95 X B118 X C85 MM	08W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
26	MAZDA-UPXR656508W-3K-240V-BL-PH-A95 X B118 X C85 MM	08W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
27	MAZDA-UPXR656508W-3K-240V-BL-DA-A95 X B118 X C85 MM	08W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
28	MAZDA-UPXR656508W-3K-240V-BL-ND-A95 X B118 X C85 MM	08W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
29	MAZDA-UPXR656508W-4K-240V-BL-10VDIM-A95 X B118 X C85 MM	08W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
30	MAZDA-UPXR656508W-4K-240V-BL-PH-A95 X B118 X C85 MM	08W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
31	MAZDA-UPXR656508W-4K-240V-BL-DA-A95 X B118 X C85 MM	08W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
32	MAZDA-UPXR656508W-4K-240V-BL-ND-A95 X B118 X C85 MM	08W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
33	MAZDA-UPXR656508W-5K-240V-BL-10VDIM-A95 X B118 X C85 MM	08W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
34	MAZDA-UPXR656508W-5K-240V-BL-PH-A95 X B118 X C85 MM	08W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	



DATASHEET

GENERATED ON: 29 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
35	MAZDA-UPXR656508W-5K-240V-BL-DA-A95 X B118 X C85 MM	08W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
36	MAZDA-UPXR656508W-5K-240V-BL-ND-A95 X B118 X C85 MM	08W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
37	MAZDA-UPXR656508W-6K-240V-BL-10VDIM-A95 X B118 X C85 MM	08W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
38	MAZDA-UPXR656508W-6K-240V-BL-PH-A95 X B118 X C85 MM	08W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
39	MAZDA-UPXR656508W-6K-240V-BL-DA-A95 X B118 X C85 MM	08W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
40	MAZDA-UPXR656508W-6K-240V-BL-ND-A95 X B118 X C85 MM	08W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
41	MAZDA-UPXR656508W-2.7K-240V-BL-10VDIM-A95 X B118 X C85 MM	08W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
42	MAZDA-UPXR656508W-2.7K-240V-BL-PH-A95 X B118 X C85 MM	08W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
43	MAZDA-UPXR656508W-2.7K-240V-BL-DA-A95 X B118 X C85 MM	08W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
44	MAZDA-UPXR656508W-2.7K-240V-BL-ND-A95 X B118 X C85 MM	08W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
45	MAZDA-UPXR656508W-6.5K-240V-BL-10VDIM-A95 X B118 X C85 MM	08W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
46	MAZDA-UPXR656508W-6.5K-240V-BL-PH-A95 X B118 X C85 MM	08W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
47	MAZDA-UPXR656508W-6.5K-240V-BL-DA-A95 X B118 X C85 MM	08W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
48	MAZDA-UPXR656508W-6.5K-240V-BL-ND-A95 X B118 X C85 MM	08W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A95 X B118 X C85 MM	DIE CAST ALUMINUM	IP67	A95 X B118 X C85 MM	
49	MAZDA-UPXR656512W-3K-240V-BL-10VDIM-A160 X B156 X C147 MM	12W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM	
50	MAZDA-UPXR656512W-3K-240V-BL-PH-A160 X B156 X C147 MM	12W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM	
51	MAZDA-UPXR656512W-3K-240V-BL-DA-A160 X B156 X C147 MM	12W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM	
52	MAZDA-UPXR656512W-3K-240V-BL-ND-A160 X B156 X C147 MM	12W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM	
53	MAZDA-UPXR656512W-4K-240V-BL-10VDIM-A160 X B156 X C147 MM	12W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM	
54	MAZDA-UPXR656512W-4K-240V-BL-PH-A160 X B156 X C147 MM	12W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM	
55	MAZDA-UPXR656512W-4K-240V-BL-DA-A160 X B156 X C147 MM	12W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM	



DATASHEET

GENERATED ON: 29 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
56	MAZDA-UPXR656512W-4K-240V-BL-ND-A160 X B156 X C147 MM	12W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM	
57	MAZDA-UPXR656512W-5K-240V-BL-10VDIM-A160 X B156 X C147 MM	12W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM	
58	MAZDA-UPXR656512W-5K-240V-BL-PH-A160 X B156 X C147 MM	12W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM	
59	MAZDA-UPXR656512W-5K-240V-BL-DA-A160 X B156 X C147 MM	12W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM	
60	MAZDA-UPXR656512W-5K-240V-BL-ND-A160 X B156 X C147 MM	12W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM	
61	MAZDA-UPXR656512W-6K-240V-BL-10VDIM-A160 X B156 X C147 MM	12W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM	
62	MAZDA-UPXR656512W-6K-240V-BL-PH-A160 X B156 X C147 MM	12W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM	
63	MAZDA-UPXR656512W-6K-240V-BL-DA-A160 X B156 X C147 MM	12W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM	
64	MAZDA-UPXR656512W-6K-240V-BL-ND-A160 X B156 X C147 MM	12W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM	
65	MAZDA-UPXR656512W-2.7K-240V-BL-10VDIM-A160 X B156 X C147 MM	12W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM	
66	MAZDA-UPXR656512W-2.7K-240V-BL-PH-A160 X B156 X C147 MM	12W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM	
67	MAZDA-UPXR656512W-2.7K-240V-BL-DA-A160 X B156 X C147 MM	12W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM	
68	MAZDA-UPXR656512W-2.7K-240V-BL-ND-A160 X B156 X C147 MM	12W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM	
69	MAZDA-UPXR656512W-6.5K-240V-BL-10VDIM-A160 X B156 X C147 MM	12W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM	
70	MAZDA-UPXR656512W-6.5K-240V-BL-PH-A160 X B156 X C147 MM	12W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM	
71	MAZDA-UPXR656512W-6.5K-240V-BL-DA-A160 X B156 X C147 MM	12W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM	
72	MAZDA-UPXR656512W-6.5K-240V-BL-ND-A160 X B156 X C147 MM	12W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A160 X B156 X C147 MM	DIE CAST ALUMINUM	IP67	A160 X B156 X C147 MM	
73	MAZDA-UPXR656518W-3K-240V-BL-10VDIM-A180 X B168 X C165 MM	18W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM	
74	MAZDA-UPXR656518W-3K-240V-BL-PH-A180 X B168 X C165 MM	18W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM	
75	MAZDA-UPXR656518W-3K-240V-BL-DA-A180 X B168 X C165 MM	18W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM	
76	MAZDA-UPXR656518W-3K-240V-BL-ND-A180 X B168 X C165 MM	18W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM	



DATASHEET

GENERATED ON: 29 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
77	MAZDA-UPXR656518W-4K-240V-BL-10VDIM-A180 X B168 X C165 MM	18W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM	
78	MAZDA-UPXR656518W-4K-240V-BL-PH-A180 X B168 X C165 MM	18W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM	
79	MAZDA-UPXR656518W-4K-240V-BL-DA-A180 X B168 X C165 MM	18W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM	
80	MAZDA-UPXR656518W-4K-240V-BL-ND-A180 X B168 X C165 MM	18W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM	
81	MAZDA-UPXR656518W-5K-240V-BL-10VDIM-A180 X B168 X C165 MM	18W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM	
82	MAZDA-UPXR656518W-5K-240V-BL-PH-A180 X B168 X C165 MM	18W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM	
83	MAZDA-UPXR656518W-5K-240V-BL-DA-A180 X B168 X C165 MM	18W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM	
84	MAZDA-UPXR656518W-5K-240V-BL-ND-A180 X B168 X C165 MM	18W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM	
85	MAZDA-UPXR656518W-6K-240V-BL-10VDIM-A180 X B168 X C165 MM	18W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM	
86	MAZDA-UPXR656518W-6K-240V-BL-PH-A180 X B168 X C165 MM	18W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM	
87	MAZDA-UPXR656518W-6K-240V-BL-DA-A180 X B168 X C165 MM	18W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM	
88	MAZDA-UPXR656518W-6K-240V-BL-ND-A180 X B168 X C165 MM	18W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM	
89	MAZDA-UPXR656518W-2.7K-240V-BL-10VDIM-A180 X B168 X C165 MM	18W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM	
90	MAZDA-UPXR656518W-2.7K-240V-BL-PH-A180 X B168 X C165 MM	18W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM	
91	MAZDA-UPXR656518W-2.7K-240V-BL-DA-A180 X B168 X C165 MM	18W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM	
92	MAZDA-UPXR656518W-2.7K-240V-BL-ND-A180 X B168 X C165 MM	18W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM	
93	MAZDA-UPXR656518W-6.5K-240V-BL-10VDIM-A180 X B168 X C165 MM	18W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM	
94	MAZDA-UPXR656518W-6.5K-240V-BL-PH-A180 X B168 X C165 MM	18W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM	
95	MAZDA-UPXR656518W-6.5K-240V-BL-DA-A180 X B168 X C165 MM	18W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM	
96	MAZDA-UPXR656518W-6.5K-240V-BL-ND-A180 X B168 X C165 MM	18W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A180 X B168 X C165 MM	DIE CAST ALUMINUM	IP67	A180 X B168 X C165 MM	
97	MAZDA-UPXR656525W-3K-240V-BL-10VDIM-A210 X B194 X C193 MM	25W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	



DATASHEET

GENERATED ON: 29 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
98	MAZDA-UPXR656525W-3K-240V-BL-PH-A210 X B194 X C193 MM	25W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	
99	MAZDA-UPXR656525W-3K-240V-BL-DA-A210 X B194 X C193 MM	25W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	
100	MAZDA-UPXR656525W-3K-240V-BL-ND-A210 X B194 X C193 MM	25W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	
101	MAZDA-UPXR656525W-4K-240V-BL-10VDIM-A210 X B194 X C193 MM	25W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	
102	MAZDA-UPXR656525W-4K-240V-BL-PH-A210 X B194 X C193 MM	25W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	
103	MAZDA-UPXR656525W-4K-240V-BL-DA-A210 X B194 X C193 MM	25W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	
104	MAZDA-UPXR656525W-4K-240V-BL-ND-A210 X B194 X C193 MM	25W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	
105	MAZDA-UPXR656525W-5K-240V-BL-10VDIM-A210 X B194 X C193 MM	25W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	
106	MAZDA-UPXR656525W-5K-240V-BL-PH-A210 X B194 X C193 MM	25W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	
107	MAZDA-UPXR656525W-5K-240V-BL-DA-A210 X B194 X C193 MM	25W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	
108	MAZDA-UPXR656525W-5K-240V-BL-ND-A210 X B194 X C193 MM	25W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	
109	MAZDA-UPXR656525W-6K-240V-BL-10VDIM-A210 X B194 X C193 MM	25W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	
110	MAZDA-UPXR656525W-6K-240V-BL-PH-A210 X B194 X C193 MM	25W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	
111	MAZDA-UPXR656525W-6K-240V-BL-DA-A210 X B194 X C193 MM	25W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	
112	MAZDA-UPXR656525W-6K-240V-BL-ND-A210 X B194 X C193 MM	25W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	
113	MAZDA-UPXR656525W-2.7K-240V-BL-10VDIM-A210 X B194 X C193 MM	25W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	
114	MAZDA-UPXR656525W-2.7K-240V-BL-PH-A210 X B194 X C193 MM	25W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	
115	MAZDA-UPXR656525W-2.7K-240V-BL-DA-A210 X B194 X C193 MM	25W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	
116	MAZDA-UPXR656525W-2.7K-240V-BL-ND-A210 X B194 X C193 MM	25W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	
117	MAZDA-UPXR656525W-6.5K-240V-BL-10VDIM-A210 X B194 X C193 MM	25W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	
118	MAZDA-UPXR656525W-6.5K-240V-BL-PH-A210 X B194 X C193 MM	25W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	



DATASHEET

GENERATED ON: 29 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
119	MAZDA-UPXR656525W-6.5K-240V-BL-DA-A210 X B194 X C193 MM	25W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	
120	MAZDA-UPXR656525W-6.5K-240V-BL-ND-A210 X B194 X C193 MM	25W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A210 X B194 X C193 MM	DIE CAST ALUMINUM	IP67	A210 X B194 X C193 MM	
121	MAZDA-UPXR656536W-3K-240V-BL-10VDIM-A250 X B212 X C223 MM	36W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	
122	MAZDA-UPXR656536W-3K-240V-BL-PH-A250 X B212 X C223 MM	36W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	
123	MAZDA-UPXR656536W-3K-240V-BL-DA-A250 X B212 X C223 MM	36W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	
124	MAZDA-UPXR656536W-3K-240V-BL-ND-A250 X B212 X C223 MM	36W	3000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	
125	MAZDA-UPXR656536W-4K-240V-BL-10VDIM-A250 X B212 X C223 MM	36W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	
126	MAZDA-UPXR656536W-4K-240V-BL-PH-A250 X B212 X C223 MM	36W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	
127	MAZDA-UPXR656536W-4K-240V-BL-DA-A250 X B212 X C223 MM	36W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	
128	MAZDA-UPXR656536W-4K-240V-BL-ND-A250 X B212 X C223 MM	36W	4000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	
129	MAZDA-UPXR656536W-5K-240V-BL-10VDIM-A250 X B212 X C223 MM	36W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	
130	MAZDA-UPXR656536W-5K-240V-BL-PH-A250 X B212 X C223 MM	36W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	
131	MAZDA-UPXR656536W-5K-240V-BL-DA-A250 X B212 X C223 MM	36W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	
132	MAZDA-UPXR656536W-5K-240V-BL-ND-A250 X B212 X C223 MM	36W	5000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	
133	MAZDA-UPXR656536W-6K-240V-BL-10VDIM-A250 X B212 X C223 MM	36W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	
134	MAZDA-UPXR656536W-6K-240V-BL-PH-A250 X B212 X C223 MM	36W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	
135	MAZDA-UPXR656536W-6K-240V-BL-DA-A250 X B212 X C223 MM	36W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	
136	MAZDA-UPXR656536W-6K-240V-BL-ND-A250 X B212 X C223 MM	36W	6000	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	
137	MAZDA-UPXR656536W-2.7K-240V-BL-10VDIM-A250 X B212 X C223 MM	36W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	
138	MAZDA-UPXR656536W-2.7K-240V-BL-PH-A250 X B212 X C223 MM	36W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	
139	MAZDA-UPXR656536W-2.7K-240V-BL-DA-A250 X B212 X C223 MM	36W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
140	MAZDA-UPXR656536W-2.7K-240V-BL-ND-A250 X B212 X C223 MM	36W	2700	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	
141	MAZDA-UPXR656536W-6.5K-240V-BL-10VDIM-A250 X B212 X C223 MM	36W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	
142	MAZDA-UPXR656536W-6.5K-240V-BL-PH-A250 X B212 X C223 MM	36W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	PHASE CUT DIMMABLE	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	
143	MAZDA-UPXR656536W-6.5K-240V-BL-DA-A250 X B212 X C223 MM	36W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	
144	MAZDA-UPXR656536W-6.5K-240V-BL-ND-A250 X B212 X C223 MM	36W	6500	240V	BLACK, STAINLESS STEEL FINISH	NON EMERGENCY	ON - OFF	15	A250 X B212 X C223 MM	DIE CAST ALUMINUM	IP67	A250 X B212 X C223 MM	