DATASHEET

GENERATED ON: 12 Nov 2026 | SYS.REF: MAZDA-LED



JACK

MAZDA Model: UPXR6580 Inground Light

The LED Buried Light is an outdoor buried light fixture. It has monochrome or RGB LEDs that can be controlled by DMX.
This product is very suitable for lighting on the road, decorative Color washing e ect. This is also great Replacement of urban furniture due to its IP67 protection rating

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
1	MAZDA-UPXR658008W-3K-240V-BL-10VDIM-A130 X B115 MM	08W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM
2	MAZDA-UPXR658008W-3K-240V-BL-PH-A130 X B115 MM	08W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM
3	MAZDA-UPXR658008W-3K-240V-BL-DA-A130 X B115 MM	08W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM
4	MAZDA-UPXR658008W-3K-240V-BL-ND-A130 X B115 MM	08W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM
5	MAZDA-UPXR658008W-4K-240V-BL-10VDIM-A130 X B115 MM	08W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM
6	MAZDA-UPXR658008W-4K-240V-BL-PH-A130 X B115 MM	08W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM
7	MAZDA-UPXR658008W-4K-240V-BL-DA-A130 X B115 MM	08W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM
8	MAZDA-UPXR658008W-4K-240V-BL-ND-A130 X B115 MM	08W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM
9	MAZDA-UPXR658008W-5K-240V-BL-10VDIM-A130 X B115 MM	08W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM
10	MAZDA-UPXR658008W-5K-240V-BL-PH-A130 X B115 MM	08W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM
11	MAZDA-UPXR658008W-5K-240V-BL-DA-A130 X B115 MM	08W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM
12	MAZDA-UPXR658008W-5K-240V-BL-ND-A130 X B115 MM	08W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM
13	MAZDA-UPXR658008W-6K-240V-BL-10VDIM-A130 X B115 MM	08W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM
14	MAZDA-UPXR658008W-6K-240V-BL-PH-A130 X B115 MM	08W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM
15	MAZDA-UPXR658008W-6K-240V-BL-DA-A130 X B115 MM	08W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM
16	MAZDA-UPXR658008W-6K-240V-BL-ND-A130 X B115 MM	08W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM

DATASHEET

GENERATED ON: 12 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
17	**MAZDA-UPXR658008W-2.7K-240V-BL-10VDIM-A130 X B115 MM**	08W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
18	**MAZDA-UPXR658008W-2.7K-240V-BL-PH-A130 X B115 MM**	08W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
19	**MAZDA-UPXR658008W-2.7K-240V-BL-DA-A130 X B115 MM**	08W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
20	**MAZDA-UPXR658008W-2.7K-240V-BL-ND-A130 X B115 MM**	08W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
21	**MAZDA-UPXR658008W-6.5K-240V-BL-10VDIM-A130 X B115 MM**	08W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
22	**MAZDA-UPXR658008W-6.5K-240V-BL-PH-A130 X B115 MM**	08W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
23	**MAZDA-UPXR658008W-6.5K-240V-BL-DA-A130 X B115 MM**	08W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
24	**MAZDA-UPXR658008W-6.5K-240V-BL-ND-A130 X B115 MM**	08W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
25	**MAZDA-UPXR658012W-3K-240V-BL-10VDIM-A130 X B115 MM**	12W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
26	**MAZDA-UPXR658012W-3K-240V-BL-PH-A130 X B115 MM**	12W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
27	**MAZDA-UPXR658012W-3K-240V-BL-DA-A130 X B115 MM**	12W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
28	**MAZDA-UPXR658012W-3K-240V-BL-ND-A130 X B115 MM**	12W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
29	**MAZDA-UPXR658012W-4K-240V-BL-10VDIM-A130 X B115 MM**	12W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
30	**MAZDA-UPXR658012W-4K-240V-BL-PH-A130 X B115 MM**	12W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
31	**MAZDA-UPXR658012W-4K-240V-BL-DA-A130 X B115 MM**	12W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
32	**MAZDA-UPXR658012W-4K-240V-BL-ND-A130 X B115 MM**	12W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
33	**MAZDA-UPXR658012W-5K-240V-BL-10VDIM-A130 X B115 MM**	12W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
34	**MAZDA-UPXR658012W-5K-240V-BL-PH-A130 X B115 MM**	12W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
35	**MAZDA-UPXR658012W-5K-240V-BL-DA-A130 X B115 MM**	12W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
36	**MAZDA-UPXR658012W-5K-240V-BL-ND-A130 X B115 MM**	12W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
37	**MAZDA-UPXR658012W-6K-240V-BL-10VDIM-A130 X B115 MM**	12W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
38	**MAZDA-UPXR658012W-6K-240V-BL-PH-A130 X B115 MM**	12W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
39	**MAZDA-UPXR658012W-6K-240V-BL-DA-A130 X B115 MM**	12W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
40	**MAZDA-UPXR658012W-6K-240V-BL-ND-A130 X B115 MM**	12W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
41	**MAZDA-UPXR658012W-2.7K-240V-BL-10VDIM-A130 X B115 MM**	12W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
42	**MAZDA-UPXR658012W-2.7K-240V-BL-PH-A130 X B115 MM**	12W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	

DATASHEET

GENERATED ON: 12 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
43	**MAZDA-UPXR658012W-2.7K-240V-BL-DA-A130 X B115 MM**	12W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
44	**MAZDA-UPXR658012W-2.7K-240V-BL-ND-A130 X B115 MM**	12W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
45	**MAZDA-UPXR658012W-6.5K-240V-BL-10VDIM-A130 X B115 MM**	12W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
46	**MAZDA-UPXR658012W-6.5K-240V-BL-PH-A130 X B115 MM**	12W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
47	**MAZDA-UPXR658012W-6.5K-240V-BL-DA-A130 X B115 MM**	12W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
48	**MAZDA-UPXR658012W-6.5K-240V-BL-ND-A130 X B115 MM**	12W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
49	**MAZDA-UPXR658018W-3K-240V-BL-10VDIM-A130 X B115 MM**	18W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
50	**MAZDA-UPXR658018W-3K-240V-BL-PH-A130 X B115 MM**	18W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
51	**MAZDA-UPXR658018W-3K-240V-BL-DA-A130 X B115 MM**	18W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
52	**MAZDA-UPXR658018W-3K-240V-BL-ND-A130 X B115 MM**	18W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
53	**MAZDA-UPXR658018W-4K-240V-BL-10VDIM-A130 X B115 MM**	18W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
54	**MAZDA-UPXR658018W-4K-240V-BL-PH-A130 X B115 MM**	18W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
55	**MAZDA-UPXR658018W-4K-240V-BL-DA-A130 X B115 MM**	18W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
56	**MAZDA-UPXR658018W-4K-240V-BL-ND-A130 X B115 MM**	18W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
57	**MAZDA-UPXR658018W-5K-240V-BL-10VDIM-A130 X B115 MM**	18W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
58	**MAZDA-UPXR658018W-5K-240V-BL-PH-A130 X B115 MM**	18W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
59	**MAZDA-UPXR658018W-5K-240V-BL-DA-A130 X B115 MM**	18W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
60	**MAZDA-UPXR658018W-5K-240V-BL-ND-A130 X B115 MM**	18W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
61	**MAZDA-UPXR658018W-6K-240V-BL-10VDIM-A130 X B115 MM**	18W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
62	**MAZDA-UPXR658018W-6K-240V-BL-PH-A130 X B115 MM**	18W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
63	**MAZDA-UPXR658018W-6K-240V-BL-DA-A130 X B115 MM**	18W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
64	**MAZDA-UPXR658018W-6K-240V-BL-ND-A130 X B115 MM**	18W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
65	**MAZDA-UPXR658018W-2.7K-240V-BL-10VDIM-A130 X B115 MM**	18W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
66	**MAZDA-UPXR658018W-2.7K-240V-BL-PH-A130 X B115 MM**	18W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
67	**MAZDA-UPXR658018W-2.7K-240V-BL-DA-A130 X B115 MM**	18W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
68	**MAZDA-UPXR658018W-2.7K-240V-BL-ND-A130 X B115 MM**	18W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
69	**MAZDA-UPXR658018W-6.5K-240V-BL-10VDIM-A130 X B115 MM**	18W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
70	**MAZDA-UPXR658018W-6.5K-240V-BL-PH-A130 X B115 MM**	18W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
71	**MAZDA-UPXR658018W-6.5K-240V-BL-DA-A130 X B115 MM**	18W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
72	**MAZDA-UPXR658018W-6.5K-240V-BL-ND-A130 X B115 MM**	18W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	