



JACK

MAZDA Model: UPXR6580 Inground Light

The LED Buried Light is an outdoor buried light fixture. It has monochrome or RGB LEDs that can be controlled by DMX. This product is very suitable for lighting on the road, decorative Color washing effect. This is also great Replacement of urban furniture due to its IP67 protection rating

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
1	MAZDA-UPXR658008W-3K-240V-BL-10VDIM-A130 X B115 MM	08W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
2	MAZDA-UPXR658008W-3K-240V-BL-PH-A130 X B115 MM	08W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
3	MAZDA-UPXR658008W-3K-240V-BL-DA-A130 X B115 MM	08W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
4	MAZDA-UPXR658008W-3K-240V-BL-ND-A130 X B115 MM	08W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
5	MAZDA-UPXR658008W-4K-240V-BL-10VDIM-A130 X B115 MM	08W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
6	MAZDA-UPXR658008W-4K-240V-BL-PH-A130 X B115 MM	08W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
7	MAZDA-UPXR658008W-4K-240V-BL-DA-A130 X B115 MM	08W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
8	MAZDA-UPXR658008W-4K-240V-BL-ND-A130 X B115 MM	08W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
9	MAZDA-UPXR658008W-5K-240V-BL-10VDIM-A130 X B115 MM	08W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
10	MAZDA-UPXR658008W-5K-240V-BL-PH-A130 X B115 MM	08W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
11	MAZDA-UPXR658008W-5K-240V-BL-DA-A130 X B115 MM	08W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
12	MAZDA-UPXR658008W-5K-240V-BL-ND-A130 X B115 MM	08W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
13	MAZDA-UPXR658008W-6K-240V-BL-10VDIM-A130 X B115 MM	08W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
14	MAZDA-UPXR658008W-6K-240V-BL-PH-A130 X B115 MM	08W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
15	MAZDA-UPXR658008W-6K-240V-BL-DA-A130 X B115 MM	08W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
16	MAZDA-UPXR658008W-6K-240V-BL-ND-A130 X B115 MM	08W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	



DATASHEET

GENERATED ON: 27 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
17	MAZDA-UPXR658008W-2.7K-240V-BL-10VDIM-A130 X B115 MM	08W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
18	MAZDA-UPXR658008W-2.7K-240V-BL-PH-A130 X B115 MM	08W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
19	MAZDA-UPXR658008W-2.7K-240V-BL-DA-A130 X B115 MM	08W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
20	MAZDA-UPXR658008W-2.7K-240V-BL-ND-A130 X B115 MM	08W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
21	MAZDA-UPXR658008W-6.5K-240V-BL-10VDIM-A130 X B115 MM	08W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
22	MAZDA-UPXR658008W-6.5K-240V-BL-PH-A130 X B115 MM	08W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
23	MAZDA-UPXR658008W-6.5K-240V-BL-DA-A130 X B115 MM	08W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
24	MAZDA-UPXR658008W-6.5K-240V-BL-ND-A130 X B115 MM	08W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
25	MAZDA-UPXR658012W-3K-240V-BL-10VDIM-A130 X B115 MM	12W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
26	MAZDA-UPXR658012W-3K-240V-BL-PH-A130 X B115 MM	12W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
27	MAZDA-UPXR658012W-3K-240V-BL-DA-A130 X B115 MM	12W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
28	MAZDA-UPXR658012W-3K-240V-BL-ND-A130 X B115 MM	12W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
29	MAZDA-UPXR658012W-4K-240V-BL-10VDIM-A130 X B115 MM	12W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
30	MAZDA-UPXR658012W-4K-240V-BL-PH-A130 X B115 MM	12W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
31	MAZDA-UPXR658012W-4K-240V-BL-DA-A130 X B115 MM	12W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
32	MAZDA-UPXR658012W-4K-240V-BL-ND-A130 X B115 MM	12W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
33	MAZDA-UPXR658012W-5K-240V-BL-10VDIM-A130 X B115 MM	12W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
34	MAZDA-UPXR658012W-5K-240V-BL-PH-A130 X B115 MM	12W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
35	MAZDA-UPXR658012W-5K-240V-BL-DA-A130 X B115 MM	12W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
36	MAZDA-UPXR658012W-5K-240V-BL-ND-A130 X B115 MM	12W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
37	MAZDA-UPXR658012W-6K-240V-BL-10VDIM-A130 X B115 MM	12W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
38	MAZDA-UPXR658012W-6K-240V-BL-PH-A130 X B115 MM	12W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
39	MAZDA-UPXR658012W-6K-240V-BL-DA-A130 X B115 MM	12W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
40	MAZDA-UPXR658012W-6K-240V-BL-ND-A130 X B115 MM	12W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
41	MAZDA-UPXR658012W-2.7K-240V-BL-10VDIM-A130 X B115 MM	12W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
42	MAZDA-UPXR658012W-2.7K-240V-BL-PH-A130 X B115 MM	12W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	



DATASHEET

GENERATED ON: 27 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
43	MAZDA-UPXR658012W-2.7K-240V-BL-DA-A130 X B115 MM	12W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
44	MAZDA-UPXR658012W-2.7K-240V-BL-ND-A130 X B115 MM	12W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
45	MAZDA-UPXR658012W-6.5K-240V-BL-10VDIM-A130 X B115 MM	12W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
46	MAZDA-UPXR658012W-6.5K-240V-BL-PH-A130 X B115 MM	12W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
47	MAZDA-UPXR658012W-6.5K-240V-BL-DA-A130 X B115 MM	12W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
48	MAZDA-UPXR658012W-6.5K-240V-BL-ND-A130 X B115 MM	12W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
49	MAZDA-UPXR658018W-3K-240V-BL-10VDIM-A130 X B115 MM	18W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
50	MAZDA-UPXR658018W-3K-240V-BL-PH-A130 X B115 MM	18W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
51	MAZDA-UPXR658018W-3K-240V-BL-DA-A130 X B115 MM	18W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
52	MAZDA-UPXR658018W-3K-240V-BL-ND-A130 X B115 MM	18W	3000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
53	MAZDA-UPXR658018W-4K-240V-BL-10VDIM-A130 X B115 MM	18W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
54	MAZDA-UPXR658018W-4K-240V-BL-PH-A130 X B115 MM	18W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
55	MAZDA-UPXR658018W-4K-240V-BL-DA-A130 X B115 MM	18W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
56	MAZDA-UPXR658018W-4K-240V-BL-ND-A130 X B115 MM	18W	4000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
57	MAZDA-UPXR658018W-5K-240V-BL-10VDIM-A130 X B115 MM	18W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
58	MAZDA-UPXR658018W-5K-240V-BL-PH-A130 X B115 MM	18W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
59	MAZDA-UPXR658018W-5K-240V-BL-DA-A130 X B115 MM	18W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
60	MAZDA-UPXR658018W-5K-240V-BL-ND-A130 X B115 MM	18W	5000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
61	MAZDA-UPXR658018W-6K-240V-BL-10VDIM-A130 X B115 MM	18W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
62	MAZDA-UPXR658018W-6K-240V-BL-PH-A130 X B115 MM	18W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
63	MAZDA-UPXR658018W-6K-240V-BL-DA-A130 X B115 MM	18W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
64	MAZDA-UPXR658018W-6K-240V-BL-ND-A130 X B115 MM	18W	6000	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
65	MAZDA-UPXR658018W-2.7K-240V-BL-10VDIM-A130 X B115 MM	18W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
66	MAZDA-UPXR658018W-2.7K-240V-BL-PH-A130 X B115 MM	18W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
67	MAZDA-UPXR658018W-2.7K-240V-BL-DA-A130 X B115 MM	18W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
68	MAZDA-UPXR658018W-2.7K-240V-BL-ND-A130 X B115 MM	18W	2700	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angle	Dimension	Material	IP	Dimensions	Price
69	MAZDA-UPXR658018W-6.5K-240V-BL-10VDIM-A130 X B115 MM	18W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
70	MAZDA-UPXR658018W-6.5K-240V-BL-PH-A130 X B115 MM	18W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	PHASE CUT DIMMABLE	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
71	MAZDA-UPXR658018W-6.5K-240V-BL-DA-A130 X B115 MM	18W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	DALI DIMMABLE DRIVER	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	
72	MAZDA-UPXR658018W-6.5K-240V-BL-ND-A130 X B115 MM	18W	6500	240V	BLACK STAINLESS STEEL	NON EMERGENCY	ON - OFF	8	A130 X B115 MM	DIE CAST ALUMINUM	IP67	A130 X B115 MM	