



GATSBY

MAZDA Model: RMXR6125 Inground Light

This wall-mounted light features a robust die-cast aluminum alloy lamp body paired with a transparent PC diffuser for optimal light distribution and durability. Designed for outdoor use, it includes a waterproof silicone rubber gasket to ensure excellent protection against moisture and dust, while the pure polyester powder coating provides long-lasting resistance to harsh weather conditions. The fixture also comes with a pure aluminum recessed box for secure and seamless wall installation, making it a reliable and stylish solution for exterior lighting applications.

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
1	MAZDA-RMXR61252.5W-3K-240V-BL-10VDIM-A85 X B90 MM	2.5W	3000	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
2	MAZDA-RMXR61252.5W-3K-240V-BL-PH-A85 X B90 MM	2.5W	3000	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
3	MAZDA-RMXR61252.5W-3K-240V-BL-DA-A85 X B90 MM	2.5W	3000	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
4	MAZDA-RMXR61252.5W-3K-240V-BL-ND-A85 X B90 MM	2.5W	3000	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
5	MAZDA-RMXR61252.5W-4K-240V-BL-10VDIM-A85 X B90 MM	2.5W	4000	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
6	MAZDA-RMXR61252.5W-4K-240V-BL-PH-A85 X B90 MM	2.5W	4000	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
7	MAZDA-RMXR61252.5W-4K-240V-BL-DA-A85 X B90 MM	2.5W	4000	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
8	MAZDA-RMXR61252.5W-4K-240V-BL-ND-A85 X B90 MM	2.5W	4000	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
9	MAZDA-RMXR61252.5W-5K-240V-BL-10VDIM-A85 X B90 MM	2.5W	5000	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
10	MAZDA-RMXR61252.5W-5K-240V-BL-PH-A85 X B90 MM	2.5W	5000	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
11	MAZDA-RMXR61252.5W-5K-240V-BL-DA-A85 X B90 MM	2.5W	5000	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
12	MAZDA-RMXR61252.5W-5K-240V-BL-ND-A85 X B90 MM	2.5W	5000	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
13	MAZDA-RMXR61252.5W-6K-240V-BL-10VDIM-A85 X B90 MM	2.5W	6000	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
14	MAZDA-RMXR61252.5W-6K-240V-BL-PH-A85 X B90 MM	2.5W	6000	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
15	MAZDA-RMXR61252.5W-6K-240V-BL-DA-A85 X B90 MM	2.5W	6000	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
16	MAZDA-RMXR61252.5W-6K-240V-BL-ND-A85 X B90 MM	2.5W	6000	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	



DATASHEET

GENERATED ON: 27 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
17	MAZDA-RMXR61252.5W-2.7K-240V-BL-10VDIM-A85 X B90 MM	2.5W	2700	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
18	MAZDA-RMXR61252.5W-2.7K-240V-BL-PH-A85 X B90 MM	2.5W	2700	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
19	MAZDA-RMXR61252.5W-2.7K-240V-BL-DA-A85 X B90 MM	2.5W	2700	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
20	MAZDA-RMXR61252.5W-2.7K-240V-BL-ND-A85 X B90 MM	2.5W	2700	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
21	MAZDA-RMXR61252.5W-6.5K-240V-BL-10VDIM-A85 X B90 MM	2.5W	6500	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
22	MAZDA-RMXR61252.5W-6.5K-240V-BL-PH-A85 X B90 MM	2.5W	6500	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
23	MAZDA-RMXR61252.5W-6.5K-240V-BL-DA-A85 X B90 MM	2.5W	6500	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
24	MAZDA-RMXR61252.5W-6.5K-240V-BL-ND-A85 X B90 MM	2.5W	6500	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
25	MAZDA-RMXR61253W-3K-240V-BL-10VDIM-A85 X B90 MM	3W	3000	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
26	MAZDA-RMXR61253W-3K-240V-BL-PH-A85 X B90 MM	3W	3000	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
27	MAZDA-RMXR61253W-3K-240V-BL-DA-A85 X B90 MM	3W	3000	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
28	MAZDA-RMXR61253W-3K-240V-BL-ND-A85 X B90 MM	3W	3000	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
29	MAZDA-RMXR61253W-4K-240V-BL-10VDIM-A85 X B90 MM	3W	4000	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
30	MAZDA-RMXR61253W-4K-240V-BL-PH-A85 X B90 MM	3W	4000	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
31	MAZDA-RMXR61253W-4K-240V-BL-DA-A85 X B90 MM	3W	4000	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
32	MAZDA-RMXR61253W-4K-240V-BL-ND-A85 X B90 MM	3W	4000	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
33	MAZDA-RMXR61253W-5K-240V-BL-10VDIM-A85 X B90 MM	3W	5000	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
34	MAZDA-RMXR61253W-5K-240V-BL-PH-A85 X B90 MM	3W	5000	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
35	MAZDA-RMXR61253W-5K-240V-BL-DA-A85 X B90 MM	3W	5000	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
36	MAZDA-RMXR61253W-5K-240V-BL-ND-A85 X B90 MM	3W	5000	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
37	MAZDA-RMXR61253W-6K-240V-BL-10VDIM-A85 X B90 MM	3W	6000	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
38	MAZDA-RMXR61253W-6K-240V-BL-PH-A85 X B90 MM	3W	6000	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
39	MAZDA-RMXR61253W-6K-240V-BL-DA-A85 X B90 MM	3W	6000	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
40	MAZDA-RMXR61253W-6K-240V-BL-ND-A85 X B90 MM	3W	6000	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
41	MAZDA-RMXR61253W-2.7K-240V-BL-10VDIM-A85 X B90 MM	3W	2700	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
42	MAZDA-RMXR61253W-2.7K-240V-BL-PH-A85 X B90 MM	3W	2700	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	



DATASHEET

GENERATED ON: 27 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
43	MAZDA-RMXR61253W-2.7K-240V-BL-DA-A85 X B90 MM	3W	2700	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
44	MAZDA-RMXR61253W-2.7K-240V-BL-ND-A85 X B90 MM	3W	2700	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
45	MAZDA-RMXR61253W-6.5K-240V-BL-10VDIM-A85 X B90 MM	3W	6500	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
46	MAZDA-RMXR61253W-6.5K-240V-BL-PH-A85 X B90 MM	3W	6500	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
47	MAZDA-RMXR61253W-6.5K-240V-BL-DA-A85 X B90 MM	3W	6500	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
48	MAZDA-RMXR61253W-6.5K-240V-BL-ND-A85 X B90 MM	3W	6500	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
49	MAZDA-RMXR61252.5W-3K-240V-BL-10VDIM-A85 X B90 MM	2.5W	3000	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
50	MAZDA-RMXR61252.5W-3K-240V-BL-PH-A85 X B90 MM	2.5W	3000	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
51	MAZDA-RMXR61252.5W-3K-240V-BL-DA-A85 X B90 MM	2.5W	3000	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
52	MAZDA-RMXR61252.5W-3K-240V-BL-ND-A85 X B90 MM	2.5W	3000	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
53	MAZDA-RMXR61252.5W-4K-240V-BL-10VDIM-A85 X B90 MM	2.5W	4000	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
54	MAZDA-RMXR61252.5W-4K-240V-BL-PH-A85 X B90 MM	2.5W	4000	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
55	MAZDA-RMXR61252.5W-4K-240V-BL-DA-A85 X B90 MM	2.5W	4000	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
56	MAZDA-RMXR61252.5W-4K-240V-BL-ND-A85 X B90 MM	2.5W	4000	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
57	MAZDA-RMXR61252.5W-5K-240V-BL-10VDIM-A85 X B90 MM	2.5W	5000	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
58	MAZDA-RMXR61252.5W-5K-240V-BL-PH-A85 X B90 MM	2.5W	5000	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
59	MAZDA-RMXR61252.5W-5K-240V-BL-DA-A85 X B90 MM	2.5W	5000	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
60	MAZDA-RMXR61252.5W-5K-240V-BL-ND-A85 X B90 MM	2.5W	5000	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
61	MAZDA-RMXR61252.5W-6K-240V-BL-10VDIM-A85 X B90 MM	2.5W	6000	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
62	MAZDA-RMXR61252.5W-6K-240V-BL-PH-A85 X B90 MM	2.5W	6000	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
63	MAZDA-RMXR61252.5W-6K-240V-BL-DA-A85 X B90 MM	2.5W	6000	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
64	MAZDA-RMXR61252.5W-6K-240V-BL-ND-A85 X B90 MM	2.5W	6000	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
65	MAZDA-RMXR61252.5W-2.7K-240V-BL-10VDIM-A85 X B90 MM	2.5W	2700	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
66	MAZDA-RMXR61252.5W-2.7K-240V-BL-PH-A85 X B90 MM	2.5W	2700	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
67	MAZDA-RMXR61252.5W-2.7K-240V-BL-DA-A85 X B90 MM	2.5W	2700	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
68	MAZDA-RMXR61252.5W-2.7K-240V-BL-ND-A85 X B90 MM	2.5W	2700	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	



DATASHEET

GENERATED ON: 27 Sep 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
69	MAZDA-RMXR61252.5W-6.5K-240V-BL-10VDIM-A85 X B90 MM	2.5W	6500	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
70	MAZDA-RMXR61252.5W-6.5K-240V-BL-PH-A85 X B90 MM	2.5W	6500	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
71	MAZDA-RMXR61252.5W-6.5K-240V-BL-DA-A85 X B90 MM	2.5W	6500	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
72	MAZDA-RMXR61252.5W-6.5K-240V-BL-ND-A85 X B90 MM	2.5W	6500	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
73	MAZDA-RMXR61253W-3K-240V-BL-10VDIM-A85 X B90 MM	3W	3000	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
74	MAZDA-RMXR61253W-3K-240V-BL-PH-A85 X B90 MM	3W	3000	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
75	MAZDA-RMXR61253W-3K-240V-BL-DA-A85 X B90 MM	3W	3000	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
76	MAZDA-RMXR61253W-3K-240V-BL-ND-A85 X B90 MM	3W	3000	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
77	MAZDA-RMXR61253W-4K-240V-BL-10VDIM-A85 X B90 MM	3W	4000	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
78	MAZDA-RMXR61253W-4K-240V-BL-PH-A85 X B90 MM	3W	4000	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
79	MAZDA-RMXR61253W-4K-240V-BL-DA-A85 X B90 MM	3W	4000	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
80	MAZDA-RMXR61253W-4K-240V-BL-ND-A85 X B90 MM	3W	4000	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
81	MAZDA-RMXR61253W-5K-240V-BL-10VDIM-A85 X B90 MM	3W	5000	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
82	MAZDA-RMXR61253W-5K-240V-BL-PH-A85 X B90 MM	3W	5000	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
83	MAZDA-RMXR61253W-5K-240V-BL-DA-A85 X B90 MM	3W	5000	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
84	MAZDA-RMXR61253W-5K-240V-BL-ND-A85 X B90 MM	3W	5000	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
85	MAZDA-RMXR61253W-6K-240V-BL-10VDIM-A85 X B90 MM	3W	6000	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
86	MAZDA-RMXR61253W-6K-240V-BL-PH-A85 X B90 MM	3W	6000	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
87	MAZDA-RMXR61253W-6K-240V-BL-DA-A85 X B90 MM	3W	6000	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
88	MAZDA-RMXR61253W-6K-240V-BL-ND-A85 X B90 MM	3W	6000	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
89	MAZDA-RMXR61253W-2.7K-240V-BL-10VDIM-A85 X B90 MM	3W	2700	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
90	MAZDA-RMXR61253W-2.7K-240V-BL-PH-A85 X B90 MM	3W	2700	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
91	MAZDA-RMXR61253W-2.7K-240V-BL-DA-A85 X B90 MM	3W	2700	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
92	MAZDA-RMXR61253W-2.7K-240V-BL-ND-A85 X B90 MM	3W	2700	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
93	MAZDA-RMXR61253W-6.5K-240V-BL-10VDIM-A85 X B90 MM	3W	6500	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
94	MAZDA-RMXR61253W-6.5K-240V-BL-PH-A85 X B90 MM	3W	6500	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
95	MAZDA-RMXR61253W-6.5K-240V-BL-DA-A85 X B90 MM	3W	6500	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
96	MAZDA-RMXR61253W-6.5K-240V-BL-ND-A85 X B90 MM	3W	6500	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	