
DATASHEET

GENERATED ON: 12 Nov 2026 | SYS.REF: MAZDA-LED



GATSBY

MAZDA Model: RMXR6125 Inground Light

This wall-mounted light features a robust die-cast aluminum alloy lamp body paired with a transparent PC diffuser for optimal light distribution and durability. Designed for outdoor use, it includes a waterproof silicone rubber gasket to ensure excellent protection against moisture and dust, while the pure polyester powder coating provides long-lasting resistance to harsh weather conditions. The fixture also comes with a pure aluminum recessed box for secure and seamless wall installation, making it a reliable and stylish solution for exterior lighting applications

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
1	**MAZDA-RMXR61252.5W-3K-240V-BL-10VDIM-A85 X B90 MM**	2.5W	3000	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
2	**MAZDA-RMXR61252.5W-3K-240V-BL-PH-A85 X B90 MM**	2.5W	3000	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
3	**MAZDA-RMXR61252.5W-3K-240V-BL-DA-A85 X B90 MM**	2.5W	3000	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
4	**MAZDA-RMXR61252.5W-3K-240V-BL-ND-A85 X B90 MM**	2.5W	3000	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
5	**MAZDA-RMXR61252.5W-4K-240V-BL-10VDIM-A85 X B90 MM**	2.5W	4000	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
6	**MAZDA-RMXR61252.5W-4K-240V-BL-PH-A85 X B90 MM**	2.5W	4000	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
7	**MAZDA-RMXR61252.5W-4K-240V-BL-DA-A85 X B90 MM**	2.5W	4000	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
8	**MAZDA-RMXR61252.5W-4K-240V-BL-ND-A85 X B90 MM**	2.5W	4000	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
9	**MAZDA-RMXR61252.5W-5K-240V-BL-10VDIM-A85 X B90 MM**	2.5W	5000	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
10	**MAZDA-RMXR61252.5W-5K-240V-BL-PH-A85 X B90 MM**	2.5W	5000	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
11	**MAZDA-RMXR61252.5W-5K-240V-BL-DA-A85 X B90 MM**	2.5W	5000	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
12	**MAZDA-RMXR61252.5W-5K-240V-BL-ND-A85 X B90 MM**	2.5W	5000	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
13	**MAZDA-RMXR61252.5W-6K-240V-BL-10VDIM-A85 X B90 MM**	2.5W	6000	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
14	**MAZDA-RMXR61252.5W-6K-240V-BL-PH-A85 X B90 MM**	2.5W	6000	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
15	**MAZDA-RMXR61252.5W-6K-240V-BL-DA-A85 X B90 MM**	2.5W	6000	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
16	**MAZDA-RMXR61252.5W-6K-240V-BL-ND-A85 X B90 MM**	2.5W	6000	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM

DATASHEET

GENERATED ON: 12 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
17	**MAZDA-RMXR61252.5W-2.7K-240V-BL-10VDIM-A85 X B90 MM**	2.5W	2700	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
18	**MAZDA-RMXR61252.5W-2.7K-240V-BL-PH-A85 X B90 MM**	2.5W	2700	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
19	**MAZDA-RMXR61252.5W-2.7K-240V-BL-DA-A85 X B90 MM**	2.5W	2700	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
20	**MAZDA-RMXR61252.5W-2.7K-240V-BL-ND-A85 X B90 MM**	2.5W	2700	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
21	**MAZDA-RMXR61252.5W-6.5K-240V-BL-10VDIM-A85 X B90 MM**	2.5W	6500	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
22	**MAZDA-RMXR61252.5W-6.5K-240V-BL-PH-A85 X B90 MM**	2.5W	6500	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
23	**MAZDA-RMXR61252.5W-6.5K-240V-BL-DA-A85 X B90 MM**	2.5W	6500	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
24	**MAZDA-RMXR61252.5W-6.5K-240V-BL-ND-A85 X B90 MM**	2.5W	6500	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
25	**MAZDA-RMXR61253W-3K-240V-BL-10VDIM-A85 X B90 MM**	3W	3000	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
26	**MAZDA-RMXR61253W-3K-240V-BL-PH-A85 X B90 MM**	3W	3000	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
27	**MAZDA-RMXR61253W-3K-240V-BL-DA-A85 X B90 MM**	3W	3000	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
28	**MAZDA-RMXR61253W-3K-240V-BL-ND-A85 X B90 MM**	3W	3000	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
29	**MAZDA-RMXR61253W-4K-240V-BL-10VDIM-A85 X B90 MM**	3W	4000	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
30	**MAZDA-RMXR61253W-4K-240V-BL-PH-A85 X B90 MM**	3W	4000	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
31	**MAZDA-RMXR61253W-4K-240V-BL-DA-A85 X B90 MM**	3W	4000	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
32	**MAZDA-RMXR61253W-4K-240V-BL-ND-A85 X B90 MM**	3W	4000	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
33	**MAZDA-RMXR61253W-5K-240V-BL-10VDIM-A85 X B90 MM**	3W	5000	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
34	**MAZDA-RMXR61253W-5K-240V-BL-PH-A85 X B90 MM**	3W	5000	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
35	**MAZDA-RMXR61253W-5K-240V-BL-DA-A85 X B90 MM**	3W	5000	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
36	**MAZDA-RMXR61253W-5K-240V-BL-ND-A85 X B90 MM**	3W	5000	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
37	**MAZDA-RMXR61253W-6K-240V-BL-10VDIM-A85 X B90 MM**	3W	6000	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
38	**MAZDA-RMXR61253W-6K-240V-BL-PH-A85 X B90 MM**	3W	6000	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
39	**MAZDA-RMXR61253W-6K-240V-BL-DA-A85 X B90 MM**	3W	6000	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
40	**MAZDA-RMXR61253W-6K-240V-BL-ND-A85 X B90 MM**	3W	6000	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
41	**MAZDA-RMXR61253W-2.7K-240V-BL-10VDIM-A85 X B90 MM**	3W	2700	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
42	**MAZDA-RMXR61253W-2.7K-240V-BL-PH-A85 X B90 MM**	3W	2700	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM

DATASHEET

GENERATED ON: 12 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
43	**MAZDA-RMXR61253W-2.7K-240V-BL-DA-A85 X B90 MM**	3W	2700	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
44	**MAZDA-RMXR61253W-2.7K-240V-BL-ND-A85 X B90 MM**	3W	2700	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
45	**MAZDA-RMXR61253W-6.5K-240V-BL-10VDIM-A85 X B90 MM**	3W	6500	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
46	**MAZDA-RMXR61253W-6.5K-240V-BL-PH-A85 X B90 MM**	3W	6500	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
47	**MAZDA-RMXR61253W-6.5K-240V-BL-DA-A85 X B90 MM**	3W	6500	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
48	**MAZDA-RMXR61253W-6.5K-240V-BL-ND-A85 X B90 MM**	3W	6500	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
49	**MAZDA-RMXR61252.5W-3K-240V-BL-10VDIM-A85 X B90 MM**	2.5W	3000	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
50	**MAZDA-RMXR61252.5W-3K-240V-BL-PH-A85 X B90 MM**	2.5W	3000	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
51	**MAZDA-RMXR61252.5W-3K-240V-BL-DA-A85 X B90 MM**	2.5W	3000	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
52	**MAZDA-RMXR61252.5W-3K-240V-BL-ND-A85 X B90 MM**	2.5W	3000	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
53	**MAZDA-RMXR61252.5W-4K-240V-BL-10VDIM-A85 X B90 MM**	2.5W	4000	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
54	**MAZDA-RMXR61252.5W-4K-240V-BL-PH-A85 X B90 MM**	2.5W	4000	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
55	**MAZDA-RMXR61252.5W-4K-240V-BL-DA-A85 X B90 MM**	2.5W	4000	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
56	**MAZDA-RMXR61252.5W-4K-240V-BL-ND-A85 X B90 MM**	2.5W	4000	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
57	**MAZDA-RMXR61252.5W-5K-240V-BL-10VDIM-A85 X B90 MM**	2.5W	5000	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
58	**MAZDA-RMXR61252.5W-5K-240V-BL-PH-A85 X B90 MM**	2.5W	5000	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
59	**MAZDA-RMXR61252.5W-5K-240V-BL-DA-A85 X B90 MM**	2.5W	5000	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
60	**MAZDA-RMXR61252.5W-5K-240V-BL-ND-A85 X B90 MM**	2.5W	5000	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
61	**MAZDA-RMXR61252.5W-6K-240V-BL-10VDIM-A85 X B90 MM**	2.5W	6000	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
62	**MAZDA-RMXR61252.5W-6K-240V-BL-PH-A85 X B90 MM**	2.5W	6000	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
63	**MAZDA-RMXR61252.5W-6K-240V-BL-DA-A85 X B90 MM**	2.5W	6000	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
64	**MAZDA-RMXR61252.5W-6K-240V-BL-ND-A85 X B90 MM**	2.5W	6000	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
65	**MAZDA-RMXR61252.5W-2.7K-240V-BL-10VDIM-A85 X B90 MM**	2.5W	2700	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
66	**MAZDA-RMXR61252.5W-2.7K-240V-BL-PH-A85 X B90 MM**	2.5W	2700	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
67	**MAZDA-RMXR61252.5W-2.7K-240V-BL-DA-A85 X B90 MM**	2.5W	2700	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
68	**MAZDA-RMXR61252.5W-2.7K-240V-BL-ND-A85 X B90 MM**	2.5W	2700	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM

DATASHEET

GENERATED ON: 12 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
69	**MAZDA-RMXR61252.5W-6.5K-240V-BL-10VDIM-A85 X B90 MM**	2.5W	6500	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
70	**MAZDA-RMXR61252.5W-6.5K-240V-BL-PH-A85 X B90 MM**	2.5W	6500	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
71	**MAZDA-RMXR61252.5W-6.5K-240V-BL-DA-A85 X B90 MM**	2.5W	6500	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
72	**MAZDA-RMXR61252.5W-6.5K-240V-BL-ND-A85 X B90 MM**	2.5W	6500	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
73	**MAZDA-RMXR61253W-3K-240V-BL-10VDIM-A85 X B90 MM**	3W	3000	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
74	**MAZDA-RMXR61253W-3K-240V-BL-PH-A85 X B90 MM**	3W	3000	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
75	**MAZDA-RMXR61253W-3K-240V-BL-DA-A85 X B90 MM**	3W	3000	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
76	**MAZDA-RMXR61253W-3K-240V-BL-ND-A85 X B90 MM**	3W	3000	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
77	**MAZDA-RMXR61253W-4K-240V-BL-10VDIM-A85 X B90 MM**	3W	4000	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
78	**MAZDA-RMXR61253W-4K-240V-BL-PH-A85 X B90 MM**	3W	4000	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
79	**MAZDA-RMXR61253W-4K-240V-BL-DA-A85 X B90 MM**	3W	4000	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
80	**MAZDA-RMXR61253W-4K-240V-BL-ND-A85 X B90 MM**	3W	4000	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
81	**MAZDA-RMXR61253W-5K-240V-BL-10VDIM-A85 X B90 MM**	3W	5000	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
82	**MAZDA-RMXR61253W-5K-240V-BL-PH-A85 X B90 MM**	3W	5000	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
83	**MAZDA-RMXR61253W-5K-240V-BL-DA-A85 X B90 MM**	3W	5000	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
84	**MAZDA-RMXR61253W-5K-240V-BL-ND-A85 X B90 MM**	3W	5000	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
85	**MAZDA-RMXR61253W-6K-240V-BL-10VDIM-A85 X B90 MM**	3W	6000	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
86	**MAZDA-RMXR61253W-6K-240V-BL-PH-A85 X B90 MM**	3W	6000	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
87	**MAZDA-RMXR61253W-6K-240V-BL-DA-A85 X B90 MM**	3W	6000	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
88	**MAZDA-RMXR61253W-6K-240V-BL-ND-A85 X B90 MM**	3W	6000	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
89	**MAZDA-RMXR61253W-2.7K-240V-BL-10VDIM-A85 X B90 MM**	3W	2700	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
90	**MAZDA-RMXR61253W-2.7K-240V-BL-PH-A85 X B90 MM**	3W	2700	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
91	**MAZDA-RMXR61253W-2.7K-240V-BL-DA-A85 X B90 MM**	3W	2700	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
92	**MAZDA-RMXR61253W-2.7K-240V-BL-ND-A85 X B90 MM**	3W	2700	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
93	**MAZDA-RMXR61253W-6.5K-240V-BL-10VDIM-A85 X B90 MM**	3W	6500	240V	BLACK, DARK GRAY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM
94	**MAZDA-RMXR61253W-6.5K-240V-BL-PH-A85 X B90 MM**	3W	6500	240V	BLACK, DARK GRAY	NON EMERGENCY	PHASE CUT DIMMABLE	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
95	**MAZDA-RMXR61253W-6.5K-240V-BL-DA-A85 X B90 MM**	3W	6500	240V	BLACK, DARK GRAY	NON EMERGENCY	DALI DIMMABLE DRIVER	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	
96	**MAZDA-RMXR61253W-6.5K-240V-BL-ND-A85 X B90 MM**	3W	6500	240V	BLACK, DARK GRAY	NON EMERGENCY	ON - OFF	60	A85 X B90 MM	DIE CAST ALUMINUM	IP10	A85 X B90 MM	