DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED



MARI

MAZDA Model: SXR1820 Spot Light

Mari LED Spot light is unique traditional deep reflector and COB high power LED chip provides perfect combination of high lighting efficiency, comfortable lighting and humanization design, made by high quality aluminum profile provides excellent thermal dissipation with great heatsink designed for any ceiling installations. Isolated driver solution both in dimmable and non-dimmable version

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
1	MAZDA-SXR182010-3K-AC240-WH-10VDIM-A105 X B65 X C85MM	10	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM	
2	MAZDA-SXR182010-3K-AC240-WH-PH-A105 X B65 X C85MM	10	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM	
3	MAZDA-SXR182010-3K-AC240-WH-DA-A105 X B65 X C85MM	10	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM	
4	MAZDA-SXR182010-3K-AC240-WH-ND-A105 X B65 X C85MM	10	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM	
5	MAZDA-SXR182010-4K-AC240-WH-10VDIM-A105 X B65 X C85MM	10	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM	
6	MAZDA-SXR182010-4K-AC240-WH-PH-A105 X B65 X C85MM	10	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM	
7	MAZDA-SXR182010-4K-AC240-WH-DA-A105 X B65 X C85MM	10	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM	
8	MAZDA-SXR182010-4K-AC240-WH-ND-A105 X B65 X C85MM	10	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM	
9	MAZDA-SXR182010-5K-AC240-WH-10VDIM-A105 X B65 X C85MM	10	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM	
10	MAZDA-SXR182010-5K-AC240-WH-PH-A105 X B65 X C85MM	10	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM	
11	MAZDA-SXR182010-5K-AC240-WH-DA-A105 X B65 X C85MM	10	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM	
12	MAZDA-SXR182010-5K-AC240-WH-ND-A105 X B65 X C85MM	10	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM	
13	MAZDA-SXR182010-6K-AC240-WH-10VDIM-A105 X B65 X C85MM	10	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM	
14	MAZDA-SXR182010-6K-AC240-WH-PH-A105 X B65 X C85MM	10	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM	
15	MAZDA-SXR182010-6K-AC240-WH-DA-A105 X B65 X C85MM	10	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM	
16	MAZDA-SXR182010-6K-AC240-WH-ND-A105 X B65 X C85MM	10	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM	
17	MAZDA-SXR182010-6.5K-AC240-WH-10VDIM-A105 X B65 X C85MM	10	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM	
18	MAZDA-SXR182010-6.5K-AC240-WH-PH-A105 X B65 X C85MM	10	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM	
19	MAZDA-SXR182010-6.5K-AC240-WH-DA-A105 X B65 X C85MM	10	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM	

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
20	**MAZDA-SXR182010-6.5K-AC240-WH-ND-A105 X B65 X C85MM**	10	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM
21	**MAZDA-SXR182010-2.7K-AC240-WH-10VDIM-A105 X B65 X C85MM**	10	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM
22	**MAZDA-SXR182010-2.7K-AC240-WH-PH-A105 X B65 X C85MM**	10	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM
23	**MAZDA-SXR182010-2.7K-AC240-WH-DA-A105 X B65 X C85MM**	10	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM
24	**MAZDA-SXR182010-2.7K-AC240-WH-ND-A105 X B65 X C85MM**	10	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM
25	**MAZDA-SXR182007-3K-AC240-WH-10VDIM-A90 X B45 X C70MM**	07	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B45 X C70MM	DIE CAST ALUMINUM	54	A90 X B45 X C70MM
26	**MAZDA-SXR182007-3K-AC240-WH-PH-A90 X B45 X C70MM**	07	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B45 X C70MM	DIE CAST ALUMINUM	54	A90 X B45 X C70MM
27	**MAZDA-SXR182007-3K-AC240-WH-DA-A90 X B45 X C70MM**	07	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B45 X C70MM	DIE CAST ALUMINUM	54	A90 X B45 X C70MM
28	**MAZDA-SXR182007-3K-AC240-WH-ND-A90 X B45 X C70MM**	07	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A90 X B45 X C70MM	DIE CAST ALUMINUM	54	A90 X B45 X C70MM
29	**MAZDA-SXR182007-4K-AC240-WH-10VDIM-A90 X B45 X C70MM**	07	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B45 X C70MM	DIE CAST ALUMINUM	54	A90 X B45 X C70MM
30	**MAZDA-SXR182007-4K-AC240-WH-PH-A90 X B45 X C70MM**	07	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B45 X C70MM	DIE CAST ALUMINUM	54	A90 X B45 X C70MM
31	**MAZDA-SXR182007-4K-AC240-WH-DA-A90 X B45 X C70MM**	07	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B45 X C70MM	DIE CAST ALUMINUM	54	A90 X B45 X C70MM
32	**MAZDA-SXR182007-4K-AC240-WH-ND-A90 X B45 X C70MM**	07	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A90 X B45 X C70MM	DIE CAST ALUMINUM	54	A90 X B45 X C70MM
33	**MAZDA-SXR182007-5K-AC240-WH-10VDIM-A90 X B45 X C70MM**	07	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B45 X C70MM	DIE CAST ALUMINUM	54	A90 X B45 X C70MM
34	**MAZDA-SXR182007-5K-AC240-WH-PH-A90 X B45 X C70MM**	07	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B45 X C70MM	DIE CAST ALUMINUM	54	A90 X B45 X C70MM
35	**MAZDA-SXR182007-5K-AC240-WH-DA-A90 X B45 X C70MM**	07	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B45 X C70MM	DIE CAST ALUMINUM	54	A90 X B45 X C70MM
36	**MAZDA-SXR182007-5K-AC240-WH-ND-A90 X B45 X C70MM**	07	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A90 X B45 X C70MM	DIE CAST ALUMINUM	54	A90 X B45 X C70MM
37	**MAZDA-SXR182007-6K-AC240-WH-10VDIM-A90 X B45 X C70MM**	07	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B45 X C70MM	DIE CAST ALUMINUM	54	A90 X B45 X C70MM
38	**MAZDA-SXR182007-6K-AC240-WH-PH-A90 X B45 X C70MM**	07	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B45 X C70MM	DIE CAST ALUMINUM	54	A90 X B45 X C70MM
39	**MAZDA-SXR182007-6K-AC240-WH-DA-A90 X B45 X C70MM**	07	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B45 X C70MM	DIE CAST ALUMINUM	54	A90 X B45 X C70MM
40	**MAZDA-SXR182007-6K-AC240-WH-ND-A90 X B45 X C70MM**	07	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A90 X B45 X C70MM	DIE CAST ALUMINUM	54	A90 X B45 X C70MM
41	**MAZDA-SXR182007-6.5K-AC240-WH-10VDIM-A90 X B45 X C70MM**	07	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B45 X C70MM	DIE CAST ALUMINUM	54	A90 X B45 X C70MM
42	**MAZDA-SXR182007-6.5K-AC240-WH-PH-A90 X B45 X C70MM**	07	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B45 X C70MM	DIE CAST ALUMINUM	54	A90 X B45 X C70MM
43	**MAZDA-SXR182007-6.5K-AC240-WH-DA-A90 X B45 X C70MM**	07	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B45 X C70MM	DIE CAST ALUMINUM	54	A90 X B45 X C70MM
44	**MAZDA-SXR182007-6.5K-AC240-WH-ND-A90 X B45 X C70MM**	07	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A90 X B45 X C70MM	DIE CAST ALUMINUM	54	A90 X B45 X C70MM
45	**MAZDA-SXR182007-2.7K-AC240-WH-10VDIM-A90 X B45 X C70MM**	07	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B45 X C70MM	DIE CAST ALUMINUM	54	A90 X B45 X C70MM
46	**MAZDA-SXR182007-2.7K-AC240-WH-PH-A90 X B45 X C70MM**	07	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B45 X C70MM	DIE CAST ALUMINUM	54	A90 X B45 X C70MM
47	**MAZDA-SXR182007-2.7K-AC240-WH-DA-A90 X B45 X C70MM**	07	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B45 X C70MM	DIE CAST ALUMINUM	54	A90 X B45 X C70MM
48	**MAZDA-SXR182007-2.7K-AC240-WH-ND-A90 X B45 X C70MM**	07	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A90 X B45 X C70MM	DIE CAST ALUMINUM	54	A90 X B45 X C70MM

DATASHEET

GENERATED ON: 10 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
49	**MAZDA-SXR182012-3K-AC240-WH-10VDIM-A105 X B65 X C85MM**	12	3000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM
50	**MAZDA-SXR182012-3K-AC240-WH-PH-A105 X B65 X C85MM**	12	3000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM
51	**MAZDA-SXR182012-3K-AC240-WH-DA-A105 X B65 X C85MM**	12	3000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM
52	**MAZDA-SXR182012-3K-AC240-WH-ND-A105 X B65 X C85MM**	12	3000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM
53	**MAZDA-SXR182012-4K-AC240-WH-10VDIM-A105 X B65 X C85MM**	12	4000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM
54	**MAZDA-SXR182012-4K-AC240-WH-PH-A105 X B65 X C85MM**	12	4000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM
55	**MAZDA-SXR182012-4K-AC240-WH-DA-A105 X B65 X C85MM**	12	4000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM
56	**MAZDA-SXR182012-4K-AC240-WH-ND-A105 X B65 X C85MM**	12	4000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM
57	**MAZDA-SXR182012-5K-AC240-WH-10VDIM-A105 X B65 X C85MM**	12	5000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM
58	**MAZDA-SXR182012-5K-AC240-WH-PH-A105 X B65 X C85MM**	12	5000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM
59	**MAZDA-SXR182012-5K-AC240-WH-DA-A105 X B65 X C85MM**	12	5000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM
60	**MAZDA-SXR182012-5K-AC240-WH-ND-A105 X B65 X C85MM**	12	5000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM
61	**MAZDA-SXR182012-6K-AC240-WH-10VDIM-A105 X B65 X C85MM**	12	6000	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM
62	**MAZDA-SXR182012-6K-AC240-WH-PH-A105 X B65 X C85MM**	12	6000	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM
63	**MAZDA-SXR182012-6K-AC240-WH-DA-A105 X B65 X C85MM**	12	6000	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM
64	**MAZDA-SXR182012-6K-AC240-WH-ND-A105 X B65 X C85MM**	12	6000	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM
65	**MAZDA-SXR182012-6.5K-AC240-WH-10VDIM-A105 X B65 X C85MM**	12	6500	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM
66	**MAZDA-SXR182012-6.5K-AC240-WH-PH-A105 X B65 X C85MM**	12	6500	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM
67	**MAZDA-SXR182012-6.5K-AC240-WH-DA-A105 X B65 X C85MM**	12	6500	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM
68	**MAZDA-SXR182012-6.5K-AC240-WH-ND-A105 X B65 X C85MM**	12	6500	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM
69	**MAZDA-SXR182012-2.7K-AC240-WH-10VDIM-A105 X B65 X C85MM**	12	2700	240VAC	WHITE	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM
70	**MAZDA-SXR182012-2.7K-AC240-WH-PH-A105 X B65 X C85MM**	12	2700	240VAC	WHITE	NON EMERGENCY	PHASE CUT DIMMABLE	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM
71	**MAZDA-SXR182012-2.7K-AC240-WH-DA-A105 X B65 X C85MM**	12	2700	240VAC	WHITE	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM
72	**MAZDA-SXR182012-2.7K-AC240-WH-ND-A105 X B65 X C85MM**	12	2700	240VAC	WHITE	NON EMERGENCY	ON - OFF	15	A105 X B65 X C85MM	DIE CAST ALUMINUM	54	A105 X B65 X C85MM