DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED



DIVA III

MAZDA Model: FXR3081 Flood Light

Diva II LED flood light is an IP66-rated luminaire for lighting landscapes, trees, columns, monuments, and architectural details. It has numerous options, including optics for flood or accent lighting, colour temperatures colour mixing as well as various accessories for bracket installation, spread lenses, and controls.The uminaire also has an anti-corrosion option for use in harsh, chemical, or coastal environments.

ALL AVAILABLE VARIANTS

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
1	MAZDA-FXR308105-3K-AC240-BK-10VDIM-A60 X B152 X C100MM	05	3000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
2	MAZDA-FXR308105-3K-AC240-GRY-10VDIM-A60 X B152 X C100MM	05	3000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
3	MAZDA-FXR308105-3K-AC240-BK-PH-A60 X B152 X C100MM	05	3000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
4	MAZDA-FXR308105-3K-AC240-GRY-PH-A60 X B152 X C100MM	05	3000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
5	MAZDA-FXR308105-3K-AC240-BK-DA-A60 X B152 X C100MM	05	3000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
6	MAZDA-FXR308105-3K-AC240-GRY-DA-A60 X B152 X C100MM	05	3000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
7	MAZDA-FXR308105-3K-AC240-BK-ND-A60 X B152 X C100MM	05	3000	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
8	MAZDA-FXR308105-3K-AC240-GRY-ND-A60 X B152 X C100MM	05	3000	240VAC	GREY	NON EMERGENCY	ON - OFF	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
9	MAZDA-FXR308105-4K-AC240-BK-10VDIM-A60 X B152 X C100MM	05	4000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
10	MAZDA-FXR308105-4K-AC240-GRY-10VDIM-A60 X B152 X C100MM	05	4000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
11	MAZDA-FXR308105-4K-AC240-BK-PH-A60 X B152 X C100MM	05	4000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
12	MAZDA-FXR308105-4K-AC240-GRY-PH-A60 X B152 X C100MM	05	4000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
13	MAZDA-FXR308105-4K-AC240-BK-DA-A60 X B152 X C100MM	05	4000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
14	MAZDA-FXR308105-4K-AC240-GRY-DA-A60 X B152 X C100MM	05	4000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
15	MAZDA-FXR308105-4K-AC240-BK-ND-A60 X B152 X C100MM	05	4000	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
16	MAZDA-FXR308105-4K-AC240-GRY-ND-A60 X B152 X C100MM	05	4000	240VAC	GREY	NON EMERGENCY	ON - OFF	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
17	MAZDA-FXR308105-5K-AC240-BK-10VDIM-A60 X B152 X C100MM	05	5000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
18	MAZDA-FXR308105-5K-AC240-GRY-10VDIM-A60 X B152 X C100MM	05	5000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM
19	MAZDA-FXR308105-5K-AC240-BK-PH-A60 X B152 X C100MM	05	5000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM
20	MAZDA-FXR308105-5K-AC240-GRY-PH-A60 X B152 X C100MM	05	5000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM
21	MAZDA-FXR308105-5K-AC240-BK-DA-A60 X B152 X C100MM	05	5000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM
22	MAZDA-FXR308105-5K-AC240-GRY-DA-A60 X B152 X C100MM	05	5000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM
23	MAZDA-FXR308105-5K-AC240-BK-ND-A60 X B152 X C100MM	05	5000	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM
24	MAZDA-FXR308105-5K-AC240-GRY-ND-A60 X B152 X C100MM	05	5000	240VAC	GREY	NON EMERGENCY	ON - OFF	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM
25	MAZDA-FXR308105-6K-AC240-BK-10VDIM-A60 X B152 X C100MM	05	6000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM
26	MAZDA-FXR308105-6K-AC240-GRY-10VDIM-A60 X B152 X C100MM	05	6000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM
27	MAZDA-FXR308105-6K-AC240-BK-PH-A60 X B152 X C100MM	05	6000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM
28	MAZDA-FXR308105-6K-AC240-GRY-PH-A60 X B152 X C100MM	05	6000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM
29	MAZDA-FXR308105-6K-AC240-BK-DA-A60 X B152 X C100MM	05	6000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM
30	MAZDA-FXR308105-6K-AC240-GRY-DA-A60 X B152 X C100MM	05	6000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM
31	MAZDA-FXR308105-6K-AC240-BK-ND-A60 X B152 X C100MM	05	6000	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM
32	MAZDA-FXR308105-6K-AC240-GRY-ND-A60 X B152 X C100MM	05	6000	240VAC	GREY	NON EMERGENCY	ON - OFF	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM
33	MAZDA-FXR308105-2.7K-AC240-BK-10VDIM-A60 X B152 X C100MM	05	2700	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM
34	MAZDA-FXR308105-2.7K-AC240-GRY-10VDIM-A60 X B152 X C100MM	05	2700	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM
35	MAZDA-FXR308105-2.7K-AC240-BK-PH-A60 X B152 X C100MM	05	2700	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM
36	MAZDA-FXR308105-2.7K-AC240-GRY-PH-A60 X B152 X C100MM	05	2700	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM
37	MAZDA-FXR308105-2.7K-AC240-BK-DA-A60 X B152 X C100MM	05	2700	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM
38	MAZDA-FXR308105-2.7K-AC240-GRY-DA-A60 X B152 X C100MM	05	2700	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM
39	MAZDA-FXR308105-2.7K-AC240-BK-ND-A60 X B152 X C100MM	05	2700	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM
40	MAZDA-FXR308105-2.7K-AC240-GRY-ND-A60 X B152 X C100MM	05	2700	240VAC	GREY	NON EMERGENCY	ON - OFF	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM
41	MAZDA-FXR308105-6.5K-AC240-BK-10VDIM-A60 X B152 X C100MM	05	6500	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM
42	MAZDA-FXR308105-6.5K-AC240-GRY-10VDIM-A60 X B152 X C100MM	05	6500	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM
43	MAZDA-FXR308105-6.5K-AC240-BK-PH-A60 X B152 X C100MM	05	6500	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM
44	MAZDA-FXR308105-6.5K-AC240-GRY-PH-A60 X B152 X C100MM	05	6500	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM
45	MAZDA-FXR308105-6.5K-AC240-BK-DA-A60 X B152 X C100MM	05	6500	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
46	MAZDA-FXR308105-6.5K-AC240-GRY-DA-A60 X B152 X C100MM	05	6500	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
47	MAZDA-FXR308105-6.5K-AC240-BK-ND-A60 X B152 X C100MM	05	6500	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
48	MAZDA-FXR308105-6.5K-AC240-GRY-ND-A60 X B152 X C100MM	05	6500	240VAC	GREY	NON EMERGENCY	ON - OFF	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
49	MAZDA-FXR308107-3K-AC240-BK-10VDIM-A60 X B152 X C100MM	07	3000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
50	MAZDA-FXR308107-3K-AC240-GRY-10VDIM-A60 X B152 X C100MM	07	3000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
51	MAZDA-FXR308107-3K-AC240-BK-PH-A60 X B152 X C100MM	07	3000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
52	MAZDA-FXR308107-3K-AC240-GRY-PH-A60 X B152 X C100MM	07	3000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
53	MAZDA-FXR308107-3K-AC240-BK-DA-A60 X B152 X C100MM	07	3000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
54	MAZDA-FXR308107-3K-AC240-GRY-DA-A60 X B152 X C100MM	07	3000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
55	MAZDA-FXR308107-3K-AC240-BK-ND-A60 X B152 X C100MM	07	3000	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
56	MAZDA-FXR308107-3K-AC240-GRY-ND-A60 X B152 X C100MM	07	3000	240VAC	GREY	NON EMERGENCY	ON - OFF	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
57	MAZDA-FXR308107-4K-AC240-BK-10VDIM-A60 X B152 X C100MM	07	4000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
58	MAZDA-FXR308107-4K-AC240-GRY-10VDIM-A60 X B152 X C100MM	07	4000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
59	MAZDA-FXR308107-4K-AC240-BK-PH-A60 X B152 X C100MM	07	4000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
60	MAZDA-FXR308107-4K-AC240-GRY-PH-A60 X B152 X C100MM	07	4000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
61	MAZDA-FXR308107-4K-AC240-BK-DA-A60 X B152 X C100MM	07	4000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
62	MAZDA-FXR308107-4K-AC240-GRY-DA-A60 X B152 X C100MM	07	4000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
63	MAZDA-FXR308107-4K-AC240-BK-ND-A60 X B152 X C100MM	07	4000	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
64	MAZDA-FXR308107-4K-AC240-GRY-ND-A60 X B152 X C100MM	07	4000	240VAC	GREY	NON EMERGENCY	ON - OFF	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
65	MAZDA-FXR308107-5K-AC240-BK-10VDIM-A60 X B152 X C100MM	07	5000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
66	MAZDA-FXR308107-5K-AC240-GRY-10VDIM-A60 X B152 X C100MM	07	5000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
67	MAZDA-FXR308107-5K-AC240-BK-PH-A60 X B152 X C100MM	07	5000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
68	MAZDA-FXR308107-5K-AC240-GRY-PH-A60 X B152 X C100MM	07	5000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
69	MAZDA-FXR308107-5K-AC240-BK-DA-A60 X B152 X C100MM	07	5000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
70	MAZDA-FXR308107-5K-AC240-GRY-DA-A60 X B152 X C100MM	07	5000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
71	MAZDA-FXR308107-5K-AC240-BK-ND-A60 X B152 X C100MM	07	5000	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
72	MAZDA-FXR308107-5K-AC240-GRY-ND-A60 X B152 X C100MM	07	5000	240VAC	GREY	NON EMERGENCY	ON - OFF	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
73	MAZDA-FXR308107-6K-AC240-BK-10VDIM-A60 X B152 X C100MM	07	6000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
74	MAZDA-FXR308107-6K-AC240-GRY-10VDIM-A60 X B152 X C100MM	07	6000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
75	MAZDA-FXR308107-6K-AC240-BK-PH-A60 X B152 X C100MM	07	6000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
76	MAZDA-FXR308107-6K-AC240-GRY-PH-A60 X B152 X C100MM	07	6000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
77	MAZDA-FXR308107-6K-AC240-BK-DA-A60 X B152 X C100MM	07	6000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
78	MAZDA-FXR308107-6K-AC240-GRY-DA-A60 X B152 X C100MM	07	6000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
79	MAZDA-FXR308107-6K-AC240-BK-ND-A60 X B152 X C100MM	07	6000	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
80	MAZDA-FXR308107-6K-AC240-GRY-ND-A60 X B152 X C100MM	07	6000	240VAC	GREY	NON EMERGENCY	ON - OFF	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
81	MAZDA-FXR308107-2.7K-AC240-BK-10VDIM-A60 X B152 X C100MM	07	2700	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
82	MAZDA-FXR308107-2.7K-AC240-GRY-10VDIM-A60 X B152 X C100MM	07	2700	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
83	MAZDA-FXR308107-2.7K-AC240-BK-PH-A60 X B152 X C100MM	07	2700	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
84	MAZDA-FXR308107-2.7K-AC240-GRY-PH-A60 X B152 X C100MM	07	2700	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
85	MAZDA-FXR308107-2.7K-AC240-BK-DA-A60 X B152 X C100MM	07	2700	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
86	MAZDA-FXR308107-2.7K-AC240-GRY-DA-A60 X B152 X C100MM	07	2700	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
87	MAZDA-FXR308107-2.7K-AC240-BK-ND-A60 X B152 X C100MM	07	2700	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
88	MAZDA-FXR308107-2.7K-AC240-GRY-ND-A60 X B152 X C100MM	07	2700	240VAC	GREY	NON EMERGENCY	ON - OFF	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
89	MAZDA-FXR308107-6.5K-AC240-BK-10VDIM-A60 X B152 X C100MM	07	6500	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
90	MAZDA-FXR308107-6.5K-AC240-GRY-10VDIM-A60 X B152 X C100MM	07	6500	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
91	MAZDA-FXR308107-6.5K-AC240-BK-PH-A60 X B152 X C100MM	07	6500	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
92	MAZDA-FXR308107-6.5K-AC240-GRY-PH-A60 X B152 X C100MM	07	6500	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
93	MAZDA-FXR308107-6.5K-AC240-BK-DA-A60 X B152 X C100MM	07	6500	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
94	MAZDA-FXR308107-6.5K-AC240-GRY-DA-A60 X B152 X C100MM	07	6500	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
95	MAZDA-FXR308107-6.5K-AC240-BK-ND-A60 X B152 X C100MM	07	6500	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
96	MAZDA-FXR308107-6.5K-AC240-GRY-ND-A60 X B152 X C100MM	07	6500	240VAC	GREY	NON EMERGENCY	ON - OFF	15	A60 X B152 X C100MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A60 X B152 X C100MM	
97	MAZDA-FXR308110-3K-AC240-BK-10VDIM-A72 X B181 X C128MM	10	3000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
98	MAZDA-FXR308110-3K-AC240-GRY-10VDIM-A72 X B181 X C128MM	10	3000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
99	MAZDA-FXR308110-3K-AC240-BK-PH-A72 X B181 X C128MM	10	3000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
100	MAZDA-FXR308110-3K-AC240-GRY-PH-A72 X B181 X C128MM	10	3000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
101	MAZDA-FXR308110-3K-AC240-BK-DA-A72 X B181 X C128MM	10	3000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
102	**MAZDA-FXR308110-3K-AC240-GRY-DA-A72 X B181 X C128MM**	10	3000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
103	**MAZDA-FXR308110-3K-AC240-BK-ND-A72 X B181 X C128MM**	10	3000	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
104	**MAZDA-FXR308110-3K-AC240-GRY-ND-A72 X B181 X C128MM**	10	3000	240VAC	GREY	NON EMERGENCY	ON - OFF	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
105	**MAZDA-FXR308110-4K-AC240-BK-10VDIM-A72 X B181 X C128MM**	10	4000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
106	**MAZDA-FXR308110-4K-AC240-GRY-10VDIM-A72 X B181 X C128MM**	10	4000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
107	**MAZDA-FXR308110-4K-AC240-BK-PH-A72 X B181 X C128MM**	10	4000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
108	**MAZDA-FXR308110-4K-AC240-GRY-PH-A72 X B181 X C128MM**	10	4000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
109	**MAZDA-FXR308110-4K-AC240-BK-DA-A72 X B181 X C128MM**	10	4000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
110	**MAZDA-FXR308110-4K-AC240-GRY-DA-A72 X B181 X C128MM**	10	4000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
111	**MAZDA-FXR308110-4K-AC240-BK-ND-A72 X B181 X C128MM**	10	4000	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
112	**MAZDA-FXR308110-4K-AC240-GRY-ND-A72 X B181 X C128MM**	10	4000	240VAC	GREY	NON EMERGENCY	ON - OFF	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
113	**MAZDA-FXR308110-5K-AC240-BK-10VDIM-A72 X B181 X C128MM**	10	5000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
114	**MAZDA-FXR308110-5K-AC240-GRY-10VDIM-A72 X B181 X C128MM**	10	5000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
115	**MAZDA-FXR308110-5K-AC240-BK-PH-A72 X B181 X C128MM**	10	5000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
116	**MAZDA-FXR308110-5K-AC240-GRY-PH-A72 X B181 X C128MM**	10	5000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
117	**MAZDA-FXR308110-5K-AC240-BK-DA-A72 X B181 X C128MM**	10	5000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
118	**MAZDA-FXR308110-5K-AC240-GRY-DA-A72 X B181 X C128MM**	10	5000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
119	**MAZDA-FXR308110-5K-AC240-BK-ND-A72 X B181 X C128MM**	10	5000	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
120	**MAZDA-FXR308110-5K-AC240-GRY-ND-A72 X B181 X C128MM**	10	5000	240VAC	GREY	NON EMERGENCY	ON - OFF	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
121	**MAZDA-FXR308110-6K-AC240-BK-10VDIM-A72 X B181 X C128MM**	10	6000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
122	**MAZDA-FXR308110-6K-AC240-GRY-10VDIM-A72 X B181 X C128MM**	10	6000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
123	**MAZDA-FXR308110-6K-AC240-BK-PH-A72 X B181 X C128MM**	10	6000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
124	**MAZDA-FXR308110-6K-AC240-GRY-PH-A72 X B181 X C128MM**	10	6000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
125	**MAZDA-FXR308110-6K-AC240-BK-DA-A72 X B181 X C128MM**	10	6000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
126	**MAZDA-FXR308110-6K-AC240-GRY-DA-A72 X B181 X C128MM**	10	6000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
127	**MAZDA-FXR308110-6K-AC240-BK-ND-A72 X B181 X C128MM**	10	6000	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
128	**MAZDA-FXR308110-6K-AC240-GRY-ND-A72 X B181 X C128MM**	10	6000	240VAC	GREY	NON EMERGENCY	ON - OFF	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
129	**MAZDA-FXR308110-2.7K-AC240-BK-10VDIM-A72 X B181 X C128MM**	10	2700	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions Price
130	**MAZDA-FXR308110-2.7K-AC240-GRY-10VDIM-A72 X B181 X C128MM**	10	2700	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM
131	**MAZDA-FXR308110-2.7K-AC240-BK-PH-A72 X B181 X C128MM**	10	2700	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM
132	**MAZDA-FXR308110-2.7K-AC240-GRY-PH-A72 X B181 X C128MM**	10	2700	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM
133	**MAZDA-FXR308110-2.7K-AC240-BK-DA-A72 X B181 X C128MM**	10	2700	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM
134	**MAZDA-FXR308110-2.7K-AC240-GRY-DA-A72 X B181 X C128MM**	10	2700	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM
135	**MAZDA-FXR308110-2.7K-AC240-BK-ND-A72 X B181 X C128MM**	10	2700	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM
136	**MAZDA-FXR308110-2.7K-AC240-GRY-ND-A72 X B181 X C128MM**	10	2700	240VAC	GREY	NON EMERGENCY	ON - OFF	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM
137	**MAZDA-FXR308110-6.5K-AC240-BK-10VDIM-A72 X B181 X C128MM**	10	6500	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM
138	**MAZDA-FXR308110-6.5K-AC240-GRY-10VDIM-A72 X B181 X C128MM**	10	6500	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM
139	**MAZDA-FXR308110-6.5K-AC240-BK-PH-A72 X B181 X C128MM**	10	6500	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM
140	**MAZDA-FXR308110-6.5K-AC240-GRY-PH-A72 X B181 X C128MM**	10	6500	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM
141	**MAZDA-FXR308110-6.5K-AC240-BK-DA-A72 X B181 X C128MM**	10	6500	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM
142	**MAZDA-FXR308110-6.5K-AC240-GRY-DA-A72 X B181 X C128MM**	10	6500	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM
143	**MAZDA-FXR308110-6.5K-AC240-BK-ND-A72 X B181 X C128MM**	10	6500	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM
144	**MAZDA-FXR308110-6.5K-AC240-GRY-ND-A72 X B181 X C128MM**	10	6500	240VAC	GREY	NON EMERGENCY	ON - OFF	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM
145	**MAZDA-FXR308115-3K-AC240-BK-10VDIM-A72 X B181 X C128MM**	15	3000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM
146	**MAZDA-FXR308115-3K-AC240-GRY-10VDIM-A72 X B181 X C128MM**	15	3000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM
147	**MAZDA-FXR308115-3K-AC240-BK-PH-A72 X B181 X C128MM**	15	3000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM
148	**MAZDA-FXR308115-3K-AC240-GRY-PH-A72 X B181 X C128MM**	15	3000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM
149	**MAZDA-FXR308115-3K-AC240-BK-DA-A72 X B181 X C128MM**	15	3000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM
150	**MAZDA-FXR308115-3K-AC240-GRY-DA-A72 X B181 X C128MM**	15	3000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM
151	**MAZDA-FXR308115-3K-AC240-BK-ND-A72 X B181 X C128MM**	15	3000	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM
152	**MAZDA-FXR308115-3K-AC240-GRY-ND-A72 X B181 X C128MM**	15	3000	240VAC	GREY	NON EMERGENCY	ON - OFF	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM
153	**MAZDA-FXR308115-4K-AC240-BK-10VDIM-A72 X B181 X C128MM**	15	4000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM
154	**MAZDA-FXR308115-4K-AC240-GRY-10VDIM-A72 X B181 X C128MM**	15	4000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM
155	**MAZDA-FXR308115-4K-AC240-BK-PH-A72 X B181 X C128MM**	15	4000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM
156	**MAZDA-FXR308115-4K-AC240-GRY-PH-A72 X B181 X C128MM**	15	4000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM
157	**MAZDA-FXR308115-4K-AC240-BK-DA-A72 X B181 X C128MM**	15	4000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
158	**MAZDA-FXR308115-4K-AC240-GRY-DA-A72 X B181 X C128MM**	15	4000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
159	**MAZDA-FXR308115-4K-AC240-BK-ND-A72 X B181 X C128MM**	15	4000	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
160	**MAZDA-FXR308115-4K-AC240-GRY-ND-A72 X B181 X C128MM**	15	4000	240VAC	GREY	NON EMERGENCY	ON - OFF	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
161	**MAZDA-FXR308115-5K-AC240-BK-10VDIM-A72 X B181 X C128MM**	15	5000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
162	**MAZDA-FXR308115-5K-AC240-GRY-10VDIM-A72 X B181 X C128MM**	15	5000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
163	**MAZDA-FXR308115-5K-AC240-BK-PH-A72 X B181 X C128MM**	15	5000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
164	**MAZDA-FXR308115-5K-AC240-GRY-PH-A72 X B181 X C128MM**	15	5000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
165	**MAZDA-FXR308115-5K-AC240-BK-DA-A72 X B181 X C128MM**	15	5000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
166	**MAZDA-FXR308115-5K-AC240-GRY-DA-A72 X B181 X C128MM**	15	5000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
167	**MAZDA-FXR308115-5K-AC240-BK-ND-A72 X B181 X C128MM**	15	5000	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
168	**MAZDA-FXR308115-5K-AC240-GRY-ND-A72 X B181 X C128MM**	15	5000	240VAC	GREY	NON EMERGENCY	ON - OFF	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
169	**MAZDA-FXR308115-6K-AC240-BK-10VDIM-A72 X B181 X C128MM**	15	6000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
170	**MAZDA-FXR308115-6K-AC240-GRY-10VDIM-A72 X B181 X C128MM**	15	6000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
171	**MAZDA-FXR308115-6K-AC240-BK-PH-A72 X B181 X C128MM**	15	6000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
172	**MAZDA-FXR308115-6K-AC240-GRY-PH-A72 X B181 X C128MM**	15	6000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
173	**MAZDA-FXR308115-6K-AC240-BK-DA-A72 X B181 X C128MM**	15	6000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
174	**MAZDA-FXR308115-6K-AC240-GRY-DA-A72 X B181 X C128MM**	15	6000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
175	**MAZDA-FXR308115-6K-AC240-BK-ND-A72 X B181 X C128MM**	15	6000	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
176	**MAZDA-FXR308115-6K-AC240-GRY-ND-A72 X B181 X C128MM**	15	6000	240VAC	GREY	NON EMERGENCY	ON - OFF	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
177	**MAZDA-FXR308115-2.7K-AC240-BK-10VDIM-A72 X B181 X C128MM**	15	2700	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
178	**MAZDA-FXR308115-2.7K-AC240-GRY-10VDIM-A72 X B181 X C128MM**	15	2700	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
179	**MAZDA-FXR308115-2.7K-AC240-BK-PH-A72 X B181 X C128MM**	15	2700	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
180	**MAZDA-FXR308115-2.7K-AC240-GRY-PH-A72 X B181 X C128MM**	15	2700	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
181	**MAZDA-FXR308115-2.7K-AC240-BK-DA-A72 X B181 X C128MM**	15	2700	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
182	**MAZDA-FXR308115-2.7K-AC240-GRY-DA-A72 X B181 X C128MM**	15	2700	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
183	**MAZDA-FXR308115-2.7K-AC240-BK-ND-A72 X B181 X C128MM**	15	2700	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
184	**MAZDA-FXR308115-2.7K-AC240-GRY-ND-A72 X B181 X C128MM**	15	2700	240VAC	GREY	NON EMERGENCY	ON - OFF	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
185	**MAZDA-FXR308115-6.5K-AC240-BK-10VDIM-A72 X B181 X C128MM**	15	6500	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
186	**MAZDA-FXR308115-6.5K-AC240-GRY-10VDIM-A72 X B181 X C128MM**	15	6500	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
187	**MAZDA-FXR308115-6.5K-AC240-BK-PH-A72 X B181 X C128MM**	15	6500	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
188	**MAZDA-FXR308115-6.5K-AC240-GRY-PH-A72 X B181 X C128MM**	15	6500	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
189	**MAZDA-FXR308115-6.5K-AC240-BK-DA-A72 X B181 X C128MM**	15	6500	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
190	**MAZDA-FXR308115-6.5K-AC240-GRY-DA-A72 X B181 X C128MM**	15	6500	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
191	**MAZDA-FXR308115-6.5K-AC240-BK-ND-A72 X B181 X C128MM**	15	6500	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
192	**MAZDA-FXR308115-6.5K-AC240-GRY-ND-A72 X B181 X C128MM**	15	6500	240VAC	GREY	NON EMERGENCY	ON - OFF	15	A72 X B181 X C128MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A72 X B181 X C128MM	
193	**MAZDA-FXR308120-3K-AC240-BK-10VDIM-A90 X B231 X C160MM**	20	3000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
194	**MAZDA-FXR308120-3K-AC240-GRY-10VDIM-A90 X B231 X C160MM**	20	3000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
195	**MAZDA-FXR308120-3K-AC240-BK-PH-A90 X B231 X C160MM**	20	3000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
196	**MAZDA-FXR308120-3K-AC240-GRY-PH-A90 X B231 X C160MM**	20	3000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
197	**MAZDA-FXR308120-3K-AC240-BK-DA-A90 X B231 X C160MM**	20	3000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
198	**MAZDA-FXR308120-3K-AC240-GRY-DA-A90 X B231 X C160MM**	20	3000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
199	**MAZDA-FXR308120-3K-AC240-BK-ND-A90 X B231 X C160MM**	20	3000	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
200	**MAZDA-FXR308120-3K-AC240-GRY-ND-A90 X B231 X C160MM**	20	3000	240VAC	GREY	NON EMERGENCY	ON - OFF	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
201	**MAZDA-FXR308120-4K-AC240-BK-10VDIM-A90 X B231 X C160MM**	20	4000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
202	**MAZDA-FXR308120-4K-AC240-GRY-10VDIM-A90 X B231 X C160MM**	20	4000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
203	**MAZDA-FXR308120-4K-AC240-BK-PH-A90 X B231 X C160MM**	20	4000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
204	**MAZDA-FXR308120-4K-AC240-GRY-PH-A90 X B231 X C160MM**	20	4000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
205	**MAZDA-FXR308120-4K-AC240-BK-DA-A90 X B231 X C160MM**	20	4000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
206	**MAZDA-FXR308120-4K-AC240-GRY-DA-A90 X B231 X C160MM**	20	4000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
207	**MAZDA-FXR308120-4K-AC240-BK-ND-A90 X B231 X C160MM**	20	4000	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
208	**MAZDA-FXR308120-4K-AC240-GRY-ND-A90 X B231 X C160MM**	20	4000	240VAC	GREY	NON EMERGENCY	ON - OFF	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
209	**MAZDA-FXR308120-5K-AC240-BK-10VDIM-A90 X B231 X C160MM**	20	5000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
210	**MAZDA-FXR308120-5K-AC240-GRY-10VDIM-A90 X B231 X C160MM**	20	5000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
211	**MAZDA-FXR308120-5K-AC240-BK-PH-A90 X B231 X C160MM**	20	5000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
212	**MAZDA-FXR308120-5K-AC240-GRY-PH-A90 X B231 X C160MM**	20	5000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
213	**MAZDA-FXR308120-5K-AC240-BK-DA-A90 X B231 X C160MM**	20	5000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
214	**MAZDA-FXR308120-5K-AC240-GRY-DA-A90 X B231 X C160MM**	20	5000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
215	**MAZDA-FXR308120-5K-AC240-BK-ND-A90 X B231 X C160MM**	20	5000	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
216	**MAZDA-FXR308120-5K-AC240-GRY-ND-A90 X B231 X C160MM**	20	5000	240VAC	GREY	NON EMERGENCY	ON - OFF	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
217	**MAZDA-FXR308120-6K-AC240-BK-10VDIM-A90 X B231 X C160MM**	20	6000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
218	**MAZDA-FXR308120-6K-AC240-GRY-10VDIM-A90 X B231 X C160MM**	20	6000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
219	**MAZDA-FXR308120-6K-AC240-BK-PH-A90 X B231 X C160MM**	20	6000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
220	**MAZDA-FXR308120-6K-AC240-GRY-PH-A90 X B231 X C160MM**	20	6000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
221	**MAZDA-FXR308120-6K-AC240-BK-DA-A90 X B231 X C160MM**	20	6000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
222	**MAZDA-FXR308120-6K-AC240-GRY-DA-A90 X B231 X C160MM**	20	6000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
223	**MAZDA-FXR308120-6K-AC240-BK-ND-A90 X B231 X C160MM**	20	6000	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
224	**MAZDA-FXR308120-6K-AC240-GRY-ND-A90 X B231 X C160MM**	20	6000	240VAC	GREY	NON EMERGENCY	ON - OFF	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
225	**MAZDA-FXR308120-2.7K-AC240-BK-10VDIM-A90 X B231 X C160MM**	20	2700	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
226	**MAZDA-FXR308120-2.7K-AC240-GRY-10VDIM-A90 X B231 X C160MM**	20	2700	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
227	**MAZDA-FXR308120-2.7K-AC240-BK-PH-A90 X B231 X C160MM**	20	2700	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
228	**MAZDA-FXR308120-2.7K-AC240-GRY-PH-A90 X B231 X C160MM**	20	2700	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
229	**MAZDA-FXR308120-2.7K-AC240-BK-DA-A90 X B231 X C160MM**	20	2700	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
230	**MAZDA-FXR308120-2.7K-AC240-GRY-DA-A90 X B231 X C160MM**	20	2700	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
231	**MAZDA-FXR308120-2.7K-AC240-BK-ND-A90 X B231 X C160MM**	20	2700	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
232	**MAZDA-FXR308120-2.7K-AC240-GRY-ND-A90 X B231 X C160MM**	20	2700	240VAC	GREY	NON EMERGENCY	ON - OFF	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
233	**MAZDA-FXR308120-6.5K-AC240-BK-10VDIM-A90 X B231 X C160MM**	20	6500	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
234	**MAZDA-FXR308120-6.5K-AC240-GRY-10VDIM-A90 X B231 X C160MM**	20	6500	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
235	**MAZDA-FXR308120-6.5K-AC240-BK-PH-A90 X B231 X C160MM**	20	6500	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
236	**MAZDA-FXR308120-6.5K-AC240-GRY-PH-A90 X B231 X C160MM**	20	6500	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
237	**MAZDA-FXR308120-6.5K-AC240-BK-DA-A90 X B231 X C160MM**	20	6500	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
238	**MAZDA-FXR308120-6.5K-AC240-GRY-DA-A90 X B231 X C160MM**	20	6500	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
239	**MAZDA-FXR308120-6.5K-AC240-BK-ND-A90 X B231 X C160MM**	20	6500	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
240	**MAZDA-FXR308120-6.5K-AC240-GRY-ND-A90 X B231 X C160MM**	20	6500	240VAC	GREY	NON EMERGENCY	ON - OFF	15	A90 X B231 X C160MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A90 X B231 X C160MM	
241	**MAZDA-FXR308130-3K-AC240-BK-10VDIM-A136 X B303 X C230MM**	30	3000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM	

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions
242	MAZDA-FXR308130-3K-AC240-GRY-10VDIM-A136 X B303 X C230MM	30	3000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
243	MAZDA-FXR308130-3K-AC240-BK-PH-A136 X B303 X C230MM	30	3000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
244	MAZDA-FXR308130-3K-AC240-GRY-PH-A136 X B303 X C230MM	30	3000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
245	MAZDA-FXR308130-3K-AC240-BK-DA-A136 X B303 X C230MM	30	3000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
246	MAZDA-FXR308130-3K-AC240-GRY-DA-A136 X B303 X C230MM	30	3000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
247	MAZDA-FXR308130-3K-AC240-BK-ND-A136 X B303 X C230MM	30	3000	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
248	MAZDA-FXR308130-3K-AC240-GRY-ND-A136 X B303 X C230MM	30	3000	240VAC	GREY	NON EMERGENCY	ON - OFF	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
249	MAZDA-FXR308130-4K-AC240-BK-10VDIM-A136 X B303 X C230MM	30	4000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
250	MAZDA-FXR308130-4K-AC240-GRY-10VDIM-A136 X B303 X C230MM	30	4000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
251	MAZDA-FXR308130-4K-AC240-BK-PH-A136 X B303 X C230MM	30	4000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
252	MAZDA-FXR308130-4K-AC240-GRY-PH-A136 X B303 X C230MM	30	4000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
253	MAZDA-FXR308130-4K-AC240-BK-DA-A136 X B303 X C230MM	30	4000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
254	MAZDA-FXR308130-4K-AC240-GRY-DA-A136 X B303 X C230MM	30	4000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
255	MAZDA-FXR308130-4K-AC240-BK-ND-A136 X B303 X C230MM	30	4000	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
256	MAZDA-FXR308130-4K-AC240-GRY-ND-A136 X B303 X C230MM	30	4000	240VAC	GREY	NON EMERGENCY	ON - OFF	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
257	MAZDA-FXR308130-5K-AC240-BK-10VDIM-A136 X B303 X C230MM	30	5000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
258	MAZDA-FXR308130-5K-AC240-GRY-10VDIM-A136 X B303 X C230MM	30	5000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
259	MAZDA-FXR308130-5K-AC240-BK-PH-A136 X B303 X C230MM	30	5000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
260	MAZDA-FXR308130-5K-AC240-GRY-PH-A136 X B303 X C230MM	30	5000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
261	MAZDA-FXR308130-5K-AC240-BK-DA-A136 X B303 X C230MM	30	5000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
262	MAZDA-FXR308130-5K-AC240-GRY-DA-A136 X B303 X C230MM	30	5000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
263	MAZDA-FXR308130-5K-AC240-BK-ND-A136 X B303 X C230MM	30	5000	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
264	MAZDA-FXR308130-5K-AC240-GRY-ND-A136 X B303 X C230MM	30	5000	240VAC	GREY	NON EMERGENCY	ON - OFF	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
265	MAZDA-FXR308130-6K-AC240-BK-10VDIM-A136 X B303 X C230MM	30	6000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
266	MAZDA-FXR308130-6K-AC240-GRY-10VDIM-A136 X B303 X C230MM	30	6000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
267	MAZDA-FXR308130-6K-AC240-BK-PH-A136 X B303 X C230MM	30	6000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
268	MAZDA-FXR308130-6K-AC240-GRY-PH-A136 X B303 X C230MM	30	6000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
269	MAZDA-FXR308130-6K-AC240-BK-DA-A136 X B303 X C230MM	30	6000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
270	**MAZDA-FXR308130-6K-AC240-GRY-DA-A136 X B303 X C230MM**	30	6000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM	
271	**MAZDA-FXR308130-6K-AC240-BK-ND-A136 X B303 X C230MM**	30	6000	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM	
272	**MAZDA-FXR308130-6K-AC240-GRY-ND-A136 X B303 X C230MM**	30	6000	240VAC	GREY	NON EMERGENCY	ON - OFF	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM	
273	**MAZDA-FXR308130-2.7K-AC240-BK-10VDIM-A136 X B303 X C230MM**	30	2700	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM	
274	**MAZDA-FXR308130-2.7K-AC240-GRY-10VDIM-A136 X B303 X C230MM**	30	2700	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM	
275	**MAZDA-FXR308130-2.7K-AC240-BK-PH-A136 X B303 X C230MM**	30	2700	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM	
276	**MAZDA-FXR308130-2.7K-AC240-GRY-PH-A136 X B303 X C230MM**	30	2700	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM	
277	**MAZDA-FXR308130-2.7K-AC240-BK-DA-A136 X B303 X C230MM**	30	2700	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM	
278	**MAZDA-FXR308130-2.7K-AC240-GRY-DA-A136 X B303 X C230MM**	30	2700	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM	
279	**MAZDA-FXR308130-2.7K-AC240-BK-ND-A136 X B303 X C230MM**	30	2700	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM	
280	**MAZDA-FXR308130-2.7K-AC240-GRY-ND-A136 X B303 X C230MM**	30	2700	240VAC	GREY	NON EMERGENCY	ON - OFF	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM	
281	**MAZDA-FXR308130-6.5K-AC240-BK-10VDIM-A136 X B303 X C230MM**	30	6500	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM	
282	**MAZDA-FXR308130-6.5K-AC240-GRY-10VDIM-A136 X B303 X C230MM**	30	6500	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM	
283	**MAZDA-FXR308130-6.5K-AC240-BK-PH-A136 X B303 X C230MM**	30	6500	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM	
284	**MAZDA-FXR308130-6.5K-AC240-GRY-PH-A136 X B303 X C230MM**	30	6500	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM	
285	**MAZDA-FXR308130-6.5K-AC240-BK-DA-A136 X B303 X C230MM**	30	6500	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM	
286	**MAZDA-FXR308130-6.5K-AC240-GRY-DA-A136 X B303 X C230MM**	30	6500	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM	
287	**MAZDA-FXR308130-6.5K-AC240-BK-ND-A136 X B303 X C230MM**	30	6500	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM	
288	**MAZDA-FXR308130-6.5K-AC240-GRY-ND-A136 X B303 X C230MM**	30	6500	240VAC	GREY	NON EMERGENCY	ON - OFF	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM	
289	**MAZDA-FXR308150-3K-AC240-BK-10VDIM-A136 X B303 X C230MM**	50	3000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM	
290	**MAZDA-FXR308150-3K-AC240-GRY-10VDIM-A136 X B303 X C230MM**	50	3000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM	
291	**MAZDA-FXR308150-3K-AC240-BK-PH-A136 X B303 X C230MM**	50	3000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM	
292	**MAZDA-FXR308150-3K-AC240-GRY-PH-A136 X B303 X C230MM**	50	3000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM	
293	**MAZDA-FXR308150-3K-AC240-BK-DA-A136 X B303 X C230MM**	50	3000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM	
294	**MAZDA-FXR308150-3K-AC240-GRY-DA-A136 X B303 X C230MM**	50	3000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM	
295	**MAZDA-FXR308150-3K-AC240-BK-ND-A136 X B303 X C230MM**	50	3000	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM	
296	**MAZDA-FXR308150-3K-AC240-GRY-ND-A136 X B303 X C230MM**	50	3000	240VAC	GREY	NON EMERGENCY	ON - OFF	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM	
297	**MAZDA-FXR308150-4K-AC240-BK-10VDIM-A136 X B303 X C230MM**	50	4000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM	

DATASHEET

GENERATED ON: 15 Nov 2026 | SYS.REF: MAZDA-LED

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions
298	MAZDA-FXR308150-4K-AC240-GRY-10VDIM-A136 X B303 X C230MM	50	4000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
299	MAZDA-FXR308150-4K-AC240-BK-PH-A136 X B303 X C230MM	50	4000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
300	MAZDA-FXR308150-4K-AC240-GRY-PH-A136 X B303 X C230MM	50	4000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
301	MAZDA-FXR308150-4K-AC240-BK-DA-A136 X B303 X C230MM	50	4000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
302	MAZDA-FXR308150-4K-AC240-GRY-DA-A136 X B303 X C230MM	50	4000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
303	MAZDA-FXR308150-4K-AC240-BK-ND-A136 X B303 X C230MM	50	4000	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
304	MAZDA-FXR308150-4K-AC240-GRY-ND-A136 X B303 X C230MM	50	4000	240VAC	GREY	NON EMERGENCY	ON - OFF	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
305	MAZDA-FXR308150-5K-AC240-BK-10VDIM-A136 X B303 X C230MM	50	5000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
306	MAZDA-FXR308150-5K-AC240-GRY-10VDIM-A136 X B303 X C230MM	50	5000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
307	MAZDA-FXR308150-5K-AC240-BK-PH-A136 X B303 X C230MM	50	5000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
308	MAZDA-FXR308150-5K-AC240-GRY-PH-A136 X B303 X C230MM	50	5000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
309	MAZDA-FXR308150-5K-AC240-BK-DA-A136 X B303 X C230MM	50	5000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
310	MAZDA-FXR308150-5K-AC240-GRY-DA-A136 X B303 X C230MM	50	5000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
311	MAZDA-FXR308150-5K-AC240-BK-ND-A136 X B303 X C230MM	50	5000	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
312	MAZDA-FXR308150-5K-AC240-GRY-ND-A136 X B303 X C230MM	50	5000	240VAC	GREY	NON EMERGENCY	ON - OFF	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
313	MAZDA-FXR308150-6K-AC240-BK-10VDIM-A136 X B303 X C230MM	50	6000	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
314	MAZDA-FXR308150-6K-AC240-GRY-10VDIM-A136 X B303 X C230MM	50	6000	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
315	MAZDA-FXR308150-6K-AC240-BK-PH-A136 X B303 X C230MM	50	6000	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
316	MAZDA-FXR308150-6K-AC240-GRY-PH-A136 X B303 X C230MM	50	6000	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
317	MAZDA-FXR308150-6K-AC240-BK-DA-A136 X B303 X C230MM	50	6000	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
318	MAZDA-FXR308150-6K-AC240-GRY-DA-A136 X B303 X C230MM	50	6000	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
319	MAZDA-FXR308150-6K-AC240-BK-ND-A136 X B303 X C230MM	50	6000	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
320	MAZDA-FXR308150-6K-AC240-GRY-ND-A136 X B303 X C230MM	50	6000	240VAC	GREY	NON EMERGENCY	ON - OFF	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
321	MAZDA-FXR308150-2.7K-AC240-BK-10VDIM-A136 X B303 X C230MM	50	2700	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
322	MAZDA-FXR308150-2.7K-AC240-GRY-10VDIM-A136 X B303 X C230MM	50	2700	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
323	MAZDA-FXR308150-2.7K-AC240-BK-PH-A136 X B303 X C230MM	50	2700	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
324	MAZDA-FXR308150-2.7K-AC240-GRY-PH-A136 X B303 X C230MM	50	2700	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM
325	MAZDA-FXR308150-2.7K-AC240-BK-DA-A136 X B303 X C230MM	50	2700	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM

#	Code	WATT	CCT	Voltage	Body Color	Emergency Backup	Control	Beam Angel	Dimension	Material	IP	Dimensions	Price
326	**MAZDA-FXR308150-2.7K-AC240-GRY-DA-A136 X B303 X C230MM**	50	2700	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM	
327	**MAZDA-FXR308150-2.7K-AC240-BK-ND-A136 X B303 X C230MM**	50	2700	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM	
328	**MAZDA-FXR308150-2.7K-AC240-GRY-ND-A136 X B303 X C230MM**	50	2700	240VAC	GREY	NON EMERGENCY	ON - OFF	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM	
329	**MAZDA-FXR308150-6.5K-AC240-BK-10VDIM-A136 X B303 X C230MM**	50	6500	240VAC	BLACK	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM	
330	**MAZDA-FXR308150-6.5K-AC240-GRY-10VDIM-A136 X B303 X C230MM**	50	6500	240VAC	GREY	NON EMERGENCY	0/1-10 V DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM	
331	**MAZDA-FXR308150-6.5K-AC240-BK-PH-A136 X B303 X C230MM**	50	6500	240VAC	BLACK	NON EMERGENCY	PHASE CUT DIMMABLE	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM	
332	**MAZDA-FXR308150-6.5K-AC240-GRY-PH-A136 X B303 X C230MM**	50	6500	240VAC	GREY	NON EMERGENCY	PHASE CUT DIMMABLE	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM	
333	**MAZDA-FXR308150-6.5K-AC240-BK-DA-A136 X B303 X C230MM**	50	6500	240VAC	BLACK	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM	
334	**MAZDA-FXR308150-6.5K-AC240-GRY-DA-A136 X B303 X C230MM**	50	6500	240VAC	GREY	NON EMERGENCY	DALI DIMMABLE DRIVER	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM	
335	**MAZDA-FXR308150-6.5K-AC240-BK-ND-A136 X B303 X C230MM**	50	6500	240VAC	BLACK	NON EMERGENCY	ON - OFF	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM	
336	**MAZDA-FXR308150-6.5K-AC240-GRY-ND-A136 X B303 X C230MM**	50	6500	240VAC	GREY	NON EMERGENCY	ON - OFF	15	A136 X B303 X C230MM	DIE-CAST ALUMINUM WITH ANTI-CORROSIVE	66	A136 X B303 X C230MM	